


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. *SW 1/4 SE 1/4 SECTION 25 TOWNSHIP 62N RANGE 2E*



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edwin R. Fairstoth
(Applicant)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 98-7261

DATE

INITIALS



SEP 28 1989

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 98-7261

DATE

INITIALS



SEP 28 1989

NO DOUBT

POOR QUALITY

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Application No. 98-7260


APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant EDWIN R. & OR WENDY E. FURBERGER Phone: NONE
post office address P.O. BOX 692 BONNERS FERRY IDAHO 83805
2. Source of water supply KATKA CREEK which is a tributary of KOOTENAI RIVER
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 25 Township 62N
Range 2E B.M. BOUNDARY County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into KATKA CREEK at a point in SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 25 Township 62N Range 2E B.M. BOUNDARY CO.
4. Water will be used for the following purposes:
Amount 0.02 for DOMESTIC purpose from JAN 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.18 for IRRIGATION purpose from JUNE 1 to OCT. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. GRAVITY FLOW PIPE LINE
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet; materials used in storage dam: _____
Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 3 years.
b. Estimated construction cost is \$1200.00
8. Description of proposed uses:

MICROFILMED

SEP 28 1989



Tom King -
Heres the exam
you requested be
returned - Kay
9/19/86

SOURCES

98-7261
Permit No:

t

report

RECEIVED

AUG 1 1986

ions of approval

Department of Water Resources

☒ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index J.A. 7/14/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other:

Check of P/U index J.A. 7/14/86 (Initial and date)

of water right(s) attached?
ow or volume

acres within tracts

To KAY
Date 17 SEPT 86 Time 4:00 PM

WHILE YOU WERE OUT

Tom King
of NORTHERN

attached?

(Initial and date)

attached

B. Aft

Phone

Telephoned		Please call	
Called to see you		Will call again	
Wants to see you		Returned your call	

e

ided license

C. Review

Message NEEDS DESPERATELY
EXAM BACK, SOMETHING IS
WRONG WITH IT. IT WAS
DONE IN July. 98-7261

96

ture of examiner and date)

7/15/86 (Initial and date)

7/28/86 (Initial and date)


al and date)

nd date)

nal Office and Original

(Initial and date)

Do Not Film!!



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07261

Priority: May 5, 1978

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
3.8 AF

This is to certify, that EDWIN R. FAIRBROTHER
WENDY G. FAIRBROTHER

RT. 1 BOX 529K7

BONNERS FERRY, ID 83805

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 5, 1978; and has submitted Proof of Beneficial Use on June 29, 1981. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to KATA CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.0 AF
IRRIGATION STORAGE	01/01 to 12/31		0.2 AF
IRRIGATION FROM STORAGE	01/01 to 12/31		0.2 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.04 CFS	3.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSWSE , Sec. 25, Township 62N, Range 02E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
62N	02E	25	SWSE	1		1

Total number of acres irrigated: 1

PLACE OF USE: IRRIGATION STORAGE, same as IRRIGATION use

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

SEP 28 1989

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 98-07261

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 8TH day of AUGUST, 1989.

Acting for 
R. Keith Higginson, Director

SEP 28 1989

Identification No. _____

Application No. 98-7261

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant EDWIN R. & JOR WENDY G. FAIRBROTHER Phone: NONE
post office address P.O. BOX 692 BONNERS FERRY, IDAHO 83805
2. Source of water supply UNNAMED SPRING which is a tributary of KATKA CREEK
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 25 Township 62N
Range 2E B.M. BOUNDARY County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into UNNAMED SPRING at a point in SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 25 Township 62N Range 2E B.M. BOUNDARY CO.
4. Water will be used for the following purposes:
Amount 0.02 for DOMESTIC purpose from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.18 for IRRIGATION purpose from JUNE 1 to OCT 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 for STORAGE purpose from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)
- * 5. Total quantity to be appropriated: for irrigation--per item 6a. TK 5-5-78
a. 0.20 cubic feet per second and/or
b. 0.20 acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. I PLAN TO INSTALL A PIPE IN THE SPRING AT A HIGHER LEVEL THAN THE HOMESITE FOR GRAVITY FLOW DOMESTIC USE. THE REMAINDER OF THE SPRING WILL FLOW INTO A POND FROM WHICH I WILL PUMP IT TO IRRIGATE APPROX 10 ACRES.
b. Height of storage dam 8 feet, active reservoir capacity 20 acre feet; total reservoir capacity 20 acre feet, materials used in storage dam: EARTH
Period of year during which storage will occur JAN 1 to DEC 31 inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 3 years.
b. Estimated construction cost is \$ 1500⁰⁰
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 25 Township 62N
Range 2E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water one.
(5) If water is to be used for other purposes describe: _____

* Per item 11 and additional application. TK 5-5-78

MICROFILMED

[illegible]

9-10


9. a. Who owns the property at the point of diversion
EDWIN R & LINDA G FAIRBANKSTER " "
" "
b. Who owns the land to be irrigated or place of use

applicant to make this filing-

Remarks I Am Also Applying For A SEPARATE PERMIT TO DIVERSIFY WATER FROM KATHA CREEK (0.02 DOMESTIC, 0.18 IRRIGATION) THE LAND TO BE IRRIGATED IS NOT THE SAME 9 ACRES (COVERED IN)

10.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. *SW 1/4 SE 1/4 SECTION 25 TOWNSHIP 62N RANGE 2E*



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edwin R. Fausth
(Applicant)

Proposed Priority 5/05/78

Received by Norm Date 5-5-78 Time 10:10

Preliminary check by TL Fee \$ 10.10

Received by B Date 5-5-78 (1882)

Publication prepared by B Date 5-5-78

Published in Bozeman Times-Journal

Publication dates 5-18+25-78

Publication approved Date 6-7-78

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by: _____

Hearing held by _____ Date _____

Recommended for approval denial by WJ

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7261, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 81.

c. Other: The rate of diversion for domestic use when combined with Permit No. 98-7260 shall not exceed 0.02 cubic feet per second.

2. Denial of said application is for the following reasons: _____

Witness my hand this 19th day of June, 19 78.

Norm
Administrator

**NOTICE OF APPLICATION
FOR WATER PERMIT**

NOTICE IS HEREBY GIVEN that Edwin R. &/or Wendy G. Fairbrother, P.O. Box 692, Bonners Ferry, Idaho has on May 5, 1978 submitted Application No. 98-7261 for a permit to appropriate 0.20 cubic feet per second 0.20 acre feet per annum of water from unnamed spring by means of gravity flow pipeline, pond & pump within the SW¼ SE¼ Sec 25, T62N, R2E, B.M., Boundary County to be used from Jan. 1 to Dec. 31 for domestic purposes (0.02 cfs) and for storage for irrigation (0.20 AF) and from June 1 to Oct. 31 for the irrigation of 9 acres (0.18 cfs) within the SW¼ SE¼ Sec 25, T62N, R2E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before June 5, 1978.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho, on May 18 and May 25, 1978.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull, bkpr. for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)
Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7261

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated May 18, 1978, and ending with the issue dated May 25, 1978.

o/k 5-2-78
Subscribed and sworn to before me this 31 day of May, 1978

Echo Turnbull
James L. Lemoine
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull, bkpr. for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)
Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at
Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has
been continuously and uninterruptedly published in said Boundary County during a period
of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7261

Notice for Publication, a printed copy of which is attached hereto was published in said
newspaper and not in a supplement thereof for 2 consecutive issues, com-
mencing with the issue dated May 18, 1978, and ending with the
issue dated May 25, 1978

Subscribed and sworn to before me this 31 day of May, 1978

Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

August 9, 1989

EDWIN R. FAIRBROTHER
WENDY G. FAIRBROTHER
RT. 1 BOX 529K7
BONNERS FERRY, ID 83805

RE: PERMIT NO. 98-07261

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 20 1989

April 17, 1989

EDWIN R. FAIRBROTHER
WENDY G. FAIRBROTHER
RT. 1 BOX 529K7
BONNERS FERRY, ID 83805

RE: PERMIT NO. 98-07261

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

SEP 28 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

98-7261
Permit No.

Staff Analysis Sheet
for
Beneficial Use Report

RECEIVED
OCT 27 1986

RECEIVED
AUG 1 1986

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
☒ Copy of Permit
☐ Copies of any Amendments/Orders with conditions of approval
☒ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index J.A. 7/14/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index J.A. 7/14/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of water right(s) attached?
Type of Overlap? ☒ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Jennifer Argraves 7/14/86 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent ke 7/15/86 (Initial and date)
Exam Reviewed by Manager of Regional Office RMA 7/28/86 (Initial and date)
Exam Date Entered in Computer 7/29/86 (Initial and date)
Exam sent to State Office 7/30/86 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 98-7261

DATE

INITIALS





STATE OF IDAHO DEPARTMENT OF WATER RESOURCES


NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 98-7261

DATE


INITIALS



THE UNIVERSITY OF TEXAS AT AUSTIN

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Edwin P. Hootman & Son, Inc. Phone: 210-0111
 post office address P.O. Box 102, Route 15, Eddy, NM 88523
2. Source of water supply KOTHA CREEK which is a tributary of KOOTENAI RIVER
3. a. Location of point of diversion is SW 1/4 of SE 1/4 of Section 25 Township 62N
 Range 2E S.M. BOUNDARY County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into KOTHA CREEK at a point in SW 1/4 of SE 1/4 of Section 25 Township 62N Range 2E S.M. BOUNDARY CO.
4. Water will be used for the following purposes:
 Amount 600 for irrigation purpose from JAN 1 to DEC 31 (both dates inclusive)
 Amount 100 for irrigation purpose from JAN 1 to OCT 31 (both dates inclusive)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
5. Total quantity to be appropriated:
 a. 0.20 cubic feet per second and/or
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. Gravity Flow Pipe Line
- Microfilm**
- SEP 28 1989
- b. Sketch or description of the _____ including total reservoir _____
 _____ including _____
 _____ including _____
 _____ feet.
7. a. This request for the installation of the _____ for _____ use



RIVER

Moyie Springs

Power plant

Newpoint

Borrow Pit

Evergreen Sch

KANIASU

NORTHERN

POTENAI

FILMED

SEP 8 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 1 1986

Department of Water Resources

GENERAL INFORMATION


1. Owner: Edwin R. and/or Wendy G. Fairbrother Permit No. 98-7261
Current Address: P.O. Box 692, Bonners Ferry, ID 83805 Phone No. None
2. Accompanied by: 211 Box 529 K7 EXAM. DATE: 7/1/86
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: Unnamed Spring tributary to _____

OVERLAP REVIEW

1. Other water rights with same place of use: # 98-7260
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more) 1989
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

RECEIVED

Do not use this space

FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE

FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q_{TOT} = .04 \text{ cfs via EXAM PERMIT AEE} \quad Q_{irr} = .102 \text{ cfs} \quad Q_{Dom} = .02 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3 \text{ AF}$$

$$V_{OR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 9.7 \text{ AF}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{OR} = 3 \text{ AF}$$

2. Volume Calculations for Other Uses:

$$V_{Dom} = .6 \text{ AF}$$

$$V_{Storage} = .25 \text{ AF}$$

.20 FM PERMIT
cal. attached

SEP 28 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

II 58-7260 overlap by P/O to increase amount of flow for eff. & Dom.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use		Period of Use		Rate of Diversion		Annual Volume	
From	To	From	To	Q (cfs)	V (afa)	From	To
Dom	1/1	12/31	12/31	.02 cfs	.6 AF	3 AF	20.25 AF
Eff	March 15	Nov 15	12/31	.02 cfs	3 AF	20.25 AF	3.8
Storage for IRR	1/1	12/31	12/31	.04 cfs	3.55 AF	3.8	3.8
IRR FM stor	3/15	11/15	11/15	.04 cfs	3.8	3.8	3.8
Totals:							

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☒ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Jennifer L. Hargrave

Signature

Certification Date

Field Report Preparation Date

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DOM 3/13/89

CONSULTANT SEAL

SEP 28 1989

0390

98-7261

Vol. Cal. For Storage

Pond

#1

$$V = 2 \times 15 \times 25 = 750 \text{ ft}^3 \times \frac{1 \text{ AF}}{43,560 \text{ ft}^3}$$

$$= .02 \text{ AF}$$

#2

Not in use

#3

B

$$V = 50 \times 50 \times 4 = 10,000 \text{ ft}^3 \times \frac{1 \text{ AF}}{43,560 \text{ ft}^3}$$

$$= .23 \text{ AF}$$

$$V_{\text{Storage}} = .25 \text{ AF}$$

APPROVED

SEP 28 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9807261	62N	02E	25	SW SE		SPRING	FAIRBROTHER, E
9802015						KATKA CREEK	MARTIN, FRANK
9807260						KATKA CREEK	FAIRBROTHER, E

REPRODUCTION

SEP 28 1989

Tom King -
Heres the exam
you requested be
returned - Kay
9/19/86

SOURCES

98-7261
Permit No:

t

report

RECEIVED

AUG 1 1986

ions of approval

Department of Water Resources

☒ Copy of U.S.G.S. Quad

☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index J.A. 7/14/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other:

Check of P/U index J.A. 7/14/86 (Initial and date)

of water right(s) attached?
ow or volume

acres within tracts

To KAY
Date 17 SEPT 86 Time 4:00 PM

WHILE YOU WERE OUT

Tom King
of NORTHERN

attached?

(Initial and date)

attached

B. Aft

Phone

Telephoned		Please call	
Called to see you		Will call again	
Wants to see you		Returned your call	

C. Review

Message NEEDS DESPERATELY
EXAM BACK, SOMETHING IS
WRONG WITH IT. IT WAS
DONE IN July. 98-7261

e

ided license

96

ture of examiner and date)

7/15/86 (Initial and date)

7/28/86 (Initial and date)


al and date)

nd date)

nal Office and Original

and date)

Do Not Film



4/86

RECEIVED
JUN 19 1986
Department of Water Resources
Northern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received N/A
Date _____
Receipt # _____
Receipt by _____
Sent to S.O. 6/12/86

RECEIVED
JUN 16 1986

1. Permit No. 98-7261

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE. Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: EDWIN R - WENDY G. FAIRBROTHER

3. Post Office Address: RT 1 Box 529 K7

BONNERS FERRY, ID. 83805 Telephone No. NO PHONE

4. Source of Water: UNNAMED SPRING

5. Extent of Use:

Domestic 0.02 ⁽¹⁾ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 0.02 ⁽¹⁾ (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 0.04 cfs 4 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

7-15-78

8. Person to contact to accompany the department representative during the field examination:

ED FAIRBROTHER (Name)

RT 1 Box 529 K7 BONNERS FERRY NONE
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

6-8-86
Date

Edwin R. Fairbrother
Signature of Permit Holder (and title, if appropriate)

SEP 28 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

98-7261
FAIRBROTHER, EDWIN R.
FAIRBROTHER, WENDY G.
RT. 1 BOX 529K7
BONNERS FERRY, ID 83805

138220

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

2000-04-14

11-28-89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

July 13, 1981

Mr. Edwin Fairbrother
Rt. 1 Box 529K7
Bonners Ferry, Id. 83805

RE: 98-7261

Dear Mr. Fairbrother:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Asent

TDK/fms

cc: IDWR - State Office

MICROFILMED

SEP 28 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 98-7261.

Name(s) of Permit Holder: EDWIN R. & WENDY G. FAIRBROTHER

Post Office Address: RT. 1 Box 529 K7

BONNERS FERRY, ID. 83805 Tel. No. NONE

Source of Water: UNNAMED SPRING

Extent of Use:

☒ Domestic	<u>1</u>	(number of households)
☐ Stockwater		(number and type of stock)
☒ Irrigation	<u>2</u>	(acres)
☒ Other	<u>PAVED FOR STREETS</u>	

Measuring Device:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No
Access Port:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-26-81
Date

Ed. R. Fairbrother
Signature of Permit Holder

ED FAIRBROTHER

26 JUN
1981

RT. 1 Box 529 RT

BONNERS FERRY, ID. 83805



RECEIVED



RECEIVED

SEP 20 1989

JUN 29 1981

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources
STATEHOUSE

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

FAIRBROTHER, EDWIN R. & WENDY G.
P.O. BOX 692
BONNERS FERRY, ID 83805

1:818

APRIL 30, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 98-7261 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED

SEP 28 1989

IDENT. NO. 98-7261

WATER RIGHT
DATA ENTRY LOG

[illegible]

June 19, 1978

Re: Permit No.'s 98-7260 and 98-7261

Edwin R. &/or Wendy G. Fairbrother
P. O. Box 692
Bonners Ferry, ID 83805

Dear Mr. and Mrs. Fairbrother:

Enclosed are copies of your approved Applications for Permit No.'s 98-7260 and 98-7261. We direct your attention to the conditions of approval as listed on the fourth pages.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

1. ☒ Name vs. Signature
2. ☒ Source
3. ☒ Point of Diversion
4. ☒ Amnt. & Period of Use *In accordance with reg.*
5. ☒ Descrip. of Diverting Wrks.
6. ☒ Time req. for Proof of B/U
7. ☒ Place of Use for other than irrig.
8. ☒ Place of Use for irrigation (add acres)
9. ☒ Property Owner at Pt. of Div. & Pl. of Use
10. ☒ Map
11. ☒ Fee & Rec't. No.

Copies Sent To:

☒ Idaho Health Department	☒ U.S.F.S.
☒ Idaho Fish & Game Dept.	☒ Dept. of Lands
☒ Bureau of Land Management	☒ Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area ☐ yes ☒ noOther rights on same land None, platted - see item 10
remarksWithdrawals of all protests received ☐ yes ☐ no

Conditions:

ID Power Co. Letter - Snake R. ☐Meas. Dev. or Sc. Meas. noID Power Co. Letter - G.W. & Tribs. ☐Totalizing meter ☐Snake River Condition ☐Supplemental ☐Payette River Letter ☐Right-of-Way Cond. ☐Priority Date 5-5-78Watermaster Cond. ☐
Wtr. Dist No. ☐Water Quality #16 ☐Meas. Dev. Cond. for apps within
a Water Dist. ☐Water Quality #10 ☐
intrastate ☐ interstate ☐

Jan Grover

Reviewer
6/15/78

Date

RECEIVED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Fairbairn

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) SK 5/5/78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) SK _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) SK 5/5/78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received(date) 6-2-78

(12) _____

Final date for protests 6-5-78

Protests received: yes _____ no _____

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

5-5-78 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 6-5-78

MICROFILMED
RECEIVED
JUN 6 1978
Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

May 11, 1973

RE: Applications No. 98-7261 & 98-7260

Bonniers Ferry Herald
PO Box 539
Bonniers Ferry, Id 83805

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

Bill Stewart
6-2-73

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Edwin R &/or Wendy G Fairbrother
PO Box 892, Bonners Ferry, Id
has on May 5, 1978 submitted Application No. 98-7261
for a permit to appropriate 0.20 cubic feet per second/ 0.20 acre feet per annum
of water from unnamed spring
by means of gravity flow pipeline, pond & pump
within the SW1/4 Sec 25, T62N, R2E, B.M., Boundary County

to be used from Jan 1 to Dec 31 for domestic purposes (0.02 cfs) and
for storage for irrigation (0.00 AF) and from June 1 to Oct 31 for the irrigation
of 9 acres (0.18 cfs)
within the SW1/4 Sec 25, T62N, R2E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before
June 5, 1978.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Id
on May 30 and May 25, 1978

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

May 8, 1978

Mr. and Mrs. Edwin R. Fairbrother
P.O. Box 692
Bonners Ferry, ID 83805

Re: Application Nos. 98-7260 & 98-7261

Dear Mr. and Mrs. Fairbrother:

Attached is your receipt No. 10887 in the amount of \$ 20.00 for the filing fee on the above referenced item which was received in this office.

Very truly yours,

Alea Beito
Secretary

AB

Attachment

UNRECORDED