




Pumping Point X

AFFIDAVIT OF PUBLICATION

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 98-7248 in the name of Patricia J. McNally was advertised incorrectly on February 23 and March 2, 1978. The place of use was advertised as being within the N $\frac{1}{2}$ NW $\frac{1}{4}$ & SW $\frac{1}{4}$ NW $\frac{1}{4}$; & W $\frac{1}{2}$ SW $\frac{1}{2}$ all in Sec. 24, T62N, R1E, B.M. Whereas the actual place of use is within the N $\frac{1}{2}$ NW $\frac{1}{4}$, & SW $\frac{1}{4}$ NW $\frac{1}{4}$; & W $\frac{1}{2}$ SW $\frac{1}{4}$ all in Sec. 24, T62N, R1E, B.M.

Any protest to the above correction must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814 on or before April 10, 1978.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on March 23 and March 30, 1978.-idwr

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull, bkpr. for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Correction #98-7248

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated March 23, 1978, and ending with the issue dated March 30, 1978.

Echo Turnbull

Subscribed and sworn to before me this 7 day of April, 1978

Joanne Bellmore
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

RECEIVED

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Patricia J. McNally, Box 1073 Bonners Ferry, Idaho 83805 has on February 14, 1978 submitted Application No. 98-7248 for a permit to appropriate 1.98 cubic feet per second of water from Kootenai River by means of pump and pipeline within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 24, T62N, R1E, B.M., Boundary County to be used from May 1 to October 1 for irrigation of 95.2 acres within the N $\frac{1}{2}$ NW $\frac{1}{4}$, & SW $\frac{1}{4}$ NW $\frac{1}{4}$; and W $\frac{1}{2}$ SW $\frac{1}{2}$ all in Sec. 24, T62N, R1E.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before March 13, 1978.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho 83805 on February 23 and March 2, 1978.-idwr

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull, bkpr. for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7248

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Feb. 23, 1978, and ending with the issue dated March 2, 1978.

Subscribed and sworn to before me this 10 day of March, 1978

Stephen Allred
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS


PERMIT # 98-7248

DATE

INITIALS




← 6" inlet from
Kootenai River



← 50 hp pump

MICROFILMED

MAR 30 1990



T 62 N

R 1 E


SEC. 24

98-7248

EXAM DATE - 6-10-87

98-7248

F-8



14

24

24

Watkins

McCalman

PJ McNaally

92AC

R/U

Nick Plato

OW

24

24

25

Leonard
Sundsove

State

Golden Years

MICROFILMED

MAR 30 1990

c. ply

Jobp

T62N R1E

POOR QUALITY

Sec. 13.

Sec. 14.

Sec. 15.


Sec. 28.

Sec. 29.

Sec 24

MICROFILMED

MAR 30 1990



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07248

Priority: February 14, 1978

Maximum Diversion Rate: 1.15 CFS
Maximum Diversion Volume:¹ 276.0 AF

This is to certify, that PATRICIA J. MC NALLY
P.O. BOX 1073

BONNERS FERRY, ID 83805 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 14, 1978; and has submitted Proof of Beneficial Use on May 26, 1981. An examination indicates that the works have a diversion capacity of 1.150 cfs of water from:

KOOTENAI RIVER tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 10/01	1.15 CFS	276.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 24, Township 62N, Range 01E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
62N 01E 24	NWNW 13	SWNW 40	NWSW 30	
	LOT 3(SWSW) 9			92

Total number of acres irrigated: 92

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

MAR 30 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07248

CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH
day of FEBRUARY, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

MAR 30 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 98-7248

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:
"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

MICROFILMED

MAR 30 1990

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 98-7248

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Patricia J. McNally Phone: 267-3576
post office address Box 1073 Bonners Ferry, Idaho 83805

2. Source of water supply Kootenai River which is a tributary of Columbia

3. a. Location of point of diversion is S.W. ¼ of S.W. ¼ of Section 24 Township 62N
Range 1E B.M. Boundary County; additional points of diversion if any: None
see map

b. If water is not consumed, it will be discharged into will be consumed at a point in _____ ¼
of _____ ¼ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:
ALLOW 1.90 cfs ~~3 acres~~ irrigation
Amount 3 acres for irrigation purpose from 5/1 to 10/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:
ALLOW 1.90 cfs
a. 1.90 cubic feet per second and/or
b. 285.6 acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 50 h.p. pump located on the
bank of the Kootenai River one half mile of 6 inch and 8 inch main
line.

b. Height of storage dam N/A feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 16,000.00 for total system plus power installation.

8. Description of proposed uses:

a. If water is **not** for irrigation: for irrigation

(1) Give the place of use of water: _____ ¼ of _____ ¼ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: 50 hp under est. 25' feet of head.

(3) List number of each kind of livestock to be watered None

(4) Name of municipality to be served N/A, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: N/A

RECORDED

[illegible]

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion Patricia J. McNally
b. Who owns the land to be irrigated or place of use Patricia J. McNally


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

~~N/A~~ applicant to make this filing

a new crop development program by the Boundary Continental Hop Producers, Inc.

~~Producers, Inc.~~

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Patricia J. McNally
(Applicant)

Proposed Priority 02/14/78

Received by MS Date 2/14/78 Time 3:00 P
Preliminary check by MS Fee \$ 35.00
Received by MS Date 2/14/78 Time 3:00 P

Publication prepared by MS Date 2-15-78
Published in Donnerstag Herald
Publication dates 2-23 + 3-2-78

Publication approved _____ Date _____
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by MS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7248, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 83

c. Other: For Licensing purposes a scientific measurement of the diversion rate of the

system as it is normally operated shall be provided by either properly installing an

approved type of measuring device or by having a professional engineer certify the rate of

diversion to the Department prior to submitting proof of beneficial use of water.

2. Denial of said application is for the following reasons: _____

Witness my hand this 22nd day of May, 19 78

Administrator

Norman Channing



CHET UNRUH

LAWRENCE DORMAIGER

P.J. McNALLY

3377

JOHN LALON

Chet Unruh

AFFIDAVIT OF PUBLICATION

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 98-7248 in the name of Patricia J. McNally was advertised incorrectly on February 23 and March 2, 1978. The place of use was advertised as being within the N $\frac{1}{2}$ NW $\frac{1}{4}$ & SW $\frac{1}{4}$ NW $\frac{1}{4}$; & W $\frac{1}{2}$ SW $\frac{1}{4}$ all in Sec. 24, T62N, R1E, B.M. Whereas the actual place of use is within the N $\frac{1}{2}$ NW $\frac{1}{4}$, & SW $\frac{1}{4}$ NW $\frac{1}{4}$; & W $\frac{1}{2}$ SW $\frac{1}{4}$ all in Sec. 24, T62N, R1E, B.M.

Any protest to the above correction must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814 on or before April 10, 1978.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on March 23 and March 30, 1978.-ldwr

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull, bkpr. for Pete Thompson being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Correction #98-7248

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated March 23, 1978, and ending with the issue dated March 30, 1978

Subscribed and sworn to before me this 7 day of April, 1978

Notary Public in and for the County of Boundary, State of Idaho, residing at Bonners Ferry, Idaho.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull, bkpr. for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Correction #98-7248

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated March 23, 1978, and ending with the issue dated March 30, 1978

Subscribed and sworn to before me this 7 day of April, 1978

James Bellmore
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Patricia J. McNally, Box 1073 Bonners Ferry, Idaho 83805 has on February 14, 1978 submitted Application No. 98-7248 for a permit to appropriate 1.98 cubic feet per second of water from Kootenai River by means of pump and pipeline within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 24, T62N, R1E, B.M., Boundary County to be used from May 1 to October 1 for irrigation of 95.2 acres within the N $\frac{1}{4}$ NW $\frac{1}{4}$, & SW $\frac{1}{4}$ NW $\frac{1}{4}$; and W $\frac{1}{4}$ SW $\frac{1}{4}$ all in Sec. 24, T62N, R1E.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before March 13, 1978.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho 83805 on February 23 and March 2, 1978-idwr

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull, bkpr. for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)
Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7248

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Feb. 23, 1978, and ending with the issue dated March 2, 1978.

Subscribed and sworn to before me this 20 day of March, 1978.

Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull, bkpr. for Pete Thompson being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7248

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Feb. 23, 1978, and ending with the issue dated March 2, 1978.

Echo Turnbull, bkpr.
Subscribed and sworn to before me this 18 day of March, 1978.

Notary Public
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

WR0749NP
No. 98-07248

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME																																								
C	PATRICIA J MC NALLY PO BOX 1073 BONNERS FERRY ID 83805	02/14/1978	IRRIGATION	05-01 10-01	1.15 CFS	276.0 AFA																																								
Water Source: KOOTENAI RIVER				TOTAL DIVERSION:		276.0 AFA																																								
Tributary to: COLUMBIA RIVER				Stage: LICENSE																																										
Point(s) of Diversion Capacity:	1.15 CFS																																													
Point(s) of Diversion:	T62N R01E S24 SW SW																																													
Place of use Legal Description for: IRRIGATION																																														
<table border="0"> <tr> <td colspan="2"></td> <td colspan="2">NE</td> <td colspan="2">NW</td> <td colspan="2">SE</td> </tr> <tr> <td>NE</td> <td>NW</td> <td>SE</td> <td>SW</td> <td>NE</td> <td>NW</td> <td>SE</td> <td>SW</td> </tr> <tr> <td>Lt</td> <td>Ac</td> <td>Lt</td> <td>Ac</td> <td>Lt</td> <td>Ac</td> <td>Lt</td> <td>Ac</td> </tr> <tr> <td>62N</td> <td>01E</td> <td>24</td> <td>:</td> <td>13</td> <td>40</td> <td>:</td> <td>30 03-09</td> </tr> <tr> <td colspan="6"></td> <td>TOTAL ACRES</td> <td>92.0</td> </tr> </table>									NE		NW		SE		NE	NW	SE	SW	NE	NW	SE	SW	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	62N	01E	24	:	13	40	:	30 03-09							TOTAL ACRES	92.0
		NE		NW		SE																																								
NE	NW	SE	SW	NE	NW	SE	SW																																							
Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac																																							
62N	01E	24	:	13	40	:	30 03-09																																							
						TOTAL ACRES	92.0																																							

Pou County: BOUNDARY

Other Water Rights Listing Overlapping Place(s) of use:
98-07696

Conditions of Approval:
R29 - This right when combined with all other rights shall provide no
- more than .02 cfs per acre nor more than 3.0 afa per acre for the
- lands above.

Dates: App. Received: 02/14/1978 Priority Date: 02/14/1978
Proof Due Date: 05/01/1983 Proof Made Date: 05/26/1981
Exam Made Date: 06/30/1987 Exam Sent to S.O.: 07/07/1987
Licensed Date: 02/06/1990

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 10/08/92 SKAGGS

Database updated to reflect license 10-08-92 28

February 7, 1990

PATRICIA J. MC NALLY
P.O. BOX 1073
BONNERS FERRY, ID 83805

RE: PERMIT NO. 98-07248

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

MAR 30 1990

November 28, 1989

PATRICIA J. MC NALLY
P.O. BOX 1073
BONNERS FERRY, ID 83805

RE: PERMIT NO. 98-07248

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

cc: Steven Weigel

MicroFILMED

MAR 30 1990

DATE

10/5/89

FROM

J.N.

TO

File # 98-1248

SUBJECT

Please carbon copy any correspondence regarding
action of this file to:

Steven C. Wetzel, Attorney at Law
505 Front Avenue
Coeur d'Alene, ID 83814

MICROFILMED

MAR 30 1990

ShankJ.N.

SIGNATURE

EVANS, KEANE, KOONTZ, BOYD, SIMKO & RIPLEY
A PARTNERSHIP INCLUDING A PROFESSIONAL CORPORATION

COEUR D'ALENE OFFICE:

FRED M. GIBLER
CHARLES L. A. COX
STEVEN C. WETZEL
ROBERT J. FASNACHT

KELLOGG OFFICE:

WILLIAM F. BOYD
FRED M. GIBLER
CHARLES L. A. COX

III MAIN STREET
P. O. BOX 859
KELLOGG, IDAHO 83837-0659
(208) 784-1105
TELECOPY (208) 783-7601

ATTORNEYS AT LAW
FIRST INTERSTATE PLAZA, SUITE 301
505 FRONT AVENUE
COEUR D'ALENE, IDAHO 83814
(208) 664-9287

BOISE OFFICE:

BLAINE F. EVANS
ROBERT J. KOONTZ
LARRY D. RIPLEY
REX BLACKBURN
BRUCE C. JONES
BARTON L. KLINE
JED W. MANWARING
JAMES D. HOVREN
C. NICHOLAS KREMA
BRETT T. DELANGE
BETTY H. RICHARDSON
DAVID W. GRATTON
JON M. BAUMAN
SPENCER M. REESE

OF COUNSEL
KARL JEPPESEN

SUITE 1701, IDAHO FIRST PLAZA
101 S. CAPITOL BLVD.
P. O. BOX 959
BOISE, IDAHO 83701-0959
(208) 384-1800
FACSIMILE (208) 345-3514

April 6, 1989

RECEIVED
APR 10 1989

Department of Water Resources
State of Idaho
State Office
45 West State Street
Boise, ID 83720


Dear Sir or Madam:

Department of Water Resources

I am the attorney of record for Elk Mountain Farms, a subsidiary of Anheuser-Busch, Inc. Our office is in the process of inventorying all water rights which apply to our client's operations in Boundary County. In order to assure adequate communication we would request that in the future any communications to our client also include copies to this office. The water rights numbers for which we have interest include the following: 98-07654, 98-7655, 98-07631, 98-07625, 98-07248, 98-07309, and 98-07632.

Thank you for your assistance on this matter.

Sincerely,


STEVEN C. WETZEL

SCW/tl

cc: Elk Mountain Farms
Anheuser-Busch

RECEIVED

MAR 30 1990

RECEIVED
JUL 07 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 98-7248
1. Owner: P.J. McNalley Phone No. 267-3576
Current Address: P.O. Box 1073, Bonners Ferry, Idaho
2. Accompanied by: Hop Supervisor EXAM. DATE: 6-10-87
Address: _____ Phone No. 267-8569
Relationship to Permit Holder: Lease land from Permit holder
3. Source: Kootenai River tributary to Columbia

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED

MAR 30 1990

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Manometer						
Annubar					6"	

2. Measurements:

$$\text{Head diff.} = 41.1'' - 26.6'' = 14.5 \text{ in}$$

$$Q_{\text{measured}} = C D^2 H^{1/2} = \frac{3.75}{448.8} (6)^2 (14.5)^{1/2} = 514.1 \text{ gpm} = 1.15 \text{ cfs}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q_{\text{pump}} = \frac{.75(8.8)(50)}{2.3(90) + 10} = 1.52 \text{ cfs}$$

$$Q_{\text{measured}} = 1.15 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q = 1.9 \text{ cfs via permit}$$

$$Q_{\text{sprinklers}} = 70(6.83) = 1.37 \text{ cfs}$$

Approximate

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 92 \times 3.0 = 276 \text{ AF}$$

$$V_{D.R.} = (\text{Diversion Rate (cfs)}) \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.15 \times 245 \times 1.54 = 559 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 276 \text{ AF}$$

2. Volume Calculations for Other Uses:

MICROFILMED

MAR 30 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
Irrigation	5-1 10-1	1.15	276 AF

Totals:


1.15 cfs 276 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name: Jennifer Arnaves
 Signature: *Jennifer Arnaves*
 Certification Date: 5/15/87
 Field Report Preparation Date: _____



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JUN 6/6/89

MICROFILMED

MAR 30 1990



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES


NORTHERN REGION

REMARKS / PHOTOS


PERMIT # 98-7048

DATE


INITIALS



← 6" inlet From
Kootenai River



← 50 hp pump



T 62 N

R 1 E

SEC. 24


78-7248

EXAM DATE - 6-10-87

87-7248

OW

F8



Watkins

McCallman

24

24

1286

24

24

25

Golden Years

FILMED

MAR 30 1961

Ply

T62N R1E

POOR QUALITY

FILMED

MAR 30 1990

Sec 24



June 16, 1987

Mr. Brad Studer
Box 1242
Bonners Ferry, Id. 83805

Re: 98-7248

Dear Mr. Studer:

During the examination of Permit No. 98-7248 which has 92 acres of irrigation with the Kootenai River as the source, 5 additional acres of irrigation with the same point of diversion are found not to be covered by this permit.

To develop a water right for this additional acreage, you need to file with our office. The legal description appears to be the SENW Section 24 Township 62 North Range 1 East.

If you have any questions, please give me a call at 765-4639. Thank you for your cooperation.

Sincerely,

JENNIFER ARGRAVES
Water Rights Examiner

JA/pms

MICROFILMED

MAR 30 1990

COPY

JUL 07 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

#98-7248
Permit No.

Department of Water Resources

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat yes

Check of P/D index J.A. 12/30/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index J.A. 12/30/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Jennifer Argraves ⁶⁻¹⁶⁻⁸⁷ (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent J. 6/87 (Initial and date)
Exam Reviewed by Manager of Regional Office PWA 6/30/87 (Initial and date)
Exam Date Entered in Computer 6/30/87 (Initial and date)
Exam sent to State Office 7/1/87 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 98-7248

DATE

INITIALS

5-20-87 Called Bird Studer - he will call
back for Appt on June 10, 1987

J.A.

5-21-87 Appt set for 5-10-87 @ 10:00 AM

J.N.

6-9-87

Cross Bridge up hill 95

5 miles - Rt. Hand Side

Wap 3 - Scott Granger's Office


Building behind steel buildings

Access port is 6 in

87-90 most $\frac{7}{32}$ " - 5 AC in addition

to 92 AC

140 sp.



MICROFILMED

MAR 30 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

May 26, 1987

RE: Water Right Nos. 98-7309/7625/7248

Steven C. Wetzel
Evans, Keane, Koontz, Boyd & Ripley
First Interstate Plaza, Suite 301
505 Front Ave.
Coeur d'Alene, ID 83814

Dear Mr. Wetzel:

We are in receipt of your correspondence regarding the above referenced water rights.

We have placed the documents in files 98-7309 and 98-7625 but not in file 98-7248 because according to our records, this right belongs to Patricia J. McNally. There is no showing of the relationship of this permit and the change in ownership to Anheuser-Busch, Inc.

Also, if Anheuser-Busch, Inc. is to receive any correspondence in reference to perfecting this permit to a license, we will need their address; otherwise, our computer records will appear as:

Anheuser-Busch Inc.
c/o Steven C. Wetzel
First Interstate Plaza, Suite 301
505 Front Ave.
Coeur d'Alene, ID 83814

Enclosed are copies of all three rights. Please bear in mind that Right 98-7248 is still retained by Ms. McNally until an assignment of permit is signed by her and sent to us.

If you have any questions, please let me know.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosures

MICROFILMED

MAR 30 1990



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

April 30, 1987

RECEIVED
MAY 05 1987

Department of Water Resources

Mr. Steven C. Wetzel
Evans, Keane, Koontz, Boyd & Ripley
Attorneys at Law
1st Interstate Plaza, Ste. 301
505 Front Ave.
Coeur d'Alene, Id. 83814

Re: 98-7248

Dear Mr. Wetzel:

In posting the assignment of Permit No. 98-7248 from Boundary Continental Hop Producers to Golden Gate Hop Ranches and from Golden Gate Hop Ranches to Anheuser-Busch Inc., we discovered that this permit is the personal property of Patricia J. McNally. If this permit is to be assigned, it can only be assigned by Ms. McNally.

I have enclosed an Assignment of Permit form for your convenience.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Assignment

✓ cc: IDWR - State Office

MICROFILMED

MAR 30 1990

4/86

RECEIVED

MAY 30 1986

Department of Water Resources
Northern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received Date 5/29/86Receipt # 32096Receipt by Sent to S.O.

RECEIVED

JUN 4 1986

1. Permit No. 98-7248ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE Department of Water Resources☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)2. Permit Holder: P. J. McNally3. Post Office Address: P.O. Box 1073Telephone No. 267-35764. Source of Water: Kootenai River

5. Extent of Use:

Domestic (No. of households) Stockwater (No. and type of stock)Irrigation 92 (acres) Other/Remark 6. Total rate &/or volume for which proof is submitted 1.9 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

JUNE 15, 1978

8. Person to contact to accompany the department representative during the field examination:

BRADLY W. STODER

(Name)

P.O. Box 1242 Bonanza Ferry, IDAHO 83805

(Address)

267-3580
(Telephone Number)☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)May 19, 1986
DateBrad P. J. McNally
Signature of Permit Holder (and title, if appropriate)

MAR 30 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

Mailing address:
Statehouse
Boise, Idaho 83720

A. KENNETH DUNN
Director

98-7248
MC NALLY, PATRICIA J.
P.O. BOX 1073
BONNERS FERRY, ID 83805

138218

CERTIFIED MAIL

April 30, 1986

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

MAR 30 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 5, 1983

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

MAR 30 1990

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 987248.

Name(s) of Permit Holder: P. J. McNally

Post Office Address: RR1 Box 238

Tel. No. _____

Source of Water: Kootenai River

Extent of Use:

☐ Domestic	(Number of households)
☐ Stockwater	(Number and type of stock)
☒ Irrigation <u>95.2</u>	(acres)
☐ Other	

MICROFILMED

MAR 30 1990

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Port:	Required?	☐ Yes ☐ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-21-81
Date

P. J. McNally
Signature of Permit Holder

RECEIVED

MAY 26 1981

Department of Water Resources


IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



MICROFILMED

MAR 30 1990

P. J. Mally
Bozons Ferry, IDAHO 83805



MUSCULAR
SUPPORT



IDENT. NO. 98-7248

WATER RIGHT
DATA ENTRY LOG

[illegible]



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
WAYNE L. KIDWELL
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
ROY TRUBY
SUPT OF PUBLIC INSTRUCTION

19 April 1978

RECEIVED

APR 23 1978

Robert G. Haynes
Department of Water Resources
Northern District
Route #5, Box 203, Suite 1
Coeur d'Alene, ID 83814

Department of Water Resources

Dear Bob:

File
RE: Patricia J. McNally
98-7248

Thank you for the copy of the above-numbered diversion application. The work proposed will require a permit from the Department of Lands in addition to your diversion permit.

The applicant has been notified of this Department's requirements.

Very truly yours,

William A. Scribner
WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:ph

cc: Bureau of Nav. Waters - CdA

MICROFILMED

MAR 30 1990

RECEIVED
APR 24 1978
Department of Water Resources
Northern District Office

EQUAL OPPORTUNITY EMPLOYER



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

May 24, 1978

Re: Permit No. 98-7248

Patricia J. McNally
P. O. Box 1073
Bonners Ferry, ID 83805

Dear Ms. McNally:

Enclosed is a copy of your approved Application for Permit No. 98-7248. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:KW

Enclosure

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 16, 1978

RE: Application No. 98-7250
Notice of Correction No. 98-7248

Bonnars Ferry Herald
PO Box 539
Bonnars Ferry, Id 83805

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

April 10, 1978

RE: 96-7636 & 98-7248

Wm Scribner
Dept of Lands
Statehouse
Boise, Id 83720

Dear Mr Scribner,

Enclosed are copies of the above referenced applications which may be of interest to your agency. The applicants wish to appropriate water from streams which appear to be navigable.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosures

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 98-7248 in the name of Patricia J. McNally was advertised incorrectly on February 23 and March 2, 1978. The place of use was advertised as being within the ~~N₁NE₁, & S₁SW₁, & W₁SW₁~~ all in Sec. 24, T62N, R1E, B.M. Whereas the actual place of use is within the ~~N₁NE₁, & S₁SW₁, & W₁SW₁~~ all in Sec 24, T62N, R1E, B.M.

Any Protest to the above correction must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, ID 83814, on or before April 10, 1978.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry ID on March 23 and March 29, 1978.

Our error--rebill.

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. M-2-N-41g

☒ Source
☐ Point of Diversion
☐ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) TK 2-15-78

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) SR 2-15-78

☒ Dept. Lands
☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) _____

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

OK
JG

Other rights on the same place of use

(10) _____

Comments: Reduce to 190 cfs

(11) _____

Affidavit of Publication received(date) _____

(12) _____

Final date for protests 3-13-78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve

_____ Deny

2-14-78 Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Northern

By B. B. Daynes

Date 4-10-78

NOTE: Corrections on app. were made by applicant. (Per phone conv. 4/20/78 573/78 JG)

RECEIVED
APR 12 1978

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

February 16, 1978

RE: Applications No 98-7248 & 98-7249

Bonnars Ferry Herald
PO Box 539
Bonnars Ferry, Id 83805

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that

Patricia J. McNally, Box 1073
Bonners Ferry, Idaho 83805
has on February 14, 1978 sub-

mitted Application No. 98-7248
for a permit to appropriate 1.98
cubic feet per second of water

from Kootenai River by means
of pump and pipeline within
the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 24, T62N,

R1E, B.M., Boundary County
to be used from May 1 to Octo-
ber 1 for irrigation of 93.2

acres within the N $\frac{1}{4}$ NW $\frac{1}{4}$, &
SW $\frac{1}{4}$ NW $\frac{1}{4}$; and W $\frac{1}{2}$ SW $\frac{1}{4}$ all
in Sec. 24, T62N, R1E.

If issued, this permit will
be subject to all prior water
rights. Protests against the

granting of the permit must be
filed with the Idaho Depart-
ment of Water Resources, 4055

Government Way, Coeur d'-
Alene, Idaho 83814, on or be-
fore March 13, 1978.

C. STEPHEN ALLRED
Director

Published in the Bonners
Ferry Herald, Bonners Ferry,
Idaho 83805 on February 23
and March 2, 1978.-ldwr

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Patricia J. McNally

Box 1073 Bonners Ferry, ID 83805

has on February 14, 1978 submitted Application No. 98-7248

for a permit to appropriate 1.98 cubic feet per second ~~from Kootenai River~~
of water from Kootenai River

by means of pump and pipeline

within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec 24, T62N, R1E, B.M. Boundary County

to be used from May 1 to October 1

for irrigation of 5.2 acres

within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, & SW $\frac{1}{4}$ NW $\frac{1}{4}$; and W $\frac{1}{2}$ SW $\frac{1}{2}$ all in sec 24, T62N, R1E.

Dept. of Water Resources

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before March 13, 1978.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry, ID 83805

on February 23 and March 2, 1978

MICROFILMED

January 20, 1978

Patricia J. McNally
Box 1073
Bonners Ferry, ID 83205

Dear Ms. McNally:

We are herewith returning your Application for a Permit and the check of Boundary Continental Hop Producers, Inc. number 92-95 in the amount of \$45.00.

There are several items on your application that are in conflict, or incomplete. Before processing the application these items should be reconciled. I have listed the questionable items and remarks or suggestions below.

Please compare them with the application and the actual project and make the proper changes or additions.

Item #4. The Department is prevented by Idaho State Code from approving an application for irrigation with a diversion rate in excess of 0.02 c.f.s per acre, unless it can be shown to the satisfaction of the director of the department that an excessive diversion rate is required and that the water so diverted will not be wasted. The use of acre feet per annum is normally used for storage, there appears to be no storage in your application. The code specifies 0.02 c.f.s per acre in your instance that would be 1.9 c.f.s which would entail a fee of \$35.00.

Item #5. The total quantity to be appropriated would reflect the total amounts shown in item #4.

Item #8.a.2. This item should be filled in only if you are preparing to generate hydro power.

Item # 11. The map you have furnished is comparable however, it gives no reference to section lines, townships, or ranges, without this information it is not possible for us to find where in fact your point of diversion, and place of use are located.

If this office can be of any further assistance, please do not hesitate to contact us.

Sincerely,

TOM KING
Senior Water Resource Agent