


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Albert E. Hudson (Pres)
(Applicant)
Curley Creek Water Assn.

○ Designate meters

X Curley Creek Water system
Approx ● mi





T 62 N

R 3E

SEC. 22

98-7217

DEC 17 1992

EXAM DATE -



Gov Lots: T62N R3E
 Sec 22, 27
 #98-7217

MICROFILMED

DEC 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07217

Priority: September 22, 1977

Maximum Diversion Rate:

0.15 CFS

Maximum Diversion Volume:

31.2 AF

This is to certify, that CURLEY CREEK WATER ASSN

C/O DELBERT HUDLOW

STAR RT 1

MOYIE SPRINGS ID 83845

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 2, 1977; and has submitted Proof of Beneficial Use on January 19, 1983. An examination indicates that the works have a diversion capacity of .150 cfs of water from:

CURLEY CREEK

tributary to KOOTENAI RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.11 CFS	15.9 AF
STOCKWATER	01/01 to 12/31	0.04 CFS	2.7 AF
DOMESTIC	01/01 to 12/31	0.15 CFS	12.6 AF
	Totals	0.15 CFS	31.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 22, Township 62N, Range 03E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
62N	03E	21	NWNE 0.2	SWNE 0.3	SENE 0.2	
			NENW 0.5	NWNW 0.5	NESW 0.3	
			NESE 0.2	NWSE 0.3		2.5
		22	SENW 0.3			0.3
		27	NWNW 0.2	Lot 2(SWNW) 0.3	Lot 3(SENW) 0.5	
			Lot 6(NESW) 1			2
		28	NENE 0.5			0.5

Total number of acres irrigated: 5.3

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

RECEIVED

DEC 17 1992

State of Idaho
Department of Water Resources

PAGE 2


WATER RIGHT LICENSE

WATER RIGHT NO. 98-07217

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. This right when combined with right 98-07019 shall not exceed a diversion rate of 0.04 cfs per domestic unit.
7. Domestic use is for 21 homes.
8. Stockwater use is for 200 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 5th day of NOVEMBER, 1992.

Acting for  R. Keith Higginson, Director



DEC 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME

RECEIVED

To provide additional time in which to submit
proof of beneficial use on a water right permit

DEC 22 1978

Department of Water Resources
Northern District Office

Curley Creek Water Association of Ed Delbert Hudlow, Star Rt #1, Moyie Spring
(Name) (Address)

State of Id., deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public
Waters of the State of Idaho No. 98-7217.

That under the terms and conditions of said permit, work thereunder was required to be completed on or
before Dec 1, 19 78.

That he has heretofore performed the following work described under said permit: _____

System completed - 13 - homes presently using water
one home plumbed but not yet using

Costing \$ 40,000.00

That he is unable to complete the remainder of the work within the required time for the following
reasons, to-wit: Some homes have not yet been constructed, but
plans have been made to build. Some homes have been
built but funds exhausted prior to reaching pipe line reaching
residences.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of
obligations under said permit to Dec 1, 19 83.

Robert Shuett
Vice President (Signature)*
C.C.W. Assoc.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time
within which to submit proof of beneficial use of water is extended to December 1, 1983.

IT IS FURTHER ORDERED that the permit be reinstated and the priority advanced to September
22, 1977.

Signed this 2nd day of January, 19 79.

J. Glen Gayton
Chief, Operations Bureau

Identification No. _____

Application No. 98-7217

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Curley Creek Water Association Phone: 1-208-267-3478
post office address c/o Delbert Hudlow, Star Rt. 1, Moyie Springs, Idaho
- ****2. Source of water supply Curley Creek which is a tributary of Kootenai River
- ****3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 22 Township 62N
Range 3E B.M. Boundary County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
***** Amount 0.20 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 for Stock purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- ***5. Total quantity to be appropriated:
a. 0.20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
****** a. Description of ditches, flumes, pumps, headgates, etc. Infiltration gallery in Curley
Creek with pipeline to tie into existing system.
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1/2 years. Allow 1 yr.
b. Estimated construction cost is \$ 40,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 27, 28 Township 62N
Range 3E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 200 head of cattle
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 12 Existing
9 Future
(5) If water is to be used for other purposes describe: _____
- *** Per tele/con w/ Thomas E. Yeager, E.I.T., J.U.B. Engineers 8-17-77 -TR
****** Per Thomas E. Yeager, 8-2-77

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Robert Hewett


b. Who owns the land to be irrigated or place of use Members of Curley Creek Water Association

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Easement

10. Remarks The Curley Creek Water Association has twelve members with nine other individuals requesting service. The area served is composed of farms mostly 40-100 acres. The water will be used for domestic purposes, stock watering, and limited irrigation.

The Association presently gets its water from a spring, but this source is drying up due to the drought conditions.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township
 ** and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert E. Mutton (Res)
 (Applicant)
 Cunley Creek Water Assn.

Proposed Priority 9/02/77

JK-8-26-77/3:PM no fee

Received by D Date 8-16-77 Time noon

Preliminary check by JK Fee \$ 10.00

Received by D Date 9-2-77 (5775)

Publication prepared by D Date 9-2-77

Published in Bonanza Ferry Herald

Publication dates 9-15 & 22-77

Publication approved AKW Date 10-7-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Rest JG

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7217, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1978.
- Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of November, 1977.

[Signature]
Deputy Director

AFFIDAVIT OF PUBLICATION

RECEIVED

STATE OF IDAHO }
County of Boundary } ss.

OCT 7 1977

Echo Turnbull, bkpr. for W. H. Chubb being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Department of Water Resources
Publisher
of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7217

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Sept. 15, 1977, and ending with the issue dated Sept. 22, 1977

OK
SDW
10-7-77

Subscribed and sworn to before me this 5th day of October, 1977

Norothy Smith
Notary Public in and for the County of Boundary, State of Idaho
residing at Bonners Ferry, Idaho.

10-7-77

AFFIDAVIT OF PUBLICATION

RECEIVED

STATE OF IDAHO }
County of Boundary } ss.

OCT 7 1977

Echo Turnbull, Mgr. for W. H. Chubb being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Department of Water Resources
Boise District Office

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7217

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Sept. 15, 1977, and ending with the issue dated Sept. 22, 1977

E. H. Chubb, Mgr.

Subscribed and sworn to before me this 5th day of October

Norothy Smith
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1992

CURLEY CREEK WATER ASSN
C/O DELBERT HUDLOW
STAR RT 1
MOYIE SPRINGS ID 83845

RE: WATER RIGHT NO. 98-07217

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure



DEC 17 1992

LICENSE REVIEW CHECKLIST

Permit # 98-07217

Date 10-07-92

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
			<u>.15 cfs (DOM) 5.3 x .02 = .11 cfs (IRR) .04 cfs (STOCK)</u>
	☐	☒	Disagree with Theoretical?
	☒	☐	Limited by Capacity? <u>.15 cfs</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same/Not on Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
			<u>3 x 5.3 = 15.9 afa (IRR) 12.6 afa (DOM) 2.7 afa (STOCK)</u>
	☐	☒	Limited by Flow? <u>.11 x 245 x 1.9835 = 53.5 > 15.9</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map <u>No P/U in Database/Advertised + SA by Section</u>
	☐	☒	Amendment Needed? <u>Map doesn't include SVA 527.28</u>
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use? <u>Split DOM + IRR use</u>
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM/21 Homes STOCK/200 Cattle</u>
	☒	☐	Special Overlap Condition <u>w/98-7019 not to</u>
	☐	☒	Other <u>exceed .04 per DOM unit.</u>
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R29</u>	☐	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Rate

License 10-Day ☒ 15-Day ☐ Special Correspondence ☐

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CURLEY CREEK WATER ASSN C/O DELBERT HUDLOW STAR RT 1 MOYIE SPRINGS ID 83845	09/22/1977	IRRIGATION STOCKWATER DOMESTIC	03-15 11-15 01-01 12-31 01-01 12-31	0.11 CFS 0.04 CFS 0.15 CFS	15.9 AFA 2.7 AFA 12.6 AFA
TOTAL DIVERSION:					0.15 CFS	31.2 AFA

Water Source: CURLEY CREEK

Tributary to: KOOTENAI RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.15 CFS

Point(s) of Diversion: T62N R03E S22 NE NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
62N	03E	21	:			.2		.3		.2		.5		.5		.3		.2		2.5
62N	03E	22	:																	0.3
62N	03E	27	:									.2	02-.3	03-.5		06-01				2.0
62N	03E	28	:	.5																0.5
TOTAL ACRES																				5.3

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: BOUNDARY

Other Water Rights with Same Point(s) of Diversion and Source:
98-04085 98-07217 E98-07217

Other Water Rights Listing Overlapping Place(s) of use:
98-04223 98-04244 98-07693 E98-07217

Conditions of Approval:

- R29 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

Remarks: This right when combined with right 98-07019 shall not exceed a diversion rate of 0.04 cfs per domestic unit.
Domestic use is for 21 homes.
Stockwater use is for 200 range cattle.

Dates: App. Received: 09/02/1977 Priority Date: 09/22/1977
Proof Due Date: 12/01/1983 Proof Made Date: 01/19/1983
Exam Made Date: 09/16/1991 Exam Sent to S.O.: 08/04/1992
Licensed Date:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 10 1992

Department of Water Resources

A. GENERAL INFORMATION

- Curley Creek Water Association
1. Owner: C/O Delbert Hudlow, Star Rt 1 Mo Permit No. #98-7217
Phone No. 267 3478
Current Address: Star Rt 1 Moyie Springs ID 83845
2. Accompanied by: DELBERT HUDLOW EXAM. DATE: 9/16/91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Curley Creek tributary to Kootenai River

B. OVERLAP REVIEW


1. Other water rights with same place of use: 98-7019

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NT 5

RECORDED

DEC 17 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A GRAVEL FULLED TRENCH FROM CREEK TO 20' SLOTTED 8" STAINLESS STEEL PIPE WITH 3HP SUBMERSIBLE PUMP. A 2" PIPE FROM PUMP TO CL₂ CHAMBER THEN A 2" PIPE TO A STORAGE TANK THEN GRAVITY FLOW 4" MAIN TO DISTRIBUTION SYSTEM.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUBMERSIBLE		3			2"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	22	62N	3E	BOUNDARY	MAP

6. Place(s) of Use:

Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
62N	3E	22	DS							DS					DS				
		~~22~~	.25							.25					.25				.25
		27						DS	L2 DS	L3 DS	L6 DS								
								.25	.25	.5	(1)								2
		28	DS																
			.5																.5
		~~28~~		DS	DS	DS	DS	DS			DS				DS	DS			
			.25	.25	.25	.5	.5			.25				.25	.25				2.5

Do not use this space

DEC 17 1992

Do not use this space

D. FLOW MEASUREMENTS

NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

Pump @ 2520'
Reservoir @ 2640'

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{8.8(8)20\%}{120} = 0.15 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (5.25)(3) = 15.75$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 72.8$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 15.75$$

2. Volume Calculations for Other Uses:

$$(21 \text{ Homes})(.6) = 12.6$$

$$\$200 \text{ HEAD} = 2.7 \text{ ADMIN MEMO APP. PROC. \#3}$$

RECEIVED

DEC 17 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

17 OF THESE UNITS ARE LICENSED UNDER 98-07019
NOT TO EXCEED 21 HOMES NOR 25.2 WHEN COMBINED
IRRIGATION HAS BEEN ADDED TO ALLOW THIS RIGHT TO CONFORM
WITH THE CURRENT METHOD OF RECORDING WATER RIGHTS
IRRIGATION IS ONLY OF LAWN & GARDEN - SEE PERMIT, ITEM 10
(21 HOMES) ($\frac{1}{4}$ ACRE/HOME) = 5.25 ACRES

THIS SYSTEM IS BEING REPLACED BY GROUNDWATER FILLING
" " WILL THEN BE HELD IN RESERVE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	0.1	15.75
STOCK	1-1	12-31	0.05	2.7
DOMESTIC (21)	1-1	12-31	0.15	12.6
Totals:			0.15	31.05

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name Tom D. King
Signature Tom D. King
Certification Date 8/10/91
Field Report Preparation Date 9/16/91



- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

DEC 17 1992

RECEIVED

OCT 8 1979

State of Idaho

Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 98-7019 Priority October 13, 1969 Amount .08 cfs

THIS IS TO CERTIFY, that CURLEY CREEK WATER ASSOCIATION
of Moyie Springs, Idaho, has complied with the terms and conditions of Permit
No. 98-7019 issued pursuant to Application for Permit dated October 13, 1969,
and has submitted proof to the Department of Water Resources on December 21, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .08 cfs of water from a spring,
tributary to Curley Creek, and that the permit holder has applied to a beneficial use an
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(17 units)</u>	from <u>January 1</u> to <u>December 31</u>	at <u>.08</u> cfs and	<u>20.4</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than .08 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
20.4 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 22, Twp. 62N,
Rge. 3E, B.M. in the County of _____ Boundary _____

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

SEE ATTACHED LAND LIST

Total number of acres irrigated _____

RECORDED

DEC 17 1982


98-7019

○ Designate meters

X

Curley Creek Water system


Approx. mi



UNRECORDED

DEC 17 1992

END of line Bill Tashoff Trailerhouse



T 62 N


R 3E

SEC. 22

98-7217

DEC 17 1992

EXAM DATE -



Gov Lots: T62N R3E
 Sec 22, 27
 # 98-7217

DEC 17 1982



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 14, 1988

Curley Creek Water Assn.
c/o Delbert Hudlow
Star Rt. 1
Moyie Springs, Id. 83845

Re: 98-7217


Dear Water User:

The final stage in developing a licensed water right requires that the water system be examined by an authorized examiner. Due to the size of your system, it will be necessary for you to provide this office with a map of the existing system prior to the scheduling of the examination. This map must show the location of the point of diversion, reservoirs (if any), and each individual user. This map must also show the approximate location and size of the main line and laterals.

I am enclosing an example of a map for your information.

If you have any questions or require assistance, please contact me at this office.

Sincerely,


TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Map



DEC 17 2002

June 11, 1986

Curley Creek Water Assn. Inc.
c/o Delbert Hudlow
Star Pt. 1
Moyie Springs, Id. 83845

Re: 96-7217

Gentlemen:

Enclosed is your Receipt No. 32127 in the amount of \$50.00 which represents the fee for the examination of your above-referenced water right.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Receipt

DEC 17 1992



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

June 2, 1986

Curley Creek Water Assn. Inc.
c/o Mr. Delbert Hudlow
Star Rt. 1
Moyie Springs, Id. 83845

Re: 98-7217

Gentlemen:

We are returning your Check No. 92-95 in the amount of \$50.00 and your Examination Fee Information Sheet for signature.

Please sign the form at the bottom of the page and return to our office before June 17, 1986.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Form
Check

MICROFILMED

DEC 17 1992

4/86

RECEIVED
JUN 16 1986

RECEIVED
MAY 30 1986

Department of Water Resources
STATE OF IDAHO Northern District Office

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 4/15/86
Date 4/15/86
Receipt # 82107
Receipt by [Signature]
Sent to S.O. 4/15/86

RECEIVED
MAY 22 1986

1. Permit No. 98-7217

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: CURLLEY CREEK WATER ASSOCIATION, INC

3. Post Office Address: % Delbert Hudlow, Star Rt. 1, Moyie Springs, ID 83845

Telephone No. 208-267-3478

4. Source of Water: Curley Creek

5. Extent of Use:

Domestic 15 (No. of households) Stockwater (No. and type of stock)

Irrigation (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 0.20 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

April 12, 1978

8. Person to contact to accompany the department representative during the field examination:

Delbert Hudlow, President

(Name)

HCR 62, Box 292 Moyie Springs, ID 83845

(Address)

208-267-3478

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

May 19, 1986
Date

Delbert Hudlow President
Signature of Permit Holder (and title, if appropriate)

DEC 17 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720

98-7217
CURLEY CREEK WATER ASSN.
C/O DELBERT HUDLOW
STAR RT. 1
MOYIE SPRINGS, ID 83845

138216

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

DEC 17 1982

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED
DEC 17 1982

S T E O F I D A H O

DEPARTMENT OF WATER RESOURCES
Northern Region.

JOHN W. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 1, 1983

Curler Creek Water Assn.
c/o Delbert Hudlow
Star Rt.
Movie Springs, Id. 83845

RE: 98-7217

Gentlemen:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

RECEIVED
DEC 17 1982

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 98-7217.

Name(s) of Permit Holder: Curley Creek Water Assn

Post Office Address: 10 Delbert Hudlow

Star Rt Moyie Springs ID Tel. No. 267-3478

Source of Water: Curley Creek

Extent of Use:

☒ Domestic	<u>120</u>	(number of households)
☒ Stockwater	<u>200 head</u>	(number and type of stock)
☐ Irrigation		(acres)
☐ Other		

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Facility: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


1/17/83
Date

Delbert Hudlow
Signature of Permit Holder

Curley Creek Water Ass'n
c/o Delbert Adlow

Star Route

Mayie Springs, Idaho



MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

John V. Evans

Governor

A. Kenneth Dunn

Director

Suite No. 1

4055 Government Way

Coeur d'Alene, Idaho 83814

(208) 667-6484

August 27, 1982

Mr. Delbert Hudlow, President
Curley Creek Water Assn., Inc.
Moyle Springs, Id. 83845

Re: 98-7019, 98-7207 and 98-7217

Dear Mr. Hudlow:

I have received your letter of August 23, 1982, and if I understand your question correctly, you are inquiring about the priorities of License No. 98-7019, Permit Nos. 98-7207 and 98-7217. The basic premise of Idaho Water Law is "first in time is first in right". This premise can only be put in abeyance through the right of Eminent Domain as described in the Idaho Constitution, Art. I, Section 14 and Art XII, Section 3.

Of the three above-referenced water rights, License No. 98-7019 in the name of Curley Creek Water Assn. has the highest priority, October 13, 1969. Permit No. 98-7207 in the name of Power Associates is second with a priority date of July 8, 1977. Permit No. 98-7217 in the name of Curley Creek Water Assn. has the lowest priority, September 22, 1977.

The status of priorities mentioned above may be changed in that Permit No. 98-7207 is scheduled for cancellation hearing in the Boundary County Courthouse on September 14, 1982, at 9:30 a.m. If it is determined that Permit No. 98-7207 is not to be cancelled, water could only be diverted under Permit No. 98-7217 when the use of that water would not hinder the appropriation of water under No. 98-7207. Of course, if the permit is cancelled, Power Associates would have to refile with a priority date established on the date of refiling.

If you have any questions, please contact me at this office.

Sincerely,

THOMAS D. KING

Senior Water Resource Agent

TDK:pm

10WE - State Office - w/enc.

January 3, 1979

Curley Creek Water Association
c/o Delbert Hudlow
Star Route 1
Moyie Springs, ID 83845

Dear Mr. Hudlow:

Re: Permit No. 98-7217

Enclosed is a copy of the approved application for extension of time submitted on the above referenced permit.

Please be advised that the permit has been reinstated with an advance in priority to September 22, 1977 and the time within which to submit proof of beneficial use of water is extended to December 1, 1983.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rf

Enc: 1

ENCLOSURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

December 8, 1978

Re: Permit No. 98-7217

Curley Creek Water Association
c/o Delbert Hudlow
Star Route 1
Moyie Springs ID 83845

Dear Mr. Hudlow:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 98-7217 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated September 30, 1978.

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.

C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

C. STEPHEN ALLRED
Director

CERTIFIED MAIL **100288**

September 30, 1978

Re: Permit No. 98-7217

Curley Creek Water Association
c/o Delbert Hudlow
Star Route #1
Moyie Springs ID 83845

Dear Mr. Hudlow:

One of the conditions of approval of your water Permit No. 98-7217 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before December 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.


RITA FLECK
Water Rights

Encl: Proof affidavit

MICROFILMED

November 16, 1977

Re: Permit No. 98-7217

Curley Creek Water Association
c/o Delbert Hudlow
Star Route #1
Moyie Springs, ID 83845

Dear Mr. Hudlow:

Enclosed is a copy of your approved Application for Permit No. 98-7217. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF/cah

Enclosure

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Curley Creek
Water Assn

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JK 9-2-77
(2) RWH 10-11-77

In form to receipt

Send Copies to:

- ☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

- ☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) JK 9-2-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) SDW 10-7-77

Affidavit of Publication received(date) 10-7-77

(12) _____

Final date for protests 10-3

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

9-2-77 Proposed Priority Source of water changed
on application after receipt but prior
Reason for Reduction to advertisement

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

RECEIVED

OCT 14 1977

Department of Water Resources

(15) District Northern

By Bob Haynes Date 10-11-77

October 11, 1977

RE: Application 98-7217

Mr David Johann
Dept of Health & Welfare
PO Box 603
Coeur d'Alene, Id 83814

Dear Mr Johann,

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 6-week period and we are required to take final action shortly thereafter.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E
Regional Supervisor

RGH:ab

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

September 8, 1977

RE: Applications No. 98-7218 & 98-7217.
Claim No. 98-4085.

Bonnors Ferry Herald
PO Box 539
Bonnors Ferry, Id 83805

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

*Bill received
10-7-77
OK SDW*

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Curley Creek Water Assoc.
c/o Delbert Hudlow, Star Rt 1, Moyle Springs, Id
has on August 26, 1977 submitted Application No. 98-7217
for a permit to appropriate 0.20 cubic feet per second ~~acre feet per annum~~
of water from Curley Creek
by means of infiltration galley & pipeline
within the NE1/4 Sec 22, T62N, R3E, B.M., Boundary County

to be used from Jan 1 to Dec 31
for domestic purposes (0.20 cfs) for 21 households and stockwater (0.20 cfs)

within the Sec's 21, 22, 27, & 28 of T62N, R3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before October 3, 1977.

C. STEPHEN ALLRED
Director

Published in the Bonnors Ferry Herald, Bonners Ferry, Id
on September 15 and September 22, 1977

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Curley Creek Water Assoc. c/o Delbert Hudlow, Star Rt. 1, Moyie Springs, Idaho has on August 26, 1977 submitted Application No. 98-7217 for a permit to appropriate 0.20 cubic feet per second of water from Curley Creek by means of infiltration galley and pipeline within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 22 T62N, R3E, B.M., Boundary County to be used from Jan. 1 to Dec. 31 for domestic purposes (0.20 cfs) for 21 households and stockwater (0.20 cfs) within the Sec's 21, 22, 27, and 28 of T62N, R3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Idaho 83814, on or before October 3, 1977.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on September 15 and September 22, 1977.-idwr

*Proof for
Mailing*

9/15/77



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT
4055 Government Way
667-6484

COEUR D'ALENE, IDAHO 83814

September 2, 1977

RE: Application No. 98-7217

Curley Creek Water Assoc.
C/O Delbert Hudlow
Star Rt 1
Moyie Springs, Id 83845

Attached is your receipt No. 5775 in the amount of \$10.00 for the filing fee on the above referenced item which was received in this office.

Sincerely,

Alea Beito
Secretary

AB

Attachment

RECEIVED
SEP 11 1977
COEUR D'ALENE



J-U-B ENGINEERS, INC.

632 West Appleway

Coeur d'Alene, Idaho 83814

Telephone: (208) 667-1574

August 24, 1977

Mr. Thomas King
State of Idaho, Dept. of Water Resources
Northern District Office
Rt. 5, Box 203, Suite No. 1
Coeur d'Alene, Idaho 83814

Dear Mr. King:

Enclosed is a check for \$10.00 from the Curley Creek Water Association which is the necessary fee for filing their application for an Idaho water right.

If you have any questions, please contact me at 667-1574.

Sincerely,

J-U-B ENGINEERS, Inc.


Thomas E. Yeager, E.I.T.

TEY/sai
Enclosure

Department of Water Resources
Northern District Office

AUG 26 1977

RECEIVED





J-U-B ENGINEERS, INC.

632 West Appleway

Coeur d'Alene, Idaho 83814

Telephone: (208) 667-1574

August 15, 1977

Mr. Ken Knoblock
Department of Water Resources
Northern District Office
Rt. 5, Box 203, Suite No. 1
Coeur d'Alene, ID 83814

Dear Ken:

Enclosed is an Application for a Permit to Appropriate Waters in the State of Idaho that we are submitting in behalf of the Curley Creek Water Association.

If you have any questions on this application, please do not hesitate to call me at 667-1574.

Sincerely,

J-U-B ENGINEERS, Inc.

Thomas E. Yeager, E.I.T.

TEY/sai

Enclosure

RECEIVED