

10. Other water rights on these lands 98-7547
11. Other water right diverted from same p.d. CLAIM-STOCK WATER NO INTERF
PROBABLY NO STOCK
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- | | | |
|--|--|--|
| ☒ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

16. Examiner's/Consultant's Signature Johny Date 2/12/85

Consultant's License Number _____

IDWR Director's Authorization to Conduct


Beneficial Use Examination _____

Date

MICROFILMED

SEP 21 1990

CONSULTANT SEAL



MICROFILMED

SEP 27 1990

KANIKSU NATIONAL FOREST

98-7215

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____

Name(s) of Permit Holder:

Royal Shields

Post Office Address:

Box 964

Sandpoint Idaho 83864

Tel. No.

267 3602

263 7729

Source of Water:

Spring and a well 1500' from spring

Extent of Use:

☒ Domestic

(number of households)

☒ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

The well is west of spring

Measuring Device:

Required?

☐ Yes☒ No

Installed?

☐ Yes☐ No

Access Port:

Required?

☐ Yes☐ No

Installed?

☐ Yes☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8-5-1982

Date


Royal Shields

Signature of Permit Holder

RECEIVED

MAY 7 1981

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
SEP 27 1990

Orval Shields
(Applicant)

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07215

Priority: August 5, 1977

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.05 CFS
7.2 AF

This is to certify, that ROYAL SHIELDS
P.O. BOX 964

SANDPOINT, ID 831640000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 5, 1977; and
has submitted Proof of Beneficial Use on August 9, 1982. An examination indicates
that the works have a diversion capacity of .050 cfs of water from:

SPRING tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.05 CFS	7.2 AF

LOCATION OF POINT(S) OF DIVERSION: SWNENW , Sec. 15, Township 60N, Range 01W
BOUNDARY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

60N 01W 15 NENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 6 homes.

MICROFILMED

SEP 26 1990

500

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07215

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of August, 19 90

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 27 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 98-07215

RECEIVED
AUG 15 1990

Date of Priority: August 5, 1977

Maximum Diversion Rate: 0.05 CFS
Maximum Diversion Volume: 7.2 AF

Comes now ROYAL SHIELDS
P.O. BOX 964
SANDPOINT, ID 831640000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 98-07215, and requests that the permit be changed as follows:

Source: SPRING tributary to SINKS

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.05 CFS	7.2 AF

LOCATION OF POINT(S) OF DIVERSION: SWNENW , Sec. 15, Township 60N, Range 01W
BOUNDARY County

PLACE OF USE: DOMESTIC

TWN RGE SEC

60N 01W 15 NENW

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Sandpoint, this 10 day of August, 1990.

MICROFILMED

SEP 27 1990

Royal Shields Jr.
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 98-07215

FOR DEPARTMENT USE ONLY

Preliminary check by SC Fee = \$20.00

Receipted by 12 Date 8/15/90 #C018028

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 98-07215 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 6 homes.

Witness my hand this 23RD day of August, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED

SEP 27 1990

JIM

Identification No. _____

Application No. 98-7215

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant ROYAL SHIELDS Phone: _____
post office address BOX 964, SANDPOINT, ID 83164

2. Source of water supply SPRING which is a tributary of _____

3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 15 Township 60N
Range 1W B.M. BOUNDARY County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.20 for DOMESTIC purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.09 for STOCKWATER purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. COLLECTION BOX

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 22 Township 60N
Range 1W B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered 400 HEAD OF CATTLE
100 HEAD OF SHEEP

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 5

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above. CLAIM TO A WATER RIGHT FOR STOCKWATER. ADDITIONAL HOUSEHOLD ~~BE~~ TO BE ADDED TO EXISTING SYSTEM


9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use _____ //

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



UNPROFILING

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Denzal Shields
(Applicant)

Proposed priority date: August 5, 1977

Received by KK Date 8/5/77 Time 4:00P
Preliminary check by TR Fee \$ 10.00
Receipted by KK Date 8/5/77 # 5710
Publication prepared by 12 Date 8-12-77
Published in Bureau Ferry Herald
Publication dates 8-25 & 9-8-77
Publication approved OK Date 9-19-77
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JG

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7215, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 82.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 7 day of October, 19 77.


Deputy Director

AFFIDAVIT OF PUBLICATION

NOTICE OF PUBLICATION FOR WATER PERMIT

Notice is hereby given that Royal Shields, Box 964; Sandpoint, Idaho has on August 9, 1977 submitted Application No. 98-7215 for a permit to appropriate 0.20 cubic feet per second of water from spring by means of collection box within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 15, T60N, R1W, B.M. Boundary County to be used from Jan. 1 to Dec. 31 (0.20 cfs) domestic for 5 households (0.09 cfs) stockwater purposes, within the W $\frac{1}{2}$ NW $\frac{1}{4}$, & NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 22, T60N, R1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before September 12, 1977.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald Bonners Ferry, Idaho on August 25 and September 1, 1977.idwr

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull bkpr for W. H. Chubb being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7215

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Aug. 25, 1977, and ending with the issue dated Sept. 1, 1977.

Subscribed and sworn to before me this 19 day of Sept, 1977.

Notary Public in and for the County of Boundary, State of Idaho, residing at Bonners Ferry, Idaho.

OK
9-19-77
P

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull Agent for W. H. Chubb being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7215

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Aug. 25, 1977, and ending with the issue dated Sept. 1, 1977.

Echo Turnbull
Subscribed and sworn to before me this 13 day of Sept, 1977

[Signature]
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

August 24, 1990

ROYAL SHIELDS
P.O. BOX 964
SANDPOINT, ID 831640000

RE: PERMIT NO. 98-07215

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 27 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 8, 1990

RE: Permit No. 98-7215

Royal Shields
Box 964
Sandpoint, ID 83164

Dear Mr. Shields:

We have received your recent correspondence in which you stated your reasons for disagreement with the licensing amendment we previously forwarded to you.

You stated that there are now seven (7) homes on the system since one was recently built. Please be advised that when a Departmental examiner conducts an inspection of a water system and prepares his report, a license is prepared based upon his findings and development that occurs after the examination cannot legally be reflected in that license. Therefore, the license can only be issued for the six (6) homes that were present at the time of the examination.

The same scenario applies for stockwater use. There was no stockwatering taking place at the time of the field examination, therefore, the license will not reflect an amount of water for stockwater. However, the definition for "domestic" in relation to water law includes the watering of household stock up to 1,000 head. This being the case, the few horses or sheep that may be pastured would be covered under the domestic use.

If you have any further concerns about this matter, please feel free to contact us. Before we can issue the license, you will need to sign and return the amendment application to us along with the \$20.00 filing fee.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

MICROFILMED

SEP 27 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 25, 1990

ROYAL SHIELDS
P.O. BOX 964
SANDPOINT, ID 831640000

RECEIVED
JUN 12 1990

Department of Water Resources

RE: PERMIT NO. 98-07215

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 27 1990

The original permit was for 9 homes and some livestock. Nine lots were sold with water rights; there are now 7 users not 6 as one was built recently. They also have 2 horses and plan to have some sheep.

I can't understand why the original was changed as cattle may again be pastured on the property. Royal

June 25, 1990

ROYAL SHIELDS
P.O. BOX 964
SANDPOINT, ID 831640000

RE: PERMIT NO. 98-07215

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 27 1990

MEMORANDUM

TO:FILE

FROM:ROXANNE MCCARTHY

RE: CHANGES TO FIELD EXAM RECOMMENDATIONS

DATE: 20-DEC-1989

=====

This Permit was written for a spring but the only flow information provided by the exam is a theoretical capacity for the pump from this developed spring. Under the circumstances, this value should be used. As there is no longer stock use under this right and the original flow rate was generous (0.20 cfs for 5 homes), the license can be written for the 6 homes found during the exam. The volume is adjusted for these 6 homes.

MICROFILMED

SEP 27 1990

RECEIVED

AUG 26 1985

Department of Water Resources

Permit No. 98-2915

Phone No. _____

1. Owner: ROYAL SHIELDS Phone No. _____
Current Address: POB 964 SANDPOINT, ID. 83864
2. Accompanied by: ROBERT STOREY EXAM. DATE: 7/17/85
Address: _____ Phone No. _____
Relationship to Permit Holder: WATER USER
3. Source: SPRING tributary to SINKS

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	3/4		BERKLEY	3/4"

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
DEVELOPED SPRING W/ PUMP & PIPE TO 5 HOMES STANLEY FORWELL
MR. STOCK


6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

7. Measurements 6 HOMES on SVS ☐ Additional data/computation sheets attached
PSI 30-40 RPP - 5 HOMES

- [illegible]

- [illegible]

10. Other water rights on these lands 98-7547
11. Other water right diverted from same p.d. CLAIM-STOCK WATER NO INTERF
PROBABLY NO STOCK
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Ex 104 Date 7/17/85

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

SEP 21 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

AUG 26 1985

98-7215
Permit No.

1. Measurement Calculations

Department of Water Resources

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\frac{(8.8)(.75)(70\%)}{(3.33)(20)(70)} = 0.05 \text{ cfs}$$

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

- c) Volume Calculations for Other Uses:

5 HOMES (CAF)
 $0.05(1.9835)365 = 36.2$

2. Overlap Review

- a) Other water rights with same place of use: 98-7547

- b) Other water rights with same point of diversion: ~~106~~ CLAIM FOR STOCK

- c) Analysis: CLAIM:
STOCK REMOVED & TREE FARM PLANTED IN PASTURE

98-7215 IS STANDBY FOR 98-7547

MICROFILMED

SEP 27 1990

RECOMMENDED AMOUNTS

- | | Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
|----|------------|----------|--------|-----------|----------------------|-----------------|
| 3. | 98-7215 | | 0.05 | | | 0.05 |

4. Permit Holder: Royal Shields

Address: POB 964 Sandpoint ID. 83864

5. Source: Springs tributary to Ditch

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>PON (S)</u>	<u>1-1 12-31</u>	<u>0.05</u>	<u>6.0</u>

Allowable Maximums: 0.05 6.0

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			NE	NW	15	60N	1W	BOUNDARY

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
60N	1W	15				X													

Total Acres _____

9. Recommended Conditions/Remarks: NOT TO EXCEED 6.0 AFA WHEN COMBINED W/ 98-7547

MICROFILMED
SEP 27 1990

10. Recommended Amendments


☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature [Signature] Date 8/19/85

Checked in Regional Office by Bob Hughes Date 8/21/85

Approved in State Office by _____ Date _____



Radio Tower

Highland Flats Community Hall

Borrow Pit

KANIKSU NATIONAL FOREST

Bradley Lake

KANIKSU NATIONAL FOREST

MICROFILMED
SEP 27 1990

GREAT



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

May 20, 1983

Mr. Royal Shields
P. O. Box 964
Salndpoint, Id. 83864

Dear Mr. Shields:

I attempted to contact you at 267-3602 and 263-7729 right after we spoke together on the phone.

According to the Departmental records, you filed on a spring but not on a well.

I am enclosing an Application for Permit and instructions to allow you to file on the well at this time.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Application
Instructions

MICROFILMED

SEP 27 1990

98-7215

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____

Name(s) of Permit Holder:

Royal Shultz

Post Office Address:

Box 964

Source of Water:

Spring and a well on 150' from spring

Extent of Use:

☐ Domestic

(number of households)

☒ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes☒ No

Installed?

☐ Yes☒ No

Access Port:

Required?

☐ Yes☒ No

Installed?

☐ Yes☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8-5-1982

Date

Royal Shultz

Signature of Permit Holder

RECEIVED
SEP 2 1982

RECEIVED

AUG 9 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



MICROFILMED

SEP 27 1990

ALWAYS USE

ZIP CODE
83720-964

Landmark Sda 73764

THE LAND OF THE FREE
THE HOME OF THE BRAVE



USA 15c

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

October 8, 1982

Royal Shields
Box 964
Sandpoint, Id 83164

RE: 98-7215

Dear Sir:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Asent

TDK/pms

cc: IDWR - State Office

MICROFILMED

SEP 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
138521

SHIELDS, ROYAL
P.O. BOX 964
SANDPOINT, ID 83805

JULY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 98-7215 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

SEP 27 1990

INTER-DEPARTMENT MEMO — 1

FROM

Jim

DATE

5/15/81

TO File

SUBJECT LETTER FROM Mr. Shields Dated 5/5/81

Mr. Shields in his letter indicated a change in P/O on his permit. Rather than ~~process~~ ^{initiate} amendment procedures at this time I recommend that an amendment be submitted after field examination has been completed confirming the location of the P/O & P/u.

MICROFILMED

SEP 6 1990

SIGNATURE

May 5, 1981

RECEIVED

MAY 7 1981

Department of Water Resources

Dept of Water Resources

Bonnie Shocho

Gentlemen,

Since receiving my permit # 98-7215 in
Oct 1977, I have gone out of the
livestock business and am dry farming the
land and if it is necessary would like to
change the plans the water will be used.

The north quarter of the section has 8
lots used for homesites so the water
will be used for household use.

The red lines on the enclosure show
the changed locations. The spring is on
the NE $\frac{1}{4}$ of the NW $\frac{1}{4}$ sec 15

MICROFILMED

SEP 27 1990

Sincerely,

Bonnie Shocho


Box 964

Sandpoint Idaho

83864

MAY 7 1981

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho herein set forth.

MICROFILMED

SEP 27 1990

Royal Shields
(Applicant)

ROYAL SHIELDS
BOX 964
SANDPOINT ID 83864



Department of Water Resources
Statehouse
Boise Idaho 83720

MICROFILMED

SEP 27 1990

October 17, 1977

Re: Permit No. 98-7215

Royal Shields
Box 964
Sandpoint, ID 83164

Dear Mr. Shields:

Enclosed is a copy of your approved Application for Permit No. 98-7215. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF/cah

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Shields

☒ Source
☒ Point of Diversion Does not agree
☒ County w/Map
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map R-W
☒ Signature
☒ Fee

(1) SR 8-11-77

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) SR 8-11-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) SR 9/24/77

Other rights on the same place of use claim

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received (date) 9-19-77

(12) _____

Final date for protests 9-12-77

Protests received: yes _____ no _____

(13) SR 9/24/77

All requested information received from agencies or applicant: yes ☒ no _____

(14) SR 9/24/77

Action recommended:

☒ Approve _____ Deny

8/9/77 Proposed Priority

Reason for Reduction _____

Measuring device required _____

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District South

By [Signature] Date 9/29/77



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

August 18, 1977

RE: Application No. 98-7215 & 98-7216
Claims No. 98-4081 & 98-4080

Bonnors Ferry Herald
PO Box 539
Bonnors Ferry, Id 83805

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

Bill McLeod
9-19-77

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Royal Shields

Box 964; Sandpoint, ID

has on August 9, 1977 submitted Application No. 98-7215

for a permit to appropriate 0.20 cubic feet per second ~~XXXXXX~~

of water from spring

by means of collection box

within the SE1/4, Sec 15, T60N, R1W B.M. Boundary County

to be used from Jan 1 to Dec 31 (0.20 cfs) domestic & (0.07 cfs) stockwater
~~XXXX~~ purposes.

within the 1/4 NW1/4 & NW1/4, Sec 22, T60N, R1W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before September 12, 1977.

C. STEPHEN ALLRED
Director

Published in the Bonnors Ferry Herald Bonnors Ferry, ID
on August 25 and September 1, 1977

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Royal Shields, Box 964; Sandpoint, Idaho has on August 9, 1977 submitted Application No. 98-7215 for a permit to appropriate 0.20 cubic feet per second of water from spring by means of collection box within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 15, T60N, R1W, B.M. Boundary County to be used from Jan. 1 to Dec. 31 (0.20 cfs) domestic for 5 households (0.09 cfs) stockwater purposes, within the W $\frac{1}{2}$ NW $\frac{1}{4}$, & NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 22, T60N, R1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before September 12, 1977.

C. STEPHEN ALLRED
Director

Published in the Bonners
Ferry Herald Bonners Ferry,
Idaho on August 25 and Sep-
tember 1, 1977:ldwr

C
8-25-77
B