

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
SEP 13 1985

98-7210
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

2 Homes 0.08 cfs
15 Ad 0.02
1 AC 0.02

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{3}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{3}$

c) Volume Calculations for Other Uses:

2 HOMES (NO IRR) $0.6(2) = 1.2$
15 Ad = 0.4

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:



MICROFILMED
JUL 17 1991

KANIKSU
NAT FOR

Curley

NATIONAL FOREST

Creek

Kingsley

Newton

Haystack

Mountain

Gulch

IDAHO
MONTANA

KANIKSU NAT FOR

Creek

MICROFILMED

JUL 17 1991



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07210

Priority: August 2, 1977

Maximum Diversion Rate: 0.08 CFS
Maximum Diversion Volume:¹ 4.6 AF

This is to certify, that RICHARD C. HILDEN
ARDIS P. HILDEN

STAR RT. 1

MOYIE SPRINGS, ID 83845

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 2, 1977; and has submitted Proof of Beneficial Use on July 23, 1982. An examination indicates that the works have a diversion capacity of .080 cfs of water from:

SPRING tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.02 CFS	3.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.4 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.08 CFS	4.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 22, Township 62N, Range 03E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
62N	03E	22	SWSW	1		1

Total number of acres irrigated: 1

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.

JUL 17 1981

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 98-07210

CONDITIONS/REMARKS:

3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 15 head; domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21ST
day of MAY, 1991.

Acting for


R. Keith Higginson, Director

RECORDED

JUL 17 1991

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT C.F.S.
Orginial Permit	98-7210	L. M. Hartzell	.20 cfs
Full Assignment	98-7210	Richard C. Hilden & Ardis P. Hilden	.20 cfs

MINUTED

JUL 17 1991

RECEIVED

State of Idaho

RECEIVED

OCT 26 1981

Department of Water Resources

OCT 29 1981

Department of Water Resources
Northern District Office

ASSIGNMENT OF PERMIT

Department of Water Resources

I, L. M. Hartzell, hereby assign to Richard C. Hilden & Ardis P. Hilden
of Star Rt. 1 Movie Springs, Idaho 83845
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 98-7210
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. 98-7210 to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

SW 1/4 of SW 1/4 of Section 22 Township 62N Range 3E BM Boundary County

Developed Springs with pipeline

0.20 cubic feet per second

RECEIVED

DEC 21 1981

Made this 23 day of Oct, 1981

Department of Water Resources

[Signature]
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Boundary Spokane) ss.

MICROFILMED

JUL 17 1991

On this 23rd day of October, 1981, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

[Signature]
Notary Public residing at

Spokane, Washington

My commission expires:

11-1-83

Identification No. _____

Application No. 98-7210

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant L M Hartzell Phone: _____
post office address Star Rt, Moyie Springs, Id
2. Source of water supply unnamed spring which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 62N
Range 3E B.M. Boundary County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.08 for domestic purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.10 for Irrigation purpose from April 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for stockwater purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
Developed springs with pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 62N
Range 3E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
5 horses, 10 head cattle

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 2.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
62N	3E	22											5						5

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes as described above.

None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *[Signature]*
(Applicant)

RECEIVED
JAN 10 1907

Proposed Priority 8-02-1977

Received by FE Date 8/2/77 Time 11:00

Preliminary check by FE Fee \$ 10.00

Receipted by FE Date 8/2/77 # 5698

Publication prepared by B Date 8-2-77

Published in Bonanza Ferry Herald

Publication dates 8-11-18-77

Publication approved W Date 8-19-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Red jg

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7210, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- SUBJECT TO ALL PRIOR WATER RIGHTS.
- Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 82.
- Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 22 day of September 19 77.


Deputy Director

AFFIDAVIT OF PUBLICATION

NOTICE OF PUBLICATION FOR WATER PERMIT

Notice is hereby given that L. M. Hartzell, Star Rt., Moyle Springs, Idaho has on August 8, 1977 submitted Application No. 98-7210 for a permit to appropriate 0.20 cubic feet per second of water from an unnamed spring by means of developed spring within the SW-1/4SW1/4 Sec. 22, T62N, R3E, B.M., Boundary County to be used from Jan. 1 to Dec. 31 for domestic purposes for 2 households (0.08 cfs) and stockwater (0.02 cfs) and from April 1 to Nov. 1 for the irrigation of 5 acres (0.10 cfs) within the SW1/4SW1/4 Sec. 22, T62N, R3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1977.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on August 11 and August 18, 1977-adwr

STATE OF IDAHO }
County of Boundary } ss.

Echo Turnbull, bkpr. for W. H. Chubb being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application #98-7210

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Aug. 11, 1977, and ending with the issue dated Aug. 18, 1977.

Subscribed and sworn to before me this 18th day of August, 1977.

Dorcas Nava
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

OK
ADW
8-19-77

May 22, 1991

RICHARD C. HILDEN
ARDIS P. HILDEN
STAR RT. 1
MOYIE SPRINGS, ID 83845

RE: WATER RIGHT NO. 98-07210

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

JUL 17 1991

WATER RIGHT NO. 98-07210

CONDITIONS/REMARKS:

3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 15 head; domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10th day of May, 1991. ARDEN HILLS, MN

R. Keith Higginson
R. Keith Higginson, Director



Permit holder agrees w/ draft,
issue license
SC 5/12/91

RECORDED
JUL 17 1991

April 29, 1991

RICHARD C. HILDEN
ARDIS P. HILDEN
STAR RT. 1
MOYIE SPRINGS, ID 83845

RE: WATER RIGHT NO. 98-07210

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

JUL 17 1991

LICENSE REVIEW CHECKLIST

Permit No. 98-7210

Name/Address change? ok ✓

Priority date Advance? yes no ✓
Memo to advance no ✓
Order to reinstate needed? yes no ✓

Total cfs Limited by fee N/A
Limited by capacity ✓

Total volume Limited by flow ✓
Chart checked for AF rate/ac 3.0 ✓

Capacity Actual measurement checked NONE
Theoretical checked NONE
If greater than permit, check for other rts no

Source Changed? yes no ✓
If so, is memo needed to clarify? no

P/D Verify with map ✓ permit ✓
More than one per 1/4? Remember remark no
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart ✓

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses ✓
Special overlap condition no

Conditions -

Measuring device ✓
W.Master control ✓
Overlap ✓
Water quality ✓
Other ✓

Dates/Misc. -

Water Dist ✓
App Rec'd ✓
Proof Rec'd ✓

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended no

Add'l fee required no

Not filed - no

Not needed ✓

JUL 17 1991

Comments/Changes to Examiner's Recommendations:

in-house use 2 homes - rate changed to .04 cfs - system not measured, doubtful spring can produce total of more than .08 cfs.

License 10-day ✓ 30-day no

Back of field report signed? no

Reviewer S. Carter Date 4/26/91 Review time 8 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

SEP 18 1985

98-7210
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

2 Homes 0.08 cfs
15 Ad 0.02
1 AC 0.02

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3$

c) Volume Calculations for Other Uses:


2 HOMES (No IRR) $0.6(2) = 1.2$
15 Ad = 0.4

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:



RECEIVED
JUL 17 1991

RECOMMENDED AMOUNTS

- | 3. Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
|---------------|----------|--------|-----------|----------------------|-----------------|
| 98-7210 | | 0.0012 | | | |

4. Permit Holder: Richard Cor Ardis P. Hilden

Address: SR 1 Moyie Springs, ID. 83845

5. Source: Spring tributary to Sinks

6. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>IRR</u>	<u>4-1</u>	<u>11-1</u>	<u>0.02</u>	<u>3.0</u>
<u>Stock</u>	<u>1-1</u>	<u>12-31</u>	<u>0.02</u>	<u>0.4</u>
<u>Dam</u>	<u>1-1</u>	<u>12-31</u>	<u>0.08</u>	<u>1.2</u>
Allowable Maximums:			<u>0.12</u>	<u>4.6</u>

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			<u>SW</u>	<u>SW</u>	<u>22</u>	<u>62N</u>	<u>3E</u>	<u>BOUNDARY</u>

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<u>62N</u>	<u>3E</u>	<u>22</u>											<u>1X</u>						<u>1</u>
Total Acres <u>1</u>																			

9. Recommended Conditions/Remarks:

MICROFILMED
 JUL 17 1991

10. Recommended Amendments

☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None

☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other _____

11. Examiner's Signature Sub Kups Date 8/30/85

Checked in Regional Office by Bob Haynes Date 9/9/85

Approved in State Office by _____ Date _____

RECEIVED
SEP 13 1985

Department of Water Resources

Permit No. 98-7210

Phone No.

1. Owner: RICHARD C. OR ARDIS P. HILDEN Permit No. 107720
Phone No.
Current Address: START 1 MOYIE SPRINGS RD. 83845
2. Accompanied by: EXAM. DATE: 8/7/85
Address: NONE Phone No.
Relationship to Permit Holder:
3. Source: SPRING tributary to SINKS

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
PUMP HOUSE		UNK			
NAILED SHUT					

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

7. Measurements NO HOMES .6 ☐ Additional data/computation sheets attached
IS LD (ONE @ TIME OF EXAM)
IAL L/G


8. Point(s) of Diversion: Indicate Method of Determination *MAP*

[illegible]

- | | | |
|----|------------------|--|
| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination <i>MAP</i> |
|----|------------------|--|

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
02 N	3 E	22																	1
Total Acres																			1

10. Other water rights on these lands none
11. Other water right diverted from same p.d. none
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- ☐ Change P.D. as reflected above


☐ Add P.D. as reflected above

☒ None
- ☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other
16. Examiner's/Consultant's Signature [Signature] Date 8/7/85
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct
- Beneficial Use Examination _____
- Date _____

CONSULTANT SEAL



KANIKSU
NAT FOR

Curley

NATIONAL FOREST

Kingsley

Creek

Newton

Haystack

Mountain

Gulch

Herman Lake

IDAHO
MONTANA

KANIKSU NAT FOR

Creek

MULTICOLOR

JUL 17 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

October 8, 1982

y
Richard Hilden
Star RT 1
Morie Springs

RE: 98-7210

Dear Sir:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

JUL 17 1991

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 987210

Name(s) of Permit Holder: Richard C. ~~or~~ Andre P. Hilden

Post Office Address: Star Rt. 1

Mayle Springs, Id. 83845 Tel. No. 267-5405

Source of Water: Spring on our property

Extent of Use: ☒ Domestic 2 (number of households)
☒ Stockwater Cow & chickens (number and type of stock)
☒ Irrigation 1 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No JUL 17 1991 Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


July 19, 1982
Date

Andre P. Hilden
Signature of Permit Holder

USA 13c

Crazy Horse

Kilden
Star At 1
Mojie Springs, Id. 83845



MICROFILMED

JUL 17 1991



**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

RECEIVED

JUL 23 1982

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138385

HILDEN, RICHARD C. & ARDIS P.
STAR ROUTE 1
MOYIE SPRINGS, ID 83845

JUNE 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 98-7210 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED

JUL 17 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 6, 1982

Richard C. ~~MM~~ Hilden &
Ardis P. Hilden
Star Rt. 1
Moyie Springs, ID 83845

RE: Permit No. 98-7210

Dear Sirs,

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the special conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

If you have any questions on this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:jg

Enclosure

JUL 17 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 14, 1981

RE: Water Right Permit No. 98-7210

L. M. Hartzell
N. 5521 Loma Dr.
Spokane, WA 99208

Dear Mr. Hartzell:

Thank you for your letter of December 7, 1981. However, our office still has questions concerning the assignment. I have enclosed the assignment for your convenience. On the assignment you checked that you are assigning a portion of the right to Richard C. Hilden & Ardis P. Hilden. By this being a partial assignment, we must know exactly what portion is being assigned from the original permit (legal description of the point of diversion, the amount of water for each use; domestic, irrigation and stock, the place of use for each use, the total number of acres, number of stock &/or number of household units).

Your original permit states the following:

0.08 cfs for 2 domestic households

0.10 cfs for irrigation of 5 acres within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 22, T. 62N,
R. 3E

0.02 cfs for 5 horses and 10 head of cattle

Point of diversion within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 22, T. 62N, R. 3E

If you are assigning the full permit, then you must check the box on the assignment form which states that; then there is no need to state exactly what is being assigned.

If you have any questions, please contact me at 334-4123.

Sincerely,

ROBYN CARLSON
Chief Clerk

JUL 17 1981

RC:kw

cc: Ardis P. Hilden
Star Route #1
Moyie Springs, ID 83845

RECEIVED


12/7/81

DEC 10 1981

Department of Water Resources

Dear Mr. Carlson -

You already have the legal
on this thing. The exact location
of these springs is indicated
on the map below. There is
really no other information I
can give you - the water
supply is adequate for 2 domestic
dwellings and about 15 head of
livestock - N





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 4, 1981

RE: Permit No. 98-7210

L. M. Hartzell
Star Route
Moyie Springs, ID 83845

Dear Mr. Hartzell:

Enclosed is Assignment of Permit our office received on October 26, 1981. I am returning it to you for completion. Before our office can process the Assignment, we must know exactly what is being assigned (number of acres in each tract, number of households or stock, location of the point of diversion and the amount of water in cubic feet per second for each use).

If you have any questions please contact me at 334-4123.

Sincerely,

ROBYN CARLSON
Chief Clerk

RC:kw
Enclosure


RECEIVED

DEC 10 1981

Department of Water Resources

RECEIVED

JUL 17 1991



State of Idaho
Dept. Water Resources
State House
Boise Idaho
83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 3, 1981

RE: Assignment of Permit

Ardis P. Hilden
Star Route #1
Moyie Springs, ID 83845

Dear Mr. Hilden:

Thank you for your letter dated November 15, 1981. Our office received the Assignment for Permit No. 98-7210 on October 26, 1981 however on November 4, 1981 it was returned to Mr. Hartzell for further information. I have enclosed a copy of that letter for your information. As of today, we have not received the assignment back from Mr. Hartzell.

If you have any other questions, please contact me at 334-4123.

Sincerely,

ROBYN CARLSON
Chief Clerk

RC:kw
Enclosure

cc: Mr. Hartzell
N. 5521 Loma Dr.
Spokane, WA 99208

JUL 17 1991

Nov 15, 1981

98-7210

Dear Sir:

We haven't heard from you about our water permit. - We bought our place from Larry Vartzell in June's. You sent us a paper to send to Vartzell, which we did. He signed it and sent it back to you. We would appreciate hearing what has happened.

Sincerely,

Andis P. Vilden

Star Rt 1

Maple Springs, Id.

83845

P.S.

Here is Larry's address in case you need it:

Larry Vartzell

N. 5521 Loma Dr.

Spokane, Wa. 99208

RECEIVED

NOV 17 1981

Department of Water Resources
Northern District Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 4, 1981

RE: Permit No. 98-7210

L. M. Hartzell
Star Route
Moyie Springs, ID 83845

Dear Mr. Hartzell:

Enclosed is Assignment of Permit our office received on October 26, 1981. I am returning it to you for completion. Before our office can process the Assignment, we must know exactly what is being assigned (number of acres in each tract, number of households or stock, location of the point of diversion and the amount of water in cubic feet per second for each use).

If you have any questions please contact me at 334-4123.

Sincerely,

ROBYN CARLSON
Chief Clerk

RC:kw
Enclosure

NOTED

JUL 17 1991

27 September, 1977

Mr. L.M. Hartzell
Star Route
Moyie Springs, Idaho 83845

Dear Mr. Hartzell:

Enclosed is a copy of your approved Application for Permit No. 98-7210. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:mef

Enclosure

RECEIVED
MAY 1978

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) KK 8/2/77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) KK 8/2/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) OK

(9) _____

OK Other rights on the same place of use none

(10) _____

Comments: No field review

(11) SPW 8-19-77

Affidavit of Publication received (date) 8-19-77

(12) _____

Final date for protests August 29

Protests received: yes _____ no _____

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve

_____ Deny

8-2-77 Proposed Priority

Reason for Reduction _____

Measuring device required _____

See attached sheet for other conditions of approval _____

☒ No special conditions for approval

(15) District Northern

By Bob Haynes

Date 8-29-77



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

August 4, 1977

RE: Applications No. 98-7210 & 98-7211.

Bonnors Ferry Herald
PO Box 539
Bonnors Ferry, Id 83805

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

*Bill received
8-19-77
SK
SDW*

NOTED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that L M Hartzell

Star Rt, Moyie Springs, Id

has on August 2, 1977 submitted Application No. 98-7210

for a permit to appropriate 0.20 cubic feet per second ~~XXXXXX~~

of water from an unnamed spring

by means of developed spring

within the S1/2, S1/2, Sec 22, T62N, R3E, B.M., Boundary County

to be used from Jan 1 to Dec 31

for domestic purposes for 2 households (0.08 cfs) and stockwater (0.02 cfs)

and from April 1 to Nov 1 for the irrigation of 5 acres (0.10 cfs)

within the S1/2, S1/2, Sec 22, T62N, R3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1977.

C. STEPHEN ALLRED
Director

Published in the Bonnors Ferry Herald, Bonners Ferry, Id
on August 11 and August 18, 1977

[Handwritten signature/initials]

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that L. M. Hartzell, Star Rt., Moyie Springs, Idaho has on August 8, 1977 submitted Application No. 98-7210 for a permit to appropriate 0.20 cubic feet per second of water from an unnamed spring by means of developed spring within the SW- $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 22, T62N, R3E, B.M., Boundary County to be used from Jan. 1 to Dec. 31 for domestic purposes for 2 households (0.08 cfs) and stockwater (0.02 cfs) and from April 1 to Nov. 1 for the irrigation of 5 acres (0.10 cfs) within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 22, T62N, R3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1977.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on August 11 and August 18, 1977.-adwr