

10. Other water rights on these lands 98-7203 ~ CANCEL-? IRR ONLY
11. Other water right diverted from same p.d. NONE
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ **Photo of Diversion & System Attached** ☐ **Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached**

14. Remarks _____

15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

16. Examiner's/Consultant's Signature [Signature] Date 8/17/85
Consultant's License Number _____
IDWR Director's Authorization to Conduct
Beneficial Use Examination _____

Date

CONSULTANT SEAL

MICROFILMED
MAR 30 1990



(LEONIA)
2781 II SE
SCALE 1:24000

R. 3 E R. 34 W. 2°30' 420 000 FEET (MONT.)
TROY 13 MI.
LIBBY 31 MI.



CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

Microfilmed
MAR 30 1990

98-7204 Heavy-duty
Medium-duty

ILS

2 NORTH
SHEET

THIS MAP COMPLIES WITH THE U.S. MAP ACT OF 1932

QUADRANGLE LOCATION

CUR

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07204

Priority: June 3, 1977

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.4 AF

This is to certify, that PETER SMALL
VALARIE LEWIS

P.O. BOX 551

MOYIE SPRINGS, ID 83845

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 3, 1977; and has submitted Proof of Beneficial Use on July 12, 1982. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 10, Township 61N, Range 03E
BOUNDARY County

PLACE OF USE: STOCKWATER

TWN RGE SEC

61N 03E 10 SWNW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 5 head; domestic use is for 1 home.

MICROFILMED

MAR 30 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07204

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19th
day of MARCH, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

MAR 30 1990

Identification No. _____

Application No. 98-7204

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant PETER SMALL AND/OR VALARIE LEWIS Phone: _____
post office address Box 561, MOYIE SPRINGS, ID 83845
2. Source of water supply GROUNDWATER which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 10 Township 61N
Range 3E B.M. BOUNDARY County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.06 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP WITH PIPELINE TO
PLACE OF USE

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 10 Township 61N
Range 3E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 5 HEAD OF BEEF

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water ONE.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

The map is drawn on a grid where each major square represents 36 square miles (6 miles by 6 miles). The grid lines are spaced at 6-mile intervals. The following features are marked on the map:

- P.D. (Point of Diversion):** Indicated by a small circle with a dot in the center, located at the intersection of the 4th vertical line from the left and the 5th horizontal line from the bottom.
- Place of Use:** Indicated by a line with an arrow pointing from the text "PLACE OF USE" to the P.D. circle.
- Section Number:** The number "10" is written to the right of the P.D. circle.
- Township:** The text "61N" is written to the right of the section number.
- Range:** The text "3E" is written below the section number.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Pete Smith
Taperie Lewis
(Applicant)

Proposed Priority 6/ 3/77

Received by KK Date 6/3/77 Time 3:30P

Preliminary check by FE Fee \$ 10.00

Received by KK Date 6/3/77 # 5361

Publication prepared by B Date 6-8-77

Published in Banner Free Press

Publication dates 6-16 & 23 77

Publication approved SPW Date 6-28-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by rest ig

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7204, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 82.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 22 day of August, 19 77.


Deputy Director

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Peter Small &/or Valarie Lewis, Box 551, Moyie Springs, Idaho 83845 has on June 3, 1977 submitted Application No. 98-7204 for a permit to appropriate 0.06 cubic feet per second of water from a ground-water source by means of pump & pipeline within the SW14NW14 Sec. 10, T61N, R3E, B.M., Boundary County, to be used from Jan. 1 to Dec. 31 for Domestic (0.04 cfs) and stockwater (0.02 cfs) purposes within the SW14NW14 Sec. 10, T61N, R3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before July 5, 1977.

C. STEPHEN ALLRED
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on June 16 and June 23, 1977. idwr

ok
SDW
6-28-77

Echo Turnbull, Esq. for W. M. Chubb being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher
of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Dept. of Water Resources

a Notice of Application "98-7204"

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated June 16, 1977, and ending with the issue dated June 23, 1977.

Echo Turnbull, Esq.
Subscribed and sworn to before me this 24th day of June, 1977

Barthley Smith
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

March 19, 1990

PETER SMALL
VALARIE LEWIS
P.O. BOX 551
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07204

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 30 1990

February 23, 1990

PETER SMALL
VALARIE LEWIS
P.O. BOX 551
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07204

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc


Enclosure

MICROFILMED

MAR 30 1990

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
61N	3E	10							X										
								</											

10. Other water rights on these lands 987203 ~ CANCEL-? IRR ONLY
11. Other water right diverted from same p.d. NONE
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks _____
15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other
16. Examiner's/Consultant's Signature [Signature] Date 8/1/85
Consultant's License Number _____
IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date

MICROFILMED
MAR 30 1990
CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

40530 1985

98-7204
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

one home 0.04
540 0.02

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

one Home 1.2
540 0.2

2. Overlap Review

- a) Other water rights with same place of use: 98-7203
- b) Other water rights with same point of diversion: none
- c) Analysis: 98-7203 FOR IRR.

MICROFILMED

MAR 30 1990

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	98-1204		0.04			

4. Permit Holder: PETER SMALL OR VALARIE LEWIS SMALL
 Address: Box 661 MOYIE SPRINGS, ID. 83845

5. Source: GW tributary to _____

6. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>Stock</u>	<u>1-1</u>	<u>12-31</u>	<u>0.02</u>	<u>0.2</u>
<u>Dom (1)</u>	<u>1-1</u>	<u>12-31</u>	<u>0.04</u>	<u>1.2</u>

Allowable Maximums: 0.06 1.4

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			<u>SW</u>	<u>NW</u>	<u>10</u>	<u>61N</u>	<u>3E</u>	<u>BOUNDARY</u>

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
61N	3E	10							X										
Total Acres _____																			

9. Recommended Conditions/Remarks: _____

MICROFILMED

MAR 30 1990

10. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other _____

11. Examiner's Signature Sal King
 Checked in Regional Office by Bob Haynes
 Approved in State Office by _____

Date 8/26/85
 Date 8/27/85
 Date _____




(LEONIA)
2781 II SE
SCALE 1:24 000

R 3 E. R. 34 W. 2'30" 420 000 FEET (MONT.)

TROY 13 MI.
LIBBY 31 MI.

INTER
1.4 MI. TO



MAR 30 1990

98-7204 Heavy-duty
Medium-duty

CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL



QUADRANGLE LOCATION

CUR

2 NORTH
SHEET

THIS MAP COMPLIES WITH THE REQUIREMENTS OF THE NATIONAL MAP ACT OF 1930



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

August 12, 1985

Mr. Peter Small
Box 551
Moyie Springs, Id. 83845

RE: Exam No. 98-7203

Dear Mr. Small:

I have recently conducted the required on-site examination of your water system on Curley Creek, as described in Permit No. 98-7203. I found no diversion structure and no water use.

In view of this, I must initiate the cancellation process unless you contact this office within 15 days of the above date to establish a date when you or your appointee can demonstrate the water system to me or another representative of this Department.

If you are not using the water, please sign the enclosed Relinquishment form and return it to this office.

I have also completed the examination of your domestic well, as described in Permit No. 98-7204 and have recommended licensing for one home and 5 head of stock.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms
Enc. - Relinquishment

MICROFILMED

MAR 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

October 8, 1982

Peter Small
Bx 551
Morie Springs, ID 83845

RE: 98-7204

Dear Sir:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: IDWR - State Office

MICROFILMED

MAR 30 1990

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 98-7204.

Name(s) of Permit Holder: Peter Small &/or Valarie Small

Post Office Address: Box 551 Moyie Springs, Id. 83845

Tel. No. _____

Source of Water: Groundwater

Extent of Use:

☒ Domestic	<u>1</u>	(number of households)
☒ Stockwater	<u>5</u>	(number and type of stock)
☐ Irrigation	_____	(acres)
☐ Other	_____	

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7/8/92
Date

Peter Small
Signature of Permit Holder

MICROFILMED
MAR 30 1990

PETER SMALL
P.O. Box 551
Moyie Springs IDAHO 83845



POSTPAID

MAR 30 1990



Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

SMALL, PETER &/OR LEWIS, VALARIE
P.O. BOX 551
MOYIE SPRINGS, ID 83845

138142

MAY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 98-7204 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

MAR 30 1990

August 25, 1977

Re: Permit Nos. 98-7203 and 98-7204

Peter Small &/or Valarie Lewis
Box 551
Moyie Springs, ID 83845

Dear Mr. Small and Ms. Lewis:

Enclosed are copies of your approved Applications for Permit Nos. 98-7203 and 98-7204. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special conditon requiring you to either install and maintain a measuring device at your points of diversion to to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosures

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) AB 6/8/77

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) AB 6/8/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) SDW 6-28-77

Affidavit of Publication received(date) 6-28-77

(12) _____

Final date for protests 7-5-77
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

63-77 _____ Proposed Priority

_____ Reason for Reduction

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern By Bob Dumas Date 7-6-77



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

June 9, 1977

RE: Application No. 98-7203, 98-7204, & 98-7202

Bonniers Ferry Herald
PO Box 539
Bonniers Ferry, Id 83805

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:cp

Enc: Legal Notice(s)

Bill received
6-28-77
S.D.W.
oh

RECEIVED
JUN 14 1977
DISTRICT SUPERVISOR

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Peter Small &/or Valarie Lewis

Box 551, Moyie Springs, Id 83845

has on June 3, 1977 submitted Application No. 98-7204

for a permit to appropriate 0.06 cubic feet per second ~~acre feet per annum~~

of water from a groundwater source

by means of pump & pipeline

within the ~~SW 1/4~~ Sec 18, T61N, R3E, B.M. Boundary County,

to be used from Jan 1 to Dec 31

for Domestic (0.04 cfs) and stockwater (0.02 cfs) purposes

within the ~~SW 1/4~~ Sec 10, T61N, R3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before July 5, 1977.

C. STEPHEN ALLRED
Director

Published in the Bonniers Ferry Herald, Bonners Ferry, Id

on June 16 and June 23, 1977

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Peter Small &/or Valarie Lewis, Box 551, Moyie Springs, Idaho 83845 has on June 3, 1977 submitted Application No. 98-7204 for a permit to appropriate 0.06 cubic feet per second of water from a ground-water source by means of pump & pipeline within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 10, T61N, R3E, B.M., Boundary County, to be used from Jan. 1 to Dec. 31 for Domestic (0.04 cfs) and stockwater (0.02 cfs) purposes within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 10, T61N, R3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before July 5, 1977.

C. STEPHEN ALLRED

Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on June 16 and June 23, 1977.-idwr

OK
6-14-77

RECEIVED

JUN 14 1977

Idaho Department of Water Resources
Bozeman District Office