


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Robert L. Thompson
(Applicant)
Robert L. Thompson

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert J. Thayer
(Applicant)
Kurt J. Thompson



UNRECORDED
SEP 20 1989



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 98-07101

Priority: January 15, 1974

Maximum Diversion Rate: 0.41 CFS
Maximum Diversion Volume:¹ 106.9 AF

This is to certify, that HILDER T. THOMPSON
ROBERTA J. THOMPSON

STAR RT.

MOYIE SPRINGS, ID 83845

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 15, 1974; and has submitted Proof of Beneficial Use on September 1, 1979. An examination indicates that the works have a diversion capacity of .700 cfs of water from:

SPRING

tributary to CURLEY CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/15	0.35 CFS	105.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.41 CFS	106.9 AF

LOCATION OF POINT(S) OF DIVERSION:

NENESW , Sec. 4, Township 62N, Range 03E
BOUNDARY County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
62N	03E	4	NWSW 15	SESW 20		35

PLACE OF USE: DOMESTIC

TWN RGE SEC

62N 03E 4 NESW

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.

MICROFILMED

SEP 28 1989

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 98-07101

CONDITIONS/REMARKS:

3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of AUGUST, 1989.


R. Keith Higginson, Director

MICROFILMED

SEP 28 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

RECEIVED

NOV 13 1978

Department of Water Resources
Northern District Office

Hilder T. Thompson/Roberta J. Thompson of Star Route, Moyie Springs
(Name) (Address)

Idaho 83845
State of _____, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public
Waters of the State of Idaho No. 98-7101.

That under the terms and conditions of said permit, work thereunder was required to be completed on or
before February 1, 1979.

That he has heretofore performed the following work described under said permit: The domestic
water has been hooked up and is being used by one household, the stockwater
and a water line to the barn and corrals has been hooked up and is being
used, part of the irrigation system is being used. (We have not been
able to complete the rest of the irrigation' Costing \$ 1,200.00
system.)

That he is unable to complete the remainder of the work within the required time for the following
reasons, to-wit: The owner, Hilder Thompson,
has entered the hospital the end of August with a heart disturbance
and is still recovering and not able to do heavy work as yet. The ground
will be covered with snow before too long and we will not be able to get
the rest of the irrigation system in until after the next Spring thaw.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of
obligations under said permit to September 1, 1979
XXXXXXXXXX, 1979.

Hilder T. Thompson
(Signature)*
Roberta J. Thompson

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time
within which to submit proof of beneficial use of water is extended to February 1, 1980.

Sign this 27th day of November, 1978.

J. Glen Saxton
Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 98-7101)

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

Identification No. 98-7101

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Hilder T. Thompson &/or Roberta J. Thompson
post office address 18381 Warren Avenue, Tustin, California 92680

2. Source of water supply Unnamed Spring (#2 South) which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 4 Township 62N
Range 3E B.M. Boundary County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-foot per annum)

Amount 0.35 for Irrigation purpose from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-foot per annum)

Amount 0.02 for Stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-foot per annum)

5. Total quantity to be appropriated:

a. 0.41 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Gravity flow.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 2,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 4 Township 62N
Range 3E B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered 25 cattle, 4 horses.

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water One.

(5) If water is to be used for other purposes describe: _____

98 7101

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
62N	3E	4										30		20					50

Total number of acres to be irrigated 50

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicants

b. Who owns the land to be irrigated or place of use Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks The spring begins on the property owned by Hilder T. Thompson. As soon as we get water, we will begin to build our home on this property.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William J. Thompson
(Applicant)
Alberta J. Thompson

Proposed Priority 1-15-1974

98 7101

Received by CP Date 1-15-74 Time 1:00 pm

Preliminary check by TFB Fee \$ 25.00

Receipted by TFB Date 1/18/74 # 12322

Publication prepared by CP Date 1-18-74

Published in Bonnors Ferry Herald

Publication dates 1-24 & 1-31-74

Publication approved CP Date 2-7-74

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by W DF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7101, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 79.
- c. Other: A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 14 day of February 1974.


Director

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Hilder T. Thompson and ^{OR} Roberta J. Thompson
post office address 18381 Warren Avenue, Tustin, Calif 92680
2. Source of water supply unnamed spring #2 ^{SOUTH} which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 4 Township 62N
Range 3E B.M. Boundary County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .04 for domestic purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .35 for irrigation purpose from Apr 1 to Oct 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for stock water purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .41 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. GRAVITY FLOW
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 2000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 4 Township 62N
Range 3E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 25 CATTLE
4 HORSES
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
62N	3E	4									30	20							50

Total number of acres to be irrigated ~~20~~ 50

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion Hilder T. Thompson /Roberta J. Thompson

b. Who owns the land to be irrigated or place of use Hilder T. Thompson /Roberta J. Thompson

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The spring ~~xxxxxx~~ begins on the property owned by Hilder T. Thompson. As soon as we get water we will begin to build our home on this property.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert J. Thompson
(Applicant)
Kurtis Thompson

98 7101

Received by CP Date 1-3-74 Time 1:00 PM

Preliminary check by _____ Fee \$ _____

Receipted by _____ Date _____

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved _____ Date _____

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____, 19____.

Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>FE</u>	<u>1/15/74</u>	Application No. <u>98-7101</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>FE</u>	<u>1/15/74</u>	In form to receipt Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>FE</u>	<u>1/15/74</u>	In form for advertising
(6)			Located within Water District No. _____
(7)			Critical groundwater area: yes _____ no _____
(8)			Groundwater levels: ____ Decline (comment) _____ ____ Stable (comment) _____ ____ Increasing (comment) _____
(9)			Comments: _____ _____
(10)	<u>CE</u>	<u>2/7</u>	Affidavit of Publication received (date) <u>FEBRUARY 5, 1974</u>
(11)	<u>CE</u>	<u>1/18</u>	Final date for protests <u>FEBRUARY 11, 1974</u> Protests received: yes _____ no ☒
(12)			Date and Place of hearing _____ Decision reached at hearing _____ _____
(13)	<u>FE</u>	<u>2/14/74</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>FE</u>	<u>2/14/74</u>	Action recommended: ☒ Approve Priority <u>1/15/74</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☒ No additional conditions for approval
(15)	District <u>Notover</u>	By <u>[Signature]</u>	Date <u>2/21/74</u>

[Signature]

98 7101

RECEIVED

Department of Water Administration

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Hilder T. &/or Roberta J. Thompson, 18381 Warren Ave., Tustin, California have on January 15, 1974 submitted Application No. 98-7101 for a permit to appropriate 0.41 cubic feet per second of water from Un-named Spring (No. 2 South) by means of gravity flow within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 62N, R. 3E, B.M., Boundary County to be used from Jan. 1 to Dec. 31 for domestic (0.04 cfs) and stockwatering purposes (0.02 cfs) within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 62N, R. 3E, B.M.; and from April 1 to Oct. 15 for the irrigation of 50 acres (0.35 cfs) within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 62N, R. 3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before February 11, 1974.

R. KEITH HIGGINSON
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on Jan. 24 and Jan. 31, 1974-idwa

W. H. Chubb

being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

Publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of **Department fo Water Administration**

a **Notice of application for #98-7101 Thompson**

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated **Jan 24, 1974**, 196, and ending with the issue dated **Jan 31, 1974**, 196.

Subscribed and sworn to before me this 4 day of July, 19674

Echo Sunbush, Notary
Notary Public in and for the County of Boundary, State of Idaho, residing at Bonners Ferry, Idaho.

08 7101

August 24, 1989

HILDER T. THOMPSON
ROBERTA J. THOMPSON
STAR RT.
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07101

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

FILMED

SEP 28 1989

August 2, 1989

HILDER T. THOMPSON
ROBERTA J. THOMPSON
STAR RT.
MOYIE SPRINGS, ID 83845

RE: PERMIT NO. 98-07101

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 26 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
9807101	62N	03E	4		NE	SW		SPRING	THOMPSON, HILD
9804080								CURLEY CREEK	THOMPSON, HILD
9807102								SPRING	THOMPSON, HILD


MicroFILMED

SEP 28 1989

Phone No. 267-3894

- [illegible]

10. Other water rights on these lands 98-7102
11. Other water right diverted from same p.d. ~~98-7~~ NONE
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks STOCK DRIVE FROM OPEN CHANNELS

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature [Signature]

Date 8/1/85

Consultant's License Number _____

IDWR Director's Authorization to Conduct



Beneficial Use Examination _____

Date

CONSULTANT SEAL

MICROFILMED

1989



RECEIVED
SEP 20 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

AUG 26 1985

98-7101
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$25 \text{ GAL IN } 4.62 \text{ SEC} = \frac{4.62}{60} = 0.077 \text{ MIN} \therefore \frac{25 \text{ GAL}}{0.077 \text{ MIN}} = 324.67 \text{ gpm} \therefore \frac{324.67 \text{ gpm}}{468.5} = 0.69 \text{ cfs}$$

$$35 \text{ ACRES @ } 0.02 \text{ cfs/A} = 0.70 \text{ cfs}$$

APPLIED FOR:

IRR 0.35 cfs

STOCK 0.02 cfs

DOM 0.04 cfs

TOTAL 0.41 cfs

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{90}{100} \times 100 = 90$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{126.8}{148.8} \times 1.9835 = 1.65$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 90$$

c) Volume Calculations for Other Uses:

29 25 STOCK 44 AF 0.7 AF

one home 1.2

2. Overlap Review

a) Other water rights with same place of use: 98-7102

b) Other water rights with same point of diversion: None

c) Analysis: 98-7101 & 98-7102 ARE SAME SYSTEM - DIFFERENT
ACREAGE/LANDS/STOCK/HOMES

MICROFILMED

SFD 1989

RECOMMENDED AMOUNTS

3.	Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	98-7101		0.41			0.70

4. Permit Holder: Hilder or Roberta Thompson
 Address: HR RANCH 5200 RT. Mojic Springs, 1083845

5. Source: SPRING (#1) tributary to Curley Cr.

6. Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>IRR</u>	<u>4-1</u>	<u>10-15</u>	<u>0.35</u>	<u>105.0</u>
<u>Stock</u>	<u>1-1</u>	<u>12-31</u>	<u>0.02</u>	<u>0.7</u>
<u>Dom</u>	<u>1-1</u>	<u>12-31</u>	<u>0.04</u>	<u>1.2</u>

Allowable Maximums: 0.41 106.9

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			<u>NE</u>	<u>SW</u>	<u>4</u>	<u>62N</u>	<u>3E</u>	<u>BOUNDARY</u>

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<u>62N</u>	<u>3E</u>	<u>4</u>										<u>X</u>	<u>15</u>	<u>20</u>					<u>35</u>
Total Acres <u>35</u>																			

9. Recommended Conditions/Remarks: _____


MICROFILMED

10. Recommended Amendments

SEP 28 1989


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature M. King Date 8/12/85
 Checked in Regional Office by Bob Angus Date 8/21/85
 Approved in State Office by Reanne McElroy Date 3/9/89



48-7101
98-7102

43.381 50 SHEETS SQUARE
43.382 100 SHEETS SQUARE
43.383 200 SHEETS SQUARE
NATIONAL



#1 SPRING DEVELOPED 98-7101
#2 SPRING SHOULD BE CHANGED TO READ UNNAMED STREAM
98-7102

ENTIRE FLOW OF BOTH SPRING THRU IRR SYSTEM
@ TIME OF EXAM.

MICROFILMED
SEP 20 1989

October 20, 1982

Hilder Thompson
HR Ranch
Star Route
Moyie Springs, Idaho 83845

(208) 267-3894

Mr. Tom D. King
State of Idaho
Department of Water Resources
4055 Government Way
Coeur d'Alene, Idaho 83814

RECEIVED
OCT 22 1982

Department of Water Resources
Northern District Office

RE: Water Permit No. 98-7101
Water Permit No. 98-7102
Water Permit No. 98-7291

Dear Mr. King:

This letter is to confirm our telephone conversation earlier this week.

Water Permit No.s 98-7101 and 98-7102 are both completed and ready for your inspection. As we will be away part of the winter, we will look for you to come up for inspection next Spring. As soon as we have our irrigation system working next year, we will contact you so you can come up here to make the necessary inspections.

Water Permit No. 98-7291 is partially completed and as soon as it is finished, we will file our notice of completion.

We have diverted the water on these three permits into stream beds so we can better utilize it - and have eliminated much of our once soggy ground. So all of this water now eventually goes into Curley Creek. This is one of the reasons we have concern for the permit being contemplated for power generation, on Curley Creek. Although, we know our permits have priority because they have an earlier filing date.

We look forward to your inspection in the Spring.

Thank you.

MICROFILMED

SEP 28 1989

Very truly yours,

Hilder & Roberta Thompson
Hilder & Roberta Thompson

We will continue receiving our mail in Moyie Springs throughout the winter. If there are any hearings scheduled on the Curley Creek power generation station, we would appreciate hearing of it.
Thank you.

HILDER THOMPSON
STAR ROUTE
MOYIE SPRINGS, IDAHO 83845
(208) 267-3894

RECEIVED
NOV 6 1978

Department of Water Resources
Northern District Office

November 1, 1978

Mr. Robert Haynes
Regional Supervisor
State of Idaho Department of Water Resources
4055 Government Way
Coeur D'Alene, Idaho 83814

RE: Water Permit Number 98-7101
Water Permit Number 98-7102

Dear Mr. Haynes:

We would like to apply for a one year extension for filing our Proof of Construction and application of water to beneficial use on the TWO above Water Permits.

Here is the reason for our request for extension:

Hilder entered the hospital the end of August with a heart disturbance. He was in the hospital for two weeks and then spent the following six weeks with limited activity. He still isn't able to go back to heavy work. We had planned to finish up the work on our water permits this summer and fall, but with his heart condition we were not able to do so. To date we have completed the domestic water systems for two households and they are both being used. We have also completed the water system to the barn and corrals and are using them. We have part of the irrigation system in. If we could have a one year extension we could get the rest of our system completed during next summer.

Also, will you please send us two of the forms we are to file for Proof of Construction of works and application of water to beneficial use.

Thank you.

Very truly yours,

Hilder Thompson
Mrs. Hilder Thompson

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 98-7101

Name(s) of Permit Holder: Hilder T. or Roberta J. Thompson

Post Office Address: Star Route

Moyie Springs, Idaho 83845

Source of Water: Unnamed Spring (#2 South)

Extent of Use: ☒ Domestic 1 (number of households)
☒ Stockwater 25 cows, 4 horses (number and type of stock)
☒ Irrigation 50 acres (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has developed.

July 5, 1979

Date

Robert J. Thompson
 Signature of Permit Holder

MICROFILMED

Hilder T. or Roberta J. Thompson

Star Route

Moyie Springs, Idaho 83845



RECEIVED

SEP 4 1979



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN W. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

September 17, 1979

Mr. Hilder T. Thompson
Star Route
Moyie Springs, ID 83845

RE: 98-7101

Dear Mr. Thompson:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED



STATE OF IDAHO, DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

(208) 384-2215

November 29, 1978

Hilder T. & Roberta J. Thompson
Star Route
Moyie, ID 83845


Re: Permit No. 98-7101

Dear Mr. & Mrs. Thompson:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to

Sincerely,


Jan Grover
Water Rights Supervisor

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

10/10/78

Dear Wateruser:

The enclosed Order removes the measuring device requirement as a condition of approval from your permit.

If you have installed the measuring device, the field examination can be more expediently conducted by the Department's field examiner as well as you will derive benefit from water management information which may be obtained from the installed meter.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

MICROFILMED

February 15, 1974

Re: Permit Nos. 98-7101 & 98-7102

Hilder T. &/or Roberta J. Thompson
18381 Warren Avenue
Tustin, California 92680

Dear Mr. & Mrs. Thompson:

Enclosed are copies of your approved Application for Permit Nos. 98-7101 and 98-7102. We direct your attention to the conditions of approval as listed on the fourth page of each permit.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon permit #98-7101. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

98 7101

January 18, 1974

Re: Application No. 98-7101 - Hilder T. &/or Roberta J. Thompson
" " 98-7102 - " " " " " "
" " 98-7103 - Kootenai Kattle Grazing Association

Bonnors Ferry Herald
P.O. Box 539
Bonnors Ferry, ID 83805

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. ~~In order to receive payment, the following certification must appear on the bill:~~

~~"I hereby certify that the foregoing account is just
and correct, that the amount claimed is legally due,
after allowing all just credits, and that no part of
the same has been paid."~~

--(signature of claimant)

Very truly yours,

FRED EISENBARTH
Northern District Manager

Bill submitted 2-7-74 by ef

FE:CP

Enc: Legal Notices (3)

98 7101

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Hilder T. &/or Roberta J. Thompson,
18381 Warren Ave., Tustin, California
~~have~~ on January 15, 1974 submitted Application No. 98-7101
~~xxx~~ for a permit to appropriate 0.41 cubic feet per second ~~xxx feet per second~~
of water from Unnamed Spring (#2 South)
by means of gravity flow
within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 62N, R. 3E, B.M., Boundary County
to be used from Jan. 1 to Dec. 31 for domestic (0.04 cfs) and stockwatering
~~xxx~~ purposes (0.02 cfs) within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 62N, R. 3E, B.M.; and
from April 1 to Oct. 15 for the irrigation of 50 acres (0.35 cfs) within the
~~xxxxxxx~~ NW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 62N, R. 3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before February 11, 1974.

R. KEITH HIGGINSON

Director

Published in the Bonnors Ferry Herald, Bonners Ferry, Idaho
on Jan. 24 and Jan. 31, 1974

98 7101

**NOTICE OF APPLICATION FOR
WATER PERMIT**

Notice is hereby given that Hilder T. &/or Roberta J. Thompson, 18381 Warren Ave., Tustin, California have on January 15, 1974 submitted Application No. 98-7101 for a permit to appropriate 0.41 cubic feet per second of water from Un-named Spring (No. 2 South) by means of gravity flow within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 62N, R. 3E, B.M., Boundary County to be used from Jan. 1 to Dec. 31 for domestic (0.04 cfs) and stockwatering purposes (0.02 cfs) within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 62N, R. 3E, B.M.; and from April 1 to Oct. 15 for the irrigation of 50 acres (0.35 cfs) within the NW $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 62N, R. 3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before February 11, 1974.

R. KEITH HIGGINSON
Director

Published in the Bonners Ferry
Herald, Bonners Ferry, Idaho on
Jan. 24 and Jan. 31, 1974-ldwa

OK.
1-28-74
CP

98 7101

January 17, 1974

Re: Application for Permit No. 98-7101
" " " " 98-7102

Hilder T. Thompson
18381 Warren Avenue
Tustin, CA 92680

Dear Mr. Thompson:

Attached is your receipt No. 12322 in the amount of \$35 for the filing fees on the above referenced applications which were received in this office.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:cp

Enclosure

98 7101

HILDER T. THOMPSON
18361 WARREN AVENUE
TUSTIN, CALIFORNIA 92680
(714) 544-8796

RECEIVED

JAN 15 1974

Department of Water Administration
Northern District Office

JANUARY 10, 1974

DEAR MR. EISENBARTH

I TALKED WITH YOU ON THE TELEPHONE EARLY IN DECEMBER
BUT HAD LOST YOUR NAME BY THE TIME WE WERE READY TO
FILE THE APPLICATIONS.

THANKS FOR ALL YOUR HELP. WE HOPE EVERYTHING GOES O.K.
SO WE CAN GET MOVED.

WE'LL STOP IN AND INTRODUCE OURSELVES SOMETIME ON THE
WAY THROUGH TOWN.

HAPPY NEW YEAR.

Hilder & Roberta Thompson
HILDER & ROBERTA THOMPSON

98 7101

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor

R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

January 4, 1974

Hilder T. Thompson
18381 Warren Avenue
Tustin, CA 92680

Dear Mr. Thompson:

Enclosed are two applications for permits which we have typed from the ones you submitted to our office.

Please review these applications, making any necessary corrections, sign and return them with the filing fee to our office, and we shall begin their processing. The correct filing fee is \$10 for 0.2 cubic feet per second, and \$25 for 0.41 cubic feet per second (please refer to the enclosed fee schedule).

If you should have any questions, feel free to contact us.

Very truly yours,

Fred Eisenbarth
Northern District Manager

FE:cp

Enclosures

98 7101