


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

City of Bonanza Ferry
 X by: R. M. Pace
 (Applicant)

Committee

98 7093

UNRECORDED

12

149-C

J.C. MACE

PHIL
KNOLLS

4 3
9 10

T61N R1E3W

128-B

GRAND P

M. WOODSON, JR. ET AL.

EDGAR WIDGL. WOODSON

IRS GOLF

POND B

IRRIGATED
AREA



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 98-7093 Priority October 11, 1973 Amount .42 cfs

THIS IS TO CERTIFY, that CITY OF BONNERS FERRY
of Bonnors Ferry, Idaho, has complied with the terms and conditions of Permit
No. 98-2093 issued pursuant to Application for Permit dated October 11, 1973,
and has submitted proof to the Department of Water Resources on November 7, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .42 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>May 1</u> to <u>October 31</u>	at <u>.42</u> cfs and	<u>127.23</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than .42 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
127.23 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, Twp. 61N,
Rge. 1E, B.M. in the County of _____ Boundary _____

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
61N	1E	9		15															15

Total number of acres irrigated 15

This right when combined with Right No. ⁷⁰⁹⁴98-2094 shall not exceed 0.02 cfs per acre.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27 day of
July, 19 81.

Director

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF EXTENDING THE PROOF DUE DATE)

IN CONNECTION WITH PERMIT NO.'S 98-7093 & 98-7094)

in the name of CITY OF BONNERS FERRY)

ORDER

WHEREAS, on October 11, 1973, the City of Bonners Ferry applied to the Department of Water Resources (formerly the Department of Water Administration) for permits to appropriate 1.5 cubic feet per second of water from a drain ditch(98-7093), and from seepage(98-7094) within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4(98-7093); SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4; SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 9(98-7094) all in Twp. 61N, Rge. 1E, B.M., Boundary County, to be used for irrigation purposes; and,


WHEREAS, on November 20, 1973, the Department approved said applications and issued Permit No.'s 98-7093 and 98-7094 with the conditions that proof of construction of works and application of water to beneficial use be submitted to the Department on or before December 1, 1974; and,

WHEREAS, on November 27, 1974, the Department received a request for an extension of time for said permits; and,

WHEREAS, it appears that the permit holder has been proceeding with reasonable diligence and has given good cause for delay;

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use of water for Permit No.'s 98-7093 & 98-7094 be extended to December 1, 1975.

Dated this 9th day of December, 1974.


A. KENNETH DUNN, Administrator
Operations Division

BDF:JG

MICROFILMED

Identification No. 98-7093

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant City of Bonners Ferry
post office address Bonners Ferry, Idaho 83805
2. Source of water supply Drainage District #1 which is a tributary of _____
(Drain Ditch)
- * 3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 4 Township 61N
Range 1E B.M. Boundary County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.5 for Irrigation purpose from May 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.5 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Water will be pumped by gas-powered pump from District #1 Drain Ditch into North pond, and then pumped through main system for irrigation of golf course. This will be a supplemental supply to be used for backup.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years.
b. Estimated construction cost is \$ 40,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Irrigation of golf course.

98 7093

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
61N	1E	4												5			20		25
		9		15			5		35	25									80

Total number of acres to be irrigated 105


c. Describe any other water rights used for the same purposes as described above. Permit 98-7094 SD 10/13/74

9. a. Who owns the property at the point of diversion Drainage District #1
 b. Who owns the land to be irrigated or place of use Applicants
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Through natural drainage, water collects in ponds in the northerly and southerly parts of the golf course area. Also, there are large quantities of ground and surface water in Drainage District #1, located west of the Burlington Northern right-of-way in Sec. 4, T. 61N, R. 1E, B.M. Primary source of water shall be water on applicant's own property and utilize water in Drainage District #1 only as a secondary source. To that end, applicant plans on laying a pipe through an existing culvert which crosses under the existing railroad right-of-way into Drainage District #1. Applicant at the present time is securing easements from the Burlington Northern Railroad, the property owners, and from the Commissioners of Drainage District #1.

It is planned to use a 10 h.p. centrifugal pump to pump out of the lower pond to the upper pond. The upper pond is planned to have two pumps: one 7½ h.p. pump for the purpose of keeping the line under pressure, and a 40 h.p. turbine pump for peak irrigation. In addition, there will be a gas-powered pump for pumping out Drainage District #1.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

City of Bonanza Ferry
 X by: R. M. Pace
 (Applicant)

Commissioner

98 7093

Proposed Priority 10-11-1973

Received by CP Date 10-11-73 Time 1:00 P

Preliminary check by FE Fee \$ 35.00

Receipted by FE Date 10/11/73 # 11886

Publication prepared by cp Date 10-12-73

Published in Bonnors Ferry Herald

Publication dates 10-18 & 10-25-73

Publication approved CP Date 11-5-73

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by WJ BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7093, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 74.
- c. Other: A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 20th day of November 19 73.


Director

98 7093

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant City of Bonners Ferry
post office address Bonners Ferry, Idaho 83805
2. Source of water ^{Sump} ~~supply~~ ground and surface which is a tributary of _____
3. a. Location of point of diversion is ⁽²⁾ S E $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 4 Township 61
Range 1E. B.M. _____ County; additional points of diversion if any: _____
Southerly portion of Drainage District #1, Section 4, Township
61 N., Range 1 East B.M.
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.5 ^{cfs} for irrigation purpose from May 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.5 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. See Attached. Water will be
pumped from pond at north end up to pond in south portion. Irrigation
will be from south pond.
- b. Height of storage dam _____ feet, active reservoir capacity 3.2 acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur May 1 to Oct. 31 inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is one years.
b. Estimated construction cost is \$ 40,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
61N	1E,BM 4																10		10
61N	1E,BM 9			15					60										75

Total number of acres to be irrigated 85

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion City of Bonners Ferry

b. Who owns the land to be irrigated or place of use City of Bonners Ferry

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Through natural drainage, water collects in ponds in the northerly and southerly parts of the golf course area. Also, there are large quantities of ground and surface water in Drainage District #1, located west of the Burlington Northern right of way in Sec. 4, Twn. 61 N., R1E B.M. Primary source of water shall be water on applicant's own property and utilize water in Drainage District #1 only as a secondary source. To that end, applicant plans on laying a pipe through an existing culvert which crosses under the existing railroad right of way into Drainage District #1. Applicant at the present time is securing easements from the Burlington Northern Railroad, the property owners and from the Commissioners of Drainage District #1.

It is planned to use a 10-h.p. centrifugal pump to pump out of the lower pond to the upper pond. The upper pond is planned to have two pumps: one 7 1/2 h.p. pump for the purpose of keeping the line under pressure, and a 40 h.p. turbine pump for peak irrigation. In addition, there will be a gas powered pump for pumping out Drainage District #1.

[illegible]

City of Birmingham
by: R. M. Vance
(Applicant) Commissioner

Received by CP Date 9-19-73 Time 1:00 P 98 7093
Preliminary check by _____ Fee \$ _____
Receipted by _____ Date _____
Publication prepared by _____ Date _____
Published in _____
Publication dates _____
Publication approved _____ Date _____
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____ 19____.

Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>ZE</u>	<u>12/14/73</u>	Application No. <u>98-7093</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>ZE</u>	<u>12/14/73</u>	In form to receipt
			Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>ZE</u>	<u>12/14/73</u>	In form for advertising
(6)			Located within Water District No. _____
(7)			Critical groundwater area: yes _____ no _____
(8)			Groundwater levels: ☐ Decline (comment) _____ ☐ Stable (comment) _____ ☐ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>CP</u>	<u>11-5-73</u>	Affidavit of Publication received (date) <u>NOVEMBER 2, 1973</u>
(11)	<u>CP</u>	<u>10-12-73</u>	Final date for protests <u>NOVEMBER 5, 1973</u> Protests received: yes _____ no ☒
(12)			Date and Place of hearing _____ Decision reached at hearing _____
(13)	<u>ZE</u>	<u>11/5/73</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>ZE</u>	<u>11/5/73</u>	Action recommended: ☒ Approve Priority <u>10/11/73</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>Northern</u>	By <u>Ted Christensen</u>	Date <u>11/15/73</u>

98-7093

RECEIVED
NOV 9 1973
Department of Water Administration

AFFIDAVIT OF PUBLICATION

RECEIVED

STATE OF IDAHO }
County of Boundary } ss.

W. H. Chubb

being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman) publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Department of Water Administration

a Notice of Application for Water Permit/City of B.F.

No. 98-7093

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Oct. 18, 1973, and ending with the issue dated Oct. 25, 1973.

Ruth M. Hoaglan, bookkeeper

Subscribed and sworn to before me this 30 day of Oct, 1973.

@ Don Lerby
Notary Public in and for the County of Boundary, State of Idaho, residing at Bonners Ferry, Idaho.

98 7093

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that City of Bonners Ferry, Bonners Ferry, Idaho has on October 11, 1973 submitted Application No. 98-7093 for a permit to appropriate 1.5 cubic feet per second of water from drainage district No. 1 by means of pumps and pipeline within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 61N, R. 1E, B.M., Boundary County to be used from May 1 to Oct. 31 for the irrigation of 105 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4; NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 9, T. 61N, R. 1E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before November 5, 1973.

R. KEITH HIGGINSON
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on Oct. 18 and Oct. 25, 1973-ida



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 30, 1981

City of Bonners Ferry
Bonners Ferry,
Idaho 83805

Dear Sirs,

RE: Permit No. 98-2093

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Enclosure

RECEIVED
JUL 31 1981
WATER RESOURCES



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 13, 1981

City of Bonners Ferry
Bonners Ferry,
Idaho 83805

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. **98-7093**, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: **.42 cfs** Source: **groundwater**

The maximum quantity diverted shall not exceed **127.23** acre feet per year.

Point(s) of diversion: **SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, Twp. 61N, Rge. 1E, B.M.**

Beneficial use: **Irrigation of 15 acres within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 9, Twp. 61N, Rge. 1E.**

Priority date established: **October 11, 1973**

Conditions (if any): **This right when combined with Right No. 98-7094 shall not exceed .0.2 cfs per acre.**

MICROFILMED

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

AUG 18 1980

Department of Water Resources

98-7093

Permit No.

CONTACT WITH PERMIT HOLDER

DATE	INITIALS	REMARKS
------	----------	---------

- ☐ Appointment letter mailed:
- ☐ Telephone call made:
(List Telephone No. used)
- ☐ Appointment scheduled for
(Date, time, location)

EXAMINATION

Date 8-1-80 Accompanied by City Employee Total Q measured 1905pm

If source is surface water, estimate total flow of source

Methods of measurement Meter Meets Permit requirements?

Measurement calculations: $105 \text{ AC}(3.0) = 315 \text{ AF}$
 $\frac{190}{448.8} = 0.42 \text{ cfs}(1.98) 153 = 127.23 \text{ AF} \checkmark$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	10	Water Diesel	62999LT126	3 Scavenger				
					M04-72	Accumulator	27502136	

System Description Water is diverted from drainage dist. #1, Canal to pond on golf course for storage use as described in 98-7094

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

Irrigation requirement = _____ AFA/Acre

USE

Q (cfs)

V (afa)

FROM

TO

Irrigation

0.42

12723

May 1 Oct 1

Total

0.42

127.73

Remarks ~~not~~ Not to exceed 12723 AF 316 AF/Aon when combined with 98-7094

NOTIFIED

[illegible]

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SESW, SEC 4, T61N, R1E

Place(s) of Use

[illegible]

105

Recommended Amendments:

Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Examiner's Signature

Checked by


Approved by _____

Date 8-11-80

Date 8/13/80

Date 10/16/80

MAX QUANTITY PUMPED 200 GPM
 $\frac{200}{60 \times 7.48} = 0.446 \text{ CUFT/SEC}$



MICROFILMED

WATER SYSTEM
 GOLF COURSE
 BONNERS FERRY, IDAHO
 10-20-75 C A EDDLEMAN

149-C
J.C. MACE

PHIL
KNOLTS

1283

ROSENDALE

AREA

S. GOLF

17

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATE HOUSE BOISE, IDAHO 83720

November 10, 1975

Re: Permit No's. 98-7093 and 98-7094

City of Bonners Ferry
Bonners Ferry,
Idaho 83805

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permits.

Before licenses can be issued, field examinations must be made by a representative of this Department. We cannot tell just which part of the irrigation season these exams will be made in, but our examiner will try to contact you at the time he makes the examinations so that you may show him the systems.

We note that in reviewing this proof affidavit you do not indicate that you have installed measuring devices as required by the conditions of approval of your permits. These measuring devices must be installed by the time our examiner makes the examinations or your water rights cannot be confirmed by the issuance of licenses. We are enclosing a list of the types of measuring devices approved by this office.

If you have any questions regarding the field exams, please contact our District Office in Coeur d'Alene.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

JDR:JFR

Enclosure

RECEIVED

RECEIVED

NOV 7 1975

Identification No. 98-7093
Permit No. 98-7094

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder CITY OF BONNERS FERRY
b) Post Office Address Bonnors Ferry, Idaho 83805
2. Permit Number 98-7093
3. Date of Priority that you are prepared to establish _____
4. a) Source from which water was appropriated surface water from southerly portion of
b) Location of the point of diversion: SE Drainage District #1
1/4 1/4, Section Four (4)
Township Sixty-one (61) Range One (1) East Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 1⁵ C.F.S. for irrigation purposes from May 1 to Oct. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 27,216,000 C.F.S. cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Pumping capacity of 10 H.P. pump against 50 feet static head - Specifications enclosed.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder: - -
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:
Not applicable at present time
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Pumping from existing pond on City of Bonners Ferry property to holding pond, then through pipes to sprinkling system.
b) Describe the type and size of measuring device which you have installed at your point of diversion: See above
c) Give well driller's name and address and the date the well was completed: None
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: None

Exam typed 11-7-75 by jt

11/13

- **SENDER:** Complete items 1, 2, and 3.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ RESTRICTED DELIVERY.
 Show to whom and date delivered..... 65¢
☐ RESTRICTED DELIVERY.
 Show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

MICROFILMED

3. ARTICLE DESCRIPTION:

REGISTERED NO. CERTIFIED NO. INSURED NO.

22325

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE ☐ Addressee ☐ Authorized agent

Walter Lander

4.


DATE OF DELIVERY

OCT - 3 1975

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS



UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1, 2, and 3 on reverse side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**



**DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

**PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE \$500**





STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

October 1, 1975

CERTIFIED MAIL

27325

Re: Permit No. 98-7093 and 98-7094

City of Bonners Ferry
Attn: C. A. Eddleman, City Engineer
Bonners Ferry, Idaho 83805

Dear Mr. Eddleman:

One of the conditions of approval of your water Permit No. 98-7093, 98-7094 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before December 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


R. KEITH HIGGINSON
Director

RECEIVED
OCT 1 1975

RKH:jg
Enc: Proof affidavit (2)

WATER RESOURCE BOARD:

John F. Streiff
Chairman

Franklin Jones
Member

George L. Yost
Vice-Chairman

M. Roud Hansen
Member

Donald R. Kramer
Secretary

Scott W. Reed
Member

Edwin C. Schlender
Member

Joseph H. Nettleton
Member

December 10, 1974

Re: Permit No.'s 98-7093 & 98-7094

City of Bonners Ferry
Attn: C. A. Eddleman, City Engineer
Bonners Ferry, ID 83805

Dear Mr. Eddlemana

Enclosed is an Order which extends the proof due date in connection with the above referenced permits.

The time within which to submit proof of beneficial use of water for both permits has been extended to December 1, 1975.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG
Enclosure

MICROFILMED



CITY OF BONNERS FERRY

OFFICE OF THE MAYOR

BONNERS FERRY, IDAHO — 83805

Department of Water Resources

November 26, 1974

Idaho Dept. of Water Resources
State House
Boise, Idaho 83720

Attention:
R. Keith Higginson

Re: Permit No. 98-7093
98-7094

Dear Mr. Higginson:

The City of Bonners Ferry requests a 30-day extension of time required to file proof of application of water to beneficial use. Additional time will be required to obtain the pumping capacity of the installed pump.

Very truly yours,

C. A. Eddleman
City Engineer

MICROFILMED

- **SENDER:** Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ **DELIVER ONLY TO ADDRESSEE** and
show to whom and date delivered..... 65¢
☐ **DELIVER ONLY TO ADDRESSEE** and
show to whom, date, and address of
delivery 85¢

2. ARTICLE ADDRESSED TO:

3. ARTICLE DESCRIPTION:

REGISTERED NO.	CERTIFIED NO.	INSURED NO.
	26135	

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE

Arthur Barker

4.

DATE OF DELIVERY

10-2-74

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

your name, address, and ZIP Code in the space below.

- Complete items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**



DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



MICROFILMED

September 30, 1974

CERTIFIED MAIL

26135

Re: Permit No. 98-7093 & 98-7094

City of Bonners Ferry
Bonners Ferry,
Idaho 83805

Gentlemen:

One of the conditions of approval of your water Permit No. 98-7093 & 98-7094 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before December 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

November 23, 1973

Re: Permit Nos. 98-7093 & 98-7094

City of Bonners Ferry
Bonners Ferry,
Idaho 83805

Gentlemen:

Enclosed are copies of your approved Application for Permit Nos. 98-7093 and 98-7094. We direct your attention to the conditions of approval as listed on the fourth page of each permit.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your points of diversion has been placed upon your permits. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

98 7093

October 12, 1973

Re: Application No. 98-7093 - City of Bonners Ferry
" " 98-7094 - " " " "
Claim No. 98-4028 - Dale Sargent

Bonners Ferry Herald
P.O. Box 539
Bonners Ferry, ID 83805

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. ~~In order to receive payment, the following certification must appear on the bill:~~

~~"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."~~

~~(signature of claimant)~~

Very truly yours,

Fred Eisenbarth
Northern District Manager

Bill submitted 11-5-73 by CP

FE:CP

98 7093

Enc: Legal Notices (3)

STATEMENT

BONNERS FERRY HERALD

Complete Newspaper Coverage of Boundary County

P. O. Box 539

BONNERS FERRY, IDAHO — 83805

Idaho Department of Water Admin.
401 Front Ave.
Coeur d'Alene, Idaho 83814

1973

Oct. 18 Notice of app. #98-7093-City of
B.F.-30 lines 2 times \$ 11.70

98 7093

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that City of Bonners Ferry,
Bonners Ferry, Idaho
has on October 11, 1973 submitted Application No. 98-7093
for a permit to appropriate 1.5 cubic feet per second ~~XXXXXX~~
of water from drainage district #1
by means of pumps and pipeline
within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 61N, R. 1E, B.M., Boundary County
to be used from May 1 to Oct. 31
for the irrigation of 105 acres
within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4; NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 9, T. 61N, R. 1E,
B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before November 5, 1973.

R. KEITH HIGGINSON

Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho
on Oct. 18 and Oct. 25, 1973

98 7093

**NOTICE OF APPLICATION FOR
WATER PERMIT**

Notice is hereby given that City of Bonners Ferry, Bonners Ferry, Idaho has on October 11, 1973 submitted Application No. 98-7093 for a permit to appropriate 1.5 cubic feet per second of water from drainage district No. 1 by means of pumps and pipeline within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 4, T. 61N, R. 1E, B.M., Boundary County to be used from May 1 to Oct. 31 for the irrigation of 105 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 4; NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 9, T. 61N, R. 1E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before November 5, 1973.

R. KEITH HIGGINSON
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on Oct. 18 and Oct. 25, 1973-idwa.

OK.
10-22-73
P

98 7093

October 12, 1973

Re: Application for Permit No. 98-7093
" " " " 98-7094

City of Bonners Ferry
Bonners Ferry
Idaho 83805

Gentlemen:

Attached is your receipt No. 11996 in the amount of \$70 for the filing fees on the above referenced applications which were received in this office.

Very truly yours,

Fred Eisenbarth
Northern District Manager

FE:CP

Enclosure

98 7093

WILSON & WALTER
ATTORNEYS AT LAW

PETER B. WILSON
NEIL O. WALTER

205 W. KOOTENAI
PHONE AN 7-3127
AN 7-3128
P. O. BOX 749
BONNERS FERRY, IDAHO — 83805

RECEIVED

OCT 11 1973

October 5, 1973

Department of Water Administration
Northern District Office

State of Idaho
Department of Water Administration
401 Front Ave., Rom 209
Coeur d'Alene, Idaho 83814

Attn: Fred Eisenbarth
Northern District Mgr.

Re: Bonners Ferry Golf Course

Dear Mr. Eisenbarth:

Enclosed please find the new applications which you sent to us. First of all, we do appreciate your filling them out for us.

In regard to the changes, in case my writing isn't very clear, the pond at the north end of the property is generally located in the Southwest Quarter of the Southeast Quarter and the Southeast Quarter of the Southwest Quarter of Section Four, Township Sixty-one, Range One East, B. M. There is an inlet culvert and also an outlet culvert from this pond, the northerly culvert being the inlet culvert. From the northerly culvert runs a pipe to a drainage ditch in the southeast quarter of the southwest quarter, at which point there will be a gas powered pump.

The southerly pond is located in the southeast quarter of the northwest quarter of Section 9, Twp. 61 N., Rge. 1 E.B.M. On the north edge of that pond are the two pumps referred to in paragraph 10.

Also enclosed please find our check in the amount of \$70.00.

Thank you for your assistance.

Very truly yours,

WILSON & WALTER

Neil Walter

NW/bas
Enc.

98 701

98-7093
98-7094

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste/Disposal Wells
Stream Channel Protection
Geothermal Resources

September 27, 1973

Neil Walter
WILSON & WALTER
Attorneys at Law
P.O. Box 749
Bonners Ferry, ID 83805

Dear Mr. Walter:

We are returning the application for permit and Check No. 92-95 in the amount of \$25 which you submitted in behalf of the City of Bonners Ferry. Since there are two different sources of water involved, it will be necessary to file an application for each source.

We have taken the liberty of typing two applications, incorporating some of the information you submitted. These applications are still incomplete and the following items will need to be completed:

Item #3a: Please locate the two ponds by 40-acre tracts (the attached map may be helpful).

Item #8b: We have listed the land to be irrigated. Please note that we have computed the land to be irrigated from the map you enclosed, and have listed more land to allow for changes. Please indicate on the map the location of the ponds.

After completing the above items, please have an official of the city sign the two applications and return them to our office along with the required filing fees. The fee for 1.5 cubic feet per second of water is \$35 per application.

If you should have any questions in this matter, or if we may be of any further assistance, feel free to contact us.

Very truly yours,

Fred Eisenbarth
Northern District Manager

FE:cp

Enclosures

98 7093

WILSON & WALTER

ATTORNEYS AT LAW

PETER B. WILSON
NEIL O. WALTER

205 W. KOOTENAI
PHONE AN 7-3127
AN 7-3128
P. O. BOX 749
BONNERS FERRY, IDAHO — 83805

September 14, 1973

RECEIVED

SEP 19 1973

Department of Water Administration
Northern District Office

Mr. R. Keith Higginson
Idaho Water Department Administration
401 East Front Street
Coeur d'Alene, Idaho 83814

Re: Bonners Ferry Golf Course

Dear Mr. Higginson:

Enclosed please find an application for water right, together with two maps: one showing the area proposed to be irrigated; the other one showing the proposed water system itself.

On the map of the water system itself, the rights of way of the Burlington Northern Railroad and new U.S. Highway #2 are not shown, but the highway runs approximately across the northerly portion of the diagram and the Burlington Northern Railroad runs across the southerly part of the diagram to the old highway, where it turns in a southeasterly direction paralleling the highway.

We acknowledge that we have not, perhaps, fully described the water system; for example, did not show the total reservoir capacity, because we do not know that at the present time.

We would, of course, be happy to provide any additional information required.

Very truly yours,

WILSON & WALTER



Neil Walter

nw:rs
encl

98 7093