

NOTICE OF APPLICATION FOR
PERMIT TO APPROPRIATE THE
PUBLIC WATERS OF THE STATE
OF IDAHO

Notice is hereby given that Leonard O. Svendsbye, Box 573, Bonners Ferry, Idaho has on November 5, 1970 submitted Application No. 98-7031 to appropriate the public waters of the Kootenai River, tributary of the Columbia River. The proposed uses are domestic (0.01 cfs) and stockwater (0.01 cfs) from January 1 to December 31, and irrigation (2.0 cfs) of 117 acres from April 1 to October 15.

The application proposes a maxi-

mum diversion and appropriation of 2.0 cubic feet per second of water to be diverted by pumps, pipes, tank, and sprinkler heads within Gov't. Lot 1, 4, and 5, Sec. 26, T. 62 N, R. 1 E, B. M., Boundary County and is to be used within Gov't. Lots 1, 4, and 5, T. 62 N, R. 1 E, B. M.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho on or before December 7, 1970.

R. KEITH HIGGINSON
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on November 19 and November 26, 1970.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

W. H. Chubb

being
first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of Idaho Department of Water Administration

a Notice of Application for water-Svendsbye-

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for 2 consecutive issues, commencing with the issue dated Nov. 19, 1970, and ending with the issue dated Nov. 26, 1970

Subscribed and sworn to before me this 30 day of Nov., 1970

Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

98-7031

**NOTICE OF APPLICATION FOR
PERMIT TO APPROPRIATE THE
PUBLIC WATERS OF THE STATE
OF IDAHO**

Notice is hereby given that Leonard O. Svendsbye, Box 573, Bonners Ferry, Idaho has on November 5, 1970 submitted Application No. 98-7031 to appropriate the public waters of the Kootenai River, tributary of the Columbia River. The proposed uses are domestic (0.01 cfs) and stockwater (0.01 cfs) from January 1 to December 31, and irrigation (2.0 cfs) of 117 acres from April 1 to October 15.

The application proposes a maximum diversion and appropriation of 2.0 cubic feet per second of water to be diverted by pumps, pipes, tank, and sprinkler heads within Gov't. Lot 1, 4, and 5, Sec. 26, T. 62 N, R. 1 E, B. M., Boundary County and is to be used within Gov't. Lots 1, 4, and 5, T. 62 N, R. 1 E, B. M.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho on or before December 7, 1970.

R. KEITH HIGGINSON
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on November 19 and November 26, 1970.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

W. H. Chubb

being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of **Idaho Department of Water Administration**

a **Notice of Application for water-Svendsbye**

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for **2** consecutive issues, commencing with the issue dated **Nov. 19**, 19**70**, and ending with the issue dated **Nov. 26**, 19**70**

Subscribed and sworn to before me this **30** day of **Nov.**, 19**70**

Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

98-7031

Sec. 13.

Sec. 14.

Sec. 15.

Sec. 22.

Sec. 23.

Sec. 24.



Sec. 34.

Sec. 35.

Sec. 36.

1" STANDARD MERIDIAN NORTH

of Township 12S and Range 10E

The Town of Sandy, 1902, North
Boise, Idaho. Idaho
one of the many beautiful cities of the West
Boise, Idaho





Diagram of System

98-7031



**NOTICE OF APPLICATION FOR
PERMIT TO APPROPRIATE THE
PUBLIC WATERS OF THE STATE
OF IDAHO**

Notice is hereby given that Leonard O. Svendsbye, Box 573, Bonners Ferry, Idaho has on November 5, 1970 submitted Application No. 98-7031 to appropriate the public waters of the Kootenai River, tributary of the Columbia River. The proposed uses are domestic (0.01 cfs) and stockwater (0.01 cfs) from January 1 to December 31, and irrigation (2.0 cfs) of 117 acres from April 1 to October 15.

The application proposes a maximum diversion and appropriation of 2.0 cubic feet per second of water to be diverted by pumps, pipes, tank, and sprinkler heads within Gov't. Lot 1, 4, and 5, Sec. 26, T. 62 N. R. 1 E. B. M., Boundary County and is to be used within Gov't. Lots 1, 4, and 5, T. 62 N. R. 1 E. B. M.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho on or before December 7, 1970.

R. KEITH HIGGINSON
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on November 19 and November 26, 1970.

Leonard

98-7031

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 98-7031 Priority November 5, 1970 Amount 1.12 cfs

THIS IS TO CERTIFY, that LEONARD O. SVENDSBYE
of Bonnerr's Ferry, Idaho, has complied with the terms and conditions of Permit
No. 98-7031 issued pursuant to Application for Permit dated November 5, 1970,
and has submitted proof to the Department of Water Resources on February 14, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.12 cfs of water from Kootenai River,
tributary to Columbia River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>October 15</u>	at <u>1.12</u> cfs and	<u>351</u> acre feet
	from _____	_____ cfs and	_____
	from _____	_____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.12 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
351 acre feet per-year, said waters to be diverted within the Govt. Lot 1, Sec. 26,
Twp. 62N, Rge. 1E, B.M. in the County of _____ Boundary _____

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
62N	1E	26					Govt. Lot 1												50
							Govt. Lot 4												31
							Govt. Lot 5												36

Total number of acres irrigated 117

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
March, 19 80.

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING)
DEVICE REQUIREMENT ON PERMIT NO. 98-7031)
IN THE NAME OF LEONARD O. SVENDSBYE)

ORDER

WHEREAS, on November 5, 1970, Leonard O. Svendsbye applied to the Department of Water Resources (formerly the Department of Water Administration) for a permit to appropriate 2.00 cubic feet per second of water from the Kootenai River, tributary to the Columbia River, within Lots 1, 4, and 5, Sec. 26, Twp. 62N, Rge. 1E, B.M., Boundary County, to be used for domestic, stockwater, and irrigation purposes; and,

WHEREAS, on February 11, 1971, the Department approved said application and issued Permit No. 98-7031 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before March 1, 1975, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,


WHEREAS, on January 27, 1975, the Department extended the time within which to submit proof of beneficial use of water to March 1, 1977; and,

WHEREAS, on February 14, 1977, the Department received the required proof of application of water to beneficial use along with a request that the measuring device requirement be removed from said permit; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from Permit No. 98-7031.

Dated this 23 day of February, 1977.


for A. KENNETH DUNN
Administrator, Operations Division

MICROFILMED

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF EXTENDING THE PROOF DUE)
DATE IN CONNECTION WITH PERMIT NO. 98-7031) ORDER
in the name of LEONARD O. SVENDSBYE)
_____)

WHEREAS, on November 5, 1970, Leonard O. Svendsbye applied to the Department of Water Resources (formerly the Department of Water Administration) for a permit to appropriate 2.00 cubic feet per second of water from the Kootenai River, tributary to the Columbia River, within Lots 1, 4, and 5, Sec. 26, Twp. 62N, Rge. 1E, B.M., Boundary County, to be used for domestic, stockwater, and irrigation purposes; and,


WHEREAS, on February 11, 1971, the Department approved said application and issued Permit No. 98-7031 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before March 1, 1975; and,

WHEREAS, on January 20, 1975, the Department received an unacceptable proof affidavit from the permit holder which indicated that an extension of time was necessary; and,

WHEREAS, it appears that under the circumstances the permit holder has been proceeding with reasonable diligence and has given good cause for delay;

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use of water under Permit No. 98-7031 be extended to March 1, 1977.

Dated this 27 day of January, 1975.


R. KEITH HIGGINSON
Director

BDF:JG

MICROFILMED

Identification No. 98-7031
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant LEONARD O. SVENDSBYE
post office address BOX 573 BONNERS FERRY IDAHO 83805
2. Source of water supply KOOTENAI RIVER which is a tributary of COLUMBIA RIVER
3. a. Location of point of diversion is LOT 1 ¼ of _____ ¼ of Section 26 Township 62N
Range 1E B.M. BOUNDARY County; additional points of diversion if any: _____
200. LOT 1 & 4 & 5 SEC 26 TWP 62 R9E1E
- b. If water is not consumed, it will be discharged into _____ at a point in _____ ¼
of _____ ¼ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
.01 Amount .01 for DOMESTIC purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
.01 Amount .01 for STOCKWATER purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
2.00 Amount 2.00 for IRRIGATION purpose from APRIL 1 to OCT. 15 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.00 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMPS, PIPES &
SPRINKLER HEADS. WATER TANK FOR
STOCK
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 4 years.
b. Estimated construction cost is \$ 3,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: LOT 1 ¼ of _____ ¼ of Section 26 Township 26
Range 1E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 20 HEAD HORSES
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.
(5) If water is to be used for other purposes describe: _____

98-7031

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
62	1E	26	LOT 1	50															50
62	1E	26	LOT 5	36															36
62	1E	26	~~LOT 4~~				LOT 4	31											31
																			117


Total number of acres to be irrigated 107

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion LEONARDO SVENDSBYE
b. Who owns the land to be irrigated or place of use LEONARDO SVENDSBYE
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks THIS LAND IS ON GOVERNMENT LOTS NO. 1-4-5 SEC 26 ~~R9E1E~~ TWP 62 R9E1E
LOCALITY IS KNOWN AS DRAINAGE DISTRICT NO. 2

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Leonard E. Wendtzye
(Applicant)

98-7031

98-7031

Received by u Date 11-5-70 Time 9:30am
 Preliminary check by DW Fee \$25.00
 Receipted by g Date 11-5-70 Rec'd #5292
 Publication prepared by dg Date 11-10-70
 Published in Bonnors Ferry Herald
 Publication dates 11-19+26-70
 Publication approved dv Date 12-9-70
 Priority reduced to _____ Reason _____

 Protests filed by: _____

 Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by John D. 3DF OK

APPROVED

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 98-7031, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 75.
 - c. Other: The permit holder shall permanently install and maintain as part of the diverting works measuring devices of a type approved by this department at the points of diversion.

2. Denial of said application is for the following reasons: _____

Witness my hand this 11 day of February, 19 71.

R. Keith Higgs
 Director

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 98-7031 Name Leonard O. Svendsbye

Source Kootenai River, trib. of Columbia

Point of Diversion Lot 1, Sec. 26, and Lots 4 and 5, Sec. 26, T. 62N, R. 1E,
B.M., Boundary County

Quantity .01 Use domestic Period 1-1 to 12-31

Quantity .01 Use stockwater Period 1-1 to 12-31

Quantity 2.00 Use irrigation Period 4-1 to 10-15

Well Size _____ Diameter _____ Proposed Depth _____ Feet

Use Acres? 107 acres 20 horses
2.00 total Div.

Date Forwarded 11-12-70 Date Returned 11-17-70 Received by d.g.

COMMENTS: The Discharge of the Kootenai River at
Bonniers Ferry, 1 mile downstream from the point
of diversion, is rarely less than 7000 cfs
during the irrigation season.

Twenty horses using water at 15 gpd/horse will use
300 gpd or a continuous rate of approx. 0.001 cfs. The
requested rate is not excessive.

RECOMMENDED:

Applied: Qty. .01 cfs Use Domestic Period 1-1 to 12-31 AF/A — AF 1.0 A-F

Qty. .01 cfs Use Stock Period 1-1 to 12-31 AF/A — AF 0.3 A-F

Qty. 2.00 cfs Use irrig Period 4-1 to 10-15 AF/A 3.0 AF 351

Maximum: Qty. .02 cfs Use Domestic Period 1-1 to 12-31 AF/A — AF 1.0 A-F

Qty. — Use Stock Period 1-1 to 12-31 AF/A — AF —

Qty. 2.34 cfs Use irrig Period 4-1 to 11-1 AF/A 3.0 AF 351

ACTION: Approved X Denied _____

Conditions of approval or reason for denial:

Feed acreage figure
before action can be taken OK
ney

INVESTIGATION

By

Herman C. Young

Title

W.P. Engineer

Date

December 11, 1970

98-7031

**NOTICE OF APPLICATION FOR
PERMIT TO APPROPRIATE THE
PUBLIC WATERS OF THE STATE
OF IDAHO**

Notice is hereby given that Leonard O. Svendsbye, Box 573, Bonners Ferry, Idaho has on November 5, 1970 submitted Application No. 98-7031 to appropriate the public waters of the Kootenai River, tributary of the Columbia River. The proposed uses are domestic (0.01 cfs) and stockwater (0.01 cfs) from January 1 to December 31, and irrigation (2.0 cfs) of 117 acres from April 1 to October 15.

The application proposes a maxi-

mum diversion and appropriation of 2.0 cubic feet per second of water to be diverted by pumps, pipes, tank, and sprinkler heads within Gov't. Lot 1, 4, and 5, Sec. 26, T. 62 N, R. 1 E, B. M., Boundary County and is to be used within Gov't. Lots 1, 4, and 5, T. 62 N, R. 1 E, B. M.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho on or before December 7, 1970.

R. KEITH HIGGINSON
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on November 19 and November 26, 1970.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Boundary } ss.

W. H. Chubb

being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of **Idaho Department of Water Administration**

a **Notice of Application for water-Svendsbye-**

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for **2** consecutive issues, commencing with the issue dated **Nov. 19**, 19**70**, and ending with the issue dated **Nov. 26**, 19**70**

Subscribed and sworn to before me this **30** day of **Nov.**, 19**70**

William H. Chubb
A. Don Kenney
Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

98-7031

**NOTICE OF APPLICATION FOR
PERMIT TO APPROPRIATE THE
PUBLIC WATERS OF THE STATE
OF IDAHO**

Notice is hereby given that Leonard O. Svendsbye, Box 573, Bonners Ferry, Idaho has on November 5, 1970 submitted Application No. 98-7031 to appropriate the public waters of the Kootenai River, tributary of the Columbia River. The proposed uses are domestic (0.01 cfs) and stockwater (0.01 cfs) from January 1 to December 31, and irrigation (2.0 cfs) of 117 acres from April 1 to October 15.

The application proposes a maxi-

mum diversion and appropriation of 2.0 cubic feet per second water to be diverted by pumps, pipes, tank, and sprinkler heads within Gov't. Lot 1, 4, and 5, Sec. 26, T. 62 N, R. 1 E, B. M., Boundary County and is to be used within Gov't. Lots 1, 4, and 5, T. 62 N, R. 1 E, B. M.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho on or before December 7, 1970.

R. KEITH HIGGINSON
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho on November 19 and November 26, 1970.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Boundary

SS.

W. H. Chubb

being first duly sworn upon his oath, deposes and says that he is the publisher (or foreman)

publisher

of The Bonners Ferry Herald, a newspaper of general circulation, published weekly at Bonners Ferry, Boundary County, State of Idaho; that the said Bonners Ferry Herald has been continuously and uninterruptedly published in said Boundary County during a period of 18 months or 78 weeks prior to the first publication of the hereto attached notice; that

the advertisement of **Idaho Department of Water Administration**


a **Notice of Application for water-Svendsbye-**

Notice for Publication, a printed copy of which is attached hereto was published in said newspaper and not in a supplement thereof for **2** consecutive issues, commencing with the issue dated **Nov. 19**, 19**70**, and ending with the issue dated **Nov. 26**, 19**70**

Subscribed and sworn to before me this **30** day of **Nov.**, 19**70**

Notary Public in and for the County of Boundary, State of Idaho,
residing at Bonners Ferry, Idaho.

98-7031





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

April 1, 1980

Leonard O. Svendsbye
Box 573
Bonners Ferry, Idaho 83805

Dear Mr. Svendsbye,

RE: License No. 98-7031

Enclosed is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

Jan Grover
JAN GROVER
Water Rights Supervisor

JG:lr

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 21, 1980

Re: Permit No. 98-7031

Leonard O. Svendsbye
Box 573
Bonners Ferry, ID 83805

Dear Mr. Svendsbye:

A representative of this Department has made an examination of the works covered by your Permit No. 98-7031, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.12 cfs Source: Kootenai River

The maximum quantity diverted shall not exceed 351 acre feet
per year.

Point(s) of diversion: Govt Lot 1, Sec. 26, Twp. 62N, Rge. 1E, B.M.

Beneficial use: Irrigation of 117 acres within Govt. Lot's 1, 4 & 5,
Sec. 26, Twp. 62N, Rge. 1E, B.M.

Priority date established: November 5, 1970

Conditions (if any): None

If you do not concur with these findings please contact us within 10 days,
otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

MICROFILMED

267-13767
Bertha Washburn

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

MAR 15 1977

1. Name of permit holder Leonard O. Svendsbye
Post office address Box 573, Bonners Ferry, ID 83805 Phone Department of Water Resources Northern District Office
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☐ Surface water ☒ Kootenai River
Tributary to Columbia River (name spring, stream, etc.)

3. Water will be used for the following purposes:

Amount 0.01 c.f.s. for Domestic (1)
AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount 0.01 c.f.s. for Stockwater (20 horses)
AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount 2.00 c.f.s. for Irrigation
AF/Annum (nature of use)

Period of Use: from Ar. 1 to Oct. 15
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 98-7031
Examination for b/u

4. Total amount to be appropriated: (Proof lists lots 1, 4, & 5)
Max Rate of Diversion 2.00 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 62N N/S, Range 1E E/W, B.M., Section 26, Subdivision Lot 1 1/4 1/4 Boundary
County _____
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision 1/4 1/4 County
County _____
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision 1/4 1/4 County
County _____

Other Points of Diversions: _____

Description of diverting works: pumps, pipelines, and sprinkler heads. Water tank for stockwater

Measuring device required: yes ☐ no ☒ REMOVED BY ORDER

6. Lands to be irrigated or place of use:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
62N	1E	26			X 50 (LOT 1)														50
"	"	26			36 (LOT 5)														36
"	"	26							31 (LOT 4)										31

MICROFILMED

TOTAL ACREAGE 117

T
62
N




Diagram of System

DATE OF EXAM 8-6-79

ACREAGE

Found 117
Recommended 117

Irrigation Requirement 3.0 Ac Ft/Ac

USE

Irrigation Q = 1.12 cfs. W = 351 AF/Ac from Apr. 1 to Oct 15
Domestic Q = _____ cfs. W = _____ AF/Ac from _____ to _____
Livestock Q = _____ cfs. W = _____ AF/Ac from _____ to _____

Is water aer-mingled? yes _____ no ✓

Name source: _____
Twp. N/S, Rge. E/W, E/W, Sec. _____, Sub. 1/4 1/4 County _____

Exchange? yes _____ no ✓

Name source exchanged with: _____
Twp. N/S, Rge. E/W, E/W, Sec. _____, Sub. 1/4 1/4 County _____

Point of injection: _____
Twp. N/S, Rge. E/W, E/W, Sec. _____, Sub. 1/4 1/4 County _____

Point of exchange: _____
Twp. N/S, Rge. E/W, E/W, Sec. _____, Sub. 1/4 1/4 County _____

Total Q measured 1.12 cfs Method of measurement Pressure gauge

Total Q recommended 1.12 Water No. _____ Type _____ Condition _____

Total W recommended 351

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
Name X

MEASUREMENT CALCULATION:

8.3 Rainbird #30 sprinkler heads with 1/4" x 3/32" x 7° @ 30 psi
6.07 gpm per hd = 503.81 gpm = 1.12 cfs
448.8

SYSTEM DESCRIPTION:

Portable Peerless pump - A6 3/4, Ser. #159548, Mod. PE 2 1/2 X 3 X 8
with U.S. Motor, 15 hp, Ser. #2258748 with 440' of 5" mainline
and 900' of 4" mainline and 3320 ft of 4", 1440 ft of 3" laterals to
8.3 Rainbird #30 Sprinkler heads with 1/4" x 3/32" x 7° @ 30 psi.

REMARKS:

9/14/78 Contacted Mr. S. - No house - Stock drinking from stream
or from city water at Jim Tuckers place. ≈ 60 Sprinklers Max
8-6-79 Mr. S. and I went to field at 8:00 AM the pressure
is higher a night - possibly because of more power to
motor. P.D. is only in lot. But it could be moved. Lot 1 under irrigation time
of exam not under irrigation

Examiner's Signature Tom W King Date 8-6-79


Checked by Bob Haynes Date 8-31-79

Approved by _____ Date _____

No building

Log house 1/2 mi S. Ranger Sta.

Turn ~~off~~ left at Rust Egypt - Green Sharp



All east of Hops.

Pipes are Mr. S.

RECEIVED

OCT 14 1977

Department of Water Resources

CIRCLE C RANCH CO.
NEW MEADOWS, IDAHO

EUGENE SCHWERTNER
VAL C. STIEFEL, JR.
ROBERT J. LEWIS

October 12, 1977

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Permit No. 78-7031


Attn: Janice Renk
Water Rights Bureau

Gentlemen:

I have your letter of October 4 with regard to the necessity of a field examination before a license can be issued. I assume that we do not need to do anything further until such examination has been made, but did wish to point out that we will not be irrigating again until the first of June of next year.

If my assumption is not correct, please let us know.

Yours very truly


Robert J. Lewis

jm


MICROFILMED

CIRCLE C RANCH CO.

NEW MEADOWS, IDAHO

REPLY TO: 750 WELCH ROAD, SUITE 305

PALO ALTO, CALIFORNIA 94304



State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Attn: Janice Renk
Water Rights Bureau

February 24, 1977

Re: Permit No. 98-7031

Leonard O. Svendsbye
Box 573
Bonners Ferry, Idaho 83805

Dear Mr. Svendsbye:

Enclosed is an Order which removes the measuring device requirement on the above referenced permit.

We acknowledge receipt of the affidavit submitted as proof of beneficial use. Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this exam will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions regarding the exam, please contact our Regional Office in Coeur d'Alene.

Sincerely,

JANIE RENK
Water Rights

Encl.

MICROFILMED

Identification No. _____

Permit No. 98-7031

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
FEB 14 1977 OK

Department of Water Resources
Northern District Office

1. a) Name of Permit Holder Leonard O. Svendsbye
b) Post Office Address Box 573, Bonners Ferry, Idaho 83805
2. Permit Number 98-7031
3. Date of Priority that you are prepared to establish November 5, 1970
4. a) Source from which water was appropriated Kootenai River
b) Location of the point of diversion: Gov't. Lots ~~XX~~ 1, 4, 5 ~~XX~~ Section 26
Township 62N, Range 1E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 0.01 cfs for Domestic purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount 0.01 cfs for Stockwater purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount 0.56 cfs for Irrigation purposes from April 1 to Oct. 15 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.56 cfs cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Estimated.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Pumps, pipelines, and sprinkler heads. Water tank for stockwater.
b) Describe the type and size of measuring device which you have installed at your point of diversion: APPLICANT REQUESTS MEASURING DEVICE REQUIREMENT BE REMOVED.
c) Give well driller's name and address and the date the well was completed: _____
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: Gov't. Lot 1, Sec. 26, T. 62N, R. 1E, B.M. for domestic and stockwatering purposes.

MICROFILMED

3/9/77

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision.

If you are affixing 15 or more acres, please submit an aerial photo of the property with this affidavit.

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
62N	1E	26			50	(Gov't. Lot 1)													50
62N	1E	26			36	(Gov't. Lot 5)													36
62N	1E	26							31	(Gov't. Lot 4)									31

Total number of acres irrigated 117

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

2/14/77

(Date)

Edward O. Swindberg

(Signature)

State of IDAHO)

County of KOOTENAI) ss.

On this 14TH day of FEBRUARY, 19 77, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Corda M. Patterson

Notary Public residing at

COEUR D'ALENE, IDAHO

My commission expires LIFETIME

DATE 2-15-77

FROM Bob Haynes

TO Bob Fleenor

SUBJECT I believe Mr Luendsbey's request for removal of the measuring device requirement should be approved. He has 5" pipe installed and I don't know of any manufacturer that makes a meter for 5" pipes. In addition he indicated that he normally pumps only 70-80 days during the season.

OK - prepare order for my signature

BDF

Bob

SIGNATURE

MICROFILMED

December 31, 1976

CERTIFIED MAIL

138213

Re: Permit No. 98-7031

Leonard O. Svendsbye
Box 573
Bonners Ferry, Idaho 83805

Dear Mr. Svendsbye:

One of the conditions of approval of your water Permit No. 98-7031 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

RECEIVED

Department of Water Resources

RGH:cp

January 31, 1975

Re: Permit No. 98-7031

Leonard O. Svendsbye
Box 573
Bonners Ferry, ID 83805

Dear Mr. Svendsbye:

Enclosed is an Order extending the time for submitting proof of beneficial use for the above referenced permit to March 1, 1977.

This extension of time should allow you time to find and install a measuring device in your system. The use of the pump capacity is not acceptable as a measuring device because each pump is unique, whereas the rated capacity is an average value. There are also other variables such as changing water levels and pump wear that would make the rate of diversion determined from pump capacities inaccurate.

There are less expensive meters available than the one you mentioned in your letter. These are usually distributed through the pump dealers.

You are still irrigating the land within Lots 1, 4 and 5 as originally requested by your permit, and even though the number of acres irrigated has changed slightly no amendment is required. The actual number of acres irrigated in each lot will be licensed as long as the total does not exceed the 117 acres permitted. Your permit also listed points of diversion in Lots 4 and 5, and therefore, no amendment is needed for that change.

You have been given two years to submit the proof of beneficial use, but you may make it as soon as you complete your system. Enclosed is the proof form you submitted, recently for your records.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jg

MICROFILMED

State of Idaho
Department of Water Resources
State House
Boise Idaho

January 15, 1975
Barnes Ferry, Idaho

Mr R Keith Higgenson

Department of Water Resources

Dear Sir, I am returning to you
proof of application of water to Beneficial use
I did not have it notarized as it is not
complete.

I irrigated 40 acres in lot 1 36 acres
lot 5 and 40 acres in lot 4 plus watering
12 head of horses while they were on
pasture. I irrigated the 40 acres in lot 1 Two times.

I find a mistake on my application
Lot 1 reads 50 acres and should read 50.35
Lot 5 reads 36 acres and should read 30.05
Lot 4 reads 31 acres and should read 26.30

I moved my pump station from ^{lot 1} lot 1
to ~~lot~~ the line between lot 4 & 5 on the
river. Because of it was closer to the
power line.

I have looked for a suitable meter
to place in the main line of the pump
The only kind I could find was one in
Spokane Washington for \$400 that would
fit in a four inch line and I have over

MICROFILMED

a five inch mainline so I do not think this ~~could~~ be satisfactory.

If you have any information on meters I would appreciate it if you would send it to me.

Could I use the capacity of my pump as a meter? It is a 15 Hp motor and a Peerless Brand 230 volt pump. 2 1/2 inch intake 3 inch outlet x 8 inch propeller. 3450 RPM rated at 250 gallons a minute at 70.4 ft head at pump. I would take the ~~motor~~ power meter reading at the beginning of pumping and check it several days to find what kilowatts the pump pulls in a 24 hour period. This would give the number of hours the pump ran at full capacity. Pump runs day & night ^{when} irrigating.

The pump is sitting on a floating ramp in the river about two feet above the water. I pump into 660 feet off 5 inch main line, which runs over the dyke to the height off 35 feet. (River in summer was around 10-15 feet). Then I go to a 4 inch main.

If this is not satisfactory, send me the necessary form.

Thank you

Yours Truly
Leonard E. Soundaby
Box 573 83805
Bonanza Ferry, Idaho

Here is a ~~set~~ rough map
of my irrigation setup.

N

property
line

government

LOT 1 30.35

acres

main line

4 inch laterals

60 foot space

dike

pepper
dyke run thru dyke

government

LOT 4

26.30

power lines

poles

power
line

river

pump

~~dyke~~ 37. Feet

government

LOT 5 30.05 acres

5 inch main valve

over to foot

river bank about 25 feet.

pump on floating

ramp in river. pump

Two feet above water

River at 10-15 feet last

summer during pumps

MICROFILMED

- SENDER: Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one):
- ☐ Show to whom and date delivered..... 15¢
- ☐ Show to whom, date, & address of delivery... 35¢
- ☐ DELIVER ONLY TO ADDRESSEE and show to whom and date delivered..... 65¢
- ☐ DELIVER ONLY TO ADDRESSEE and show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

3. ARTICLE DESCRIPTION:

REGISTERED NO. | CERTIFIED NO. | INSURED NO.

26408

(Always obtain signature of addressee or agent)

I have received the article described above.
SIGNATURE

Edward A. Davis

DATE OF DELIVERY


JAN 6 - 1975

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S INITIALS



UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete Items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**



**DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



December 31, 1974

CERTIFIED MAIL

#26408

Re: Permit No. 98-7031

Leonard O. Svendsbye
Box 573
Bonners Ferry, Idaho 83805

Dear Mr. Svendsbye:

One of the conditions of approval of your water Permit No. 98-7031 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

MICROFILMED

August 16, 1973

Re: Permit No. 98-7031

Leonard O. Svendsbye
Box 573
Bonners Ferry, Idaho 83805

Dear Mr. Svendsbye:

Your letter, of August 16, indicates that you are using the capacity of your pump to measure the rate of flow of the water. This method of measurement is not of a type approved by this Department. Therefore, we are again enclosing a list of the measuring device that are approved by our office.

We are also enclosing a proof of beneficial use of water form with instructions, which you may fill out, if you have completed your project. However, proof is not due on this permit until March 1, 1975.

If you have any questions regarding this matter, please do not hesitate to contact us.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:JC

Enc: Proof affidavit w/instructions
List of measuring devices

98-7031

AUG 16 1973

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

Permit # 98-7031

Dear Wateruser:

The Department of Water Administration approves the use of any standard device for which information is readily available. The type selected will depend upon the particular conditions at your diversion point. Any of the following standard types may be used:

15 Horsepower Pump Weirs

- a. rectangular
- b. cipolletti
- c. v-notch

Orifices

Flumes

- a. parshall flume
- b. trapezoidal flume

Commercial Types

- a. displacement or propeller meter
- b. cox flow meter or collins flow meter
- c. venturi meter
- d. deflection meter
- e. meter gates

Pump installed
on ramp in river
July 22, 1973

From river level
to top of ground
25 Feet.

Pearless Brand 220V
SCBY
V342-2
PE 2 1/2 X 3 X 8
3450 RPM
rate at 250 G.P.M.
70 lbs at pump.

Regardless of the type used the device must be properly installed to insure standard conditions. Other types may be approved upon written application to the Department stating the description of the device and how you intend to use it. If the device that you install is not a standard type, you should obtain an extra copy of the rating table for this office.

Very truly yours,

Bobby D. Fleenor

BOBBY D. FLEENOR
Assistant Director

BDF:kh

I hope this is O.K.

Thank you


Leonard Svendsen

Box 573 83805

Bonnera Ferry Idaho

98-7031

98-7031



13th Standard Parallel North
 East number of lots 23090.48 of Town Site 147,665

Scale 40 Feet to an Inch

Map	W. A. Survey	North Directional
1	27	27
2	28	28
3	29	29
4	30	30
5	31	31
6	32	32
7	33	33
8	34	34
9	35	35
10	36	36

The above Map of Township, 1.062 N. W. Boise Meridian, Idaho
 and of the survey thereof on file in this Office,

February 16, 1971

Re: Permit No. 98-7031

Mr. Leonard O. Svendsbye
Box 573
Bonners Ferry, Idaho 83805

Dear Mr. Svendsbye:

Enclosed is a copy of your approved Application for Permit No. 98-7031. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENCE
Assistant Director

EDF:kh

Enclosures: Copy of permit
1 informational letter

98-7031

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

December 10, 1970

Re: Application for Permit No. 98-7031

Mr. Leonard O. Svendsbye
Post Office Box # 573
Bonners Ferry, Idaho 83805

Dear Mr. Svendsbye:

In the final evaluation of the above referenced application for permit, we find that we must return it so that you may correct the signature. Please include your middle initial in your signature on page three, so that it appears in the exact manner as under item one, page one.

As soon as you have returned the application, we shall continue with its processing. If we may be of any further assistance in this matter, please feel free to contact us.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cm

Enc: application for permit

98-7031

December 10, 1970

Re: Application for Permit No. 98-7031

C
Mr. Leonard O. Svendsbye
Post Office Box # 573
Bonners Ferry, Idaho 83805

O
Dear Mr. Svendsbye:

In the final evaluation of the above referenced application for permit, we find that we must return it so that you may correct the signature. Please include your middle initial in your signature on page three, so that it appears in the exact manner as under item one, page one.

P
As soon as you have returned the application, we shall continue with its processing. If we may be of any further assistance in this matter, please feel free to contact us.

Y
Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cm

Enc: application for permit

98-7031

**NOTICE OF APPLICATION FOR
PERMIT TO APPROPRIATE THE
PUBLIC WATERS OF THE STATE
OF IDAHO**

Leonard
Notice is hereby given that Leonard O. Svendsbye, Box 573, Bonners Ferry, Idaho has on November 5, 1970 submitted Application No. 98-7031 to appropriate the public waters of the Kootenai River, tributary of the Columbia River. The proposed uses are domestic (0.01 cfs) and stockwater (0.01 cfs) from January 1 to December 31, and irrigation (2.0 cfs) of 117 acres from April 1 to October 15.

The application proposes a maximum diversion and appropriation of 2.0 cubic feet per second of water to be diverted by pumps, pipes, tank, and sprinkler heads within Gov't. Lot 1, 4, and 5, Sec. 26, T. 62 N, R. 1 E, B. M., Boundary County and is to be used within Gov't. Lots 1, 4, and 5, T. 62 N, R. 1 E, B. M.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho on or before December 7, 1970.

R. KEITH HIGGINSON
Director

Published in the Bonners Ferry
Herald, Bonners Ferry, Idaho on
November 18 and November 25,
1970.

98-7031

November 10, 1970

Re: Application No. 98-7031 - Leonard O. Svendsbye

Bonnors Ferry Herald
212 Main
Bonnors Ferry, Idaho 83805

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG
Enc: legal notice

Bill submitted 12-9-70 By ds

98-7031

NOTICE OF APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Leonard O. Svendsbye, Box 573, Bonners Ferry,
Idaho has on November 5, 1970
submitted Application No. 98-7031 to appropriate the public waters of
the Kootenai River, tributary of the Columbia River.
The proposed uses are domestic (0.01 cfs) and stockwater (0.01 cfs) from January
1 to December 31, and irrigation (2.0 cfs) of 117 acres from April 1 to October 15.

The application proposes a maximum diversion and appropriation of 2.0
cubic feet per second ~~acre/feet~~ of water to be diverted by pumps, pipes, tank,
and sprinkler heads within ^{Gov't.} ~~the~~ Lot 1, 4, and 5, Sec.
26, T. 62 N, R. 1 E, B. M., Boundary County

^{Gov't.}
and is to be used within ~~the~~ Lots 1, 4, and 5, T. 62 N, R. 1 E, B. M.

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Water Adminis-
tration ^{December} ~~on~~ or before November 7, 1970.
Statehouse, Boise, Idaho

R. KEITH HIGGINSON
Director

Published in the Bonners Ferry Herald, Bonners Ferry, Idaho
on November 19 and November 26, 1970.

98-7031

November 5, 1970

Leonard O. Svendsbye
Box 573
Bonners Ferry, Idaho 83805

Dear Mr. Svendsbye:

Returned herewith is Departmental Receipt No. 5292 in the amount of
\$25.00 for Application for Permit,

which was received in this office under the above date.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure: Receipt

98-7031

October 30, 1970

H

Mr. Leonard O. Svendsbye
Post Office Box #573
Bonners Ferry, Idaho 83805

Dear Mr. Svendsbye:

We are herewith returning your personal check #92-95, in the amount of \$25.00, and your application for permit, as the quantity of water that you listed for domestic and stock water use appears to be somewhat excessive. Please note that under item 4, you have listed 0.10cfs for domestic use, and 0.20cfs for stock watering use. The maximum quantity that we could consider for a single domestic household would be 0.02cfs, and this amount would be more than a sufficient quantity for the watering of twenty head of horses.

Please correct these two items, and re-submit the application with the \$35.00 filing fee, and we shall begin its processing.

If we may be of any further assistance, please advise.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cm

Enc: check #92-95
original application

98-7031