





3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	SEARS	.5	1190	SEARS	3484 REC 11

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

SEP 29 1998



R05W

R.04W

T.59N.

T.58N

97-07365

T. 58N., R.04W., Sec. 18

STOECKERT, KARL R.

MICROFILMED
SEP 29 1998

97-07365

PERMIT #



Pump



PV



PV



PV

MICROFILMED

SEP 29 1998

07-07365

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07365

Priority: August 9, 1995 Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 1.2 AF

This is to certify, that KARL R STOECKERT
CINDI R STOECKERT

754 W LACEY

HAYDEN LAKE ID 83835

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 9, 1995; and has submitted Proof of Beneficial Use on October 22, 1996. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

PRIEST RIVER tributary to PEND OREILLE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 17, Township 58N, Range 04W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

58N 04W 17

NENE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

SEP 29 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07365

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25TH
day of FEBRUARY, 1978.


Acting for KARL J. DREHER, Director

MICROFILMED

SEP 29 1998

RECEIVED

OCT 25 1996

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 97-07365 Telephone No. 208-7720958

2. Name(s) of Permit Holder(s): CINDI & KARL STOECKER

3. Mailing Address: 754 W. LACEY AVE HAYDEN LC ID.
83835

4. Source of Water: RIVER If GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: - - -

b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): Stockwater (No. and type of stock):

Irrigation (No. of acres): SAC. Other: CABIN WATER, IRRIGATION

6. Total rate of diversion and/or volume for which proof is submitted: 0-0.20 cfs OR 0.20 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No X

Has the measuring device been installed? Yes or No X

Flow Measurement Port: Is a flow measurement port required? Yes or No X

Has the measurement port been installed? Yes or No X

8. Fee Enclosed: \$ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: KARL STOECKER Telephone Number: 208 7720958

Address: 754 W LACEY AVE HAYDEN LC. ID.
83835

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Karl R Stoecker Date: 9-9-96
(include your title, if on behalf of company or organization)

RECEIVED
DEC 2 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 97-07365

Proposed Priority: August 9, 1995

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **KARL R STOECKERT**
CINDI R STOECKERT
754 W LACEY
HAYDEN LAKE ID 83835

has applied for a permit to appropriate water from:
PRIEST RIVER tributary of **PEND OREILLE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 17, Township 58N, Range 04W
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC
58N 04W 17 NENE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1996.**
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

19th day of October, 1995.

Karl J. Dreher
for Karl J. Dreher, Director

RECEIVED
FEB 26 1996

RECEIVED
OCT 12 1995

Ident. No. 91-7365

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Karl R & Cindi R Stoeckert Phone 208 7720958
Post office address 754 W Lacey Hayden Lake Id 83835
2. Source of water supply Prest River which is a tributary of POND DREILE RIVER
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot _____
Sec. 17 Township S8N Range 4W B.M. Donner County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for Domestic purposes from 01-01 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 cubic feet per second and/or (b) ~~72~~ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 1/2 hose put into river
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? _____; Drilling firm _____; Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is 1 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 1
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
58N	04W	17	D																

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. _____


11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____



A large grid of graph paper, consisting of 20 columns and 20 rows of squares. In the bottom right corner, there is a date stamp that reads "FEB 26 1996". The stamp is slightly tilted and has a textured, ink-like appearance. The grid lines are thin and black, and the background is white.

Candi Stoeckel
(Applicant)

Received by MP/24 Date 8/9/95 Time _____ Preliminary check by HS
Fee \$ 50.00 Receipted by 24/MP # N009333 Date 8/9/95
Publication prepared by dp Date 8/30 Published in Idaho Times 9/6 + 13/95
Publication approved dp Date 10/5/95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

FEB 26 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 25, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

KARL R. STOECKERT
CINDI R. STOECKERT
754 W LACEY
HAYDEN LAKE ID 83835

RE: WATER RIGHT NO. 97-07365

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

SEP 29 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 25th day of February, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 97-07365

KARL R STOECKERT
CINDI R STOECKERT
754 W LACEY
HAYDEN LAKE ID 83835


Kari Lynn Townsend
Secretary

MICROFILMED
SEP 29 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 97-07365

DATE 2/17/98

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	Change <u>—</u>	OK <u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	Change <u>—</u>	OK <u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u> Amendment required <u>NO</u>
PLACE OF USE	Change <u>—</u>	OK <u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U
Overlap file pulled & reviewed —

RATE OF DIV

Permitted Rate	<u>.04</u>	cfs	
Fee limit	<u>.20</u>	cfs	<u>\$50⁰⁰</u>
Measured	<u>.02</u>	cfs	
Theoretical	<u>.02</u>	cfs	<u>@ 40 psi and 85-100' lift</u>
			Recommended Total Div Rate <u>.02</u> cfs

**ANNUAL VOLUME/
NATURE OF USES**

<u>✓</u>	Use <u>Dom</u>	cfs <u>.02</u>	Volume Calc <u>1.2</u>	
				af
				af
				af
				af
				af
				af
				af

Flow rate .02 cfs X 365 days X 1.98 = 14.5 af
Total volume recommended 1.2 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1/1 home.

CONDITIONS

— Watermaster Control WD# —
— GW Measurement/Measuring Device
— Overlap
— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA
Adjustment Memo —

1st Amend Letter NA
2nd Amend Letter NA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

97-07365

A. GENERAL INFORMATION

Permit No. _____

1. Owner: Karl R. & Cindy R. Stoeckert Phone No. (208) 772-0958

Current Address: 754 W. Gracey, Hayden Lake Id. 83835

2. Accompanied by: Karl Stoeckert EXAM DATE: 5-30-97

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Briest River tributary to Pend Oreille River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<u>N/A</u>		<u>NE</u>	<u>NE</u>	<u>17</u>	<u>58N</u>	<u>04W</u>	<u>Bonner</u>	<u>U.S.G.S. 7.5 min Quad</u>


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>58N</u>	<u>04W</u>	<u>17</u>	<u>D</u>																

MICROFILMED
SEP 29 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	SEARS	.5	1190	SEARS	3486 REC 11

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

SEP 29 1998

E. NARRATIVE/REMARKS/COMMENTS

Water is pumped from parent Ave
with a Sears .5 hp jet type pump.
3/8 hose connects to house plumbing. Needs
uses include bathing, cooking, laundry etc.
5 acres of lawn + garden irrigation outside use,
done with 3/8 hose + portable sprinkler

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

SEP 29 1998

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\begin{aligned} &5 \text{ gal bucket } 5 \text{ gal in } 37 \text{ sec} = 89 \text{ cm} \\ &\frac{8 \times 1.33681}{60} = .02 \text{ cfs} \end{aligned}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	01-01	12-31	.02	1.2
Totals:			.02	1.2

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATION

Field Examiner's Name Wayne Baldwin Date 7-15-97

Reviewer _____ Date _____

SEAL


MICROFILMED
SEP 29 1998



UNFILED
SEP 29 1998

97-07365

PERMIT



Handwritten: Pump



Handwritten: PD



Handwritten: PV



Handwritten: PV

MICROFILMED

SEP 29 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 97-07365 Reviewed by [Signature] Date 11-12-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? irr
yes Address same as permit?
yes Proof timely received? Correct Uses? no
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50- Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

advise permit holder that WR does not authorize
Irrigation or a div. over .04.
Proof acceptable

DATA ENTRY

New Address [Signature] Proof Made 10-22-96



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 12, 1996

KARL & CINDI STOECKERT
754 LACEY AVE
HAYDEN LAKE ID 83835

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 97-07365

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that your permit to appropriate water only authorizes you to divert water for domestic use with a total rate of diversion of 0.04 cfs. You are not authorized to irrigate five (5) acres or exceed a rate of diversion of 0.04 cfs.

If you have questions concerning the field examination, contact the **NORTHERN** Regional Office in Coeur d'Alene, at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED

DEC 02 1996

August 31, 1996

KARL R STOECKERT
CINDI R STOECKERT
754 W LACEY
HAYDEN LAKE ID 83835

PROOF DUE NOTICE

RE: PERMIT NO. 97-07365

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

DEC 02 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 19, 1995

KARL R STOECKERT
CINDI R STOECKERT
754 W LACEY
HAYDEN LAKE ID 83835

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 97-07365

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

FEB 26 1996

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

No.: 97-7365 Name: Stoeckert Date: 10/17/95 Ad OK? ✓
Correct Fee? ✓ Receipt #: N9333 Priority: 8/9/95 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)
SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17
GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)
Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)
SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District(~~dom~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
~~In~~WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M
RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA
USE:
Domestic (surface) - 021(Boise R ↑ L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA
LOCATION:
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP: Non-land owner - 004 (PD/PU) _____
OTHER CONDITIONS: _____
STANDARD REMARKS: - ① woi/1
BENEFICIAL USE DUE: - 11-1-1996
COMMENTS: _____

No. a
4/87-06/92n

IN 2 DEPARTMENT OF WATER RESOURCES
APPLICATION ANALYSIS

WR1
BC
whapps

APPLICATION # 97- 7365

***** INITIAL REVIEW *****

APPLICANT: STOECKERT BY: AS DATE: 8/9/95

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
X Field report attached
X Analysis Supp. attached(>5cfs/500af)
X Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 8/9/95

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ___/___/___

Remarks: _____

- X Groundwater management area
X Critical ground water area
X Well Drilling Permit required
X Well Drilling Application and Fees received
X Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ___/___/___

Further information required from applicant

10/14 Affidavit of publication received

10/15 Application published correctly, If not, record action taken: _____

9/1 Publication dates and paper recorded on application | Sr. Agent initial AS

X Protests received. Final protest date: 9/25/95

X Measuring device required

X Measuring port required

X Special conditions: _____

X Special conditions of approval or cover letter attached:

Approval Recommended by: AS PMA

OCT 12 1995

Date: 10/5/95

Department of Water Resources

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Darlene Bennett

being duly sworn, says that he is the Office mgr
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been con-
tinuously and uninterruptedly published in said County during a period
of 78 consecutive weeks prior to the first publication of the annexed
notice for publication, is a newspaper of general circulation made up of
at least eight pages of at least six columns each, printed from typemat-
erial or stereotyped forms of at least nineteen and three-fourths inches
depth, has at least 1250 bona fide subscribers living within said Bonner
County, and is published at regular weekly intervals. That the annexed
is a true copy of the notice for publication in the case of
#1924-Stewart 96-08895

as it was published in the regular and entire issue of the
said paper for a period of 2 consecutive weeks,
commencing on 6th day of September, 1995
and ending on the 13th day of September, 1995
and that said notice was published in said newspaper.

On this 13th day of September in the year
of 1995, before me, a Notary Public, personally
appeared Darlene Bennett,
known or identified to me to be the person whose name
subscribed to the within instrument, and being by me first
duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.

Notary Public for Idaho.

Residing at

Priest River

My commission expires:

1999

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-08895
STEWART, EDWIN L.
STEWART, MAXINE E.
3170 DUFORT ROAD
SAGLE, ID 83860
Source: PEND OREILLE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: SWNW Sec 32 T 56N R
03W in BONNER County.
Use: IRRIGATION (0.030 CFS)
Total Diversion: (0.030 CFS)
Date Filed: 8/17/1995
In: BONNER County
T56N R03W S32 SWNW NWSW
1.0 ACRES TOTAL

97-07365
STOECKERT, KARL R.
STOECKERT, CINDI R.
754 W. LACEY
HAYDEN LAKE, ID 83835
Source: PRIEST RIVER
Tributary: PEND OREILLE RIVER
Diversion Pt: NENE Sec 17 T 58N R
04W in BONNER County.
Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 8/9/1995
In: BONNER County
T58N R04W S17 NENE

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the applicant and with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest
Blvd., Suite 210, Coeur d'Alene, Ida-
ho 83814, together with a protest fee
of \$25.00 on or before SEPTEMBER
25, 1995.

KARL J. DREHER, Director
#1924 PRT Sept. 6, 13, 1995

RECEIVED

OCT 04 1995

NORTHERN REGION
IDWR

SEP 26 1995

97-07365

STOECKERT, KARL R
STOECKERT, CINDI R
754 W. LACEY
HAYDEN LAKE, ID 83835

Source: PRIEST RIVER

Tributary: PEND OREILLE RIVER

Diversion Pt: NENE Sec 17 T 58N R 04W in BONNER County.

Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)

Date Filed: 8/ 9/1995

In: BONNER County
T58N R04W S17 NENE

FEB 26 1996

August 30, 1995

Karl R. & Cindi R. Stoeckert
754 W. Lacey
Hayden Lake, ID 83835

Re: Water Appropriation Application No. 97-07365

Dear Mr. and Mrs. Stoeckert:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and you are using a well that was constructed after July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application, if no permit was obtained by you or previous owners to construct the well. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

RECEIVED
SEP 6 1995