

97-7317

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Orville Bailey
(Applicant)

SANDPIPER SHORES

A SUBDIVISION IN SEC. 10, T.02N., R.4W., D.M.

OWNER'S CERTIFICATE

Orville and Janet Bailey, Bonner County, Idaho, husband and wife, hereby certify that they own and have laid out into lots and roads that portion of Section 10, T.02N., R.4W., D.M., Bonner County, Idaho, embraced in the within plat known as "Sandpiper Shores," the boundaries of which are more specifically described as follows: From the initial point, lying on the northeast corner of the section 10, T.02N., R.4W., D.M., and the northern line of Priest Lake, S.02°11'52"W., 1953.64 feet from the northeast corner of Section 10, T.02N., R.4W., D.M., Bonner County, Idaho; thence S.75°51'07"E., 302.30 feet; thence S.07°03'53"W., 151.96 feet; thence S.85°49'45"E., 102.51 feet; thence S.85°03'50"E., 115.09 feet; thence S.86°43'30"E., 500.00 feet; thence S.76°29'13"E., 121.24 feet; thence N.49°09'25"E., 139.15 feet; thence N.45°40'11"E., 133.75 feet; thence S.75°01'49"E., 79.56 feet; thence N.45°41'37"E., 193.77 feet; thence S.85°31'13", 200.00 feet; thence N.45°53'45"W., 53.96 feet; thence S.85°41'50"W., 675.32 feet; thence N.75°51'07"W., 561.31 feet; thence S.00°21'52"E., 297.74 feet; thence S.12°35'50"W., 133.27 feet to the initial point.

The sidelines of all lots adjacent to Priest Lake are intended to be extended to the high water line of said lake. All roads shown hereon are hereby dedicated to the public. No subsurface sewage systems shall be permitted in this plat.

Dated: JUNE 12, 1970

Signed: Orville Bailey Janet Bailey

COUNTY COMMISSIONER'S APPROVAL


With the approval of the County departments listed below, the within plat is hereby accepted by the Board of County Commissioners of Bonner County, Idaho, this 12th day of August, 1970.

Clayton H. Bailey Treasurer
David H. Bailey Planning Commission
David H. Bailey Chairman of the Board

James C. Chase Health Officer

UNPLATTED

well location



Dated: JUNE 9, 1970 Signed: David H. Bailey

SURVEYOR'S CERTIFICATE

I hereby certify that the within plat is correct, that the description given in the Owner's Certificate is correct, and that all corners and markers shown have been established on the ground by a survey performed in May, 1970.

ACKNOWLEDGEMENT

STATE OF IDAHO
COUNTY OF BONNER On this 11th day of JUNE, 1970,
before me, a notary public, appeared Orville and Janet Bailey, Bonner County, husband and wife, personally known to me, be the persons who subscribed their names to the foregoing Owner's Certificate and acknowledged to me that they executed the same for the purpose stated therein.

My commission expires: 7-17-70
David H. Bailey
Notary Public in and for the State of Idaho


MICROFILMED
SEP 22 1992

97-7317

SANDPIPER SHORES


MICROFILMED
SEP 29 1998

Young
30



THOROFARE


LAKE



22 * people with home on lots
16 vacant lots
38

SANDPIPER SHORES

* young
MICROFILMED
SEP 29 1998



THOROFARE


LAKE

* people with home on lot

(Ph) 443-2947

Jan & Orville Bailey
Sandpiper Shores Pkwy Lake
Coolin, ID 83821-9710

A
a
B
b
C
c
D
d
E
e
F
f
G
g
H
h
I
i
J
j
K
k
L
l
M
m
N
n
O
o
P
p
Q
q
R
r
S
s
T
t
U
u
V
v
W
w
X
x
Y
y
Z
z



2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
97-92-N-57 (Submersible)	3				2 1/8"

4.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached of 10+ acres (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

Scale: 1" = 125'



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.

2681 IV SW
(UPPER PRIEST LAKE)
48° 45'

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

116° 52' 30"

51000m E


CARIBOU HILL LOOKOUT 10 MI.

512 50'

513

2681 IV SE
(CARIBOU CREEK)

MICROFILMED
SEP 29 1998





PD



Line in from
Pump To Pressure
Tanks



Pressure Reg
Line out

MICROFILMED
SEP 29 1998



Pressure Tanks



Pump House

MICROFILMED
SEP 29 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07317

Priority: April 16, 1992

Maximum Diversion Rate:

0.15 CFS

Maximum Diversion Volume:

22.8 AF

This is to certify, that ORVILLE BAILEY

PO BOX 442

NORDMAN ID 83848

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 16, 1992; and has submitted Proof of Beneficial Use on August 29, 1994. An examination indicates that the works have a diversion capacity of 0.150 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

DOMESTIC	01/01 to 12/31	0.15 CFS	22.8 AF
----------	----------------	----------	---------

LOCATION OF POINT(S) OF DIVERSION: Lot 3 (SENW), Sec. 10, Township 62N, Range 04W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

62N 04W 10 Lot 4 (SWNW) Lot 3 (SENW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 38 homes and does not include lawn, garden, landscape, or other types of irrigation.
6. Point of diversion located on Lot 9A, Sandpiper Shores.
7. Place of use known as Lots A-C, 1-9, 9A, 10-24, 24A, 25-29, 29A, 29B, and 30, Sandpiper Shores.

MICROFILMED

SEP 29 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07317

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 19TH
day of JULY, 1997.


Acting for KARL J. DREHER, Director



MICROFILMED

SEP 29 1998

State of Idaho
Department of Water Resources

RECEIVED

JUL 17 1997

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 97-07317

Date of Priority: April 16, 1992

Maximum Diversion Rate:

0.15 CFS

Maximum Diversion Volume:

22.8 AF

Comes now

ORVILLE BAILEY

PO BOX 442

NORDMAN ID 83848

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 97-07317, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.15 CFS	22.8 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(SENW), Sec. 10, Township 62N, Range 04W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

62N 04W 10 Lot 4(SWNW) Lot 3(SENW)

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

signed at Nordman, Idaho, this 15 day of July, 19 97

Orville Bailey

(Signature)
MICROFILMED

SEP 23 1998

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 97-07317

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 5000 Receipted by LS # CD3588 Date 7/17/97

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 97-07317 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 38 homes and does not include lawn, garden, landscape, or other types of irrigation.
6. Point of diversion located on Lot 9A, Sandpiper Shores.
7. Place of use known as Lots A-C, 1-9, 9A, 10-24, 24A, 25-29, 29A, 29B, and 30, Sandpiper Shores.

Witness my hand this 19TH day of JULY, 1997.


Acting for KARL J. DREHER Director

MICROFILMED

SEP 29 1998

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00
Receipt No. 203456
Receipt By: RT
Date Received: 8-30-94

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
AUG 29 1994

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 97-07317 Telephone No. (208) 443-2947
2. Name(s) of Permit Holder(s): ORVILLE BAILEY
3. Mailing Address: P.O. Box 442 Nordman, Idaho 83848
4. Source of Water: well If **GROUNDWATER** (well), Date Drilled: mo. Nov. / yr. 92
 - a. Well Driller: Carl Pitts Drilling Permit Number: 97- - 07 - 317 -
 - b. **OPTIONAL:**
Pump Horsepower: 2 Pressure (psi): 40-60 Dynamic pumping level (ft): 48 ft.
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 12 Stockwater (No. and type of stock):
Irrigation (No. of acres): Other: Domestic Use only
6. Total rate of diversion and/or volume for which proof is submitted: 0.20 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or	No <u>X</u>
	Has the measuring device been installed?	Yes <u>X</u>	or	No <u> </u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or	No <u>X</u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u>X</u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Orville Bailey Telephone Number: (208) 443-2947
Address: P.O. Box 442 Nordman, ID. 83848
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Orville Bailey Date: 8-23-94
(include your title, if on behalf of company or organization)

Ch # 2363 8/23/94

DEC 15 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 97-07317

Proposed Priority: April 16, 1992 Maximum Diversion Rate: 0.20 CFS
This is to certify, that **ORVILLE BAILEY**

PO BOX 442
NORDMAN ID 83848

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.12 CFS
DOMESTIC	01/01 to 12/31	0.20 CFS
Totals		0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWNW), Sec. 10, Township 62N, Range 04W
BONNER County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>				
<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
62N 04W 10	SWNW 3	SENW 3		6	
Total number of acres irrigated:				6	

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1994**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Place of use also known as Sandpiper Shores Subdivision.
6. Domestic use is for 30 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

7th day of August, 1992

APPROVED

SEP 22 1992

R. Keith Higginson
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho


1. Name of applicant Orville Bailey Phone 443-2947
Post office address Box 442 Nordman, ID 83848
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 4
Sec. 10 Township 62N Range 4W B.M. Bonner County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.20 TDR for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 1.2 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.2 0.20 TDR and/or (b) _____
PER TEL/CON W/APP-TDR cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and pipeline to storage tank then to homes
 - b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 8" ? inches; proposed depth of well is ? feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year).

SEP 2 1992

SEP 22 1992

97-7317

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Orville Bailey
(Applicant)

SEP 22 1992
IDAHO DEPARTMENT OF WATER RESOURCES

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by JK Date 4/16/92 Time 1:45 pm Preliminary check by TDK

Fee \$ 65.00 Received by JK Date 4/16/92 # N 5366 Date 4/16/92

Publication prepared by JK Date 4/29/92 Published in 5/6-13/92

Publication approved by JK Date 6/1/92

97-7317

SANDPIPER SHORES

A SUBDIVISION IN SEC. 10, T.22N., R.4W.D.M.

DANER'S CERTIFICATE

Orrville and Janet Daner, Banner County, Idaho, husband and wife, hereby certify that they own and have laid out into lots and roads that portion of Section 10, T.22N., R.4W., D.M., Banner County, Idaho, embraced in the within plat known as "Sandpiper Shores," the boundaries of which are more especially described as follows: From the initial point, lying 100 feet on the west section line of Section 10, T.22N., R.4W., D.M. and the northern line of Priest Lake, 8021.52 feet, 1953.64 feet from the northeast corner of Section 10, T.22N., R.4W., D.M., Banner County, Idaho; thence S75°51'07"E, 363.50 feet; thence S07°03'53"E, 131.56 feet; thence S35°49'13"E, 107.31 feet; thence S35°03'50"E, 115.69 feet; thence S36°43'30"E, 200.00 feet; thence S76°59'13"E, 121.24 feet; thence S49°05'22"E, 137.15 feet; thence S14°01'18"E, 132.75 feet; thence S25°01'33"E, 200.70 feet; thence S45°51'37"E, 193.77 feet; thence S25°01'30"E, 675.52 feet; thence S75°51'07"E, 561.31 feet; thence S00°21'55"E, 297.74 feet; thence S25°35'50"W, 133.27 feet to the initial point.

The sidelines of all lots adjacent to Priest Lake are intended to be extended to the high water line of said lake. All roads shown hereon are hereby dedicated to the public. No subsurface sewage systems shall be permitted in this plat.

Dated: JUNE 10, 1970

Signed: Quill Bailey Janet Bailey

COUNTY COMMISSIONER'S APPROVAL

With the approval of the County departments listed below, the within plat is hereby accepted by the Board of Commissioners of Banner County, Idaho, this 10th day of August, 1970.

Clare D. Nelson Planning Commission
Treasurer
David W. Hight Richard Anderson
Surveyor Chairman of the Board
John C. Case
Health Officer

ACKNOWLEDGMENT

STATE OF IDAHO
COUNTY OF JANNER On this 16th day of June, 1970,
before me, a notary public, appeared Orrville and Janet Bailey, Banner County, husband and wife, personally known to me to be the persons who subscribed their names to the foregoing Daner's Certificate and acknowledged to me that they executed the same for the purpose stated therein.
My commission expires 7-17-76

W. H. H. H.
Notary Public in and for the State of Idaho

SURVEYOR'S CERTIFICATE


I hereby certify that the within plat is correct, that the description given in the Daner's Certificate is correct, and that all corners and markers shown have been established on the ground by a survey performed in May, 1970.

Dated: JUNE 9, 1970 Signed: William H. Hight



UNPLATTED

well location



4 13 (10' pipe)

UNPLATTED

MEASURED CORNER (10' pipe)

PRIEST LAKE

SCALE 1" = 100'

SEP 22 1992

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

Lenora Ramsey
being duly sworn, says that he is the *General Manager*
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been con-
tinuously and uninterruptedly published in said County during a period
of 78 consecutive weeks prior to the first publication of the annexed
notice for publication, is a newspaper of general circulation made up of
at least eight pages of at least six columns each, printed from typewritten
or stereotyped forms of at least nineteen and three-fourths inches
depth, has at least 1250 bona fide subscribers living within said Bonner
County, and is published at regular weekly intervals. That the annexed
is a true copy of the notice for publication in the case of

1268

Water Rights

Whitten, Anderson, Mansur, Bailey
Holmes

It was published in the regular and entire issue of said paper for a
period of *two* consecutive weeks, commencing on
the *6* day of *May*, 19*92*,
and
ending on the *13* day of *May*, 19*92*,
and that said notice was published in said newspaper proper, and not in
supplement form.

STATE OF IDAHO
COUNTY OF *BONNER*

On this *2nd* day of *June*, in the year of *1992*, before me,
Notary Public, personally appeared *Lenora Ramsey*
known or identified to me to be the person whose name subscribed to the within instru-
ment, and being by me first duly sworn, declared that the statements therein are true,
and acknowledged to me that he executed the same.
John Mayfield
Notary Public for Idaho
Residing at *Priest River*

NOTICE OF APPLICATION FOR WATER RIGHT

The Following applications have
been filed to appropriate the public
waters of the State of Idaho:

96-08695

WAYT WHITTEN, BURLEY A
WHITTEN, THOMAS D
PO BOX 1447

PRIEST RIVER, ID 838561447

Source: GROUNDWATER

Diversion Pt: SESESW Sec 27 T 56N

R 05W in BONNER County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 4/24/1992

In: BONNER County T56N R05W

S27 SESW

97-07316

ANDERSON, KATHY

MANSUR, ROGER

PO BOX 394

PRIEST RIVER, ID 83856

Source: UNNAMED STREAM

Tributary: QUARTZ CREEK

Diversion Pt: SWSE Sec 25 T 58N R

05W in BONNER County.

Use: IRRIGATION (.060 CFS);

DOMESTIC (.040 CFS)

Total Diversion: (.100 CFS)

Date Filed: 4/13/1992

In: BONNER County T58N R05W

S25 SWSE

2.0 ACRES TOTAL

97-07317

BAILEY, ORVILLE

PO BOX 442

Nordman, ID 83848

Source: GROUNDWATER

Diversion Pt: LOT 4 (SWNW) Sec 10

T 62N R 04W in BONNER County.

Use: IRRIGATION (.120 CFS);

DOMESTIC (.200 CFS)

Total Diversion: (.200 CFS)

Date Filed: 4/16/1992

In: BONNER County T62N R04W

S10 SWNW SENW

6.0 ACRES TOTAL

97-07318

HOLMES, TOM

2705 MARINE DR

POST FALLS, ID 83854

Source: UNNAMED CREEK

Tributary: SINKS

Diversion Pt: NWSWNW Sec 4 T

60N R 05W in BONNER County.

Use: DOMESTIC (.020 CFS)

Total Diversion: (.020 CFS)

Date Filed: 4/14/1992

In: BONNER County T60N R05W

S04 NWSE

For additional information
concerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210,
Coeur d'Alene, Idaho 83814 on or
before May 26, 1992.

R. KEITH HIGGINSON, Director
#1268 May 6, 13, 1992

RECEIVED

JUN 04 1992

NORTHERN REGION
IDWR

IDAHO DEPARTMENT OF WATER RESOURCES

1301 N. Orchard St.
P.O. Box 83720
Boise, ID 83720-0098
(208) 327-7900

To

Orville Bailey
927 Sandpiper Shores Rd.
Coolin, ID 83821

New
Address

L97-07317
ORVILLE BAILEY
PO BOX 442
NORDMAN

Old address

ID 83848

9/26/99

-Orville Bailey

10.1.99

WR 2 updated
Kari Lynn



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 21, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ORVILLE BAILEY
PO BOX 442
NORDMAN ID 83848

RE: WATER RIGHT NO. 97-07317

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

SEP 29 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
SEP 29 1998

CERTIFICATE OF MAILING

I hereby certify that on the 21st day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 97-07317

ORVILLE BAILEY
PO BOX 442
NORDMAN ID 83848


Kari Lynn Townsend
Secretary

MICROFILMED

SEP 29 1998

Orville Bailey
CANDPIPER SHORES

P. O. BOX 442

PRIEST LAKE

NORDMAN, IDAHO 83848

July 15, 1997

Shelley W. Keen
Water Rights Supervisor
State of Idaho
Department of Water Resources
P.O. Box 83720
Boise, Idaho 83720-0098

Re: Water Right # 97-07317

Dear Mr. Keen:

Enclosed please note check # 3836 amount of \$ 50.00 and Application for Amendment regarding the above Water Right # 97-07317.

We reviewed the Application for Amendment in our telephone conversation this morning of July 15, 1997.

Sincerely,

MICROFILMED

Orville Bailey
Orville Bailey

SEP 29 1998

Leisure Living



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 2, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ORVILLE BAILEY
PO BOX 442
NORDMAN ID 83848

RE: WATER RIGHT NO. 97-07317

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the actual use of water found by a representative of our department at the time of the field examination. The enclosed Application for Amendment contains this information. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

SEP 29 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 2, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ORVILLE BAILEY
PO BOX 442
NORDMAN ID 83848

RE: WATER RIGHT NO. 97-07317

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the actual use of water found by a representative of our department at the time of the field examination. The enclosed Application for Amendment contains this information. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur or have any questions with this information, please contact me as soon as possible. My telephone number is (208) 327-7947.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

SEP 23 1998

MEMORANDUM

TO: File 97-07317

FROM: Sharla

DATE: November 29, 1996/June 6, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Right 97-07317 are based on the following:

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

SENW, S10, T62N, R4W

At the time the application for permit was filed, the point of diversion was proposed at Lot 20 in the subdivision. This point would have been in the SWNW. However, the point of diversion found by the examiner was located in Lot 9 (see delivery system diagram on second page of exam report). The correct legal description for this location is the SENW.

The application identified 30 homes for development along with irrigation use. The subdivision plat map received 6/5/97 clearly identifies 38 lots. Because irrigation use is not to be licensed, it is possible to pick up the additional lots on the license. I did not locate any other right in the database which would cover the additional domestic uses.

Examiner: Wayne Baldwin?

Exam Date: September 10, 1996

MICROFILMED

SEP 29 1998

Orville Bailey

SANDPIPER SHORES

P. O. BOX 442

PRIEST LAKE

NORDMAN, IDAHO 83848

ph (208) 443-2947

May 30, 1997

RECEIVED

JUN 05 1997

Sharla Curtis
Water Resource Agent
Idaho Department of Water Resources
1301 North Orchard Street, Statehouse Mail
Boise, Idaho 83720-9000

Department of Water Resources

REF: Water Right 97-07317

Dear Sharla Curtis:

Enclosed please note a correct map of Sandpiper Shores sub-division (please disregard the map you had originally). The total number of homes in the sub-division served under this permit , at this time, is 22 (twenty-two).

There are no combined lots that have only one home .

Sincerely,

Orville Bailey
Orville Bailey

MICROFILMED

SEP 29 1998


Map enclosed showing 22 lots with homes
16 vacant lots

Leisure Living

SANDPIPER SHORES

MICROFILMED
SEP 29 1988

Young
30



THOROMARE

22 * people with home on lot
16 vacant lots

38



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MAY 16, 1997

Orville Bailey
P.O. Box 442
Nordman, ID 83848

RECEIVED

MAY 27 1997

REF: Water Right 97-07317

Department of Water Resources

Dear Water Right Holder(s):

On February 12th I notified you that I needed some additional information in order to process your permit for licensing. I have not received a response. I have again enclosed a map of the Sandpiper Shores subdivision and I ask that you identify any combined lots that have only one home on them.

I also need to know the total number of homes actually in the subdivision and served under this permit. The enclosed map starts with lot B; is there a lot A in the subdivision? What is the location of lot A? If an updated map is available, would you please forward it to my office.

Please respond to my request within 14 days so that we can proceed with license issuance. I appreciate your help in this matter. If you have any additional questions, please feel free to contact me at (208) 327-5452.

Sincerely;

Sharla Curtis
Sharla Curtis
Water Resource Agent

SC:cb

Enclosure

Orville Bailey
P.O. Box 442
Nordman, ID 83848
May 22, 1997

Dear Sharla Curtis:

Sorry for the delay in getting the above information to you. We have been away for five months (in Mexico) and did not have the information.

You will be receiving a reply in a few days.

Sincerely

Orville Bailey
Orville Bailey

MICROFILMED

SEP 29 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MAY 16, 1997

Orville Bailey
P.O. Box 442
Nordman, ID 83848

REF: Water Right 97-07317

Dear Water Right Holder(s):

On February 12th I notified you that I needed some additional information in order to process your permit for licensing. I have not received a response. I have again enclosed a map of the Sandpiper Shores subdivision and I ask that you identify any combined lots that have only one home on them.

I also need to know the total number of homes actually in the subdivision and served under this permit. The enclosed map starts with lot B; is there a lot A in the subdivision? What is the location of lot A? If an updated map is available, would you please forward it to my office.

Please respond to my request within 14 days so that we can proceed with license issuance. I appreciate your help in this matter. If you have any additional questions, please feel free to contact me at (208) 327-5452.

Sincerely;

-Sharla Curtis
Water Resource Agent

SC:cb

Enclosure

MICROFILMED

SEP 29 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 12, 1997

Orville Bailey
P.O. Box 442
Nordman, ID 83848

RE: Water Right 97-7317

Dear Water Right Holder(s):

I'm in the process of reviewing your file for licensing. In order to complete this process I need to get some additional information from you. I have enclosed a map of the Sandpiper Shores subdivision and I ask that you identify any combined lots that have only one home on them.

I also need to know the total number of homes actually in the subdivision. The enclosed map starts with lot B, is there a lot A in the subdivision? What is the location of lot A? If an updated map is available, would you please forward it to my office.

Thank you for your help in this matter. If you have any questions, please feel free to contact me at (208) 327-5452.

Sincerely,

Sharla Curtis
Water Resource Agent

SC:cb


Enclosure

MICROFILMED

SEP 29 1998

SANDPIPER SHORES

MICROFILMED
 22 SEP 1988



THOROFARE

* People with homes on lots

(Ph) 443-2947

Jan & Orville Bailey
 Sandpiper Shores Pkwy Lake
 9 Canoe Point
 Coolin, ID 83821-9710

LICENSE REVIEW CHECKLIST

PERMIT NO. 97-07317

DATE 11/29/96

REVIEWER: S H A R L A

NAME Change OK Address Change NO
 SOURCE Change OK Is change clarification of originally intended source? NO
 If not, prepare Notice of Intent to Void NO
 POINT OF DIV Change OK Amendment required NO
 PLACE OF USE Change OK Amendment required NO

Does map agree with written description? yes no

OVERLAPS NO P/D NO P/U

RATE OF DIV

Permitted Rate .20 cfs
 Fee limit .20 cfs \$5000
 Measured .15 cfs
 Theoretical .13 cfs $3 \times 8.8 \times .7 / 50 + (2.31 \times 40) = .13$
 Recommended Total Div Rate .15 cfs

ANNUAL VOLUME/ NATURE OF USES

Use Dom Volume Calculation
~~37 x .6 = 22.2~~ af
37 x .6 = 22.8 af
 SUBTOTAL 22.8 af

Flow rate .15 cfs X 365 days X 1.98 = 108.4 af
 Total volume recommended 22.8 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1/30 homes - no vms incl.
R/U aka lots 1-8, 9/9A, 10-24, 25-29, 29A/B, 30.
P/D on Lot 9A.

CONDITIONS NO Watermaster Control WD# NO
NO GW Measurement/Measuring Device
NO Overlap
NO Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

Adjustment Memo old
lots plan ok

1st Amend Letter P39-P38
 2nd Amend Letter P47

5 wk
P46 (combined)

h, Range No 4 West of the Boise Meridian, Idah

E d D C B a A



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 97-07317

1. Owner: ORVILLE BAILEY Phone No. (208) 443-2947

Current Address: P.O. Box 442 Nordman ID 83848

2. Accompanied by: ORVILLE BAILEY EXAM DATE: 5-18-95

Address: same as above RE-EXAM 9-10-96 Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NW	10	62N	04W	Bonner	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
62N	04W	10							D	D									30

MICROFILMED

SEP 29 1998

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
97-92-N-57 (Submersible)		3			2 1/8"

4.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

Scale: 1" = 100' NTS



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

There is no irrigation being done from this system.

22 homes are presently in place, the remaining lots are stubbed and valved.

System consist of submersible pump, pumping to 4 110 gal pressure tanks. Distributed by 4" water main. Pressure regulated 40 to 60 lbs.

Domestic use is household only. Two lawns or garden or other types of irrigation allowed.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

SEP 29 1996

Measured Method:

Additional Computation Sheets Attached

Flow meter - Reading Taken with storage empty
100 gal in 40 sec.
And Pressure 0

$66.7 \text{ gpm} \times 1.33681 = 0.15 \text{ cfs}$

60

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Donnerstag (30)

Period of Use

From

10-10

0.

12-31

Rate of Diversion

(SIC) D

5/5

Annual Volume

1

2. Recommended Amendments

Change P.D. as reflected above

Change P.U. as reflected above

Add P.D. as reflected above

Add P.U. as reflected above

None

Other

Totals:

510

81

I. AUTHENTICATION

Field Examiner's Name _____

Date _____

Date _____

Reviewer

SEAL

CONTINUED

850 67 d36

WELL DEILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

UPPER PRIEST LAKE
2681 IV SW
48°45'

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

116°52'30"
48°45'

5100m E


CARIBOU HILL LOOKOUT 10 MI.

512 50'

513

2681 IV SE
(CARIBOU CREEK)

MICROFILMED
SEP 29 1998





PD




Line in from
Bomb To Pressure
Tanks

5 19 95


Pressure Reg
Line out

MICROFILMED
SEP 29 1998

5 18 95



Pressure Tanks



Ramp House

MICROFILMED
SEP 29 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 97-7317

Reviewed by [Signature]

Date 9/14/94

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dom.
Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

yes Copy in the file?

200.00 Amount paid for permit

no Well log in the file?

Drilling Permit No. 97-92-C-0002-000

yes Correct?

LICENSE EXAMINATION FEE

yes Required?
50.00 Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
yes Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X

Proof Made 8/29/94

September 15, 1994

ORVILLE BAILEY
PO BOX 442
NORDMAN ID 83848

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 97-07317

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

DEC 15 1994

June 30, 1994

ORVILLE BAILEY
PO BOX 442
NORDMAN ID 83848

PROOF DUE NOTICE

RE: PERMIT NO. 97-07317

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 12, 1992

ORVILLE BAILEY
PO BOX 442
NORDMAN ID 83848

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 97-07317

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Also enclosed is a copy of the approved drilling permit submitted in connection with this water right.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

MICROFILMED

SEP 22 1992

Drilling Permit No. 97-92-C-002
Water Right Permit No. 97-7317
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Orville Bailey
2. Mailing Address Box 442
Nordman, ID 83848 Telephone 443-2947
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 NW 1/4, or Gov't Lot No. 4
Sec. 10, Twp. 62N, Rge. 4W, County Bonner
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
- ☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic. - Dom + Irrig.
- () Injection
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
- A. ☒ New well () Deepen () Replace - See Condition 9
- B. Proposed Surface Diameter 8" ? Proposed Maximum Depth ?
- C. Anticipated bottom hole temperature:
- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date _____
7. Anticipated Well Driller
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Orville Bailey Date April 16 - 92
Title Mgr.
(Owner, Firm Representative, Other)

MICROFILMED

SEP 22 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved Date August 7, 1992

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

10. THE APPLICANT MUST CONTACT THE DEPARTMENT OF WATER RESOURCES (PHONE 765-4639) AND IDENTIFY THE DRILLER PRIOR TO CONSTRUCTION OF THE WELL.

Tyler D. Saxton
Signature of Authorized Department Representative

Chief, Water Alloc. Bur.
Title

Receipt No. 125366 Received by RL Fee \$200 Date 4/16/92

RECEIVED

SEP 22 1992

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

MEMORANDUM

TO: FISCAL
FROM: BRENDA MILLER/JIM JOHNSON *ok Jim*
RE: PARTIAL REFUND FOR NO 97-07317
DATE: AUGUST 6, 1992

=====

Please prepare and mail a \$35.00 partial refund for the individual(s) listed below. The refund is due to overpayment of filing fee on Application for Permit No. 97-07317, receipt No. N005366, Northern Region.

The application was for .20 cfs and a fee of \$65.00 was paid. The correct fee for .20 cfs is \$30.00; therefore, the difference of \$35.00 should be refunded.

ORVILLE BAILEY
BOX 442
NORDMAN ID 83848

Thank you!

MICROFILMED
SEP 22 1992

4/16/1992

ORVILLE BAILEY

WATER RIGHT APPLICATION

550199

1238

6390

65.00

DRILLING PERMIT

550350

1238

6390

200.00

CHECK

1663

\$265.00

Region: NORTHERN

Signature: _____

SEP 22 1992

APPLICATION FOR PERMIT REVIEW

Application #: 97-7317
Date: 8-1-92

Reviewer: Brenda Miller *BM*

SYSTEM COMPLETED:

No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - N/A

GROUNDWATER:

GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- NMR <fl ch>, A of C
LT. 0.2 cfs - No measurement required <flow chart>
Drilling Permit:
Approved w/permit - P99
Not included - 046-046A-046B-P23 (after 7/1/87), N/A
SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

Water Districts - WD No. _____
Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2), NMR <flow chart>
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
Swan Falls Flag - (1, Blank or Other)
Trust - 051-052-053-P74(Consumptive Uses)
Non Trust <1> - 048-049

RIVER BASINS:

(Surface Water) Water District Control Condition &....
Boise (63) - 05A & 11E
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)
Power - Use Power Review
Mining - 06A, 010, or 09E-P10 & 054(req.)
Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
Rec/Wildlf/Aes - 027(Non-Consumptive)
Domestic - 021(restricted areas)

OWNERSHIP:

Non land owner - 004

PROTESTED:

Agreement - 020

Beneficial Use Due Date: -

Other Conditions Recommended

09-01-1994

NEEDS A \$35⁰⁰ refund ISSUED.

No. a
4/87-11/91n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

***** INITIAL REVIEW *****

APPLICANT: BALLEY By TOK DATE _____ APPLICATION # 97-7317

REQUIRED INFORMATION

- (1). ☒ Name and Address:
(2). ☒ Source:
(3). ☒ P. D. including county:
(4). ☒ Quantity: .25
☒ Nature of proposed use: IRR-2
☒ Period of use:
(5). ☒ Total Quantity:
(6). ☒ Description of diverting works:
☒ Dam information requested
or not required
(7). ☒ Time required for b/u
(8). ☒ Proposed uses:
(9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
(13). ☒ Map:
☒ Signature:
☒ Fee: (Amt, recpt, acknowlegment)

ADDITIONAL INFORMATION

- Yes No
☒ Field check: by _____
☒ Field report attached:
☒ Analysis Supp attached (>5cfs/500af)
☒ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

☒ Proposed Priority 4/16/92
☒ In form for Advertising in the
West Idahoian 5/6-13/92
County of BONNER

☒ Statewide advertising: (diversion
greater than (10cfs/1,000af)

SEND COPIES TO:

☐ USFS CdA	☐ USFS Oro	☐ USFS Grangville
☐ BLM	☐ W/W Corps	☐ Albeni Corps
☒ F&G CdA	☐ F&G Lew	☐ IDL
☒ H&W CdA	☐ H&W Lew	☐ Adj Div
(Other) _____		

LETTERS SENT REQUESTING:

☐ Dam information ☐ Fish Information
☐ Power information ☐ Other

INFORMATION RECEIVED

☐ Power information ☐ Dam information
☐ Fish Information ☐ Other

***** GROUNDWATER SECTION *****

(Yes) (No) Checked By _____
☒ Groundwater management area:
☒ Critical ground water area:
☒ Well Drilling Permit required:
☒ Well Drilling Application and Fees received:
☐ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)
☐ Notice of pending void order issued: Final date of order response. _____
☒ Further information required from applicant:
☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.
☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 5/26/92 JUN 15 1992
☐ Measuring device required:
☒ Measuring port required:
☒ Special conditions
☒ Special conditions of approval supplement and/or cover letter attached:

Department of Water Resources

Approval Recommended by: RLM Date 6/10/92

97-07317

BAILEY, ORVILLE
PO BOX 442
NORDMAN, ID 83848

Source: GROUNDWATER

Diversion Pt: LOT 4 (SWNW) Sec 10 T 62N R 04W in BONNER County.

Use: IRRIGATION (.120 CFS)
DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 4/16/1992

In: BONNER County
T62N R04W S10 SWNW SENW

6.0 ACRES TOTAL

RECEIVED
SEP 22 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

April 30, 1992

Idaho Divn. of Environment
2110 Ironwood Parkway, #101
Coeur d'Alene, Id. 83814

Re: 97-7317

Gentlemen:

Enclosed is a recent filing with this Department that may be of interest to your agency.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enclosure

RECEIVED

SEP 22 1992