



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John H. Smith and Mary E. Smith
(Applicant)



9707283

MISFILED
OCT 07 1991



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

T56N R4W Sec 27



UNRECORDED

OCT 07 1991



FILED
OCT 07 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07283

Priority: September 3, 1987

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

1.2 AF

This is to certify, that MARY SMITH
JOHN SMITH

RT 1 BOX 367A

PRIEST RIVER ID 838560000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 27, 1987; and has submitted Proof of Beneficial Use on December 8, 1989. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to PEND OREILLE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSESW, Sec. 27, Township 56N, Range 04W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

56N 04W 27

SESW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

OCT 07 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07283

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 17th
day of SEPTEMBER, 1991.

Acting for

Norm C. Young
R. Keith Higginson, Director

OCT 07 1991.

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 97-7283 IN THE)
NAME OF JOHN AND MARY SMITH) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before December 1, 1989; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, on December 1, 1989 the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,


WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on December 8, 1989;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 97-7283 be REINSTATED and the priority advanced to September 3, 1987.

Dated this 6th day of March, 1990.

MICROFILMED

MAR 29 1990


L. GLEN SAXTON, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT


To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant JOHN AND MARY SMITH Phone (203) 444-0060
Post office address 111 ONECO AVENUE, NEW LONDON CT 06320
PENNDREILLE RIVER - 29/1/87
2. Source of water supply UNNAMED SPRING which is a tributary of UNNAMED CREEK
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of — $\frac{1}{4}$, Govt. Lot —
Sec. 27 Township 56N Range 4W B.M. BONNER County; additional
points of diversion if any: —
4. Water will be used for the following purposes:
- | | | | |
|--|---|--|------------------------|
| Amount <u>.04</u>
(cfs or acre-feet per annum) | for <u>DOMESTIC</u> | purposes from <u>JAN 1</u> to <u>DEC 31</u> | (both dates inclusive) |
| Amount <u>.09</u>
(cfs or acre-feet per annum) | for <u>IRRIGATION</u>
<u>DIVERSION TO</u> | purposes from <u>3-15</u> to <u>11-15</u> | (both dates inclusive) |
| Amount <u>.09</u>
(cfs or acre-feet per annum) | for <u>STORAGE</u>
<u>STORAGE FOR</u> | purposes from <u>1-1</u> to <u>12-31</u> | (both dates inclusive) |
| Amount <u>1 AF</u>
(cfs or acre-feet per annum) | for <u>IRRIGATION</u>
<u>IRRIGATION FROM STORAGE</u> | purposes from <u>1-1</u> to <u>12-31</u>
<u>3-15 TO 11-15</u> | (both dates inclusive) |
5. Total quantity to be appropriated is (a) .13 cubic feet per second and/or (b) 1 acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. pipe gravity feed to storage tank.
- b. Height of storage dam 2 feet; active reservoir capacity 1 (pond) acre-feet; total reservoir capacity — acre-feet; period of year when water will be diverted to storage: JAN 1 to DEC 31 inclusive.
- c. Proposed well diameter is — inches; proposed depth of well is — feet.
- d. Is ground water with a temperature of greater than 90°F being sought? —
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year). k

MAR 07 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John H. Smith and Mary E. Smith
(Applicant)

Proposed Priority 8/27/87

Received by Date 8/27/87 Time 2:00 PM
Received by Date 9/1/87
Fee \$ # 41699
Publication prepared by Date 10/1/87
Publication approved Date 11/10/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 97-7283, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 89

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

- e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 30th day of November, 1987.

Director

REC'D
MAR 07 1988

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

Bice Bradshaw
being duly sworn, says that he is the editor
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been con-
tinuously and uninterruptedly published in said County during a period
of 78 consecutive weeks prior to the first publication of the annexed
notice for publication, is a newspaper of general circulation made up of
at least eight pages of at least six columns each, printed from typemat-
ter or stereotyped forms of at least nineteen and three-fourths inches
depth, has at least 1250 bona fide subscribers living within said Bonner
County, and is published at regular weekly intervals. That the annexed
is a true copy of the notice for publication in the case of

514 Forrest Jones

as it was published in the regular and entire issue of said paper for a
period of two consecutive weeks, commencing on
the 1 day of October, 19 87,
and

ending on the 14 day of October, 19 87,
and that said notice was published in said newspaper proper, and not in
supplement form.

Bill Bradshaw

Subscribed and sworn to before me this

14 day of October, 19 87.

Linda Ramsey
Notary Public for Idaho,
Residing at Priest River, Idaho

RECEIVED

NOV 05 1987

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

96-8500

JONES, FORREST
P.O. BOX 188, COCOLALLA, ID
83813

Source: HOODOO CREEK trib. to
PEND OREILLE RIVER

Diversion Pt: SESWNW NESWNW
SENWNW Sec 34 T 55N R04W

Use: IRRIGATION (0.6 CFS)

Date Filed: 09/09/1987

In: NENW-NWNW-SWNW SENW
Sec 34 T 55N R 04W FOR 40 ACRES

97-7283

SMITH, JOHN &/or MARY
111 ONECO AVE., NEW LONDON,
CT 06320

Source: SPRING trib. to PEND
OREILLE RIVER

Diversion Pt: SESW Sec 27 T 56N R
04W

Use: IRRIGATION (0.090 CFS)

IRRIGATION STORAGE (1.0 AF)

IRRIGATION FROM STORAGE

(1.0 AF)

DOMESTIC (0.040 CFS)

DIVERSION TO STORAGE (0.090

CFS)

Date Filed: 08/27/1987

In: SESW Sec 27 T 56N R 04W FOR 3
ACRES

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, 4055 Government
Way, Suite 9, Coeur d'Alene, Idaho
83814 on or before OCTOBER 26,

RECEIVED

NOV 9 1987

Department of Water Resources
Northern District Office

1987.

R. KEITH HIGGINSON, Dir.

October 7, 14, 1987

RECEIVED

MAR 07 1988

September 19, 1991

MARY SMITH
JOHN SMITH
RT 1 BOX 367A
PRIEST RIVER ID 838560000

RE: WATER RIGHT NO. 97-07283

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

RECEIVED

OCT 07 1991

August 23, 1991

MARY SMITH
JOHN SMITH
RT 1 BOX 367A
PRIEST RIVER, ID 838560000

RE: WATER RIGHT NO. 97-07283

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

OCT 07 1991

LICENSE REVIEW CHECKLIST

Permit No. 97-7283

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 1/4? Remember remark
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses
Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed
Not needed

Comments/Changes to Examiner's Recommendations:

License 10-day 30-day

Back of field report signed?
Reviewer [Signature] Date 8/22/91 Review time 5 min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 97-07283

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
✓ 6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

- ✓ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

- ✓ Check with permit and well log for discrepancies

Signature

Sam King

Date

1-2-90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 28 1991

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: John and Mary Smith
Current Address: Rt. 1 Box 367-A, Priest River ID 83856
2. Accompanied by: John Smith EXAM. DATE: 10/2/90
Address: Same Phone No. _____
Relationship to Permit Holder: _____

Permit No. 97-7283

Phone No. 263-0567


3. Source: Spring tributary to Pend Oreille River

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
None ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

RECEIVED
OCT 07 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Stream has small dam 1 foot high which creates

Stream has small dam 1 foot high which creates a pond 3' x 5' x 2'. There is a 1 1/2 inch watered PVC pipe which goes 25' down hill to where there is a valve at the end of the pipe. At this point 2.55 gallon barrels are filled and then transported to the home area where they fill a 4,100 gallon holding tank. The water is then gravity fed to a home with two hose bibs, one of which waters a 10 x 20' garden.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo


5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]



T56N R4W Sec 27

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

1 home, L & S

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1 home, L & S

OCT 07 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

On application, PU is listed as suse, but it is actually in SE su. The applicants did not understand how the form broke down the 40 acre tracks & so got the order reversed. Domestic is the only use developed. Irrigation, Diversion to storage & storage for irrigation, and irrigation are permitted, but not developed.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic	From 1-1 To 12-31	0.04 cfs	1.2 acfs

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name: Theresa J. Bright
 Signature: [Signature]
 Certification Date: 4/16/90
 Field Report Preparation Date: 10/2/90



- ☐ None
- ☐ Other

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

OCT 07 1991



OCT 07 1991



RECEIVED
OCT 07 1991

March 14, 1990

JOHN SMITH
MARY SMITH
111 ONECO AVE.
NEW LONDON, CT 063200000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 97-07283

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

MAR 29 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 97-7283

Date: 2-9-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change If yes, prepare a data entry
☒ Proof received timely
☒ Reinstated

Source of Water:

- ☒ Surface water
☐ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Reinstated

Priority Calculation:

Date proof received	<u>Dec 8, 1989</u>	<u>342</u>
Date proof due	<u>Dec 1, 1989</u>	<u>- 335</u>
No. of days late		<u>= 7</u>
Priority date	<u>Aug 27, 1987</u>	<u>+ 239</u>
NEW PRIORITY DATE	<u>Sept 3, 1987</u>	<u>= 246</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Address Change

RECEIVED

DEC 8 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$ 50.00

Date 12/8/89

Receipt No. 0013395

Received by C. Wong

JS. 1-5-90

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 97-07283

Telephone No. (208) 263-4567

Name(s) of Permit Holder(s): JOHN H. SMITH III, MARY E. SMITH (WORK-MARK)

Post Office Address: ROUTE 1, BOX 367-A, PRIEST RIVER, ID 83856

Source of Water: UNNAMED CREEK / SPRING

If ground water, well driller's name:

Date drilled:

Extent of Use:

Domestic 1 (No. of households)

Irrigation 5 (No. of acres)

Stockwater (No. and type of stock)

Other

Total rate and/or volume for which proof is submitted .13 cfs 1 acre/feet

Show date water was first diverted and beneficially used under this permit: 20 AUG 89

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No X No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No X No Installed? Yes No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

JOHN H. SMITH III

Name

(CONTACT MARY AT 208-263-4567

Telephone No.

ROUTE 1, BOX 367-A, PRIEST RIVER, ID 83856

(GOLD COP MOUNTAIN)

Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 29 1990

1 DEC 89

Date

Mary E. Smith

Signature (add title if on behalf of a company or organization)

JOHN SMITH
MARY SMITH
111 ONECO AVE.
NEW LONDON, CT 063200000

September 30, 1989

138730

RE: PERMIT NO. 97-07283 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 29 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 97-7283
Name(s) of Permit Holder(s): JOHN H & MARY E SMITH
Post Office Address: ROUTE 1, BOX 367-A
PRIEST RIVER, ID 83856 Tel. No. (208) 208-263-0567

☒ I hereby certify that construction of diversion works on the above referenced permit began on 1 AUGUST 1988 (date) I understand that I must

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

10 MAY 89
Date

Mary E Smith
Signature of Permit Holder

NOTE: LATE REPLY OK'ED BY G. SPACKMAN, WAS

SMITH

ROUTE 1, BOX 367-A

PRIEST RIVER, ID 83856

RECEIVED

MAY 15 1989



MICROFILMED

MAR 29 1990

Department of Water Resources DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
DECEMBER 04, 1987

SMITH, JOHN & MARY
111 ONECC AVE.
NEW LONDON, CT 06320

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 97-7283

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

MAR 07 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: K APPLICATION NUMBER: 97-7283

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 10/26/87
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 11/9/87
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
11/23/87 Date of priority recommended.
Special conditions of approval or cover letter. _____

2 years is reasonable for B/U development.

By: RJA Date: 11/23/87

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: KW Date: 11/23/87

RECEIVED

NOV 19 1987

Department of Water Resources

October 1, 1987

Mrs. Mary Smith
111 Oneco Ave.
New London, Ct. 06320

Re: 97-7283

Dear Mrs. Smith:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned Identification No. 41699. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Priest River Times. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your Receipt No. 41699 for the amount of \$30.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms
Enc. - Receipt

FILED

MAR 07 1988

97-7283

SMITH, JOHN &/or MARY

111 ONECO AVE., NEW LONDON, CT 06320

Source: SPRING trib. to PEND OREILLE RIVER

Diversion Pt: SESH Sec 27 T. 56N R 04W

Use: IRRIGATION	(0.090 CFS)
IRRIGATION STORAGE	(1.0 AF)
IRRIGATION FROM STORAGE	(1.0 AF)
DOMESTIC	(0.040 CFS)
DIVERSION TO STORAGE	(0.090 CFS)

Date Filed: 08/27/1987

In: SESH Sec 27 T 56N R 04W FOR 3 ACRES

MICROFILMED

MAR 07 1988