


OUTLET BAY QUADRANGLE
IDAHO-BONNER CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



PERMIT HOLDER JOHN RICHARDSON PERMIT # 97-7277

P D TWP 59N RGE 4W SEC 5 (NE NW SE) GL-5

P/U TWP RGE SEC SAME

NOV 08 1994

SOURCE PRIEST LAKE TRIBUTARY TO PRIEST RIVER

MAP PLOT 32 IRR. ACRES USGS QUAD C-3 SCALE 7 1/2 MIN



97-07277

MIZ. RICHARDSON'S
LAKE CABIN
P.U.



MIZ. RICHARDSON'S
PUMP HOUSE



RECEIVED

NOV 08 1994

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

Barry Espenson
being duly sworn, says that he is the editor

of the PRIEST RIVER TIMES, a weekly newspaper printed and published at Priest River, Bonner County, Idaho, and has been continuously and uninterruptedly published in said County during a period of 78 consecutive weeks prior to the first publication of the annexed notice for publication, is a newspaper of general circulation made up of at least eight pages of at least six columns each, printed from typematter or stereotyped forms of at least nineteen and three-fourths inches depth, has at least 1250 bona fide subscribers living within said Bonner County, and is published at regular weekly intervals. That the annexed is a true copy of the notice for publication in the case of

Not. of Application for Water Rights.

as it was published in the regular and entire issue of said paper for a period of two consecutive weeks, commencing on the 19th day of march, 19 86, and

ending on the 26th day of march, 19 86, and that said notice was published in said newspaper proper, and not in supplement form.

Barry L. Espenson

Subscribed and sworn to before me this

31 day of march, 19 86

Linda L. Ramsey
Notary Public for Idaho,

Residing at Priest River, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications(s) have been filed to appropriate the public waters of the State of Idaho:

97-7277

RICHARDSON, JOHN W.

S. 4233 University St., Spokane, WA 99206

Source: Priest Lake trib. to Priest River

Diversion Pt: Lot 05 (NENWSE) Sec 05 T 59N R 04W

Use: Domestic (0.020 CFS), Fire protection (0.020 CFS)

Date Filed: 03/04/1986

In: Lot 05 (NWSE) Sec 05 T 59N R 1W

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before APRIL 7, 1986.

Ken Dunn, Dir.

#207 March 19, 26, 1986

RECEIVED
APR 3 1986

Department of Water Resources
Northern District Office

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07277

Priority: March 4, 1986

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that JOHN W RICHARDSON
S 1406 LIBERTY DR
LIBERTY LAKE WA 99019

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 4, 1986; and
has submitted Proof of Beneficial Use on September 28, 1987. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

PRIEST LAKE

tributary to PRIEST RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
FIRE PROTECTION	01/01 to 12/31	0.02 CFS	
	Totals	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5(NENWE), Sec. 5, Township 59N, Range 04W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

59N 04W 5 Lot 5(NWSE)

PLACE OF USE:

FIRE PROTECTION, same as DOMESTIC use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for in-house use for 1 home.


NOV 08 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07277

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4th
day of NOVEMBER, 1994.

Acting for  R. Keith Higginson, Director



NOV 8 1994

RECEIVED

SEP 28 1987

STATE OF IDAHO

no @ encl. 97
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 97-7277

Name(s) of Permit Holder: John W. Richardson

Post Office Address: E 11120 46th AVE

SPokane wa. 99206 Telephone No. 509 924 0822

Source of Water: PRIEST LAKE

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: July 30 1986

Measuring Device: Required? Yes No Fee enclosed \$ 0
Installed? Yes No (See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

John W. Richardson HOME 509 924 0822 WORK 509 927 3330
(Name) (Telephone Number)

E 11120 46th Ave Spokane wa. 99206
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

APR 06 1988

9-19-87
Date

John W. Richardson
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 97-127

APPROVED


To appropriate the public waters of the State of Idaho

1. Name of applicant Richardson, John W. Phone 509 924 0822
Post office address S. 4233 University Spokane Wa. 99206
2. Source of water supply Priest Lake which is a tributary of Priest River
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot 5
Sec. 5 Township 59N Range 4W B.M. Bonner County; additional
points of diversion if any: None
4. Water will be used for the following purposes:
Amount .02 for DOMESTIC & FIRE PROTECTION purposes from MAY 01 to OCT 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .02 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Diversion powered by 1/2 hp Jet pump sucking through a one inch diameter black plastic pipe. Pipe is located on lake bed. No ditch.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year).

UNAPPROVED

of surface soil or lake bed. Plastic pipe will be held to lake bed every 10' by small rocks. Intake will use $\frac{1}{4}$ " strainer and foot valve. It will be held 1 foot off bottom at end. End will be located about 75 North of high water mark to a depth of 15 feet.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

MAP SHOWS ALL OF SEC 5, ONE SQUARE MILE

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John W. Richardson
(Applicant)

RECEIVED

Preliminary check by

Time 1:40pm

Date 3/4/86

Received by

3/4/86

Proposed Priority

Fee \$ 30.00

Received by

31951

Date

3/12/86

Publication prepared by

Date

3/13/86

Published in

3/13-00/86

Publication approved

Date

4/3/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 97-7277

, and said application is hereby

APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

April 1, 19 90

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete. The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this

30th

day of April, 1986.

Chief, Operations Bureau

[Signature]



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 4, 1994

JOHN W RICHARDSON
S 1406 LIBERTY DR
LIBERTY LAKE WA 99019

RE: WATER RIGHT NO. 97-07277

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

A faint, dark, rectangular stamp or mark, possibly a date stamp, located at the bottom right of the page.

NOV 08 1994

LICENSE REVIEW CHECKLIST

PERMIT NO. 97-07277 DATE 10-18-94



NAME	☒ Yes	☐ No	Or <u>Address</u> Change?
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: ☐ Order to reinstate needed? ☐ Incorrect fee for rate recommended? <u>N/A</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? ☐ Notice of Intent to Void necessary? ☐
POINT OF DIV	☐	☒	Amendment needed? ☐ Overlaps? ☐
PLACE OF USE	☐	☒	Amendment needed? ☐ Overlaps? ☐
DIV RATE	☐	☒	Permit/fee limits: <u>.02 CFS</u> Meas Q = <u>NONE</u> Theo Q = <u>NONE</u> Recommend: <u>.02</u> <u>(Domestic use - permit limit of .02 CFS)</u> Combined rates exceed capacity ☐
ANNUAL VOLUME	☐	☒	Season of use: <u>Extend to yr around</u> Calculations: <u>Internal domestic @ .16</u> Flow limit: ☐ cfs x ☐ x 1.9835 = ☐ Combined volumes exceed capacity/allowable ☐
USES	☐	☒	Change in Nature of Use or additional uses? ☐ Amendment necessary? ☐
REMARKS	☒	☒	Multiple p/d(s) in $\frac{1}{4}$ $\frac{1}{4}$? ☐ Other <u>domestic use includes fire protection</u>
CONDITIONS	☐	☒	Measuring/Locking Devices ☐ Watermaster control - District ☐ Irrigation Overlap ☐ Water Quality ☐ Other ☐ Heat/Cool/ Fish verified ☐

COMMENTS: Permit included, fire protection as a separate use, is understood as an acceptable use and not needed on the license - but will keep + show dom as in-house only

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>N/A</u>
<u>Domestic</u>	<u>.02</u>	<u>.16</u>	Adjustment Memo Needed	<u>NO</u>
<u>Fire Protection</u>	<u>.02</u>	<u> </u>		
<u> </u>	<u> </u>	<u> </u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER	☐
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER	☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 30 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 97-07277

1. Owner: JOHN W. RICHARDSON Phone No. (509) 255-6515

Current Address: S. 1406 LIBERTY DRIVE LIBERTY LAKE, WA. 99019

2. Accompanied by: MR. RICHARDSON EXAM DATE: 8-17-93

Address: SAME Phone No. SAME

Relationship to Permit Holder: OWNER

3. Source: PRIEST LAKE tributary to PRIEST RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<u>5</u>	<u>NE</u>	<u>NW</u>	<u>SE</u>	<u>5</u>	<u>59N</u>	<u>4W</u>	<u>BONNER</u>	<u>U.S.G.S. TOPO., MEERER</u>

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
59N	4W	5															05-D		

NOV 08 1994

(BC)

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" =

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

X Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Model No. or Pump Serial No. or Discharge Size
①	A.O. SMITH	1/2	8H85	SEARS	390.25100 1" PVC PIPE

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE

NOV 6 8 1994

E. NARRATIVE/REMARKS/COMMENTS

SYSTEM IS COMPLETE & WATER IS IN USE.

* FIRE PROTECTION IS A GARDEN HOSE SET-UP.

Have conditions of permit approval been met? ☒ yes ☐ no



NOV 08 1994

NOV 6 8 1994

F. FLOW CALCULATIONS

Measured Method:

NONE

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

NONE

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$

2. Volume Calculations for Other Uses:

NONE

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

DOMESTIC

From 05-01

To 10-31

Period of Use

Rate of Diversion

Q (cfs) 0.02

Annual Volume

V (ata) .06

2. Recommended Amendments

Change P.D. as reflected above

☒ Add P.D. as reflected above

☐ Add P.U. as reflected above

☐ Change P.U. as reflected above

I. AUTHENTICATION

Field Examiner's Name

Dom W. Kuz Date 8-17-93

Reviewer

Date

OUTLET BAY QUADRANGLE
IDAHO-BONNER CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)


DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

1:1 MI. = 220 000 FEET

509 116°52'30"

510000m E

511



PERMIT HOLDER JOHN RICHARDSON

PERMIT # 97-7277

P D TWP 59N RGE 4W SEC 6

(NE 1/4)

GL-5

P/U TWP RGE SEC SAME

NOV 08 1994


SOURCE PRIEST LAKE


TRIBUTARY TO PRIEST RIVER

MAP PLOT 32 IRR. ACRES

USGS QUAD 5-3

SCALE 7 1/2 MIN





97-07277

MIR. RICHARDSON'S
LAKE CABIN
P. U.



MIR. RICHARDSON'S
PUMP HOUSE



RECEIVED

NOV 08 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 97-7277
Name(s) of Permit Holder(s): John W. Richardson
Post Office Address: E. 1120 46th (NEW ADDRESS)
SPOKANE WA. 99206 Tel. No. 509-924-0822

☒ I hereby certify that construction of diversion works for the above referenced permit began on July 03 1986 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit. **NOV 08 1984**

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*: August CONSTRUCTION has Begun and is Complete,

*Note: A financing difficulty is not an acceptable reason.

Aug 29 1987
Date

John W. Richardson
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

SEP 28 1987



NOV 08 1994

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

NOVEMBER 9, 1987

JOHN RICHARDSON
E. 11120 46TH AVE.
SPOKANE, WA 99206

RE: Permit No. 97-7277

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

APR 06 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
MAY 06, 1986

RICHARDSON, JOHN W.
S. 4233 UNIVERSITY ST.
SPOKANE, WA 99206

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 97-7277

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

ENCLOSURE FILMED

Speed Letter

TO: Water Resources-Northern Region

FROM: Department of Lands

Subject 97-7277

John W. Richardson

MESSAGE

An encroachment permit and a temporary permit will be required from Lands.

The applicant has been notified.

Date 3/19/86

Signed Barnie

REPLY

RECEIVED
MAR 27 1986

Department of Water Resources
Northern District Office

Date

Signed

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 13, 1986

Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 97-7277

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms

Enclosure

MICROFILMED



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 13, 1986

Mr. John W. Richardson
S.. 4233 University
Spokane, Wa. 99206

Re: 97-7277

Dear Mr. Richardson:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned Identification No. 97-7277. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Priest River Times. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your Receipt No. 31951 for the amount of \$30.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms
Enc. - Receipt

MICROFILMED

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

Barry Espenson

being duly sworn, says that he is the

editor

of the PRIEST RIVER TIMES, a weekly newspaper printed and published at Priest River, Bonner County, Idaho, and has been continuously and uninterruptedly published in said County during a period of 78 consecutive weeks prior to the first publication of the annexed notice for publication, is a newspaper of general circulation made up of at least eight pages of at least six columns each, printed from typematter or stereotyped forms of at least nineteen and three-fourths inches depth, has at least 1250 bona fide subscribers living within said Bonner County, and is published at regular weekly intervals. That the annexed is a true copy of the notice for publication in the case of

Not. of Application for Water Rights.

as it was published in the regular and entire issue of said paper for a period of two consecutive weeks, commencing on the 19th day of march, 19 86, and ending on the 26th day of march, 19 86, and that said notice was published in said newspaper proper, and not in supplement form.

Barry L. Espenson

Subscribed and sworn to before me this

31 day of march, 19 86.

Linda L. Ramsey
Notary Public for Idaho,
Residing at Priest River, Idaho

NOTICE OF APPLICATION
FOR WATER RIGHT
The following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

17-737
RICHARDSON, JOHN W.
S. 4233 University St., Spokane,
WA 99208

Source: Priest Lake to the Priest
River

Diversion Pt: Lot 65 (NENWSE)
Sec 05 T 50N R 04W

Use: Domestic (0.020 CFS), Fire
protection (0.020 CFS)

Date Filed: 03/04/1986

In: Lot 05 (NWSE) Sec 05 T 50N R
1W

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of
Water Resources, 4055 Gov't. Way,
Coeur d'Alene, Id. 83814 on or before
APRIL 7, 1986.

Ken Dunn, Dir.

1986 March 19, 26, 1986

RECEIVED
APR 3 1986

Department of Water Resources
Northern District Office

UNRECORDED

97-7277

RICHARDSON, JOHN W.

S. 4233 UNIVERSITY ST., SPOKANE, WA 99206

Source: PRIEST LAKE trib. to PRIEST RIVER

Diversion Pt: LOT 05 (NENWSE) Sec 05 T 59N R 04W

Use: DOMESTIC (0.020 CFS)
FIRE PROTECTION (0.020 CFS)

Date Filed: 03/04/1986

In: LOT 05 (NWSE) Sec 05 T 59N R 04W

MICROFILMED

JOHN W. RICHARDSON
S. 4233 UNIVERSITY ROAD
SPOKANE, WASHINGTON 99206
509 924-0822

March 01 1986.

RECEIVED
MAR 4 1986

Department of Water Resources
Northern District Office

Idaho Dept. of Water Resources
4055 Government way
Coeur d'Alene Idaho 83814
Mr. Ken Knoblock

Enclosed, please find my Application
for permit for water diversion at Priest Lake.
Also enclosed is a \$30.00 application fee.

I have submitted an encroachment
application and drawings to Mr. L.R. Schneider
with the State Dept of Lands in Coeur d'Alene also
in connection with this permit. Will you
please coordinate with him.

Please call me at

Home 509 924 0822

or
work 509 922 4001 Y3330

If you have questions. Please keep me informed
as to the progress of my application

Sincerely John W. Richardson.