





MICROFILMED

JAN 02 1992




2580 II NE (NEWPORT)
SPOKANE, WASH. 49 MI.
NEWPORT, WASH. 1.8 MI.

9707272

SCALE 1:24 000

MICROFILMED

JAN 02 1992



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

T. 56 N.
T. 55 N.

T 56 N R. 5 W Sec 29

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07272

Priority: November 5, 1984

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

1.7 AF

This is to certify, that US DEPT OF DEFENSE

DEPT OF ARMY

CORPS OF ENGINEERS

PO BOX C-3755

SEATTLE WA 98124

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 5, 1984; and has submitted Proof of Beneficial Use on November 28, 1989. An examination indicates that the works have a diversion capacity of .440 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.11 CFS	1.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 29, Township 56N, Range 05W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

56N 05W 29

NENW

NWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for the power house, maintenance building, an office and Visitors Center at the Albenia Falls Dam.

MICROFILMED


JAN 02 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 97-07272

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 13th
day of DECEMBER, 1991.

Acting for


R. Keith Higginson, Director

MICROFILMED
JAN 02 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

ALBENI FALLS DAM
Tract A-2

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant UNITED STATES OF AMERICA Phone (206) 764-3666
U. S. Army Corps of Engineers, Seattle District
Post office address P. O. Box C-3755, Seattle, Washington 98124-2255

2. Source of water supply Ground water which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 29 Township 56N

Range 5W B.M. Bonner County, additional points of diversion if any: _____

Not applicable

4. Water will be used for the following purposes:

~~Commercial~~ 11/5/84
Amount 0.11 cfs for Domestic purposes from 1 Jan. to 31 Dec. (both dates inclusive)
(cfs or acre-feet per annum)

11/5/84 Amount 0.11 cfs for Commercial purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.11 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. A 20 horsepower, 200 gallons per minute capacity, submersible pump will be installed in well. An eight-inch mainline will connect pump house to existing water systems in powerhouse and vista.

b. Height of storage dam Not applicable feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 90 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is five years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE&NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 29 Township 56N

Range 5W B.M.

(2) Amount of power to be generated: Not applicable horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered Not applicable

(4) Name of municipality to be served Not applicable, or number of families to be supplied with domestic water (see below).

(5) If water is to be used for other purposes describe: Domestic water for Albeni Falls Dam Powerhouse, Vista area and shops.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. Claims Nos. 96-8382 and 97-4222.

9. a. Who owns the property at the point of diversion UNITED STATES OF AMERICA


b. Who owns the land to be irrigated or place of use UNITED STATES OF AMERICA

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Not applicable

10. Remarks All of the water needed for the purposes covered in this application is being withdrawn from a surface water source, (the Pend Oreille River), at the present time. This water has been applied to beneficial use since the mid 1950's. The purpose of the proposed well is to eliminate the use of surface water as much as possible for drinking, etc. at the project. The pump will run only occasionally. There will be two 1600 gallon pressure tanks and controls in the pumphouse to be constructed around the well and pump.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T. 56 N., R 5 W., B.M.



- ① ALBENI FALLS POWERHOUSE
- ② ALBENI FALLS VISTA AREA
- ③ MAINTENANCE SHOPS

A full-page sheet of white graph paper featuring a uniform grid of thin black lines. The grid consists of 20 columns and 20 rows, creating a total of 400 small squares. The lines are evenly spaced and extend across the entire page, leaving no margins or additional markings.

MARSHALL

Proposed Priority 11/5/84

Received by me Date 11/5/84 Time 1:34pm
Preliminary check by TK Fee \$ 30.00
Receipted by me Date 11/5/84 (31673)
Publication prepared by me Date 11/8/84
Published in Crest River Times
Publication dates 11/15-21/84
Publication approved me Date 11/27/84
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by PKH kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 97-7272, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 3rd day of January, 1985.

J. M. Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Bonner, } ss.

K
11/27/84

.....Pete Thompson.....
being duly sworn, says that he is thepublisher.....
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been
continuously and uninterruptedly published in said County during
a period of 78 consecutive weeks prior to the first publication of
the annexed notice for publication, is a newspaper of general cir-
culation made up of at least eight pages of at least six columns
each, printed from typematter or stereotyped forms of at least
nineteen and three-fourths inches depth, has at least 1250 bona fide
subscribers living within said Bonner County, and is published at
regular weekly intervals. That the annexed is a true copy of the
notice for publication in the case of

Idaho Dept. of Water Resources
#97-7272

as it was published in the regular and entire issue of said paper
for a period of . . .two consecutive weeks, commencing on
the . . .15th day of November, 1984. .
and.

ending on the . .22nd day of November, 19. 84.
and that said notice was published in said newspaper proper, and
not in supplement form.

Pete Thompson
.....

Subscribed and sworn to before me this
26th . . . day of *Nov*, 19*84*.

Way E. White
.....
Notary Public for Idaho

Residing at Priest River, Idaho
Sandpoint

NOTICE OF APPLICATION
FOR WATER RIGHT
The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:
97-7272
U.S. DEPT. OF DEFENSE
DEPT. OF ARMY, CORPS OF
ENGINEERS, P.O. BOX C-3756,
SEATTLE, WA 98124
Source: GROUNDWATER
Date Filed: 11/05/1984
Diversion Pt.: NENW Sec 29 T 56N R
Use: COMMERCIAL (0.11 CFS)
DOMESTIC (0.11 CFS)
In: NENW NWNW Sec 29 T 56N R 05W
The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, 4055 Gov't Way, Coeur
d'Alene, Id. 83814 on or before
DECEMBER 3, 1984.
Ken Dunn, Dir.
Publ. PRT Nov. 15, 1984-21 957

RECEIVED
NOV 27 1984
Idaho Department of Water Resources
Coeur d'Alene, Idaho

RECEIVED

December 17, 1991

US DEPT OF DEFENSE
DEPT OF ARMY
CORPS OF ENGINEERS
PO BOX C-3755
SEATTLE WA 98124

RE: WATER RIGHT NO. 97-07272

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:blm

Enclosure

MICROFILMED

JAN 02 1992

October 17, 1991

US DEPT OF DEFENSE
DEPT OF ARMY
CORPS OF ENGINEERS
PO BOX C-3755
SEATTLE WA 98124

RE: WATER RIGHT NO. 97-07272

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

JAN 02 1992

LICENSE REVIEW CHECKLIST

Permit No. 97-7272

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance

Order to reinstate needed? yes no ☒

Total cfs Limited by fee OK

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per $\frac{1}{4}$? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in $\frac{1}{4}$

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device

W.Master control

Overlap

Water quality

Other

Dates/Misc. -

Water Dist

App Rec'd

Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed ☒ **MICROFILMED**

Comments/Changes to Examiner's Recommendations

JAN 02 1992

License 10-day ☒ 30-day

Back of field report, signed?

Reviewer SCurtis Date 10/15/91 Review time 5 min.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: United States of America Army Corps of Engineers, Seattle District
Current Address: P.O. Box C-3755, Seattle, WA 98124-2255
Permit No. 97-07272
Phone No. 206 764 3666
2. Accompanied by: _____ EXAM. DATE: 6/29/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
JAN 02 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Note pressure, number of sprinklers, etc.)

A twelve inch well, 90 feet deep, with static water level @ 18 feet, a twenty horse power submersible pump and pipeline to two 1600 gallon tanks with pressure system and buried pipe line to Power house, Maintenance Bldg., Office and Visitors center. The power house has five rest rooms and four drinking fountains, the maint. bldg. has two rest rooms and two drinking fountains, the office is a double wide trailer with one rest room four drinking fountains and a kitchenette, the visitors center has four rest rooms and one drinking fountain.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
SUB		50			2"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	NW	29	56N	5W	KOOTENAI	MAP

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
56N	5W	29					D	D											

NOTIFIED

JAN 02 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheet Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$\frac{8.8 (20) 70\%}{0.3 (20) + 18} = 1.66 \text{ fs}$$

$$\frac{200 \text{ gpm PER APP}}{448.8} = 0.44$$

$$0.44 \times 11 \text{ cfs PER APP} = 4.84 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

REST ROOMS 12 (10 gpd) = 120 gpd
 DRINKING FOUNTAINS 6 (10 gpd) = 60 gpd
 KITCHEN 1 (20 gpd) = 20 gpd

(365 days) $\frac{73000}{43560} = 1.7 \text{ AFA}$

MICROFILMED

JAN 02 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

COMMERCIAL USE SAME AS DOMESTIC

THIS RIGHT REPLACES "CONSTITUTIONAL" RIGHT

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	0.11	1.7
Totals:			0.11	1.7

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐


J. AUTHENTICATION

Field Examiner's Name Tom D. King

Signature [Signature]

Certification Date 4/1/90



Field Report Preparation Date 7/2/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


NOT FILMED

JAN 02 1992



MICROFILMED

JAN 02 1992



MICROFILMED


JAN 02 1992

T. 56 N.

T. 55 N.

T 56 N R 5 W Sec 29

SCALE 1:24 000



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 97-07272

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Y ☒ N ☐	Static Water Level:	<u>18</u>
Pressure Gauge:	Y ☒ N ☐	Casing Diameter:	_____
Flowing:	Y ☐ N ☒	Temperature:	_____

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

MICROFILMED

JAN 02 1992

March 9, 1990

U.S. DEPT. OF DEFENSE
DEPT. OF ARMY
CORPS OF ENGINEERS
P.O. BOX C-3755
SEATTLE, WA 98124

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 97-07272

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAR 29 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 97-7272

Date: 3-8-1980

General Considerations:

y Name same as permit
y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

 Surface water
y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
N/A A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: - Not able to locate well log

N/A Priority Calculation:


Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

DEC 1 1989

For Office Use Only
Fee Received CASH
Date 11/28/89
Receipt # N 3482
Receipt by DMH
Reviewed by _____
Sent to region _____



STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 97-7272

United States of America

Name(s) of Permit Holder: U.S. Army Corps of Engineers, Seattle District

Post Office Address: P.O. Box C-3755, Seattle, Washington 98124-2255

ATTN: CENPS-RE-AQ

Telephone No. (206) 764-3666

Source of Water: Ground Water

Extent of Use:

Domestic Albeni Falls (number of households)

Stockwater _____ (number and type of stock)

Dam & Associated Facilities

Irrigation _____ (acres)

Other/Remark Commercial

Total rate and/or volume for which proof is submitted .11 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 4 September 1986

Measuring Device: Required? Yes X No
Installed? Yes X No

Fee enclosed \$ \$50.00

(See License Examination Fee Schedule)

Capacity of installed pump is 200 GPM.

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Actual use is extremely variable but on the average is less than the rate applied for.

Person to contact to accompany the Department representative during the field examination: Also Tom Schmitz

Robert J. Schloss (Project Engineer) or John Coyle (Resource Mgr) (208) 437-3133

(Name)

(Telephone Number)

US Highway No. 2, Albeni Falls, Idaho

Albeni Falls Dam, P.O. Box 310, Newport, Washington 99156-0310

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 29 1990

27 Nov 89

Date

Signature of Permit Holder (and title, if appropriate)

R. J. Schloss
Project Engineer

138864

October 31, 1989

U.S. DEPT. OF DEFENSE
DEPT. OF ARMY
CORPS OF ENGINEERS
P.O. BOX C-3755
SEATTLE, WA 98124

PROOF DUE NOTICE

RE: PERMIT NO. 97-07272

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 29 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 97-7272

Name(s) of Permit Holder(s): US Army Corps of Engineers

Post Office Address: P.O. BOX C-3755 Seattle, Wa

98124, Attn. Real Estate Office Tel. No. (206) 764-3780

☒ I hereby certify that construction of diversion works for the above referenced permit began on 14 August 1984 (date). I understand that I must

continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

18 Jan 85

Date

R. J. Bellows

Signature of Permit Holder

Well is completed. Pump not yet installed.

Albeni Falls Dam

P.O. Box 310

Newport Wz. 99156

PLACE
STAMP
HERE

MICROFILMED

MAR 29 1990



RECEIVED

JAN 21 1985

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 2, 1986

RE: Permit No. 97-7272 & Claim No. 96-4534

Bart J. Wivell
Army Corps of Engineers
P.O. Box C-3755
Seattle, WA 98124-2255

Dear Mr. Wivell:

We have received your letter inquiring about the status of the above referenced water rights from our regional office in Coeur d'Alene. Please be advised that both of these rights are in good standing. We have enclosed copies of each for your records.

Be advised that no further action will be taken on Claim No. 96-4534. Our office retains these documents to record and preserve the information only. The files are available at any time for use by you or the court in the case of a water right problem.

Permit No. 97-7272 was approved and mailed to your office in January, 1985. We have received the commencement of works card which was a requirement of the permit. Once the water system has been fully developed, a proof of beneficial use form should be submitted. You can receive one of these forms by contacting one of our offices. Be advised that you have until January 1, 1990 to submit the proof of beneficial use statement. Our office will notify you 60 days prior to the proof due date that your proof should be submitted.

If you have any further questions regarding these rights, please feel free to contact us.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc
Enclosures

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

March 25, 1986

Mr. Bart J. Wivell
Army Corps of Engineers
P. O. Box C-3755
Seattle, Wa. 98124

Re: 96-4534 and 97-7272

Dear Mr. Wivell:

This Department has approved your Application for Permit and processed your Claim to a Water Right.

A copy of each should have been sent to you by our Boise Office, so I have forwarded your letter to them for further action.

Sincerely,

157
TOM D. KING
Senior Water Resource Agent

TDK/pms

✓ cc: IDWR - State Office - w/enc.

MICROFILMED



REPLY TO
ATTENTION OF

DEPARTMENT OF THE ARMY
SEATTLE DISTRICT, CORPS OF ENGINEERS
P.O. BOX C-3755
SEATTLE, WASHINGTON 98124-2255

Acquisition Branch

MAR 19 1986

RECEIVED
MAR 21 1986

Department of Water Resources
Northern District Office

Department of Water Resources
Northern Region
4055 Government Way
Coeur d'Alene, Idaho 83814

Gentlemen:

We refer to our Application dated 30 October 1984 for Permit to appropriate the public waters of the State of Idaho in connection with Albeni Falls Dam project. The application covered a ground water well to provide domestic water for Albeni Falls Dam powerhouse and shops.

We would appreciate your advising us of the status of our application. If you have any questions, please call Mrs. Linda Vert, telephone 206-764-3666.

Sincerely,

Bart J. Wivell
Chief, Acquisition Branch
Real Estate Division

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

U.S. DEPT. OF DEFENSE
DEPT. OF ARMY
CORPS OF ENGINEERS
P.O. BOX C-3755
SEATTLE, WA 98124

JANUARY 10, 1985

RE: PERMIT NO. 97-7272

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: SK APPLICATION NUMBER: 97-7272

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other PHD

Copies sent by: _____ Date: _____

SK 11/8/84

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 12/3/84
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 11/27/84
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
11/5/84 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RSK Date: 12/10/84

STATE OFFICE REVIEW:

L17 26
☐ See attached sheet for more information.
By: KW Date: 12/18/84

RECEIVED
DEC 18 1984

Department of Water Resources

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

97-7272

U.S. DEPT. OF DEFENSE

DEPT. OF ARMY, CORPS OF ENGINEERS, P.O. BOX C-3755, SEATTLE, WA 98124

Source: GROUNDWATER

Date Filed: 11/05/1984

Diversion Pt: NENW Sec 29 T 56N R 05W

Use: COMMERCIAL (0.11 CFS)
DOMESTIC (0.11 CFS)

In: NENW NWNW Sec 29 T 56N R 05W

MICROFILMED



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

November 8, 1984

Panhandle Health District
2195 Ironwood Ct.
Coeur d'Alene, Id. 83814

Re: 97-7272

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms

Enclosure

ENCLOSURE



DEPARTMENT OF THE ARMY
SEATTLE DISTRICT, CORPS OF ENGINEERS
P.O. BOX C-3755
SEATTLE, WASHINGTON 98124 -2255

October 30, 1984

Purchasing Section

Idaho Department of Water Resources
Northern Region
Route 5, Box 203 - Suite 1
Coeur d' Alene, Idaho 83814

Gentlemen:

Enclosed is Application for Permit to appropriate the public waters of the State of Idaho in connection with Albeni Falls Dam project, together with U. S. Treasurer's Check No. 70,486,345 for \$30.00 for the application fee.

If you have any questions or need additional information, please call Mrs. Linda Vert, telephone 206-764-3666.

Sincerely,

A handwritten signature in cursive script, reading "George Gregory Moen", is written over the typed name.

George Gregory Moen
Chief, Real Estate Division

Enclosures

ENCLOSURE

RECEIVED
NOV 1 1984
Department of Water Resources
Northern District Office