

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Beaver Creek Camp Assn.

Carl Hobson

(Applicant)
586 Kamulani Dr. Kihikihi, HI 96753

Title - Manager of the water system
of Beaver Creek Camp Assn.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No
(☒) () B/U Acknowledgement Letter Sent 2/3/88 (INITIAL & DATE)
() () Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
(☒) () GL Plat
(☒) () Copies of overlapping License Field Report Claim
() () Photo PD/PU
(☒) () Correspondence (Date) 3-14-88
() () Other (List) _____

EXAM COMPLETED BY Torin Hulsvaet DATE 7/12/88
SR AGENT REVIEW _____ DATE 8/4/88
REGIONAL MANAGER REVIEW _____ DATE 6/89
ENTERED ON COMPUTER BY _____ DATE 6/16/89
PRELIMINARY OVERLAP REVIEW BY J King DATE 2-29
() ☒ OVERLAP FOUND
97-2048 D-15



Spring
#1

RECEIVED
FILMED
JUN 26 1989
Department of Water Resources

97-7220



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 97-7220

DATE

INITIALS



Spring
#2

RECEIVED
JUN 26 1989

Department of Water Resources

MICROFILMED

MAR 28 1990

REPORT OF EXAMINER

Permit No. 30283/97-2043

This proof is for b/u & o/w - 2 gpm

In Water District No.

1. Name of applicant: Karl Hobson, 2100 Upper Drive, Pullman, Washington

2. Source of water supply: spring, tributary of Priest Lake

3. Location of point of diversion: Is ^{PROOF - SW corner, Sec. 9, T. 62 N, R. 4 W} near the center of

T. 62 N R. 4 W County of Bonner of Section 9

4. Describe works as they exist, giving dimensions and capacities of same:

PROOF - tile collection system, plastic pipe

Point of diversion is located 5 mi. Sec. 9, T. 62 N - 4 W
 Place of use is NESE Sec. 9, T. 62 N - 4 W

5. Water is used for: drinking, culinary and fire protection

6. State whether or not water has been turned into works of diversion: YES

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

PERMIT - NESE, Sec. 9, T. 62 N, R. 4 W

Recommended costs for domestic purposes

Volume: 005 x 1.98 x 365 = 3.6 AF/YEAR

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: Water from this spring furnishes domestic water
 for approx 15 families and house holds. P.D. is
 located approx 3/4 mi from place of use (West and South)

Collection type box 1 1/2" plastic pipe runs
 down the hill to place of use. 1/2" line taps
 off main line for other homes


MICROFILMED

MAR 28 1990

This examination was made on the day of

(Signed)

97 2043



PERMIT HOLDER BEAVER CR. CAMP PERMIT # 97-7220
P D TWP 62N RGE 4W SEC 9 - GL8
9 - SWSW
P/U TWP _____ RGE _____ SEC 9 - NESE
SOURCE SPRINGS TRIBUTARY TO PRIEST LAKE
MAP PLOT 341 IRR. ACRES — USGS QUAD B-4 SCALE _____

MICROFILMED
MAR 28 1990

116°52'30"
48°45'

5399000m.N.


5398

5397

5396

5395

42'30"



PERMIT HOLDER BEAVER CR. CAMP PERMIT # 97-7220

P/D TWP 62N RGE 4K1 SEC 9-GL8
9-SW5W

P/U TWP RGE SEC 9-NESE

SOURCE SPRINGS

TRIBUTARY TO PRIEST LAKE

MAP PLOT 34 IRR. ACRES

USGS QUAD B-4 SCALE 7 1/2 mi

MICROFILMED

MAR 28 1971

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 97-7220

Name(s) of Permit Holder(s): Beaver Creek Camp Assn.

Post Office Address: 10 Earl Hobson - 586 N. Main Dr. Ketchikan,
Hi, 96753 or Nordman, Idaho Tel. No. (808) 899-1466

☒ I hereby certify that construction of diversion works for the above referenced permit began on June 1958* and Oct. 1972** (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

April 9, 1983
Date

Earl Hobson
Signature of Permit Holder

*Upper spring. **Lower spring. (Dates are approximate.)

Construction completed & water used many years.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X

(Applicant)

Title -

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07220

Priority: December 13, 1982

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:¹

3.6 AF

This is to certify, that BEAVER CREEK CAMP ASSN.

P.O. BOX 464

NORDMAN, ID 838480000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 13, 1982; and has submitted Proof of Beneficial Use on December 30, 1987. An examination indicates that the works have a diversion capacity of .010 cfs of water from:

SPRINGS

tributary to **PRIEST LAKE**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 9, Township 62N, Range 04W
LOT 8(SESE), Sec. 9, Township 62N, Range 04W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

62N 04W 9 LOT 8(NESE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 26 homes.

MICROFILMED

MAR 28 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07220

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of FEBRUARY, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

MAR 28 1990

REC

FEB 7 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

Department of Water Resources

WATER RIGHT NO. 97-07220

Date of Priority: December 13, 1982

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:¹

3.6 AF

Comes now

BEAVER CREEK CAMP ASSN.

P.O. BOX 464

NORDMAN, ID 838480000

and represents to the Director of the

APPROVED

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 97-07220, and requests that the permit be changed as follows:

Source: SPRINGS

tributary to PRIEST LAKE

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

ANNUAL VOLUME

DOMESTIC

01/01 to 12/31

0.01 CFS

3.6 AF

LOCATION OF POINT(S) OF DIVERSION:

LOT 8(SESE), Sec. 9, Township 62N, Range 04W
BONNER County

PLACE OF USE: DOMESTIC

TWN RGE SEC

62N 04W 9 LOT 8(NESE)

MICROFILMED

MAR 26 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Nordman ID, this 30th day of January, 1990.

Harry H. Batley Jr.
(Signature)
for Beaver Creek Camp Assn.

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 97-07220

FOR DEPARTMENT USE ONLY

Preliminary check by LCW Fee = \$20.00 ✓

#C014463
Received by J. Davis Date 2/7/90

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 97-07220 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 26 homes.

Witness my hand this 28TH day of FEBRUARY, 1990.

R. Keith Higginson
Acting for R. Keith Higginson, Director



3/m

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Beaver Creek Camp Assn. Phone _____

Post office address % Karl Hobson - 586 Kūmūlani Dr. Kīhei, HI. 96753

2. Source of water supply Springs (2) which is a tributary of Priest Lake

3. Location of point of diversion is GL8 ~~1/4~~ of Section 9 Township 62N

Range 4W B.M. Bonner County, additional points of diversion if any: _____

SWSW, Sec 9, T62N, R4W

4. Water will be used for the following purposes:

Amount 0.23 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.11 for Fire Protection purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.11 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Developed spring with gravity flow pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 9 Township 62N

Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____


(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 26.

(5) If water is to be used for other purposes describe: _____

[illegible]

I am a member of the Brevard Club

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Beaver Creek Camp Assn.
s/ Tart Hobson
(Applicant)
586 Kamulani Dr. Kilauea, HI 96753
Title - Manager of the water system
of Beaver Creek Camp Assn.

Received by Date 12/13/82 Time 1:45 PM
Preliminary check by AK Fee \$ 15.00
Received by Date 12/13/82 (2758)
Publication prepared by Date 12/16/82
Published in
Publication dates 12/08 - 30/82
Publication approved Date 1/5/83
Protests filed by:
Copies of protests forwarded by
Hearing held by Date
Recommended for approval denial by

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 97-7220, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete. The issuance of this permit in no way grants any right-of-way or easement across the land of another. An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 30th day of January, 1983.

D. Allen Saylor
Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

Pete Thompson

Publisher

being duly sworn, says that he is the
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been
continuously and uninterruptedly published in said County during
a period of 78 consecutive weeks prior to the first publication of
the annexed notice for publication, is a newspaper of general cir-
culation made up of at least eight pages of at least seven columns
each, printed from typematter or stereotyped forms of at least
nineteen and three-fourths inches depth, has at least 1250 bona fide
subscribers living within said Bonner County, and is published at
regular weekly intervals. That the annexed is a true copy of the
notice for publication in the case of

Dept. of Water Resources #96-8126, 97-7220

as it was published in the regular and entire issue of said paper
for a period of two consecutive weeks, commencing on
the 23rd day of December, 1982,
and

ending on the 30th day of December, 1982,
and that said notice was published in said newspaper proper, and
not in supplement form.

Pete Thompson

Subscribed and sworn to before me this

30 day of December, 1982

Adell M Thompson

Notary Public for Idaho,

Residing at Priest River, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The following applica-
tion(s) have been filed to ap-
propriate the public waters
of the State of Idaho:

96-8126

IRISH, FLOYD
RT. 1 BOX 247, SAGLE, ID
83860

Source: SPRING tributary
to PEND OREILLE RIVER
Date Filed: 12/08/1982

Amount: 0.18 CFS
Diversion Point: SWSW Sec
22 T 56N R 03W, BONNER
Co.

Use: IRRIGATION (0.06
CFS) from 03/15 to 11/15
STOCKWATER (0.02 CFS)
from 01/01 to 12/31

DOMESTIC (0.10 CFS) from
01/01 to 12/31

Place of Use: SWSE Sec 21 T
56N R 03W SWSW Sec 22 T
56N R 03W NENE SWNE Sec
28 T 56N R 03W FOR 4
ACRES

Diversion Means:
DEVELOPED SPRING,
RESERVOIR, PUMP AND
PIPE.

97-7220

BEAVER CREEK CAMP
ASSN.

C/O KARL HOBSON 586
KUMULANI DR., KIHAI,
HI 96753

Source: SPRINGS tributary
to PRIEST LAKE

Date Filed: 12/13/1982

Amount: 1.11 CFS

Diversion Point: LOT 08
SWSW Sec 09 T 62N R 04W,
BONNER Co.

Use: DOMESTIC (0.23 CFS)
from 01/01 to 12/31

FIRE PROTECTION (1.11
CFS) from 01/01 to 12/31

Place of Use: NESE Sec 09
T 62N R 04W

Diversion Means:
DEVELOPED SPRINGS
WITH PIPE.

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with
the Director, Dept. of Water
Resources, 4055 Gov't. Way,
Coeur d'Alene, Id. 83814 on
or before JANUARY 10,
1982.

KEN DUNN, Dir.

Published Priest River
Times 12/23 & 12/30/82. 66

RECEIVED
JAN 3 1983

Department of Water Resources
Northern District Office

March 1, 1990

BEAVER CREEK CAMP ASSN.
P.O. BOX 464
NORDMAN, ID 838480000

RE: PERMIT NO. 97-07220

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 26 1990

January 23, 1990

BEAVER CREEK CAMP ASSN.
P.O. BOX 464
NORDMAN, ID 838480000

RE: PERMIT NO. 97-07220

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.


If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure



POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9707220	62N	04W	9		8 SPRINGS		BEAVER CREEK CAMP AS
				NO MATCHES FOR THIS POD			
9707220	62N	04W	9	SW SW	SPRINGS		BEAVER CREEK CAMP AS
9702048					SPRING		HOBSON, KARL
9707285					GROUNDWATER		BEAVER CREEK CAMP AS

MICROFILMED

MAR 28 1980

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No

PERMIT 97-7220

(☒) () B/U Acknowledgement Letter Sent 2/3/88 (INITIAL & DATE)

() (☒) Aerial Photo Date Requested _____ by _____

(☒) () Quad Sheet

(☒) () GL Plat

(☒) () Copies of overlapping License Field Report Claim

() () Photo PD/PU

(☒) () Correspondence (Date) 3-14-88

() () Other (List) _____

EXAM COMPLETED BY J. Sullivan

DATE 7/12/88

SR AGENT REVIEW

DATE 2/4/88

REGIONAL MANAGER REVIEW

DATE 6/89

ENTERED ON COMPUTER BY


DATE 6/16/89

PRELIMINARY OVERLAP REVIEW BY J. King


DATE 2-29

() ☒ OVERLAP FOUND

97-2048 D-15



Spring
#1



97-7220



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 97-7220

DATE

INITIALS



Spring
#2

JUN 20 1988

Department of Water Resources

MICROFILMED

MAR 28 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 14, 1988

Beaver Creek Camp Assn.
P. O. Box 464
Nordman, Id. 83848

Re: 97-7220

Dear Water User:

The final stage in developing a licensed water right requires that the water system be examined by an authorized examiner. Due to the size of your system, it will be necessary for you to provide this office with a map of the existing system prior to the scheduling of the examination. This map must show the location of the point of diversion, reservoirs (if any), and each individual user. This map must also show the approximate location and size of the main line and laterals.

I am enclosing an example of a map for your information.

If you have any questions or require assistance, please contact me at this office.

Sincerely,

Tom D. King
TOM D. KING

Senior Water Resource Agent

TDK/pms

Enc. - Map

RECEIVED

MAR 24 1988

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

DEPARTMENT OF RECREATION
BOISE, IDAHO

REPORT OF EXAMINER

Permit No. 30283/97-2043

This proof is for b/u & o/w - 2 gpm In Water District No.

1. Name of applicant: Karl Hobson, 2100 Upper Drive, Pullman, Washington

2. Source of water supply: spring, tributary of Priest Lake

3. Location of point of diversion: is near the center of Sec. 9, T. 62 N. R. 4 W. of Section 9

T. 62 N. R. 4 W. County of Bonner

4. Describe works as they exist, giving dimensions and capacities of same:

PROOF - tile collection system, plastic pipe

Point of diversion is located under Sec. 9, T. 62 N. R. 4 W.
Place of use is NE 1/4 Sec. 9, T. 62 N. R. 4 W.

5. Water is used for: drinking, culinary and fire protection

6. State whether or not water has been turned into works of diversion: YES

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

PERMIT - NE 1/4 Sec. 9, T. 62 N. R. 4 W.

Estimated cost of tile collection system

Volume of water: 0.005 x 1.98 x 365 = 3.6 AF/year

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: Water from this spring furnishes domestic water for approx. 15 families and household. P.O. is located approx. 3/4 mi. from place of use (West and South)

Collection type box 1 1/2" plastic pipe run down the hill to place of use. 1/2" line taps off main line for other homes

MICROFILMED

MAR 28 1990

This examination was made on the day of

(Signed)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 97

1. Owner: Beaver Creek Camp Assn. Phone No.

Current Address: P.O. Box 464 Nordman Id 82898

2. Accompanied by: Harry Batey EXAM. DATE: 7/11/88

Address: P.O. Box 464 Nordman Phone No.

Relationship to Permit Holder: Partner

3. Source: 2 Springs tributary to Priest Lake

B. OVERLAP REVIEW

1. Other water rights with same place of use: 97-2048 JK

☐ Copies Attached

2. Other water rights with same point of diversion: 97-2048 JK

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" =

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
JUN 26 1989
Department of Water Resources

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two springs: #1 collected by file collection system into

A collection of ink/ plastic and thin by buried pipes to

~~a central diversion point near the second spring/lake~~

#2) Seep that is collected in cisterns and

pumped to ~~the~~ gal pres/storage tanks. The water

is then distributed to 36 horses.

☐ See Remarks on page 4 for continuation

						Wall or Division
--	--	--	--	--	--	------------------

Well or Division Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No or Discharge Size
--------------------------------------	------------	----	------------------	-----------	----------------------------------

Spring #2	Sears	1	7884	Seas	11
-----------	-------	---	------	------	----

					c
--	--	--	--	--	---

--	--	--	--	--	--

--	--	--	--	--	--

Code to correspond with No. on map and aerial photo

 (Signature of Director)

Ident. No.	Gov. Lot	%	%	%	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
------------	----------	---	---	---	------	------	------	--------	---------------------------------

#1	SE 5W	9	62N	4W	Bonner	AWD
----	-------	---	-----	----	--------	-----

#	1048	IS	IS	9	NS	4	Boiler	MAP
---	------	----	----	---	----	---	--------	-----

[illegible][illegible]

Place(s) of Use:	Indicate Method of Determination
	AWP

Twp.	Rge.	Sec.		NE½	NW¼	SE½	NW¼	SW¼	SE½	NW¼	SW¼	SE½	NW¼	SW¼	SE½	Total
				NE½	NW¼	SE½		SW¼	SE½			SE½				

[illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible]

CONFIDENTIAL

MAR 28 1990

Do not use this space

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS


☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Spring #1 (bucket/stopwatch) 1 gal / 88 sec = .68 gal/min
= .002 cfs
Spring #2 by 1" rise in bur^{test} cistern.
1.2 gal/min
= .003 cfs



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Q spring 1 + Q spring 2 = .005 cfs

(.002) + (.003) = .005 ∴
Q = 0.01 cfs
JK

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

V_{I.R.} = (Acres Irrigated) x (Irrigation Requirement) = _____

V_{D.R.} = [Diversión Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = _____

V = Smaller of V_{I.R.} and V_{D.R.} = _____

2. Volume Calculations for Other Uses:

.005 cfs x 365 x 1.984 = 3.6 cfs

MICROFILMED

MAR 28 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Spring #1 of this application is the same as the spring in water license # 97-2098 not to exceed .05 cfs from both springs or 3.6 acfs fed annually. Spring #1 is not in the 40 acre tract described in license # 97-2098 and where they say it is on this application - It is not in the SW 3/4 SW 3 & 9, but the SE 1/4 SW 3 & 9.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic	1/1 12/31	~~0.05 cfs~~ JK	3.6 afa
Totals:		~~0.05 cfs~~ JK	3.6 afa

J. AUTHENTICATION

- Recommended Amendments**
- ☒ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☐ Other

☐ None

CONUS

Field Examiner's Name	Signature	Certification Date	Field Report Preparation Date
-----------------------	-----------	--------------------	-------------------------------

K. Licensing recommendation shall be prepared by an Idaho Department employee on a computer printout attached hereto.

employee on a computer printout attached hereto.



May 21, 1988

Beaver Creek

PO Box 464

Ordman ID

83848

Department of Water Resources

Mr Tom D King

Senior Water Resource Agent

Department of Water Resources

Colet & Alene ID 83814

RECEIVED

MAY 22 1988

Department of Water Resources
Northern District Office

Dear Sir

I have enclosed all of the information about #97-7220 that I can assemble. The snow is now gone at the upper spring.

Please contact me for scheduling the examination. Only mail contact works well. A phone call to Wm F. Schultz 443-2125 will lead to a CB relay for "Beaver Lodge" will usually work. I'll wait for further word.

MICROFILMED

MAR 28 1990

Sincerely

Harry Batey

Harry Batey

for The Beaver Creek Camp Association

B C C A WATER SYSTEM

Upper spring cistern (tank):

One inlet pipe - perforated

Three outlets:

Upper - the overflow

Middle - the main line down to BCCA

Lower - the drain line

14 ft. down the ditch from the tank is the valve that opens the drain line.

28 ft. down from the the tank is the first valve on the main line. This is closed when tank is being cleaned.

90 ft. down the ditch is the overflow valve which is also closed to cut off the water in the main line to keep debris out of the main line when the tank is being cleaned. The screen must be kept on the overflow exit.

Coming down the trail, it makes a 90 degree turn to the left near a marked cedar tree. 220 ft. back up the trail from that turn is where the main line comes into the trail and continues down under or beside the trail to the road.

The main line crosses the road by the culvert, and from there on down its general course is indicated by small red flag-markers on trees.

There is a buried valve just before the main line reaches the campground parking circle, but its exact location is not marked.

Where the main line crosses the campground parking circle, there is a potential leak due to a patched fracture in the pipe - exact spot is unknown.

The main line has a final valve on federal land 45 ft. southwest of Valve Box 1 (on BCCA property). The box containing the valve also contains a smaller valve which controls the line running to the Hobsons, Hammarlunds and Wells.

Valve Box 1

This the first one on BCCA property. It closes the water from the upper spring from going into the pump-house line and prevents the pump-house water from entering the main line from the upper spring. When this is closed, BCCA gets no water from the pump houses - only from the upper spring.

Valve Box 2

This is at a point 115 ft. down the Simpson road from the north side of the four corners and 90 ft. east from the east side of the Simpson road for 59 ft. There are 2 valves in the box. Don't touch the smaller valve. The larger valve is on the main line and cuts off the main line. There is a T here, and it takes off in a one-and-a-half inch line north to the junction boxes in the slough (Valve Boxes 6a, 6b, 6c.

6d).

Valve Box 3

This is 19 ft. east of Valve Box 2. It contains the three-quarter inch lead off from the main line for the Simpson, Wood and King cabins.

Valve Box 4

This is 10 ft. east of Valve Box 3 and contains the three-quarter inch lead off from the main line to the Wagner, Short and Nyman cabins.

This branch of the main line ends here.

Valve Box 5

★ This is a foot north of Valve Box 4 and contains the lead-off to the faucet in the slough behind Gustho. At the faucet a three-quarter inch line extends to Gustho with a one-half inch line to Schreibers and Bateys.

Valve Boxes 6a, 6b, 6c, 6d (from south to north)

6a is just a stand pipe. 6b contains the junction of the line from Valve Box 2 and the one-and-a-half inch line toward the north that supplies most of the water for all BCCA cabins to the north. 6c contains the valve for the three-quarter inch line to the Hilty and Elder-Klopfer cabins. 6d contains the valve for the old one inch line which crosses Beaver Creek 138 feet west of the southwest corner of the bridge and re-enters the one-and-one-half inch main line at the Castleberry-Harwood road and at Valve Box 18. This old line serves the Steiner cabin.

Valve Box 7 (Potential)

This will be 5 feet 5 inches north of the iron stake marking the NW corner of the big Agar lot. It is on the west side of the road running north from the 4 corners to Beaver Creek. There is a plugged T for this line to the Agar cabin.

Valve Box 8

This is 106 feet north on the road from potential Box 7 and 38 feet west at ninety degrees and is where the Steiner line takes off from the old one inch line.

Valve Box 9

This is 33 feet south of the bridge and contains the valve for the McCall cabin.

Valve Box 10

The eastern-most valve controls the water to the Terry, Zimmerman and (eventually) Steiner cabins. The western-most valve controls the water for the cabins north of Beaver Creek (with the exception noted under Valve Box 11).

Valve Box 11

This cuts off the water to all the cabins to the north (except for the old one inch line which becomes three-quarter inch up the line somewhere).

Valve Box 12

This controls the lines to lots 25 and 26. It is just opposite the road into 25 and 26. There is also a plugged T for a drinking fountain at the NE corner of the tennis court. The north valve controls lot 25 and south valve, lot 26.

Valve Box 13

Just south of this box in the middle of the road is a T and an iron stake. They are 43 feet from this box 13 and 43 feet from potential box 15 (the T for the Stevensons). There is a junction in this box 13 for the old line (now three-quarter inch) and a three-quarter inch line down to the T in the middle of the road, controlled by a valve, and there is also a three-quarter inch line up to the valve box 14, controlled by a valve.

Valve Box 14

This is the line into Harwoods.

Valve Box 15 (potential)

There is a T here for the Stevenson lots.

Valve Box 16 (potential)

This is the future take-off for the Wagner lot. It is 26 feet west of valve box 17.

Valve Box 17

This is the take-off for Castleberrys and is 30 feet west of valve box 18 and on the north side of the road.

Valve Box 18

This contains the controls for the Rutherford, Bob Hungate and Dick Hungate cabins. The one farthest east is for Dick Hungate and the one to the west is for Rutherfords and Bob Hungate. The old line (now three-quarter inch) enters the main line here also.

MICROFILMED

MAR 28 1990

Procedure for Periodic Cleaning of Upper Cistern

1. At cistern, walk down the main line 14 feet and open the drain valve, then 14 more feet and close the valve there (the main line), and then walk 68 more feet (90 feet from the cistern) and close the valve there so that after the cleaning, water will run out overflow.
2. Gas pump and cistern key are located in Simpson's garage. Mix is 1:25. The padlocks need plastic covering for winter.
3. Install hoses to pump, silver to top, gold to bottom. Prime the pump if necessary.
4. Remove plastic cover and top of cistern. Keep top aligned for re-installation.
5. Inspect cistern for sand and iron residue. The drain is the bottom outlet, the overflow is at the top, and the water line is the middle outlet.
6. Hose out the sand and wipe sides of cistern. Pump throttle can be clamped at desired speed. Note the choke and STOP button on pump. Hip boots are useful for standing in the cistern and a pair are hanging with other supplies in Simpson's garage. Insert the hose up the line from the cistern to clean out additional sand.
7. While cistern is refilling up to the level of the intake pipe, prepare Clorox solution: 2 oz. mixed with a pan of water.
8. Restart pump to clean out remaining debris; pan out floating needles.
9. Replace cistern cover and in late fall, lock it up.
10. Replace plastic cover sheet and secure with rope.
11. Replace pole coverings (bear "trap").
12. Close the drain valve 14 feet down ditch from cistern and open the valve which is 28 feet down the ditch from the cistern. As soon as the cistern has filled to the overflow outlet (in the cistern), water should then flow out the overflow (90 feet down ditch from cistern).
13. Close overflow valve as soon as overflow runs clear.

RECEIVED
MICHIGAN DEPT. OF
NATURAL RESOURCES

MAR 28 1920

5

Procedure for Cleaning Lower Spring (#2)

1. This should be done about once every two years.
2. Turn on switch if it is off.
3. Close valve to main line (about 50' up fence toward road). It is marked number 1 on the stake.
4. Open drain valve at SW corner, outside.
5. Remove the half-cover nearest the door.
6. Draw water down to bottom of intake pipe with pump hose.
7. Turn pump off--don't run pump while scooping sand from bottom.
8. Place ladder in well (wear Simpson's tall rubber boots).
9. Enter well; shovel sand into bucket; pull up bucket by rope and dump sand. Probably 8 to 10 half buckets should be sufficient.
10. Put one-half pint of Clorox in one-half bucket of water and with a stiff brush scrub the walls of the entire well casing. Remove ladder.
11. Allow well to fill to overflow and draw down with pump as above and pour in another one-half pint of Clorox; let tank fill to overflow again.
12. Repeat #11 (omitting the Clorox) until water is pure and clear (probably 3-4 times).
13. Close overflow valve at SW corner.
14. Open valve to main line.
15. Replace cover.

MICROFILMED

MAR 3 4 1960

WINTERIZING THE PUMP IN THE NEW PUMP HOUSE

1. Close valve in valve box 1. This isolates both pumps and leaves water to the cabins from the mountain spring.
2. Turn off power to pump (pump switch in box).
3. Open valve 13 (a faucet) to drain the two tanks. The line ends in the ditch back of the old pump house.
4. Open pet cock 15 below the pump.
5. Open priming valve 2.
6. Unscrew 17 and drain water out (this is the tube to pressure switch).
7. Be sure valves 2, 3 and 6 are left open and also valves 12 and 14 draining the old pump.

ACTIVATING THE GENERATOR

1. Lift the Line-Power Generator Switch to Generator. This stops power from Northern Lights.
2. Plug in the cord from the box into the generator on the left side (240 volts).
3. Start generator. There is a stop and start switch on the motor and a choke lever.

CAUTION--OUTSIDE DOOR MUST BE LEFT OPEN.

MICROFILMED

MAR 28 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 97-7220

Name(s) of Permit Holder(s): Beaver Creek Camp Assoc.

Post Office Address: 16 Earl Hobson - 586 Main Lane Dr. Ketchikan,

HI, 96753 or Nordman, Idaho

TEL. NO. (808) 879-1466

☒ I hereby certify that construction of diversion works for the above referenced permit began on June 1958* and Oct. 1973** (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.



April 9, 1983
Date

Earl Hobson
Signature of Permit Holder


*Upper spring. **Lower spring. (Dates are approximate.)

Construction completed & water used many years.

Beaver Creek Camp area
Earl Johnson
586 Kumulani Drive
Elihi, HI 96753



RECEIVED



APR 14 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

MAR 28 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

FEBRUARY 3, 1988

BEAVER CK CAMP ASSN
P.O. BOX 464
NORDMAN, ID 83848

RE: Permit No. 97-7220

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

MAR 07 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 97-7220

Date: 1-14-1988

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change y If yes, prepare a data entry
y Proof received timely
N/A Reinstated

Source of Water:

y Surface water
Groundwater
1. well log in file
2. drilling permit
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

✓ Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

y Is a measuring device or access port required?
y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

N/A Priority Calculation:
Date proof received _____
Date proof due _____ + _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
DEC 30 1987
NO V Rec'd (D.T.B.)

STATE OF IDAHO
Department of Water Resources DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by _____

Sent to region 1-11-88

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 97-7220

Name(s) of Permit Holder: Beaver Creek Camp Association

Post Office Address: PO Box 464, Nordman ID 83848

Telephone No. none

Source of Water: Two springs Sect 9 Twp 62N Range 4W BM

Extent of Use:

Domestic 26 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.035 cfs (15.9 gpm - pump output)

Show the date water was first diverted and beneficially used under this permit: January 20, 1983

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ none
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Harry H. Batey none
(Name) (Telephone Number)

PO Box 464 Nordman ID 83848
(Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 07 1988

December 25, 1987 Harry H. Batey Jr Winter Water Commissioner
Date Signature of Permit Holder (and title, if appropriate)

November 24, 1987

Katherine M. Batey, Pres.
Beaver Creek Camp Association
P. O. Box 464
Nordman, ID 83848

Dear Ms. Batey:

Re: Permit No. 97-7220

Pursuant to your letter of November 16, 1987, enclosed is a copy of the water right permit. It is for this water use, the department would like to be advised of the extent of development.

For your convenience, I enclosed another set of forms. Please note that one of these forms should be returned by January 1, 1988.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 07 1988

BEAVER CREEK CAMP ASSOCIATION, INC.

P. O. BOX 464

NORDMAN, IDAHO 83848

Department of Water Resources

11 November 1987

Rita Fleck
Secretary / Records Manager
Re: Permit No. 97-7220

Dear Ms Fleck:

I have just received. (9 Nov) your certified letter sent 31 October 1987 regarding permit 97-7220. You had sent the letter to Beaver Creek Camp Association in care of Karl Hobson in Hawaii. Mr. Hobson died in April, 1986. Any previous communication with you Mr. Hobson would have had about a "last approved extension" has been lost or destroyed. Would you please bring us up to date on this matter. We must have information from prior contacts Mr. Hobson had with you
over please

MAR 07 1988

office about our permit before
we can complete the form you
sent 5 November about Proof
of Beneficial Use.

Sincerely,

Katharine M Batey, President
Drauer Creek Camp Assn.

FILED

MAR 07 1988

Batey
Box 464
Nordman ID
83848



USA
22



Reticulated Helmet

Ms. Rita Fleck
Secretary/Records Manager
Department Water Resources
State house
Boise, Idaho 83720

138088
CERTIFIED MAIL
October 31, 1987

BEAVER CREEK CAMP ASSN.
C/O KARL HOBSON
586 KUMULANI DR.
KIHEI, HI 96753

PROOF DUE NOTICE

RE: Permit No. 97-7220

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 07 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BEAVER CREEK CAMP ASSN.
C/O KARL HOBSON
586 KUMULANI DR.
KIHEI, HI 96753

FEBRUARY 01, 1983

RE: PERMIT NO. 97-7220

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

RE: PERMIT 97-7220

PAGE 01
FEBRUARY 01, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 97-220

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 1/10/83

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/3/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☒ Yes ☐ No

Measuring device required.

- ☒ Yes ☐ No

Access port required.

- ☒ Yes ☐ No

Will water be delivered by watermaster? If yes, what district? _____

- ☒ Yes ☐ No

Date of priority recommended. _____

Special conditions of approval or cover letter. _____

By: RMA

Date: 1/12/83

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: [Signature]

Date: 1/18/83

RECEIVED
JAN 17 1983

IDENT. NO. 97-7220

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG[illegible]

97-7220-

BEAVER CREEK CAMP ASSN.

C/O KARL HOBSON, 586 KUMULANI DR., KIHAI, HI 96753

Source: SPRINGS tributary to PRIEST LAKE

Date Filed: 12/13/1982

Amount: 1.11 CFS

Diversion Point: LOT 08 SWSW Sec 09 T 62N R 04W BONNER Co.

Use: DOMESTIC	(0.23 CFS)	from 01/01 to 12/31
FIRE PROTECTION	(1.11 CFS)	from 01/01 to 12/31

Place of Use: NESE Sec 09 T 62N R 04W

Diversion Means: DEVELOPED SPRINGS WITH PIPE.

5 Humuhani Drive
Kilahe, HI 96753
Dec. 10, 1982

Mr. Tom D. King
Senior Water Resource Agent
Idaho Department of Water Resources
4055 Government Way, Suite No. 1
Coeur d'Alene, Idaho 83814

Dear Mr. King:

I certainly appreciate your help in getting the water rights for Beaver Creek Camp Assn. shipped up. I agree with all the suggestions you made in your letter of December 1 and I have included them in the enclosed application. A \$65⁰⁰ check is attached to cover the filing fee.

If there is anything else that we need to do, please let me know.

Sincerely Yours,
Karl Hobson, Manager
Beaver Creek Camp Water System

RECEIVED
DEC 13 1982
Department of Water Resources
Northern District Office



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~Stephen Alred~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

December 1, 1982

Mr. Karl Hobson
Beaver Creek Camp Assn.
586 Kumulani Dr.
Hihei, HI 96753

Dear Mr. Hobson:

Once a license is issued, the water right it represents becomes appertinent to the property regardless of who owns the property. This Department does not, at this time, have a method of changing the names on a license once it has been issued.

I have filled out the portions of the application for which you supplied information, but there are still a few questions remaining. Since your original license is for 0.004 cfs from one spring and since you plan to serve 26 homes, I feel you should apply for an additional amount from the first spring. If you agree, under Item No. 2, correct the source to read "Springs (2)", and under Item No. 3, after "additional points of diversion if any;" list the legal description of the upper spring, which is, according to License No. 97-2048, SWSW, Sec. 9, T62N, R4W.

Five hundred gallons per minute equates to 1.11 cfs, but this Department would probably not approve a permit for 26 homes with a diversion rate of more than 0.23. The Department probably would, however, approve a rate of 1.11 cfs for fire protection. Please complete Item No. 4 by listing the rate of flow you desire for fire protection (do not exceed 1.11 cfs). Item No. 5a is the total of all uses listed in Item No. 4, but again not to exceed 1.11 cfs, (you could have a rate of 0.23 cfs for domestic and a rate of 1.11 cfs for fire protection and a total rate of 1.11 cfs).

I am enclosing a set of instructions to aid you in completing Item No. 11 and for calculating the filing fee. Please sign the application, list your title and return the application to this office with the appropriate filing fee. If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms
Enc. - Application
Instructions

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Beaver Creek Camp Assn. Phone _____

Post office address 1/2 Karl Hobson - 586 Kumulani Dr. Kikei, Hi. 96753

2. Source of water supply Spring which is a tributary of Priest Lake

3. Location of point of diversion is GL8 ~~1/2~~ of Section 9 Township 62N

Range 4W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.23 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for Fire Protection purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Developed spring with gravity flow pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 9 Township 62N

Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 26.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. 97-2048

This is an expansion


9. a. Who owns the property at the point of diversion Assoc - Members

b. Who owns the land to be irrigated or place of use *Assn- Members*

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X

(Applicant)

Tiello

Received by _____ Date _____ Time _____

Preliminary check by _____ Fee \$ _____

Receipted by _____ Date _____

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved _____ Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

586 Kumulani Drive
Kihei, HI 96753
November 23,

RECEIVED

NOV 29 1982

Mr. Tom D. King, Senior Water Resource Agent
Idaho Department of Water Resources
4055 Government Way, Suite 1
Coeur d'Alene, Idaho 83814

Department of Water Resources
Northern District Office

Dear Mr. King:

Thank you very much for your prompt reply to my letter of Nov. 10.

Since writing you I discovered that I do have the original copy of the license of water right for our upper spring. A copy is enclosed.

We may need to file for a water right for the lower spring also. The water originally rose to the surface on our property as a swamp and the water reached Priest Lake by underground seepage. We intercepted the water flow just above the swamp and allowed all of the water we didn't need to escape into a ditch which took the overflow to the lake. Since the excess water does not seep back into the ground, I presume that we need to file for a water right.

Assuming that the form for license of water right is similar to the one issued to me on May 29, 1973 for the upper spring, I judge that the following information is what you will need for an application for the lower spring:

Beaver Creek Camp Association, care of Karl Hobson, 586 Kumulani Drive, ^{HI} 96753.

Kihei 4/11/64

Works capacity of 500 gallons per minute. (I'll leave it to you folks to calculate the cfs.)

From an unnamed spring (we call it the lower spring), tributary of Priest Lake.

For domestic use and fire protection.

Water to be diverted within parts of Government Lot No. 8, Sec. 9, Twp. 62N, Rge. 4W, BM, County of Bonner

If you need more information on this, let me know and I will be glad to supply it.

I have one more question and this applies to the upper spring. I would like to transfer this license to our Association: Beaver Creek Camp Association. How do I go about making this transfer?

Sincerely yours,

Karl Hobson

Karl Hobson

P.S. The lower spring was developed in October, 1972.

Copy

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 30283/97-2048 Priority Nov. 6, 1961 Amount 0.004 cfs

THIS IS TO CERTIFY, that KARL HOBSON
of Pullman, Washington, has complied with the terms and conditions of Permit
No. 30283/97-2048 issued pursuant to Application for Permit dated November 6, 1961
and has submitted proof to the Department of Water Administration on November 7, 1966
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.004 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from an unnamed spring
tributary of Priest Lake, is hereby confirmed in the following amounts:
Amount 0.004 cfs for Domestic from Jan. 1 to Dec. 31 (both dates inclusive)
Amount 0.004 cfs for Fire Protection from Jan. 1 to Dec. 31 (both dates inclusive)
Amount _____ for _____ from _____ to _____ (both dates inclusive)
Subject, however, to the condition that no more than 0.004 cfs of water be diverted at
any one time, said waters to be diverted within the _____
SW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 9, Twp. 62 N, Rge. 4 W, B. M.
in the county of Bonner; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 3.2 acre feet per year ~~xx~~ for
domestic use. ~~xxxxxx~~

Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
62 N	4 W	9													X				

Total number of acres irrigated _____

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of
May, 19 73.


Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~G. Stephen Allen~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

November 15, 1982

Mr. Karl Hobson
586 Kumulani Dr.
Kihei, HI 96753

Dear Mr. Hobson:

The filing deadline of June 30, 1983, is for those rights to appropriate the public waters of the State of Idaho, which have never been filed with this State.

If you have received a license on the "upper spring" from this Department, then that right is filed with this Department

If the water from the "lower spring" rises to the surface on your property and sinks back into the ground without crossing a property line, the water is considered to be private water and not subject to the filing requirements of public waters.

I hope this answers your questions. If we can be of any further assistance, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

586 Kumulani Drive
Kihei, HI 96753
Nov. 10, 1982

RECEIVED
NOV 15 1982

Department of Water Resources
Northern District Office

Northern Region
Idaho Dept. of Water Resources
Route 5, Box 203
Coeur d'Alene, Idaho 83814

Dear Persons:

Last August, while in Idaho, I called your office and talked with One of your men regarding water rights for the Beaver Creek Camp Association. Our Association has 54 acres at the northern end of Priest Lake. On this acreage our members now have 21 cabins. Five more lots remain to be developed.

In the late 1950's I developed a system to supply water to the cabins of members. The system went into operation in 1961. In recent years we have been supplying water for household use to 20 cabins. Our load will not exceed 26 cabins when all the lots are fully developed.

The first source of water we used was from a spring I developed from a small swampy area on Forest Service land on the mountainside 2,200 feet from the edge of our Association property. The spring was at an elevation of 135 feet above lake level. This source served us quite well in the early years.

While we were developing this system I applied to the proper Idaho department for a water use permit. Several years later the system was inspected and a permanent permit was issued. Copies of these documents are in a file in my son's cabin at Priest Lake. I plan to be there by mid-June next summer. I can produce the documents at that time if they are needed.

Also during the early development of this water system I secured a permit from the Forest Service to cross their land with a water transmission line. We pay a nominal fee each year for this privilege.

About 12 years ago it became apparent that we needed an additional supply of uncontaminated water to augment the supply from the upper spring during August and September. We were successful in developing another spring on our Association property that has proved to be adequate for this purpose.

The individual in your office that I talked with by telephone last August said that there is nothing we need to do before June 30, 1983 to protect our water rights because we have an established water right for water from the upper spring and because no documentation is needed for continued use from the lower spring since this spring is located on our own property and all the water we take from it is used on our own property.

I would appreciate it very much if your office would provide us with a letter stating that there is nothing we need to do before June 30, 1983 to protect our water rights. Or, if there is something we need to do please let me know what it is.

Sincerely yours,

Karl Hobson

Manager Beaver Creek Camp Assn.
Water System