

Affidavit of Publication

STATE OF IDAHO
County of Bonner,

ss.

Pete Thompson

being duly sworn, says that he is the publisher
of the PRIEST RIVER TIMES, a weekly newspaper printed and
published at Priest River, Bonner County, Idaho, and has been
continuously and uninterruptedly published in said County during
a period of 78 consecutive weeks prior to the first publication of
the annexed notice for publication, is a newspaper of general cir-
culation made up of at least eight pages of at least seven columns
each, printed from typematter or stereotyped forms of at least
nineteen and three-fourths inches depth, has at least 1250 bona fide
subscribers living within said Bonner County, and is published at
regular weekly intervals. That the annexed is a true copy of the
notice for publication in the case of

Application for Water Rights No. 96-7802

as it was published in the regular and entire issue of said paper
for a period of two consecutive weeks, commencing on
the 19 day of July, 1979,
and _____
_____ ending on the 26 day of July, 1979,
and that said notice was published in said newspaper proper, and
not in supplement form.

Pete Thompson

Subscribed and sworn to before me this

27 day of July, 1979.

Adell M Thompson

Notary Public for Idaho,

Residing at Priest River, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that
the following application(s)
have been submitted for permit
to appropriate the public waters
of the State of Idaho:

96-7802

ROPP, MUREL L. &-or LUCY
L.

P.O. BOX 412, PRIEST RIVER,
ID 83856

Source: UNNAMED SPRING

Date Filed: 07-05-1979

Amount: 0.04 CFS

Diversion Point: NWSE Sec 22
T 56N R 05W, BONNER CO.

Use: DOMESTIC (0.04 CFS)
from 01-01 to 12-31

Place of Use: NWSE Sec 22 T
56N R 05W

Diversion Means: GRAVITY—
FLOW PIPE

If issued, the permit(s) will
be subject to all prior water
rights. Protests against the
granting of any permit must be
filed with the Director of the
Idaho Department of Water
Resources, 4055 Gov't Way,
Coeur d'Alene, Id, 83814 on or
before AUGUST 6, 1979.

C. STEPHEN ALLRED

Director


Published 7-19 and 7-26-79.

RECEIVED

JUL 01 1979

Department of Water Resources
Northern District Office

MICROFILMED





MICROFILMED
OCT 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
JUN 5 1985

97-7182
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

one home 0.04 cfs

VOID

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

- c) Volume Calculations for Other Uses:

one home 1.2 AF

2. Overlap Review

- a) Other water rights with same place of use: None

- b) Other water rights with same point of diversion: None

- c) Analysis:



RECEIVED
OCT 07 1991



TWP. 56 N RGE. 5 W SEC. 22 MAP # D-3 MAP SCALE 7 1/2
DATE OF FIELD EXAM _____ FIELD REPORT MAP PERMIT # 97-7182

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07182

Priority: July 5, 1979

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.2 AF

This is to certify, that MUREL L ROPP
LUCY L ROPP

PO BOX 704

PRIEST RIVER, ID 83856 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 5, 1979; and has submitted Proof of Beneficial Use on June 18, 1984. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NENWSE , Sec. 22, Township 56N, Range 05W
BONNER County

PLACE OF USE: DOMESTIC
TWN RGE SEC

56N 05W 22 NWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

OCT 07 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-07182

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28th
day of AUGUST, 1991.

Acting for


R. Keith Higginson, Director

OCT 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Murel L. &/or Lucy L. Ropp Phone 448=1309

Post office address P.O. Box 412, Priest River, Idaho

2. Source of water supply Unnamed Spring which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 56N

Range 5W B.M. Bonner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
gravity-flow pipe.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 56N

Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____


(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

RECORDED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec. 22, T56N, R5W



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Ropp
(Applicant)

Published 7-19 and 7-26-79.

August 29, 1991

MUREL L ROPP
LUCY L ROPP
PO BOX 704
PRIEST RIVER ID 83856

RE: WATER RIGHT NO. 97-07182

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

OCT 07 1991

LICENSE REVIEW CHECKLIST

Permit No. 97-7182

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance no ☒

Order to reinstate needed? yes no ☒

Total cfs Limited by fee N/A

Limited by capacity no ☒

Total volume Limited by flow no ☒

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked no ☒

Theoretical checked no ☒

If greater than permit, check for other rts no ☒

Source Changed? yes no ☒

If so, is memo needed to clarify? no ☒

P/D Verify with map no ☒ permit no ☒

More than one per no ☒ Remember remark no ☒

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map no ☒ permit no ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in no ☒

Description of non-irrig uses no ☒

Special overlap condition no ☒

Conditions -

Measuring device no ☒

W.Master control no ☒

Overlap no ☒

Water quality no ☒

Other no ☒

Dates/Misc. -

Water Dist no ☒

App Rec'd no ☒

Proof Rec'd no ☒

CHECK FOR ADJ. CLAIM

Needed according to proof filed no ☒

Filed - needs amended no ☒

Add'l fee required no ☒

Not filed - no ☒

Not needed no ☒

Comments/Changes to Examiner's Recommendations:

License no ☒ 10-day no ☒

30-day no ☒

Back of field report signed? no ☒

Reviewer J. Curtis Date 8/21/91 Review time 5 min.

OCT 07 1991

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 97-07182

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
✓ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey?Aerial Photos/Permit.

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

Signature

Sam W. King

Date

4-30-90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

JUN 28 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 97-07186

1. Owner: MUREL L. OR LUCY ROPP

Phone No. 4/8-1309

Current Address: BOX 704 PRIEST RIV

2. Accompanied by: M. ROPP

EXAM. DATE: 4/24/90

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: SPRING tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MAINTAINED
OCT 07 1991

2 **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 48 inch diameter concrete catch basin installed vertically in spring to a depth of 24 feet collects water for a one and one half inch gravity flow mainline to a pressure system which delivers the water to a home, lawn and garden via a pressurized one inch pipe. The catch basin is also equipped with an overflow pipe which delivers water to a 55 gallon metal drum installed vertically.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Pressure	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		WYVUE	12	W432	—	1"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]


6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space:

067 6 100



97-07182

T56N R5W SEC 22

OCT 07 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

ONE HOME

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9836 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

LAWN & GARDEN

OCT 07 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
~~Domestic~~ (1)	1-1	12-31	0.04	1.2

Totals:

0.04 1.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ None


J. AUTHENTICATION

Field Examiner's Name Tom D. King
 Signature [Signature]
 Certification Date 4/11/98
 Field Report Preparation Date 4-24-90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

801 07 1991



MICROFILMED
OCT 07 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

April 10, 1990

Tom King
Sr. Water Resource Agent
1910 Northwest Blvd., Suite 210
Coeur d'Alene, ID 83814

RE: Permit to Appropriate Water No. 97-7182; in the Name of
Murel &/or Lucy L. Ropp

Dear Tom:

On March 2, 1990, I sent a Notice of Pending Order Voiding Permit to the Ropp's as a result of a field examination which you conducted. Murel called shortly thereafter, and told me that Lucy, who is his mother, and who apparently accompanied you on the field examination, took you to the wrong place for the field examination. He stated that he owns two residences. He said that some property owned across the street taps a spring which is and has been used as authorized under the permit.

It appears that this misunderstanding was not your fault. I believe, however, that we have a responsibility to try to identify the proper place of use. I am returning the field examination to you. Will you please contact Murel at telephone number 448-2878, and attempt to resolve the problem. Thanks.

Sincerely,

A handwritten signature in cursive script that reads "Gary Spackman".

GARY SPACKMAN, Manager
Water Right Permits Section

GS:js

Enclosure

cc. Murel L. &/or Lucy L. Ropp

RECORDED

OCT 07 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 2, 1990

Murel L. &/or Lucy L. Ropp
Box 704
Priest River, ID 83856

RE: Permit to Appropriate Water No. 97-7182

Dear Permit Holders:

NOTICE OF PENDING ORDER VOIDING PERMIT

On August 28, 1979 the Department of Water Resources approved an application to appropriate water, numbered 97-7182, from a spring, for domestic purposes located in the NWSE, S22, T56N, R5W, Bonner County.

Based on a field inspection conducted by a representative of our Department it has come to our attention that you have not developed the system you intended under this permit.

The purpose of this letter is to request that you relinquish your permit or explain why the Department should not void the permit. Enclosed is a relinquishment form that should be signed and returned to this office, unless you have some explanation that would prevent the Department from voiding your permit.

If you fail to respond to this notice within thirty (30) days of the date of mailing of this letter, the Department will act to void your permit. The permit will be voided on the grounds that you failed to divert and beneficially use the water that you were permitted to develop.

If you have any questions in regard to this matter, please feel free to contact our office.

Respectfully,

GARY SPACKMAN, Manager
Water Right Permits Section

I hereby certify that on this 5th day of March, 1990, I sent the original copy of this letter, postage prepaid, to the person and address listed above.

RECORDED

OCT 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
JUN 5 1985

97-7182
Permit No.

1. Measurement Calculations

Department of Water Resources

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

one home 0.04 cfs

VOID

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

one house 1.75 cfs

2. Overlap Review

- a) Other water rights with same place of use: None

- b) Other water rights with same point of diversion: None

- c) Analysis:



OCT 07 1991

RECOMMENDED AMOUNTS

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
		0.04			0.04

4. Permit Holder: NIGREL OR LUCY ROPP

Address: Box 704
RIST KVER, 10 83805

5. Source: _____ tributary to _____

6. Beneficial Use

Period of Use
From To

Rate of Diversion
Q (cfs)

Annual Volume
V (afa)

Don't

12-11-11

1000

21

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			NW 36	SE 36	22	56N	6W	FOREVER

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks:

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by _____

Date _____

Date _____

Date _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN W. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

August 30, 1984

MUREL L. ROPP
BOX 704
PRIEST RIVER ID 83856

RE: Permit No. 97-7182

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Asent

cc: IDWR - State Office

RECORDED

OCT 07 1991

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has consented development to the extent shown below of Permit No. 97-7182.

Name(s) of Permit Holder: MUREL L. ROPP

Post Office Address: Box 704

BRIST RIVER, ID. 83856 Tel. No. 448-1309


Source of Water: WELL

Extent of Use: ☒ Domestic ONE (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

14 JUN. 84 Date Murel L. Ropp Signature of Permit Holder



RECEIVED

JUN 18 1984



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138876

ROPP, MUREL L. & LUCY L.
P.O. BOX 412
PRIEST RIVER, ID 83856

PROOF DUE NOTICE

MAY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 97-7182 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

IDENT. NO. 96-7802

WATER RIGHT
DATA ENTRY LOG

Item

Return To 97-7182



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 29, 1979

Murel & Lucy Ropp
P.O. Box 412
Priest River, Idaho 83856

Dear Mr. & Mrs. Ropp,

RE: Permit No. 96-7802

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: [Signature]

APPLICATION NUMBER: 96-7802

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☐ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- NO Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. N/A
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/6/79
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/31/79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
7-5-79 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: [Signature]

Date: 8-10-79

STATE OFFICE REVIEW:

Short letter w/o condition

RECEIVED
AUG 16 1979

- ☐ See attached sheet for more information.

By: [Signature]

Date: 8/21/79

Department of Water Resources

96-2802-

ROPP, MUREL L. &/or LUCY L.

P.O. BOX 412, PRIEST RIVER, ID 83856

Source: UNNAMED SPRING

Date Filed: 07/05/1979

Amount: 0.04 CFS

Diversion Point: NWSE Sec 22 T 56N R 05W, BONNER Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NWSE Sec 22 T 56N R 05W

Diversion Means: GRAVITY-FLOW PIPE

MICROFILMED