

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Zaky Date 8/3/84

Consultant's License Number _____

IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date _____

MICROFILMED
CONSULTANT SEAL
AUG 25 1984



MICROFILMED

AUG 25 1981


Luby

Bay +

97-7124

Woodrat
Mine

The Boise Meridian, Idaho.



Meanders of	
Posts	Courses
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 97-7124

Priority: October 3, 1978 Amount: .04 CFS 1.8 AFA

This is to certify, that JAMES LEA
JUDITH LEA

1610 PACKSADDLE DR.

COEUR D ALENE, ID 83814

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated October 3, 1978, and has submitted proof to the Department of Water Resources on December 13, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .04 cfs of water from;

SPRING

tributary to PRIEST LAKE

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.04 cfs	1.8 afa

LOCATION OF POINT OF DIVERSION(S): LOT 4(NESW), Sec. 12, Township 60N, Range 5W
Bonner County

PLACE OF USE: Domestic

TWN RGE SEC

60N 5W 12 LOT 4(NESW)


CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14 day of August, 1987.

MICROFILMED

AUG 25 1987

for Director 
DAVID B. SHAW

RECEIVED

JUN 1987

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

RECEIVED

JUN 23 1987

Department of Water Resources
Northern District Office

Department of
Nor I, Elaine M Van Gelder, hereby assign to JAMES AND JUDITH LEA
of 1610 PAULSHOLE DR, COEUR D'ALENE, ID 83814
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 97-7124
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. 97-7124 to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 22 day of June, 19 87.

RECEIVED

JUN 02 1987

Department of Water Resources

Ernest R Van Gelder (Deceased)
Permit Holder
by Elaine Van Gelder
Elaine M Van Gelder
Spouse of Permit Holder

State of ~~Idaho~~ Washington)
County of Spokane) ss.

On this 22 day of June, 1987, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same. (Elaine M. VanGelder

seal

Louise Lucas
Notary Public residing at
Spokane, Washington

My commission expires:

Expires 9-22-87

RECORDED

AUG 25 1987

Identification No. _____

Application No. 97-7124

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

**APPROVED
RECEIVED**

AUG 31 1978

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)


Department of Water Resources

1. Name of applicant ERNEST R. VAN GELDER
post office address NORTH 6207 LINCOLN ST. SPOKANE, WA 99208
2. Source of water supply SPRINGS which is a tributary of PRIEST LAKE
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 12 Township 60 N
Range 5 W B.M. BONNER County; additional points of diversion if any: _____
SCHNEIDER'S BEACH No. 1 BIK. 1 LOT 10
& N. 3 FT. OF LOT 11
- b. If water is not consumed, it will be discharged into PRIEST LAKE at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. SAME AS ABOVE
LOCATION
4. Water will be used for the following purposes:
Amount 0.04 CFS for DOMESTIC purpose from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.04 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. JET PUMP $\frac{1}{2}$ H.P. FROM
WELL RESERVOIR WITH 1 INCH PIPE FOR 25 FT.
FROM SPRINGS TO HOUSE
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 375.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 12 Township 60 N
Range SW B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 2.
(5) If water is to be used for other purposes describe: DOMESTIC

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Cornel B. Van Gelder
(Applicant)

Proposed Priority 10-3-78

Received by SK Date 8-31-78 Time 9:05 AM
Preliminary check by SK Fee \$90.00 22.90
Received by SK Date 10-3-78 (12116)
Publication prepared by B Date 10-4-78
Published in Grand Journal Daily Bee
Publication dates 10-11-78 to 11-18-78
Publication approved Date _____
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by SK J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 97-7124, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 83.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 13~~th~~ day of November, 19 78.

D. Alan Saylor

Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of Water

Permit Application

as it was published in the regular and entire issue of the said paper for a period of 5 consecutive weeks, commencing on 11th day of Oct, 1978 and ending on the 18th day of Oct, 1978 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 31st day of Oct, 1978.

Ida M Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

RECEIVED
NOV 1 1978
Department of Water Resources
Northern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

97-7124 OK

Name: Ernest R. Van Gelder
Address: N 6207 Lincoln St,
Spokane, Wa

Date Filed: Oct 3, 1978

Amount: 0.04 cubic ft-sec

Source: springs

Means: pump, reservoir & pipe

Diversion Pt: NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 12

T60N R5W BM Bonner Co

Place of Use: NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 12

T60N R5W BM

Use: domestic for 2 homes from

Jan 1 to Dec 31 If issued, any

of the above referenced permit(s) will be subject to all

prior water rights. Protests

against the granting of any

permit must be filed with the

Director of the Idaho Department of Water Resources, 4055

Government Way, Coeur

d'Alene, Idaho, 83814, on or

before October 30, 1978.

CSTEPHEN ALLRED

Director

Published in the Sandpoint

Daily Bee, Sandpoint, ID on

October 11 and October 18, 1978.

August 17, 1987

JAMES & JUDITH LEA
1610 PACKSADDLE DR.
COEUR D ALENE, ID 83814

RE: Permit No. 97-7124

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit, issued in your names as the new water right holders.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 25 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

SEP 26 1984

Permit No. 77-2134

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

2 Homes = 0.4 cfs

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

2 Homes + LAWN 0.6 + 1.2 (one LAWN) = 1.8

2. Overlap Review

- a) Other water rights with same place of use: _____

b) Other water rights with same point of diversion: _____

c) Analysis:

MICROFILMED

AUG 25 1987

Liana

Permit Holder: James & Judith Lee

Source: Spring tributary to Priest Lake

Aluminate (2) 1-1 12-31 0.04 g/L 1.8 AFA

Allowable Maximums: 0.04 g/a 1.8 MFA

				NE SW	13	(00N	SW	Bonner	
NO.	GOV. LOT	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	

[illegible]

Place(s) of Use ✓

[illegible][illegible]

TOTAL ACRES	
-------------	--

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

Examiner's Signature _____ Date 9/11/21


Approved in State Office by *J. Walden* **NOT RECORDED** Date *7-21-87*

Department of Water Resources

Phone No. _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
60N	5W	12									X								
			Total Acres _____																

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.




13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other _____
16. Examiner's/Consultant's Signature _____ Date 8/3/24
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct _____
- Beneficial Use Examination _____
- Date _____

CONSULTANT SEAL



K A L I S P E L L

I O N A

F O R E S T

MICROFILMED

AUG 25 1987


Luby

Bay +

97-7124

Woodrat Mine

Meridian





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

June 24, 1987

RECEIVED

JUL 02 1987

Department of Water Resources

RECEIVED

JUN 23 1987

Department of Water Resources
Northern District Office

Mrs. Elaine M. VanGelder
N. 6207 Lincoln St.
Spokane, Wa. 99205

Re: 97-7124

Dear Mrs. VanGelder:

We are returning your Assignment of Permit No. 97-7124 because the Notary Public neglected to sign the form at the bottom of the page.

Please have the Notary Public sign the assignment and return to our office as soon as possible.

Thank you for your cooperation.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms
Enc. - Assignment
cc: IDWR - State Office

FILED

AUG 25 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 1, 1983

Ernest R. VanGelder
N. 6207 Lincoln
Spokane, WA 99208

RE: 97-7124

Dear Mr. VanGelder:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

IDMR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 97-7124.

Name(s) of Permit Holder: Ernest R. VanGelder

Post Office Address: N. 6207 Lincoln St.

Spokane, Wa. 99208 Tel. No. 509 325-1829

Source of Water: Spring

Extent of Use: ☒ Domestic 2 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

12/13/82
Date

Ernest R. VanGelder
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

Department of Water Resources
Mountain District Office

DEC 18 1982

RECEIVED



RECEIVED

DEC 16 1982

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

November 14, 1978

Re: Permit No. 97-7124

Ernest R. Van Gelder
North 6207 Lincoln St.
Spokane, WA 99208

Dear Mr. Van Gelder:

Enclosed is a copy of your approved Application for Permit No. 97-7124. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

MICROFILMED

97-7124

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. 5 Source
3. ✓ Point of Diversion
4. ✓ Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. Agg Property Owner at Pt. ✓ of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

No Idaho Health Department
7 Idaho Fish & Game Dept.
1 Bureau of Land Management

No U.S.F.S.
1 Dept. of Lands
1 Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land N/A

Y/A Withdrawals of all protests received yes no

Conditions:

ID Power Co. Letter - Snake R. No
 ID Power Co. Letter - G.W. & Tribs. No
 Snake River Condition No
 Payette River Letter No
 Priority Date 10-3-78

Meas. Dev. or Sc. Meas. No
 Totalizing meter No
 Supplemental No
 Right-of-Way Cond. No
 Watermaster Cond. No
 Wtr. Dist No.

Water Quality #16 No
 Water Quality #10 No
 intrastate interstate

Meas. Dev. Cond. for apps within a Water Dist. No

Jim
 Reviewer
11/9/78
 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Van Beldner

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) SK 10-3-78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) SK 10-3-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) _____

Affidavit of Publication received(date) _____

(12) _____

Final date for protests 10-30-78
Protests received: yes _____ no _____

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

RECEIVED
NOV 08 1978

Department of Water Resources

10-3-78 Proposed Priority

Reason for Reduction Insufficient Fee

Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 11-2-78



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

October 4, 1978

RE: Application No. 97-7124

Sandpoint Daily Bee
PO Box 579
Sandpoint, Id 83864

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, any of the above referenced permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho, 83814, on or before October 30, 1978.

C STEPHEN ALLRED
Director

Published in the Sandpoint Daily Bee, Sandpoint, Id
on October 11 and October 18, 1978.

RECEIVED
OCT 22 1978

97-7124

Ernest R Van Gelder

N 6207 Lincoln St, Spokane, Wa

Date Filed: Oct 3, 1978

Amount: 0.04 cubic ft/sec

Source: springs

Means: pump, reservoir, & pipe

Diversion Pt: NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 12 T60N R5W B1 Bonner Co

Place of Use: NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 12, T60N R5W BM

Use: domestic for 2 homes from Jan 1 to Dec 31

Sandpoint Daily Bee

UNRECORDED

September 7, 1978

Ernest R VanGelder
N 6207 Lincoln St
Spokane, Wa 99208

Dear Mr Van Gilder,

I am returning your check #28-80 in the amount of \$10.00. The fee is based on the amount of water diverted. In your case, the fee would be \$35.00. However, the amount of water you applied for seems to be excessive for 2 homes. This and other questions has prompted me to return your application for further information.

In item 3a, please locate the point of diversion by quarter-quarter sectional subdivision as established by the Public Land Survey.

In item 4 & 5a, the amount of water requested is approximately equal to 90 gallons per minute. I think perhaps you intended 0.04 cfs (9 gpm) or 0.08 cfs (18 gpm) since these amounts are based on normal household uses (0.04 cfs per household). The fee for 0.04 cfs or 0.08 cfs is \$20.00.

In item 8a, please give the location of the two homes according to the quarter quarter sectional subdivision as established by the Public Land Survey.

Please complete items 8c, 9b, and 9c (if applicable) and item 11.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

TOM KING
Senior Water Resource Agent

TK:ab

Enclosure

MICROFILMED