


WITHOUT NOTICE

SHEET 1 OF 3

5 W.B.M., BONNER COUNTY, IDAHO




PRICES SUBJECT TO CHANGE
WITHOUT NOTICE

PRICE

UNPLATTED AREA

UNPLATTED AREA




NOTE:

THESE TRACTS MAY NOT BE FURTHER SUBDIVIDED WITHOUT WRITTEN APPROVAL OF THE PLANNING AND ZONING COORDINATOR AND COUNTY COMMISSIONERS.

NO BUILDING OR SHELTER SHALL BE ERECTED UNTIL WRITTEN APPROVAL IS FIRST OBTAINED FROM THE LOCAL HEALTH DEPARTMENT APPROVING PLANS AND SPECIFICATIONS FOR INDIVIDUAL SEWAGE GRILINES.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

MICROFILMED



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 97-7091 Priority February 2, 1977 Amount 0.32 cfs

THIS IS TO CERTIFY, that Frank H. Anselmo Jr.
of Priest River, Idaho, has complied with the terms and conditions of Permit
No. 97-7091 issued pursuant to Application for Permit dated February 2, 1977,
and has submitted proof to the Department of Water Resources on February 22, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.32 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (60 units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.32</u> cfs and	<u>72.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.32 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
72.0 acre feet per year, said waters to be diverted within the (2 points) NE $\frac{1}{4}$ SW $\frac{1}{4}$, Section
19, Twp. 56N, Rge. 5W in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
56N	5W	19	X	X			X	X							X				

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
August, 19 82.

Director

Identification No. 97-7091

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant FRANK H. ANSELMO JR. Phone: _____
post office address RT 1 BOX 569; PRIEST RIVER, ID 83856

2. Source of water supply GROUNDWATER which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 19 Township 56N
Range 5W B.M. BONNER County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 1.00 for DOMESTIC purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.00 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. SUBMERSIBLE PUMP
WITH PIPELINE TO PLACE OF USE.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 98 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

SEE ITEM 8B

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered NONE

(4) Name of municipality to be served Diamond Heights Subd., or number of families to be
supplied with domestic water 60.

(5) If water is to be used for other purposes describe: _____

UNRECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

c. Describe any other water rights used for the same purposes as described above. None


None

b. Who owns the land to be irrigated or place of use.

applicant to make this filing.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank H. Anderson Jr.
(Applicant)

Proposed Priority 2/2/77

Received by CP Date 2-2-77 Time 1:00 p.m.
Preliminary check by CP Fee \$ 75.00

Received by CP Date 2-2-77 (Rec. #4887)

Publication prepared by CP Date 2-4-77

Published in Priest River Times / Sandpoint Daily Bee
Publication dates 2-10 & 2-17-77 / 2-9 & 2-16-77

Publication approved CP Date 2-23-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by CP CP

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 97-7091, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 82.

c. Other: A measuring device of a type approved by the Director shall be

permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 14 day of March, 19 77.

Director

RECEIVED

MAR 4 1977

AFFIDAVIT OF PUBLICATION

State of Idaho

Department of Water Resources
Northern District Office

ss.

County of Bonner,

Pete Thompson being first duly sworn on
oath deposes and says that he is publisher
of the Sandpoint Daily Bee, and News Bulletin,
newspapers printed and published
at Sandpoint, in Bonner County, Idaho; that
the said newspapers have been continuously
and uninterruptedly published in said Bonner
County during a period of 12 months
prior to the first publication of the
hereto attached notice of publication
in the case of _____

Water Permit

as it was published in the regular and
entire issue of the said paper for a period
of 2 consecutive weeks, commencing
on the 9 day of Feb, 1977
and ending on the 16 day of _____
Feb, 1977 and that said notice
was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this

22 day of Feb, 1977.

Adell M Thompson

Notary Public for Idaho,
Residing at Sandpoint, Idaho

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
Frank H. Anselmo, Jr., Route 1,
Box 569, Priest River, Idaho has
on February 2, 1977 submitted
Application No. 197-7091 for a
permit to appropriate 1.00
cubic feet per second of water
from a ground water source by
means of pump and pipeline
within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 19,
T. 56N, R. 5W, B.M., Bonner
County to be used from Jan. 1 to
Dec. 31 for domestic purposes
for 60 families within the
W $\frac{1}{2}$ N E $\frac{1}{4}$, N $\frac{1}{2}$ N W $\frac{1}{4}$,
NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 19,
T. 56N, R. 5W, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 4055 Government
Way, Coeur d'Alene, Idaho
83814, on or before February 28,
1977.

R. KEITH HIGGINSON

Director

Published in the Sandpoint
Daily Bee, Sandpoint, Idaho on
Feb. 9 and Feb. 16, 1977.

RECEIVED

Affidavit of Publication

RECEIVED

FEB 22 1977

Department of Water Resources
Northern District Office

STATE OF IDAHO
County of Bonner,

ss.

Pete Thompson,

being duly sworn, says that he is the publisher of the PRIEST RIVER TIMES, a weekly newspaper printed and published at Priest River, Bonner County, Idaho, and has been continuously and uninterruptedly published in said County during a period of 78 consecutive weeks prior to the first publication of the annexed notice for publication, is a newspaper of general circulation made up of at least eight pages of at least seven columns each, printed from typematter or stereotyped forms of at least nineteen and three-fourths inches depth, has at least 1250 bona fide subscribers living within said Bonner County, and is published at regular weekly intervals. That the annexed is a true copy of the notice for publication in the case of

Notice of Application for Water Permit,
Frank Anselmo, Jr.

as it was published in the regular and entire issue of said paper for a period of two consecutive weeks, commencing on the 10th day of February, 1977, and

ending on the 17th day of February, 1977, and that said notice was published in said newspaper proper, and not in supplement form.

Pete Thompson

Subscribed and sworn to before me this

17 day of February, 1977

Jean Blachette

Notary Public for Idaho,

Residing at Priest River, Idaho

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Frank H. Anselmo, Jr., Route 1, Box 569, Priest River, Idaho has on February 2, 1977 submitted Application No. 97-7091 for a permit to appropriate 1.00 cubic feet per second of water from a ground water source by means of pump and pipeline within the NE 1/4 SW 1/4, Sec. 19, T.56N, R.5W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for domestic purposes for 60 families within the W 1/2 NE 1/4, N 1/2 NW 1/4, NE 1/4 SW 1/4, NW 1/4 SE 1/4, Sec. 19, T.56N, R.5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before February 28, 1977.

R. KEITH HIGGINSON
Director

Published in the Priest River Times on Feb. 10 and Feb. 17, 1977.

RECEIVED

September 22, 1982

RE: Permit No. 97-7091

Frank H. Anselmo Jr.
P.O. Box 6
Priest River, ID 83856

Dear Mr. Anselmo:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 17, 1982

RE: Permit No. 97-7091

Frank H. Anselmo Jr.
P.O. Box 6
Priest River, ID 83856

Dear Mr. Anselmo:

A representative of this Department has made an examination of the works covered by your Permit No. 97-7091, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.32 cfs Source: groundwater

The maximum quantity diverted shall not exceed 72.0 acre feet
per year.

Point(s) of diversion: (2 points) NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 19, Twp. 56N, Rge. 5W,
Bonner County

Beneficial use: Domestic use for 60 units within the W $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$,
Sec. 19, Twp. 56N, Rge. 5W

Priority date established: February 2, 1977

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.


Sincerely,

JIM JOHNSON
Water Distribution Supervisor


JJ:kw

BENCH VIEW HEIGHTS
SHEET 1 OF 3

IN THE N^{1/2} OF SECTION 19, TOWNSHIP 56 NORTH, RANGE
5 W.B.M., BONNER COUNTY, IDAHO



PRICES SUBJECT TO CHANGE
WITHOUT NOTICE



State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

N

Name Frank Arnold
Address Box 6 Brink River
Owner's Permit No. 97-7091

Static water level 30 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 45 °F. Quality _____

☒ New well ☐ Deepened ☒ Replacement
☐ Abandoned (describe method of abandoning)

☐ Pump ☐ Bailer ☒ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
275/325		

☐ Domestic ☐ Irrigation ☐ Test ☒ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

[illegible]

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☒ Cable ☐ Dug ☐ Other

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
<u>250</u> inches	<u>8</u> inches	<u>7</u> feet	<u>100</u> feet
_____ inches	_____ inches	<u>1</u> feet	<u>105</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☐ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation inches by inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name *De-fraun*

Type Stanley Model No. _____

Diameter 7" Slot size 40 Set from 105 feet to 115 feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel

Placed from 100 feet to 100 feet

Surface seal depth 18" Material used in seal: ☐ Cement grout

☒ Pudding clay ☐ Well cuttingsSealing procedure used: ☐ Slurry pit ☒ Temp. surface casing

 Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Camera between strata

Describe access port

10.

Work started 9-14-79 finished 9-17-79


WELL DRILLER'S REPORT

RECEIVED

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

NOV 4 1975

[illegible]



State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

JUL 22 1982

Department of Water Resources

97-7091

Permit No.

CONTACT WITH PERMIT HOLDER

DATE INITIALS REMARKS

- ☐ Appointment letter mailed: _____
- ☐ Telephone call made: _____
(List Telephone No. used) _____
- ☐ Appointment scheduled for: _____
(Date, time, location) _____

EXAMINATION

Date 7/6/82 Accompanied by Chuck Anselmo Total Q measured _____
If source is surface water, estimate total flow of source _____
Methods of measurement estimate / calculator Meets Permit requirements? _____

Measurement calculations: Well #1 = 8" Well #2 = 6" HP = 20 assume psi = 35 Efficiency = 80% H = 30' water level = 350' + 320' elevation 125'	$V = 1.2 AFA(D) = 72$ $V_{poss} = (0.32)(3600)(24) = 2880$ $2.32 AFA$ $\therefore 72 AFA$ possible	$Q_{max} \#1 = \frac{8.8(20)(0.80)}{2.33(35) + 350} = 0.33 cfs = 146 gpm$ $\therefore 120 gpm$ possible $Q_{max} \#2 = \frac{8.8(5)(0.80)}{2.33(35) + 350} = 0.08 cfs = 37 gpm$ $\therefore 25 gpm$ possible $Q_{total} = 120 + 25 = 145 gpm = 0.32 cfs$ capacity
---	---	---

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
WELL #1	20 HP	Franklin						Submersible
WELL #2	5	Boulds						Submersible
(Booster) 2-3	Anso	184TCF1004	Anso					

System Description 2 wells - one 6", one 8" - 3" main line with 2-3HP booster pumps to maintain pressure out of 22,500 gal storage tank. 13 households presently on system.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =	AFA/Acre	FROM	TO
Domestic (60 UNITS)	Q (cfs) <u>0.32</u> ✓ V (afa) <u>72</u> ✓		<u>1/1</u>	<u>12/31</u>
Total	<u>0.32</u> ✓ <u>72</u> ✓		<u>PH</u>	

*Remarks 2 P/D - only one on app - Mr Anselmo states larger pump will produce 120 gpm and smaller pump 25 gpm. 2-3HP pumps to maintain pressure. One 6" and one 8" casing. Wells 20' apart. 3" main line 22,500 gal storage tank. Mr Anselmo supplied me with engineering drawings. 63 lots on plat. Houses presently on system. 4 on plat. Recommend removal of measuring device requirement due to reduced quantity.

Jim
8/30/82

Signature _____
Book _____
Page _____

Recommended Amendments:

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above


☐ Add P.U. as reflected above

☐ Other

☒ None

[illegible]

Point(s) of diversion: NE 5W Sec 19 T56N R5W (2 pts)



(Include distance from pump to measuring device, if applicable.)

SCHEMATIC DIAGRAM OF SYSTEM

A hand-drawn map on a grid. The grid consists of solid lines forming a 10x10 grid of squares, with dashed lines forming a 20x20 grid of smaller squares. A rectangular area is outlined with dashed lines, spanning from the 4th to the 6th vertical grid line and the 4th to the 6th horizontal grid line. Inside this area, the label 'R5W' is written at the bottom center, 'N99A' is written at the top center, and 'R25W' is written at the top right corner. A small 'X' mark is drawn at the top right corner of the rectangle.

MAP (Attach Aerial Photo)

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 97-7091.

Name(s) of Permit Holder: Haniksu Enterprises Inc. Frank H. Anselmo Jr.

Post Office Address: P.O. Box 6 Priest River, Idaho 83856

Tel. No. 208-448-1121

Source of Water: 2 ~ 100' wells

Extent of Use:

☒ Domestic	<u>69</u>	(number of households)
☐ Stockwater		(number and type of stock)
☐ Irrigation		(acres)
☐ Other		

Measuring Device:	Required?	☒ Yes ☐ No	Installed?	☒ Yes ☐ No
Access Port:	Required?	☐ Yes ☒ No	Installed?	☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2-19-82

Date

Haniksu Enterprises Inc.
Frank H. Anselmo by Charles E. Anselmo
 Signature of Permit Holder

Frank H. Anselm Jr.

P. O. Box 6

Priest River, Idaho

83856

RECEIVED

FEB 22 1982

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
TEN CENT
STAMP
HERE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138103

ANSELMO, JR., FRANK H.
RT. 1 BOX 569
PRIEST RIVER, ID 83856

DECEMBER 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 97-7091 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

P.S. This is in response to letter from Charles Anselmo

BOB DOW AGENCY

Peta
INSURANCE -- REAL ESTATE

GEORGE C. CONNOLLY
Hiway No. 2 & 10th St, P.O. Box 6
Telephone (208) 448-5371
PRIEST RIVER, IDAHO 83856

RECEIVED

NOV 23 1981

Department of Water Resources

November 20-1981

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Attention: Janice Renk

RE: Permit No. 97-7091

Dear Janice:

What is our status on the Diamond Heights beneficial use? In checking our file we find no statement of approval for the beneficial use application. Please review your files and send us a copy of your approval.

Thank you for your assistance,

Yours truly,

Charles Anselmo
Charles Anselmo
P.O. Box 6
Priest River, Idaho 83856

P.S. Would you please send us some blank proof of beneficial use forms?

Robert J. Johnson

P. O. Box 6

WEST RIVER, MONTANA 59068

Attention: Janice Renk

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

July 12, 1977

Re: Permit No. 97-7091

Mr. Frank Anselmo
Kaniksu Enterprises, Inc.
Box 6
Priest River, Idaho 83856

Dear Mr. Anselmo:

Our Northern Regional field examiner, Tom King, recently visited your project and states that it is not completed and that the proof of beneficial use should be withdrawn as it was not originally due until March 1, 1982.

If you would like to withdraw the proof affidavit on this permit, please write us a letter stating this, and we will be glad to withdraw the proof.

If you have any questions, please contact us.

Sincerely,

JANICE RENK
Water Rights

cc: Tom King, Northern Region

FROM *Tom King*

DATE

TO *~~Bob Fleenor~~ Janice Carrol*

SUBJECT

*BU sent in on this by mistake - only one
house built & BU not due until ~~8~~ Mar. 1, 1982*



SIGNATURE

DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

MAY 23 1977

1. Name of permit holder Frank H. Anselmo, Jr. (Kaniks Enterprises, Inc.) Department of Water Resources Northern District Office
Post office address Box 6, Priest River, ID 83856 Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☐ Surface water ☒ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 1.00 c.f.s. for Domestic (60 - Diamond Heights Subd.)
_____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 97-7091
Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 1.00 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 56N N/S, Range 5W E/W, B.M., Section 19, Subdivision NE 1/4 SW 1/4, Bonner County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County

Other Points of Diversions: _____

Description of diverting works: 110 gpm pump, 20 hp, 99' deep well with 8" casing, 22,500 gal. storage reservoir, 2 booster pumps each 55 gpm


Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
56N	5W	19		X	X		X	X			X					X			

TOTAL ACREAGE _____

Diagram of System



DATE OF EXAM _____

ACREAGE

Found _____

Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no _____

Name source: _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County

Exchange? yes _____ no _____

Name source exchanged with: _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County

Point of injection:

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County

Point of exchange:

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County

Total Q measured _____ Method of measurement _____

Total Q recommended _____ Meter No. _____ Type _____ Condition _____

Total V recommended _____

Recommended Amendments:

P.D. _____

Place of Use _____

Other _____

None _____

MEASUREMENT CALCULATION:

SYSTEM DESCRIPTION:

REMARKS:

Examiner's Signature _____ Date _____

Checked by _____ Date _____

Approved by _____ Date _____

file new
BOB DOW AGENCY

INSURANCE -- REAL ESTATE

GEORGE C. CONNOLLY
Hiway No. 2 & 10th St, P.O. Box 6
Telephone (208) 448-5371
PRIEST RIVER, IDAHO 83856

RECEIVED

APR 6 1977

Department of Water Resources

April 1, 1977

Bobby D. Fleenor
Chief, Water Rights
Department of Water Resources
Boise, Idaho 83720

Re: Frank H. Anselmo, Jr., permit No. 97-7091

Dear Mr. Fleenor:

Please send the proof form you require regarding application of water to beneficial use. We are approaching completion of construction and will be operating the system in the near future.

Thank you for your assistance.

Yours very truly,

Charles E. Anselmo

Charles E. Anselmo
Box 6
Priest River, Idaho 83856

CEA/ev

Mailed 44-77

Bald Daw Agency

P. O. Box 6

PRIEST RIVER, IDAHO 83856

Bobby D. Fleenor
Chief, WaterRights
Department of Water Resources
Boise, Idaho 83720

May 20, 1977

Re: Permit No. 97-7091

Frank H. Anselmo, Jr.
Box 6
Priest River, Idaho 83856

Dear Mr. Anselmo:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Coeur d'Alene.

Sincerely,

JANICE RENK
Water Rights

MICROFILMED

Identification No. _____

Permit No. 97-7091

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Frank Anselmo, Jr. --- Kaniksu Enterprises, Inc.
b) Post Office Address P.O. Box 6 Priest River, Idaho

2. Permit Number 97-7091

3. Date of Priority that you are prepared to establish well

4. a) Source from which water was appropriated _____

b) Location of the point of diversion: Northeast ¼ Southwest ¼, Section 19

Township 56 N, Range 5 West Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

Amount 1.00 CFS for domestic purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 1.00 cfs and/or acre-feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: mesurement etc., made by Sewell and Associates
licensed Engineers

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works:

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) pump size 110 G.P.M. 20 HP. Well 99' deep with
8" casing Storage reservoir 22,500 gallons 2 booster pumps
each 55 G.P.M.

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

MCO 500 Tube meter with vanes direct reading
Flow indicator 6 diget totalizer

c) Give well driller's name and address and the date the well was completed: _____

Aqua Drilling Developers
Coeur d' Alene, Idaho completed 10-16-75

If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Residential use in Diamond Heights subdivision

MICROFILMED

5/10/77 j

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

4 - 29 - 77

(Date)

Charles E. Anselmo

(Signature)

State of Idaho

County of Bonner

)
) ss.
)

On this 29th day of April, 19 77, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Donna M. Murray

Notary Public residing at West Star

My commission expires Life

April 4, 1977

Re: Permit No. 97-7091-Frank H. Anselmo, Jr.

Charles E. Anselmo
c/o Bob Dow Agency
Hiway No. 2 & 10th St.
Box 6
Priest River, Idaho 83856

Dear Mr. Anselmo:

The measuring device that you proposed to install as part of your diversion system on your Permit No. 97-7091 is a type approved by the Department. This measuring device type is certainly adequate if it is installed according to the manufacturer's standards.

If you have any questions, please let us know.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

MICROFILMED

BOB DOW AGENCY

INSURANCE -:- REAL ESTATE

GEORGE C. CONNOLLY
Hiway No. 2 & 10th St, P.O. Box 6
Telephone (208) 448-5371
PRIEST RIVER, IDAHO 83856

March 31, 1977

RECEIVED

APR 4 1977

Department of Water Resources

Bobby D. Fleenor
Chief, Water Rights
Department of Water Resources
Boise, Idaho 83720

Re: Frank H. Anselmo, Jr., permit No 97-7091

Dear Mr. Fleenor,

Enclosed is an advertisement for the meter we intend to install. Will it meet with your approval?

Thank you for your anticipated prompt reply as we intend to order the meter immediately.

Yours very truly,

Charles E. Anselmo

Charles E. Anselmo

CEA:dm


Encl.

DIRECTOR	
PLANNING	
WATER PLAN	
TECH. STUDIES	
OPERATIONS	
ENGINEERING	
WATER RES. RES.	
INVESTIG.	
LEGAL	
FISCAL	
BOARD	
FILES	

MICROFILMED

MC0100


Unit Construction Tube Style Line Meter. MAGNETIC DRIVE, DIRECT READING FLOW INDICATOR, STRAIGHT-READING SIX DIGIT TOTALIZER. Standard laying length for all sizes, 20". Ends are grooved for "Victaulic" couplings. Standard coating is ceramic glass enamel. Plain end tubes for use with compression type couplings are available on special order (extra length required). 250 lbs. working pressure. "Victaulic" couplings and weld-on nipples are priced separately (consult factory for prices).



NOMINAL SIZE	NORMAL RANGE GALS.	SHIPPING WEIGHT	LIST PRICE	NOMINAL SIZE	NORMAL RANGE GALS.	SHIPPING WEIGHT
20/5 2"	30-80	10 lbs.	194.00	14"	250-3000	140 lbs.
4"	60-600	40 lbs.	316.00	16"	350-4000	144 lbs.
40/5 6"	100-1200	54 lbs.	344.00	18"	450-5000	172 lbs.
8"	120-1500	68 lbs.	369.00	20"	550-6000	181 lbs.
10"	160-1800	87 lbs.	409.00	24"	800-8500	223 lbs.
12"	200-2500	106 lbs.	442.00			

MC0500

Main Line Fabricated Steel Flanged Tube Meter with integral straightening vanes. MAGNETIC DRIVE, DIRECT READING FLOW INDICATOR, STRAIGHT-READING SIX DIGIT TOTALIZER. "Victaulic" coupling top plate — meter head mounting for quick removal and re-installation. Standard finish, inside and out, is ceramic glass coating. Flanges are 150 lb. class, (125 lb. drilling).




NOMINAL SIZE	NORMAL RANGE GALS.	OVERALL LENGTH	SHIPPING WEIGHT
20/5 2"	30-80	13.25"	30 lbs.
3"	35-250	16"	50 lbs.
4"	60-600	20"	87 lbs.
6"	100-1200	22"	128 lbs.
8"	120-1500	24"	182 lbs.
10"	160-1800	26"	272 lbs.
40/5 12"	200-2500	28"	370 lbs.
14"	250-3000	42"	519 lbs.
16"	350-4000	48"	601 lbs.
18"	450-5000	54"	814 lbs.
20"	550-6000	60"	976 lbs.
24"	800-8500	72"	1,293 lbs.
30"	1200-12500	84"	1,450 lbs.

check with this meter find the hell for you speed.

MC0700

Main Line Meter, cast iron body with integral straightening vanes. MAGNETIC DRIVE, DIRECT READING FLOW INDICATOR, STRAIGHT-READING TOTALIZER. Top plate meter head flanged and bolted. Standard finish inside and out is ceramic glass coating. Flanges cast integral, 125 lb. drilling, flat faced. 150 lb. working pressure.



NOMINAL SIZE	NORMAL RANGE GALS.	OVERALL LENGTH	SHIPPING WEIGHT
10% 4"	60-600	20"	120 lbs.
6"	100-1200	22"	184 lbs.
8"	120-1500	24"	265 lbs.
10"	160-1800	26"	390 lbs.
12"	200-2500	28"	495 lbs.

March 21, 1977

Re: Permit No. 97-7091

Frank H. Anselmo, Jr.
Route #1, Box 569
Priest River, ID 83856

Dear Mr. Anselmo:

Enclosed is a copy of your approved Application for Permit No. 97-7091. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 97-7091

Ingalmo

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) PSA 2-2-77

In form to receipt

(2) PSA _____

Send Copies to:

☒ Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

(4) PSA 2-2-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) JS 3-10-77

Other rights on the same place of use NAME FORTIFIED

(10) _____

Comments: _____

(11) CP 2/23

Affidavit of Publication received(date) MARCH 4, 1977
FEB. 22, 1977

(12) CP 2/4

Final date for protests FEBRUARY 28, 1977
Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or
applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

Proposed Priority 2-2-77

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of
approval

No special conditions for approval

(15) District Northern

By Bob Haynes Date 3-8-77

NOTED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 3, 1977

Re: Claim No. 96-4178
Appl. No. 96-7497
" " 96-7498

Application No. 97-7091
" " 97-7092

Sandpoint Daily Bee
P.O. Box 579
Sandpoint, ID 83864

Gentlemen:

Could you please submit the affidavits of publication and bills in connection with the above referenced items. The legal notices were to have been published in your newspaper on February 9 and February 16, 1977.

Your assistance in this matter would be appreciated.

Very truly yours,

Corda M. Patterson
Secretary

CP

RECEIVED
MAR 10 1977
SANDPOINT, IDAHO

February 7, 1977

Re: Application for Permit No. 97-7091 - Frank H. Anselmo, Jr.

Mr. Jack C. Ross
Panhandle Health District I
P.O. Box 734
Sandpoint, ID 83864

Dear Mr. Ross:

Enclosed is a copy of the above referenced application which may be of interest to your agency. Please review the application and if you have any comments, please submit them to our office as soon as possible. We normally complete the processing of an application within a four-week period, and we are required to take final action shortly thereafter.

Feel free to contact us if we may be of any further assistance.

Very truly yours,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:CP

Enclosure

RECEIVED

February 7, 1977

Re: Application for Permit No. 97-7091

Mr. Frank H. Anselmo, Jr.
Route 1, Box 569
Priest River, ID 83856

Dear Mr. Anselmo:

Attached is your receipt No. 4887 in the amount of \$25 for the filing fee on the above referenced application which was received in this office.

Very truly yours,

Corda M. Patterson
Secretary

CP

Attachment

RECEIVED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

February 4, 1977

Re: Application No. 97-7091 - Frank H. Anselmo, Jr.
" " 97-7092 - Gloriana Johnson

Priest River Times
P.O. Box 398
Priest River, ID 83856

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:cp

Enc: Legal Notice(s)

Bill: 2-23-77-4

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Frank H. Anselmo, Jr., Route 1, Box 569, Priest River, Idaho has on February 2, 1977 submitted Application No. 97-7091 for a permit to appropriate 1.00 cubic feet per second of water from a ground water source by means of pump and pipeline within the NE 1/4 SW 1/4, Sec. 19, T. 56N, R. 5W, B. M., Bonner County to be used from Jan. 1 to Dec. 31 for domestic purposes for 60 families within the W 1/2 NE 1/4, N 1/2 NW 1/4, NE 1/4 SW 1/4, NW 1/4 SE 1/4, Sec. 19, T. 56N, R. 5W, B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before February 28, 1977.

R. KEITH HIGGINSON
Director

Published in the Priest River Times on Feb. 10 and Feb. 17, 1977.

6.2.
9-16-77
sp



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83314
(208) 667-6484

February 4, 1977

Re: Application No. 96-7497 Application No. 97-7092
 " " 96-7498 Claim No. 96-4178
 " " 97-7091

Sandpoint Daily Bee
P.O. Box 579
Sandpoint, ID 83864

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:cp

Enc: Legal Notice(s)

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Frank H. Anselmo, Jr., Route 1, Box 569, Priest River, Idaho has on February 2, 1977 submitted Application No. 97-7091 for a permit to appropriate 1.00 cubic feet per second of water from a ground water source by means of pump and pipeline within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 19, T. 56N, R. 5W, B.M., Bonner County to be used from Jan. 1 to Dec. 31 for domestic purposes for 60 families within the W $\frac{1}{2}$ N E $\frac{1}{4}$ Sec. 19, N $\frac{1}{2}$ N W $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 19, T. 56N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before February 28, 1977.

R. KEITH HIGGINSON
Director

Published in the Sandpoint Daily Bee, Sandpoint, Idaho on Feb. 9 and Feb. 16, 1977.

*O.K.
2-16-77
J*

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Frank H. Anselmo, Jr.,

Route 1, Box 569, Priest River, Idaho

has on February 2, 1977 submitted Application No. 97-7091

for a permit to appropriate 1.00 cubic feet per second ~~above flood plain~~
of water from a ground water source

by means of pump and pipeline

within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 19, T. 56N, R. 5W, B.M., Bonner County

to be used from Jan. 1 to Dec. 31

for domestic purposes for 60 families

within the W $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 19, T. 56N, R. 5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before February 28, 1977.

R. KEITH HIGGINSON
Director

Published in the Sandpoint Daily Bee and the Priest River Times

on Feb. 9 (10) and Feb. 16 (17), 1977

MICROFILMED

To

Ken Knohocke

BOB DOW INSURANCE AGENCY

GEORGE C. CONNOLLY

Code 208

Phone 448-5371 -- Box 6

PRIEST RIVER, IDAHO 83856

REGARDING:

water permit

DATE: 1-31-77

Dear Ken

Sorry but we goofed. Through
an oversight we missed sending
this to you before.

Sincerely

Chuck Arnold

MICROFILMED