

B Leo Bell
Hc 36 Box 26
Albion, ID 83311-9702



0000

83301

U.S. POSTAGE
PAID
BURLEY, ID
83318
NOV 29, '02
AMOUNT

\$0.60
00039490-04

RECEIVED
DEC 02, 2002
Department of Health Resources
Southern Region

Allen D. Merritt, Manager
I.D.W.R., Southern Region
1341 Fillmore St. Suite 200.
Twin Falls, Id. 83301-3380

November 30, 2002

Allen D. Merritt, Manager
IDWR, Southern Region
1341 Fillmore Street, Suite 200
Twin Falls, Idaho 83301-3380

RECEIVED
DEC 02 2002
Department of Water Resources
Southern Region

Subject: Brockway Engineering Letter dated November 13, 2002; Re: USFS water right applications-Pomerelle ski resort; Project No. 197-01-1997.

Dear Mr. Merritt:

This letter is written in opposition to IDWR granting a water right associated with USFS water right Permit Application No. 45-7745.

The above referenced Brockway Engineering letter reflects a mitigation effort associated with the Pomerelle ski resort proposal whereby USFS water right Permit Application No. 45-7745 and water right Transfer Application No. 5194 would be used, in part, to replace consumptive use of water associated with: 1) snowmaking sublimation, and 2) annual evaporation from proposed storage reservoirs having an average surface of approximately 2 acres. Consumptive use for leakage was not addressed, but is not a factor that would be outstanding assuming proper lining and monitoring equipment were installed.

The issue of consumptive water use for the Pomerelle snowmaking proposal was not substantially addressed until I, speaking for myself and on behalf of Howell Creek water right holders David Bell, Jim Kempton, Randy Brackenbury, and Fred Hawker, formally appeared at the IDWR pre-hearing conference held in Burley on April 18, 2002. Assisting in my presentation was attorney Pat Brown. Representing himself at the conference on the same subject was Howell Creek water right holder Earl Warthen, assisted by attorney Norm Semanko and hydraulic engineer Terry Scanlan.

As water right users on Howell Creek, our original layman's effort to determine estimated consumptive use for annual reservoir evaporation reflected 25-30 inches across the proposed 2 acres of reservoir(s) surface area. This analysis was developed using evaporative information referenced by the University of Idaho and the IDWR. Our layman efforts did not include sublimation estimates. There was simply an awareness on our part of court rulings regarding consumptive water use for snowmaking operations at Sun Valley ski resort and Bogus Basin ski resort.

Following the Burley conference, the financial effort associated with retaining a hydraulic engineer to more formally pursue the consumptive water-use matter generated by the United States Forest Service and Pomerelle has been substantial to myself and other Howell Creek water users who have been forced to define the consumptive-use argument. However, that effort has now established through the Brockway Engineering letter above, that the Forest Service must seek and obtain, a water right of 27 g.p.m. at Bennett Springs in order to comply with both Idaho

consumptive use water law and the Pomerelle snow making proposal.

In addition, there would have to be an overlap of the Bennett Springs pumping period with the recognized irrigation season of Howell Creek water right holders in Water District 45F, not to mention authorization by IDWR for water transfer from the Marsh Creek drainage for mitigation.

The consumptive use issue has not been part of previous public reviews of the Pomerelle snowmaking proposal. In fact, net benefits of non-consumptive use (snowmaking and associated storage) was the basis on which well-meaning Advisory Board members of Water District 45F made a determination to advise IDWR of their decision to withdraw their protest to the proposed Pomerelle snowmaking effort and expanded Forest Service water right from Bennett Spring.

In summary, it is a well-recognized fact that Howell Creek waters are over-appropriated at the present time. Except for possible flood events, there is no time at which all existing holders of Howell Creek water rights would ever be fully served. Currently, the most junior rights simply go undelivered year after year.

The USFS should not be granted an expanded water right to withdraw water for consumptive use from the Bennett Springs contribution to Howell Creek waters when, in fact, to do so would suggest the possibility that such water right could be routinely implemented without violation of Idaho law.

Sincerely,



Leo Bell

Attch: Brockway Engineering letter, November 13, 2002

cc: Norm Young
Idaho Department of Water Resources
1302 N. Orchard Street
Boise, ID 83706-2237

State Senator Denton Darrington
302 South Hwy 77
Declo, ID 83323

State Representative Bruce Newcomb
P.O. Box 757
Burley, ID 83318

State Representative Scott Bedke
P.O. Box 89
Oakley, ID 83346

RECEIVED
DEC 02 2002
Department of Water Resources
Southern Region

Hydrologic Plan for Mitigating the Impact of Water Withdrawal and Storage at the Pomerelle Ski Area

Water right Transfer Application No. 5194
Water right Permit Application No. 45-7745
November 13, 2002

Prepared by
C. G. Brockway, P.E.

The proposed use at the Pomerelle Ski Area involves artificial creation of snow using two standard 60-gpm snowmaking guns. The process will occur over a 75-day period from October 15 through December 31 each year, with approximately 55 days of actual snowmaking occurring within this period for 16 hours per day.

A total of 19.4 acre-feet per season will be required for snowmaking. It is proposed to supply this water through a combination of withdrawal from Howell Creek via the existing pump during the snowmaking period, and from on-hill storage. An analysis of the timing and magnitude of water uses and the effects on Howell Creek was performed assuming a maximum of 27 gpm can be withdrawn from the springs (Bennett Springs plus Pomerelle Spring). 27 gpm withdrawn for 75 days provides 8.9 acre-feet, or about 46% of the total water requirement. The remaining 10.5 ac-ft will be supplied from on-hill storage.

An analysis was made of the projected water usage for snowmaking, and the potential impact on the Howell Creek watershed. Please refer to the enclosed diagram showing the water flow paths and the spreadsheet detailing the water balance calculations.

Snowmaking water will be applied to the hill and stored along with the natural snowpack. During the snowmaking process, some of the water is consumptively used. Based on previous studies by Brockway Engineering for the Sun Valley Company and for Bogus Basin, a reasonable average estimate of consumptive use is 10% of the total water volume. Thus, of the 19.4 acre-feet used for snowmaking, about 1.94 acre-feet will be consumed, leaving 17.5 acre-feet of snow on the hill above that which falls naturally. At the end of the snowmaking period, the on-hill storage will be depleted. Water will continue to be pumped from Bennett Springs from January 1 through April 15 to refill the reservoirs and minimize capture of snowmelt by the reservoirs. No pumping to storage will occur from April 15 through October 15 unless water is available to fully supply all downstream irrigation rights with earlier priority dates.

The artificial snowpack will melt along with the natural snow and augment spring runoff. The attached calculations show that the net effect on surface runoff will be an increase of 13.1 acre-feet.

There will be early- and late-season overlap of the Bennett Spring pumping period with the recognized irrigation season in the Marsh Creek area, and hence a potential for conflict exists. Decreed rights from Howell Creek typically have priority dates of 1880 or earlier. This conflict will be resolved in the same manner as on all decreed streams in

Idaho: by the watermaster applying the priority-date system of administration. Any time a decreed right (or any non-subordinated right with a priority date earlier than the Pomerelle right) cannot be fully delivered, and shutting off the Pomerelle right will bring relief, the watermaster will be authorized to do so. In no case will a 2001 priority date water right trump an 1880 decree.

The water balance analysis indicates that the irrigators on Howell Creek will not be impacted and in fact there will be an augmentation of surface runoff. However, there will still be consumptive use from the reservoir surface and sublimation from the artificial snow in the amount of 8.3 acre-feet. This consumptive use needs to be mitigated to satisfy IDWR's typical requirement that there be no new consumptive use, even if the timing of the consumptive use is favorable to other water users. 8.3 acre-feet per year is equivalent to 2.8 acres of irrigation, using IDWR's standard 3.0 ac-ft/acre consumptive use allowance. It is proposed to reduce irrigation by 2.8 acres under water right 45-311, a decreed right from Marsh Creek which is owned by the applicant. The water right has a 4/1/1876 priority, a very early priority on the creek. This acreage reduction will be adequate to mitigate the basin-wide consumptive use of the proposed snowmaking.

In summary, the proposed hydrologic plan, including mitigation, has the following components:

1. Pump from Bennett Springs and/or Pomerelle Spring at a maximum rate of 27 gpm generally from October 15 through April 15 (but see #5, below). Make snow from October 15 through December 31 in the amount of 19.4 acre-feet (liquid water volume).
2. Construct on-hill storage with a maximum capacity of 16.0 acre-feet.
3. Fill the storage with wintertime pumping from the springs to the maximum extent possible.
4. Line the storage reservoir(s) with a membrane liner to reduce seepage to essentially zero.
5. No water will be diverted to snowmaking storage from April 15 to October 15 unless water is available to fully supply all downstream irrigation rights with earlier priority dates.
6. Rely on the Watermaster of District 45 to administer the rights based on the priority system, as he does all other rights. Pomerelle's late-priority rights will not be allowed to trump earlier-priority non-subordinated rights when such rights cannot be filled.
7. "Basin-wide" consumptive use of the snowmaking and reservoirs will be offset by reducing irrigated acreage under 37-311 by 2.8 acres.

WATER BALANCE ANALYSIS FOR PROPOSED SNOWMAKING AT THE POMERELLE SKI AREA

Brockway Engineering 5/29/02
For 11/13/02 mitigation proposal

PROPOSED MITIGATION

27 gpm pumping from Bennett Springs during snowmaking period

No spill back to creek during snowmaking (all water stored on hill)

New earthen storage reservoir on hill, re-filled with:

- 27 gpm pumping from Bennett Springs from 1/1 - 4/15, ending prior to spring snowmelt
- Remainder from spring snowmelt

Snowmaking period	10/15 - 12/31
Total days in period	75
No. of days of snowmaking	55
Number of snowmaking guns	2
Output of guns	60 gpm
Operating hours / day	16 hrs/day
Volume of water required for snowmaking	19.4 acre-feet
Average daily demand of guns	115200 gpd
Average flow rate to guns	80 gpm
Average surface area of reservoir(s)	2 acres
Pond evaporation 1/1 - 12/31	38 inches (est. from NOAA data)

During snowmaking period:


	Bennet Rd	Howell Rd	
Howell Creek average flow	2.0	2.4 cfs	
Total creek volumetric discharge	297.5	357.0 acre-feet	
Pumping rate	27	27 gpm or	0.06 cfs
Volume pumped from creek for snowmaking	8.9	8.9 acre-feet	
Percent of total discharge	3.0%	2.5%	
Estimated consumptive use percentage	10.0%		
Total annual consumptive use	1.94	ac-ft	

Howell Creek average discharge volumes:

	Bennet Rd	Howell Rd
Estimated average annual surface runoff	2050	3930 ac-ft (measured)
Estimated average base flow discharge	830	1000 ac-ft (210 days)
Estimated average annual discharge	2880	4760 ac-ft

Water balance:

Total applied to hill 10/15 - 12/31	19.45 ac-ft
Drawn from Bennett Springs during 10/15 - 12/31	8.95 ac-ft (27 gpm for 75 days)
Drawn from reservoir during 10/15 - 12/31	10.50 ac-ft
Volume pumped from springs 1/1 - 4/15 for reservoir refill	12.41 ac-ft (27 gpm for 104 days)
Lost to reservoir evaporation	6.33 ac-ft
Spring runoff stored	4.42 ac-ft (res draw + evap - refill from springs)
Lost to consumptive use - snowmaking	1.94 ac-ft
Volume which melts and contributes to runoff	17.50 ac-ft (water stored on hill - consumptive loss)
NET EFFECT ON SPRING / SUMMER RUNOFF	13.08 ac-ft
NET EFFECT ON CREEK FROM 10/15 TO 12/31	-8.95 ac-ft
NET EFFECT ON CREEK FROM 1/1 TO 4/15	-12.41 ac-ft
TOTAL CONSUMPTIVE USE	-8.28 ac-ft



POMERELLE WATER BALANCE SCHEMATIC FOR MITIGATION PROPSAL