

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 75-14264

Priority: January 30, 2006

Maximum Diversion Rate: 0.07 CFS

This is to certify, that DAVID L BAILEY Or
TAMARA L BAILEY
31 AIRPORT RD
SALMON ID 83467

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
IRRIGATION	04/01 to 10/31	0.03 CFS

LOCATION OF POINTS OF DIVERSION:

GROUND WATER NE¼ NW¼ Sec. 32, Twp 21N, Rge 22E, B.M. LEMHI County
GROUND WATER NE¼ NW¼ Sec. 32, Twp 21N, Rge 22E, B.M. LEMHI County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N 22E 32					X												

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
21N 22E 32					1.5												1.5

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 01, 2011**.
2. Subject to all prior water rights.
3. Domestic use is for 1 home. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
4. The domestic use authorized under this right shall not exceed 13,000 gallons per day.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
6. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 75-14264

7. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 22nd day of August, 2006.

Shelley W. Keen
FOR KARL J. DREHER, Director