



State of Idaho

## DEPARTMENT OF WATER RESOURCES

900 N. SKYLINE DR., SUITE A, IDAHO FALLS, ID 83402-1718

PHONE: (208) 525-7161 FAX: (208) 525-7177 WEB SITE: [www.idwr.state.id.us](http://www.idwr.state.id.us)

EASTERN REGION

July 28, 2006

JAMES E. RISCH  
Governor

KARL J. DREHER  
Director

MARION FISCUS  
PO BOX 63  
CAREY, ID 83320

RE: Application for Permit

Dear Applicant(s):

The Department of Water Resources has received your water right application. Preliminary review of the application indicates that it is incomplete and cannot be accepted for processing. We are returning your application to allow you to complete the necessary items. The required information is described below.

The Point of Diversion and the Place of Use is under question. You listed both the point of diversion and place of use as being in T17N R21E Sec 15 SESENE, but... I have enclosed a map of the area in question. The map shows you own this piece of property, but a  $\frac{1}{4}$   $\frac{1}{4}$  divides the property. Please mark on the maps (enclosed) exactly where the spring is located and where the house is located. Then please return this whole package for processing.

Please feel free to contact this office if you have any questions.

Sincerely,

Sharla Cox  
Administrative Assistant

Enclosures