



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

900 NORTH SKYLINE DRIVE, SUITE C • IDAHO FALLS, IDAHO 83402 • (208) 528-2600

JAMES E. RISCH, GOVERNOR
TONI HARDESTY, DIRECTOR

June 27, 2006

Mr. Thomas Townsend
Ms. Patricia Townsend
3900 25th Ave Ct SE
Puyallup, Wa 98374

RE: Water Rights Application Comments

Dear Sir and Madam:

The Idaho Department of Environmental Quality ("Department") has reviewed our existing water quality information near your proposed project site identified in your application.

The Department has not conducted any biological sampling in the vicinity of your diversion. However, given the size of your diversion compared to flow in that area, the Department does not believe your diversion has any negative impacts on the Salmon River.

We do not have any other substantive comments at this time.

Please do not hesitate to contact me at 208.528.2650 for additional information we may be able to provide.

Thank you for the opportunity to review your application.

Sincerely,

A handwritten signature in black ink, appearing to read "T. Saffle", is written over the word "Sincerely".

Troy Saffle
Regional Water Quality Manager
Idaho Falls Regional Office

c: Shelly Keen, IDWR
Marti Bridges, IDEQ

34829

