


FINAL PLAT
HARBOR ISLAND 1ST ADDITION

KOOTENAI CO., IDAHO

LOCATED IN SECS. 7 & 8 - T.50N. R.4W. B.M.

Spokane, Wash.

Scale: $1'' = 100'$




Bridge
Survey done by: Dave Shuman - Kart Co. Survey
772 31228

773 31028
MICE

MICROFILMED

FEB 25 2002



95-09079

MICROFILMED
JUN 16 2004

HARBORVIEW WATER SYSTEM, IN
T. 50N., R. 5W.

95-09079



Pump



pu



pu

MICROFILMED
JUN 16 2004

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
NOV - 4 2002

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9079 Telephone No. _____
2. Name of Permit Holder(s): HARBORVIEW WATER SYSTEM INC.
3. Mailing Address: PO BOX 1752
City COIDA State ID Zip 83816
4. Source of Water: SPOKANE RIVER If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
Well Driller: _____ Drilling Permit Number: _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 1 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.06 cfs OR _____ acre-feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X
8. Fee Enclosed: \$ 50- (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Shirley Haight Telephone Number: 208664-1653
Address: 6720 Harbor Dr., Coeur d'Alene, ID 83814
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: X Shirley Haight

(include your title, if on behalf of company or organization)

Date: 10/30/02

MICHAEL J. HARRIS

MAR 21 2003

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09079

Priority: 04/24/2001

Maximum Diversion Rate: 0.06 CFS

This is to certify, that HARBORVIEW WATER SYSTEM INC
PO BOX 1752
COEUR D ALENE ID 83816

has applied for a permit to appropriate water from:

Source: SPOKANE RIVER

Tributary: COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

SPOKANE RIVER L6 SE 1/4 NE 1/4 Sec. 7, Twp 50N, Rge 04W, B.M. KOOTENAI County

PLACE OF USE: IRRIGATION


Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N 04W 7				.5													.5
50N 04W 8				L 6			.5										.5
							L 8										

Total Acres: 1

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before November 1, 2002.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
5. Point of diversion is located within Lot 11, Harbor Island 1st Addition.
6. Place of use is located within Lots 84, 85, 86, Harbor Island.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 31st day of October, 2001.


for KARL J DREHER, Director

MICROFILMED

FEB 23 2002

69104
STATE OF IDAHO

Ident. No. 95-9079

DEPARTMENT OF WATER RESOURCES

RECEIVED

APPLICATION FOR PERMIT

OCT 23 2001


To appropriate the public waters of the State of Idaho


DEPARTMENT OF WATER RESOURCES

1. Name of Applicant Harborview Water System, Inc. C107829 Phone (208) 664-4693
Mailing address PO Box 1752, Coeur d'Alene, Idaho 83816
2. Source of water supply Spokane River which is a tributary of Columbia River
3. Location of point of diversion is Township 50N Range 4E Sec. 7 in the 1/4,
SE 1/4, NE 1/4, Govt. Lot _____, B.M., KOOTENAI County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 5 ac. ft/annum for irrigation only purposes from May 15 to Sept 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.06 and/or (b) 5 Maximum
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source 1" diameter galv. pipe submerged
connected to a 5 horse power electric motor pump - pump is automatic at demand
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. _____
e. Other; describe fully. _____

MICROFILMED

SEP 25 2002





7
17.76

Harbor Island Current Bus Stop Conditions 96/97 school year

parents and children
wait in their cars
in these areas

direction of bus

the bus
stops here

FINAL PLAT
HARBOR ISLAND 1ST ADDITION


KOOTENAI CO., IDAHO

LOCATED IN SECS. 7 & 8 - T.50N. R.4 W. B.M.

Spokane, Wash.

July 1961

Scale: $1'' = 100'$




Bridge
Survey done by: Dave Shuman - Kart Co. Survey
733 31020.

773 31028

100-44388-100
MICROFILMED
1984

1000 1000 1000



Shape file map for Application
95-9079 by RGH 10/22/2001


T50N R4W

POU

PD

0.3 0 0.3 0.6 Miles

-  GCDT50N05W.shp
-  GCDT50N04W.shp
-  POD- Application Application POD
-  Application POU
-  Townships



MICROFILMED
2 8 2002

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 01 2004

DEPARTMENT OF
WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 95-09079

1. Owner: Harborview Water Systems Inc. Phone No. (208) 664-1653

Current Address: P.O. Box 1752 Coeur d'Alene Idaho 83816

2. Accompanied by: Mr. Haight EXAM DATE: 9-26-03

Address: 6720 Harbor Dr. Coeur d'Alene Id. 83814 Phone No. (208) 664-1653

Relationship to Permit Holder: Manager

3. Source: Spokane River tributary to Columbia River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	LG		SE	NE	7	50N	04W	Kootenai	USGS 7.5min Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	7				.45													
						LG													
50N	04W	8							.45										
									.48										

MICROFILMED

JUN 15 2004

1

*Code to correspond with No. on map and aerial photo


Well or Diversion Identification No.*	GE	1	5K23PM 2703	Pump Make Hyman	Pump Serial No. or Discharge Size Q1010

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

Source: T-1



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

System is buried 2 lots have buried
sprinkler system 1 lot uses 5/8 hose and
portable sprinklers.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILM

APR 15 2001

RECEIVED

JUN 01 2004

DEPARTMENT OF
WATER RESOURCES

F. FLOW CALCULATIONS

Measured Method:

Thematic

6.56 X 0.7

$$4 + (0.31 \times 60) = \frac{142.6}{6.16}$$

$$0.505 = \frac{142.6}{279}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.9 \times 3 = 2.7$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 105 \times 245 \times 1.9835 = 24.3$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 2.7$$

2. Volume Calculations for Other Uses:

$$3 \text{ Lots } 120 \times 120 = 43,200 \text{ sq ft}$$

$$1600 \text{ sq ft} - 4000 =$$

$$1200 \text{ sq ft}$$

$$1100 \text{ sq ft}$$

$$39,200 = 0.9 \text{ acres}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Donaghy

Period of Use

From 03-15 To 11-15

Rate of Diversion

Q (cfs) 1.05

Annual Volume

V (afa) 2.7

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name

Wayne D. Davis
Date 10-1-03


Reviewer

Date

SEAL

MICROFILMED

JUN 1 2004



95-09079

MICROFILMED

HARBORVIEW WATER SYSTEM, IN

T. 50N., R. 5W.

95-09079



Pump



pu



pu

MICROFILMED
JUN 15 2004



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 6, 2002

HARBORVIEW WATER SYSTEM INC
PO BOX 1752
COEUR D'ALENE ID 83816

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-9079

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Northern** Regional Office of the department in Coeur d'Alene (208) 769-1450.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office (w/encl.)

MICROFILMED

MAR 20 2003

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9079

Reviewed By: dgibson

Date: November 5, 2002

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N014301, N015354	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		X
Are the water uses correct?			Measure device waiver requested?		

Priority Calculation

Date proof received		10/30/2002
Date proof due	-	11/01/2002
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	04/24/2001
New priority date	=	04/24/2001

Deficiencies of Actions Items

Acknowledge proof.

August 30, 2002

HARBORVIEW WATER SYSTEM INC
PO BOX 1752
COEUR D ALENE, ID 83816

PROOF DUE NOTICE

RE: PERMIT NO. 95-9079

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 01, 2002. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson, Admin. Asst.
Water Allocation Bureau

Enclosures

MICROFILMED

MAR 2 6 2003





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 1, 2001

HARBORVIEW WATER SYSTEM INC
PO BOX 1752
COEUR D ALENE ID 83816

RE: Permit No. 95-9079

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed a least sixty days prior to the commencement of work in the stream.


Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

MICROFILMED

FEB 25 2002

If you have any questions, please contact me at 208-327-7946.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


SEP 25 2012

CERTIFICATE OF MAILING

I hereby certify that on November 1, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 95-9079

HARBORVIEW WATER SYSTEM INC
PO BOX 1752
COEUR D ALENE ID 83816

A handwritten signature in cursive script, reading "Kari Lynn Townsend", written over a horizontal line.

Kari Lynn Townsend
Secretary

MICROFILMED

FEB 25 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**
Reviewed by Sharla Curtis on 10/26/01

No. 95-9079 Name: Harborview Corp. Officers _____ Ad ok ☒ Govt Lots _____

AREA OF CONCERN: No/Yes _____ Moratorium _____ GWMA _____ TRUST/NON-TRUST _____

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046
Basin 34 - 084 (if necessary)
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

WMD

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
Trust - 051 (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

~~STORAGE~~ - 18C-01H-01P-18B-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/FS)-111 (instream stock)
MINING - 054-106
HEAT/COOL - R07 (injection well)
FIRE PROT - 077
COMMERCIAL/
INDUSTRIAL - 106-R07
DAIRY - 082-WD8
POWER - 17H or 17K (+uses)-17G (under FERC)
or 17M (not FERC regulated)
025-027-R22-08A

BENEFICIAL USE DUE: 11/01/2002

MISC CONDITIONS/REMARKS:

Protested - 020-W19
Development Period
> 1 yr - 26A
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response
In/Above MSF - WB9
PLANNING REVIEW/RESPONSE
WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H, 01P or No MD
> 0.20 cfs - 01J

SPRINGS/SINK, INACTIVE WD or WB

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W23, N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - W23, 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

MUNICIPAL

Restricted area - 022,075
Irr., GW supp to SW - 102
Future needs - 007,109
FISH PROP - 029 (70's only)-007-042-106
DOMESTIC
Surface water - WB5 (Big Wood/Boise above Star Bridge)
- 27A (Payette R)
> 1 in restricted area - 070-071-075 (no parks/common areas)
Irr separate or none allowed - WB5
GW w/irrigation from SW evident - 065-104
Moratorium approvable - W03 (2500 gpd - meets domestic def
i.e. D/convenience store)

Multiple pd's per ¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON 3/15 - 11/15 (Per updated map)

IRR VOLUME/ACRE 3.0

OTHER CONDITIONS/REMARKS _____

COMMENTS _____

Handwritten notes:
Hd Lot 11, (84 & 85)
Haight Harbor Island
86

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

BCA
WRA

69104
APPLICATION # 95-9079

ok to pub

INITIAL REVIEW

APPLICANT: HALBOVIA WATER SYSTEM, INC. BY: B

DATE: 4/29/01

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
(X) Signature
(X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- Field check: by _____
Field report attached _____
Analysis Supp. attached(>5cfs/500af) _____
Water delivered by water master? _____
Water District # _____

PROCESSING

(Yes) (No) PRIORITY DATE: 4/29/01

(Include Moratorium Remark)

Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: n/a

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: n/a

GROUNDWATER SECTION

WD Permit No.'s:	TAG #	Type:	Fees	Receipt No.	Upgrade Needed?
_____	_____	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
_____	_____	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
_____	_____	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()

- Groundwater management area _____
Critical ground water area _____
Well Drilling Permit required _____
Well Drilling Application and Fees received _____
Well Drilling Application approved? _____

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- Notice of pending void order issued. Final order response date: _____
Further information required from applicant _____
Affidavit of publication received _____
Application published correctly. If not, record action/taken: readu to correct range for POD + POV
Publication dates and paper recorded on application: 8/17/01 Sr. Agent initial B
Protests received, Final protest date: 6/7/01 8/20/01
Measuring device required _____
Measuring port required _____
Special conditions: _____
Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: B

Date: 6/6/07

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Candace Madarieta being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 2nd day of August 20 01, and ending on the 9th day of August 20 01, and such publication was made as often during said period as said daily newspaper was regularly issued.


4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Candace Madarieta

Personally appeared before me this 10th day of August 20 01

Regina Mason

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.



MY COMMISSION EXPIRES 6/18/03

MICROFILMED

FEB 15 2002

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-9079 in the name of HARBORVIEW WATER SYSTEM INC., PO Box 1752, Coeur d'Alene, ID 83816, was incorrectly advertised on May 17 and 24, 2001.

The POINT OF DIVERSION and the PLACE OF USE were incorrectly advertised as being in Twp 50N, Rge 5W whereas correctly the POINT OF DIVERSION and the PLACE OF USE should be Twp 50N Rge 4W. (For additional information concerning the property location, call the Northern Regional Office at 769-1450.) Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before August 20, 2001.

Legal 515
Aug. 2, 9, 2001

KARL J. DREHER, Dir.

RECEIVED
AUG 13 2001
IDWR/North



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

July 25, 2001

**LEGAL NOTICES DEPARTMENT
COEUR D ALENE PRESS
201 N SECOND
COEUR D ALENE ID 83814**

Re: Water Right Application No. 95-9079 - HARBORVIEW WATER SYSTEM INC

Dear Legal Notices Department:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the Affidavit of Publication, and the bill, to this office before August 20, 2001.

Thank you.

Sincerely,

A handwritten signature in cursive script that reads "Dianne Ball".

Dianne Ball
Administrative Assistant

Enclosure

MICROFILMED
FEB 25 2002

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-9079 in the name of HARBORVIEW WATER SYSTEM INC, PO Box 1752, Coeur d' Alene, ID 83816, was incorrectly advertised on May 17 and 24, 2001.

The POINT OF DIVERSION and the PLACE OF USE were incorrectly advertised as being in Twp 50N, Rge 5W whereas correctly the POINT OF DIVERSION and the PLACE OF USE should be Twp 50N Rge 4W.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before August 20, 2001.

KARL J. DREHER, Dir.

Published in the Coeur d'Alene Press on 8/2 and 9/2001.

MICROFILMED

SEP 15 2002

RECEIVED

MAY 25 2001

IDWR/North

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

Jennifer Standridge being first duly sworn

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county

3. The

Legal Notice


of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *Thursday* weeks commencing on the *24* day of *May* 2001, and ending on the *24* day of *May* 2001, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Personally appeared before me this

20 day of *May* 2001

Regina Mason
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.



NOTICE OF APPLICATION FOR WATER RIGHT
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-9077

KURT PAUL
KATHRYN PAUL
3002 14TH ST SE
AUBURN WA 98092
Point(s) of Diversion: L3 SENW S20 T48N R04W KOOTENAI County
Source: COEUR D'ALENE LAKE
Use: DOMESTIC
Total Diversion:
Date Filed: 05/08/2000
Place Of Use: DOMESTIC T48N R04W S20 SENW Lot 3
Remark: Domestic use for 1 home.
95-9078

ROD V PLESE
PLESE GANG LP
W 201 FRANCIS
SPOKANE WA 99205
Point(s) of Diversion: L10 SESE S9 T48N R04W KOOTENAI County
Source: GROUND WATER
Use: DOMESTIC
Total Diversion:
Date Filed: 05/16/2000
Place Of Use: DOMESTIC and IRRIGATION T48N R04W S9 SESE Lot 10
Number of Acres: 6.9
Domestic use is for 2 homes
95-9079

HARBORVIEW WATER SYSTEM INC
PO BOX 1752
COEUR D'ALENE ID 83816
Point(s) of Diversion: SENE S7 T50N R05W KOOTENAI County
Source: SPOKANE RIVER
Use: IRRIGATION
Total Diversion:
Date Filed: 04/24/2001
Place Of Use: IRRIGATION T50N R05W S7 SENE
T50N R05W S8 SWNW
Number of Acres: 1
95-9080

GARY TREEZ
JENNIFER TREEZ
18491 S FRANCIS FAIRE RD
WORLEY ID 83876
Point(s) of Diversion: SWNW S16 T48N R05W KOOTENAI County
Source: UNNAMED STREAM
Use: WILDLIFE STORAGE
Use: RECREATION STORAGE
Use: IRRIGATION STORAGE
Use: IRRIGATION FROM STORAGE
Total Diversion:
Date Filed: 04/26/2001
Place Of Use: WILDLIFE STORAGE
T48N R05W S16 SWNW
Place of Use: RECREATION STORAGE, IRRIGATION STORAGE, and IRRIGATION FROM STORAGE same as WILDLIFE STORAGE
Number of Acres: 14

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.
Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, ID 83814 together with a protest fee of \$25.00 for each application on or before 06/04/2001. The protestant must also send a copy of the protest to the applicant.

Legal 60
May 17, 24, 2001

KARL J. DREHER, Director

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-9077

KURT PAUL
KATHRYN PAUL
3002 14TH ST SE
AUBURN WA 98092

Point(s) of Diversion L3 SENW S20 T48N R04W KOOTENAI County
Source COEUR D ALENE LAKE
Use: DOMESTIC 01/01 To 12/31 0.06 CFS
Total Diversion: 0.06 CFS
Date Filed: 05/08/2000
Place Of Use: DOMESTIC T48N R04W S20 SENW Lot 3
Remark: Domestic use is for 1 home.

95-9078

ROD V PLESE
PLESE GANG LP
W 201 FRANCIS
SPOKANE WA 99205

Point(s) of Diversion L10 SESE S9 T48N R04W KOOTENAI County
Source GROUND WATER
Use: DOMESTIC 01/01 To 12/31 0.06 CFS
Use: IRRIGATION 03/15 To 11/15 0.14 CFS
Total Diversion: 0.2 CFS
Date Filed: 05/16/2000
Place Of Use: DOMESTIC and IRRIGATION T48N R04W S9 SESE Lot 10
Number of Acres 6.9
Domestic use is for 2 homes

95-9079

HARBORVIEW WATER SYSTEM INC
PO BOX 1752
COEUR D ALENE ID 83816

Point(s) of Diversion SENE S7 T50N R05W KOOTENAI County
Source SPOKANE RIVER
Use: IRRIGATION 03/15 To 11/15 0.06 CFS
Total Diversion: 0.06 CFS
Date Filed: 04/24/2001
Place Of Use: IRRIGATION
T50N R05W S7 SENE
T50N R05W S8 SWNW
Number of Acres 1

95-9080

GARY TREFZ
JENNIFER TREFZ
18491 S FRANCIS FAIRE RD
WORLEY ID 83876

Point(s) of Diversion SWNW S16 T48N R05W KOOTENAI County Source UNNAMED STREAM
Use: WILDLIFE STORAGE 01/01 To 12/31 9 AFA
Use: RECREATION STORAGE 01/01 To 12/31 9 AFA
Use: IRRIGATION STORAGE 01/01 To 12/31 9 AFA
Use: IRRIGATION FROM STORAGE 03/15 To 11/15 9 AFA
Total Diversion: 9 AFA
Date Filed: 04/26/2001
Place Of Use: WILDLIFE STORAGE
T48N R05W S16 SWNW
Place Of Use: RECREATION STORAGE, IRRIGATION STORAGE, and IRRIGATION FROM STORAGE same as WILDLIFE STORAGE
Number of Acres 14

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D'Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 06/04/2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published on 5/17 and 24/2001

MICHAEL

DEC 15 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

May 09, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Legal Notice Department
Coeur D Alene Press
201 N 2nd
COEUR D ALENE ID 83814

RE: Applications for Permit Nos. 95-9077, 95-9078, 95-9079 and 95-9080

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 06/04/2001. Your cooperation is appreciated.

Sincerely

Thanks to

Dianne Ball

Dianne Ball
Administrative Assistant

ENCLOSURE

SEP 19 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

May 09, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

HARBORVIEW WATER SYSTEM INC
PO BOX 1752
COEUR D ALENE ID 83816

RE: Application for Permit No 95-9079

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application. Receipt No. N014301 is enclosed for your records.

A legal notice of the application has been prepared and is scheduled for publication in the Coeur d'Alene Press on May 17 and 24, 2001. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to ten weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

Al Beardslee
Senior Water Resource Agent

Enclosure

MICHOHOMED

MAY 24 2001