






0.3 0 0.3 0.6 Miles

-  Quad IndexQuadcov.shp
-  GCDBT50N03W.shp
-  POD- ApplicationApplication POD
-  Application POU
-  Townships

MICROFILMED
OCT 12 2001





MICROFILMED

OCT 12 2001

P p

Total number of Acres


1170.00

Date of Contract

Amount of Survey

When Surveyed


Mean of Survey




and published by the Geological Survey
NOS/NOAA
grammetric methods from aerial photographs
checked 1976. Map edited 1981
3-foot grid ticks: Idaho coordinate

MICROFILMED
OCT 12 2001

EATON
T. SON, R3W





PAGE
L-3

EATON RESIDENCE
Coeur d'Alene, Idaho
Bennet Bay
UTILITY PLAN

MICROFILMED
OCT 12 2001


Site Planning
Landscape Design
Landscape Construction

CDF Landscape
4801 W. Seltice Way
Coeur d'Alene, ID 83814
(208) 765-0796
(208) 765-8796

DATE	2/20/01
BY	CDL
CHECKED BY	CDL
DATE	2/20/01

Copyright 2001
CDF Landscape
All rights reserved. Reproduction
without written permission
is prohibited. This plan and
CDF Landscape is hereby
subject to owner permission.

95-09073



where system
comes into ground



PC



PC



PC

MICROFILMED
JUN 16 2004

5-09073



PV



PV



PV

MICROFILMED
JUN 16 2004

23



PV



PV

MICROFILMED
JUN 16 2004



95

MICROFILMED
JUN 16 2004

JUN 16 2004

MICROFILMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1	2801084911	Scb	1 1/4
				Scb	1 1/4


4.

Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).


Aerial Photo Attached of _____
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

A = 64 - Home - 1400



id published by the Geological Survey
OS/NOAA

ammetric methods from aerial photographs
cked 1976. Map edited 1981

MICROFILMED
42°50"
JUN 16 2004

WOLF EATON
EDGE

Mile 4
T. SON, R3W

1000 0 1000 2000 3000 4000 5000 6000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JUL 11 2002

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9073 Telephone No. 208-664-2642

2. Name of Permit Holder(s): Glenn Eaton

3. Mailing Address: 7228 E Coeur d'Alene Lake Drive
City Coeur d'Alene State ID Zip 83814

4. Source of Water: Coeur d'Alene Lake If **GROUNDWATER** (well), Date Drilled: mo. _____ / yr. _____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): Ø

Irrigation (No. of acres): 2 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.03 Irrigation
0.04 Domestic cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? N/A Yes _____ or No _____

8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Glenn Eaton Telephone Number: 208-664-2642

Address: 7228 E Coeur d'Alene Lake Drive COA ID 83814

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 7/19/2002
(include your title, if on behalf of company of organization)

MICROFILMED

OCT 17 2002

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09073

Priority: 03/28/2001

Maximum Diversion Rate: 0.07 CFS

This is to certify, that GLENN EATON
7228 E COEUR D ALENE LAKE DRIVE
COEUR D ALENE ID 83814

has applied for a permit to appropriate water from:

Source: COEUR D ALENE LAKE **Tributary:** SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L1 NW¼SW¼ Sec. 28, Twp 50N, Rge 03W, B.M. KOOTENAI County
COEUR D ALENE LAKE L1 NW¼SW¼ Sec. 28, Twp 50N, Rge 03W, B.M. KOOTENAI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N 03W 28											2.0						2.0
											L1						

Total Acres: 2

PLACE OF USE: DOMESTIC, same as Irrigation

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before August 1, 2002.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
5. A fish screen of ¼ inch or smaller mesh shall be installed and maintained at the point of diversion.
6. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
7. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 8th day of August, 2001.

MICROFILMED

OCT 17 2001

[Signature]
for KARL J DREHER, Director

RECEIVED

AUG - 2 2001

03/25/2001 18:28 208-772-5569

PAGE 03

Department of Water Resources

FORM 202
206

69039

Ident. No. 95-9073

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of Applicant GLENN EATON Phone (208) 661-5055
Mailing address 7228 E. COEUR D'ALENE LAKE DRIVE, CDA, IDAHO
2. Source of water supply COEUR D'ALENE LAKE which is a tributary of SPOKANE RIVER
3. Location of point of diversion is Township SON. Range 3W Sec. 28 in the 1/4,
14, 3W 1/4, Govt. Lot _____, B.M., KOOTENAI County;
additional points of diversion if any: TWO POINTS OF DIVERSION IN ABOVE LEGAL DESC.
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 4/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.03 for IRRIGATION purposes from 3/15 to 4/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.07 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source 2 PUMPS - SEPARATE PUMP SYSTEMS FOR HOME & IRR.
SEPARATE PUMP SYSTEMS FOR HOME & IRR.
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (If irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. 1
e. Other; describe fully. _____

MICROFILMED

AUG 12 2001

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RSE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	36	28									D								
											2								2

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? APPLICANT & POL

b. Who owns the land to be irrigated or place of use? " "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

12. Remarks: 1 PUMP IN LAKE FOR DOMESTIC (LAWN & GARDEN) 1 PUMP IN LAKE FOR IRRIGATION OF LAWN & GARDEN

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Signature of Applicant (and title, if applicable)

Received by [Signature] Date 3/28/01 Time 1:05 P Preliminary check by [Signature]
 Fee \$ 100.00 Receipted by [Signature] # N 014233 Date 3/28/01
 Publication prepared by [Signature] Date 4/25/01 Published in CRQ Press 5/3+10/01
 Publication approved [Signature] Date 6/19/01 6/17+14/01

MICROFILMED


OCT 12 2001




- Quad IndexQuadcov.shp
- GCDBT50N03W.shp
- POD- ApplicationApplication POD
- Application POU
- Townships

MICROFILMED

OCT 12 2001






and published by the Geological Survey
NOS/NOAA
grammetric methods from aerial photographs
icked 1976. Map edited 1981
-foot grid ticks: Idaho coordinate

MICROFILMED
OCT 12 2008

WOLF LODGE
EATON
T. SON, R3W
Mile 4
Blue
RAY
2879 II SW
12400
CONTOUR INTERVAL 40 FEET



PAGE
L-3

EATON RESIDENCE
Coeur d'Alene, Idaho
Bennet Bay
UTILITY PLAN
MICROFILMED

OCT 12 2001

Site Planning
Landscape Design
Landscape Construction

CDF Landscape
4001 W. Setvice Way
Coeur d'Alene, ID 83814
(208) 765-0790
(208) 765-6796

DATE	BY	REVISION
10/12/01	JL	1

Copyright 2000
CDF Landscape
All rights reserved. Information
contained herein is the property
of CDF Landscape and is to be
used only for the project and
site for which it was prepared.
It is not to be reproduced or
used for other purposes.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 20 2004
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 95-09073

1. Owner: Glenn Caton Phone No. (208) 664-2642

Current Address: 7228 E. Coeur D'Alene Lake Drive, Coeur d'Alene ID 83814

2. Accompanied by: Glenn Caton EXAM DATE: 6-10-03

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Coeur D'Alene Lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1		NW	SW	28	50N	03W	Kootenai	USGS 7.5 min quad
	1		"	"	"	"	"	"	"

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	03W	28									2								
											1								

MICHAEL
JUN 15 2004

JUN 1 5 2004

MICROFILMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

4.

Scale: 1" = _____
Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).
Aerial Photo Attached _____
(required for irrigation of 10+ acres)
Photo of Diversion and System Attached _____



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

As 64 - Home - Home - Home

E. NARRATIVE/REMARKS/COMMENTS

There are two pumps in lake. Both are
(1) hp Sub. One is located 100' out that is
the domestic pickup. The other is located 50'
off shore, that is the irrigation pickup.
Both lines run from there to the garage.
At that point the domestic goes into filter
system, the irrigation goes to irrigation
system. Irrigation system is completely buried.
It consist of 13 zones, 8 of those are lawn
and 5 are shrub. The irrigation system was
running at 70 PSI

5 gal bucket measurement on domestic side
with pressure tanks bled off, filter & tank
still in line 104 cfs

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMET

JUN 16 2004

F. FLOW CALCULATIONS

Measured Method: $IRR = 8.8(1)(.5) = 6.16 = .03 cfs$

$\frac{.00 + (2.31 \times 20)}{181.7} = .03 cfs$

$Domestic = 5 gpm \times 15 sec = 20 gpm \times 1.33681 = .04 cfs$


G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 3 = 6$
 $V_{or} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.03 \times 245 \times 1.9835 = 14.5$
 $V = \text{Smaller of } V_{ir} \text{ and } V_{or} = 6$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS



$375 \times 500 - 6000 = \frac{2}{49750} = 245$
 $49750 = 245$

1. Recommended Amounts

Beneficial Use

Domestic
Domestic

Period of Use
 From 03/15 To 11/15
 From 01/01 To 12/31

Rate of Diversion

Q (cfs) .03

Totals: 1.07

Annual Volume
 V (afa) 6

6.6

2. Recommended Amendments

Change P.D. as reflected above
 Add P.D. as reflected above
 Change P.U. as reflected above
 Add P.U. as reflected above
 None
 Other

I. AUTHENTICATION

Field Examiner's Name *Wynne Barber* Date *8-7-03*


Reviewer

Date


MICROFILMED

SEAL

JUN 1 2005



95-09073




ADRIE
PLACE OF
USE
OK

POINT OF
DIVERSION
OK


EATON
WOLF LODGE

T. SON, R3W

MICROFILMED
JUN 16 2004



95-09073



where system
comes into gear

PV

PV


PV

95-09073

9/3

MICROFILMED
JUN 16 2004

S-09073




PV

PV

PV

MICROFILMED
JUN 16 2004

023



PV

PV

MICROFILMED
JUN 16 2004

963



PV

MICROFILMED

JUN 16 2004



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 12, 2002

GLENN EATON
7228 E COEUR D ALENE LAKE DR
COEUR D ALENE ID 83814

Re: Proof of Beneficial Use for 95-9073

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm that the use being made meets the permitted beneficial use.

Upon review of your proof, I find that you paid a \$100 license examination fee. However, your total diversion rate is .07 cfs which equates to a \$50.00 fee. Therefore, I will request that \$50.00 be refunded to you. A check will be issued by the State of Idaho in approximately 7-10 business days and mailed to you under separate cover.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the Northern Regional Office of the department in Coeur d' Alene at (208) 769-1450. If you have any questions regarding the refund or the processing of this proof, please contact me at (208) 327-7953.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office
Fiscal

MICROFILMED

OCT 17 2002

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9073

Reviewed By: dgibson

Date: July 12, 2002

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?		X	Drilling permit upgrade needed?		
Receipt No.:		N014233, C063294	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		07/11/2002
Date proof due	-	08/01/2002
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	03/28/2001
New priority date	=	03/28/2001

Deficiencies of Actions Items

Acknowledge proof. *Refund overpayment.*

May 31, 2002

GLENN EATON
7228 E COEUR D ALENE LAKE DR
COEUR D ALENE, ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-9073

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 01, 2002. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson, Admin. Assistant
Water Allocation Bureau

Enclosures

MICROFILMED

OCT 17 2002





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

August 9, 2001

GLENN EATON
7228 E COEUR D ALENE LAKE DRIVE
COEUR D ALENE ID 83814

RE: Permit No. 95-9073

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed a least sixty days prior to the commencement of work in the stream.


Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

MICROFILMED

1 2 2001

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Keen".

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


OCT 12 2001

CERTIFICATE OF MAILING

I hereby certify that on August 9, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 95-9073

**GLENN EATON
7228 E COEUR D ALENE LAKE DRIVE
COEUR D ALENE ID 83814**

A handwritten signature in black ink, reading "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

MICROFILMED

OCT 12 2001

EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

To: File 95-9073

From: Sharla

Date: August 6, 2001

Re: Fish & Game Comments

The IDFG representative who submitted comments has recommended adding conditions regarding the underwater excavation and pump/pipeline placements in the stream beds or lakes. These issues go beyond the scope of the water right application and fall instead under the jurisdiction of the Stream Channel Alteration section of this department and/or Dept. of Lands via an encroachment permit.

The standard conditions regarding the approach velocity and mesh screening will be placed on the permit, but the other issues above will not be addressed by the water right permit.

MICROFILMED

OCT 12 2001

Reviewed by Sharla Curtis on 8/3/01

AREA OF CONCERN: No/Yes ~~Moratorium~~ ~~GWMA~~ ~~TRUST/NON-TRUST~~

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response

~~In/Above MSF~~ - WB9
 PLANNING REVIEW/RESPONSE
 WD - R04 (WD# _____)
 ≤ 0.20 cfs/others - 01H, 01P or No MD
 > 0.20 cfs - 01J

RIVER BASINS: (SW special considerations)

Snake R (01) - W23, N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - W23, 047 (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

MUNICIPAL

- Restricted area - 022,075
- Irr. GW supp to SW - 102
- Future needs - 007,109

FISH PROP - 029 (70's only)-007-042-106

DOMESTIC

- Surface water - WB5 (Big Wood/Boise above Star Bridge)
- 27A (Payette R)
- >1 in restricted area - 070-071-075(no parks/common areas)
- Irr separate or none allowed - WB5 (1)
- GW w/irrigation from SW evident - 065-104
- Moratorium approvable - W03 (2500 gpd – meets domestic def
i.e. D/convenience store)

BENEFICIAL USE DUE: 8/01/2002

WIS, W14

Multiple pd's per ¼¼ - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example – S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON - (Per updated map)

IRR VOLUME/ACRE 3.0

OTHER CONDITIONS/REMARKS

COMMENTS

490075 dom
76 un-

RECEIVED

AUG - 2 2001

**IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET**

BCA
WRAAPPLICATION # 95-9073

Department of Water Resources

INITIAL REVIEW

APPLICANT:

EATON

BY:

JB

DATE:

3/28/01**ITEM REQUIRED INFORMATION**

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

(Yes) (No)

- Y Field check: by _____
- Y Field report attached
- Y Analysis Supp. attached (>5cfs/500af)
- Y Water delivered by water master?
- Water District # _____

PROCESSING

(Yes) (No)

PRIORITY DATE: 3/28/01X (Include Moratorium Remark)X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN:

KOOTENAI

County

LETTERS SENT REQUESTING:

() Dam Information () Fish Information

() Power Information () Other: N/A**INFORMATION RECEIVED:**

() Dam Information () Fish Information

() Power Information () Other: N/A**GROUNDWATER SECTION**

WD Permit No.'s:	TAG #	Type:	Fees	Receipt No.	Upgrade Needed?
<u>1</u>		Dom. Non-Dom.	Paid \$		Y () N ()
<u>1</u>		Dom. Non-Dom.	Paid \$		Y () N ()
<u>1</u>		Dom. Non-Dom.	Paid \$		Y () N ()

- Y Groundwater management area
- Y Critical ground water area
- Y Well Drilling Permit required
- Y Well Drilling Application and Fees received
- Y Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- Y Notice of pending void order issued. Final order response date: 1/1/01
- Y Further information required from applicant
- Y Affidavit of publication received
- Y Application published correctly. If not, record action taken: Read to correct
- Y Publication dates and paper recorded on application range for POD & POU
- Y Protests received, Final protest date: 5/21/01 Sr. Agent initial JB
- Y Measuring device required
- Y Measuring port required
- Y Special conditions:
- Y Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by:

JB

Date:

7/19/01

Ball, Dianne

From: RAY HENNEKEY [rhenneke@IDFG.STATE.ID.US]
Sent: Friday, June 22, 2001 4:18 PM
To: dball@idwr.state.id.us
Subject: comments

Diane -- you may already have rec'd, but I'm not sure, so

REFERENCE: Applications for the following water rights permits:

96-9073 from Pend Orielle River;

96-9074 C&R HOLDINGS from Sand Creek;

96-9077 ROSS AND SHEILA FALCONER from an unnamed stream;

98-7804 SKIN CREEK WATER ASSN from Skin Creek;

#96-99073 GLENN EATON from Lake Coeur d'Alene.

We have no specific objections or comments about the above applications. However, water lines and pumps are an encroachment in lakes and rivers which can be detrimental to fish and fish habitat.

We recommend that applicants be required to install lines beneath the lake, river or stream bed should occur during low water periods when underwater excavation will be minimized. Dug materials should be sidecast to only one side and the bottom contour and substrate restored. Any unburied sections of the line should be anchored on the bottom to prevent it from floating and interfering with boat anchors or anglers' lines or capturing debris. The applicant should also provide a smooth cover for the pump to avoid interference with boat anchors or anglers' lines and to avoid capturing debris. It would be preferable to place pumps on land rather than in the water. Water intakes should be screened to prevent entrainment or impingement of fish. The maximum screen mesh size should be 0.25 inches; approach velocities should not exceed 0.5 ft/second to prevent losses of juvenile fish.

Thank you for the opportunity to comment.

MICROFILMED

OCT 12 2001

Ball, Dianne

From: Ball, Dianne
Sent: Monday, May 21, 2001 10:17 AM
To: 'Ray Hennekey IDFG Cd'A'
Subject: Notice of Correction on Water Right - on which we need your comments by 6/25/01

Greetings, Ray, and welcome to my "circle of friends".

The following is probably pretty much self explanatory, but we do need your comments on this - whether or not you have a problem concerning the issuance of the permit as corrected. This is for water from Lake Coeur d'Alene and is for a total of .07 cfs.

The original request was sent to Mark Liter along with several others, i.e. 95-9070 DeTar, 95-9071 Trefz, 95-9072 Trefz, and 95-9074 Nelson. They were sent via e-mail in an attachment. If you have not received these from him, I can forward the original message on to you via e-mail. We have only until tomorrow (5/21/01) on these listed here for protests to be filed. If you need these for review, please let me know by immediate return e-mail or call me at 769-1450, and I will e-mail them to you right away. The NOTICE OF CORRECTION below will change the final date of protest on this water right application only, to June 25, 2001, basically 10 days following the last date of publication of this Notice of Correction..

We send you e-mails periodically of applications for water rights from surface water sources, with a request for your comments by certain dates. In order to comply with the law, rules and regulations, we only have a limited time during which protests can be filed following advertising of these rights. We appreciate your comments on these surface source applications either way - ok to process, or not - and if you want to file a protest against any of these, then we need that on or before the final date for protests to be received, together with a \$25.00 fee. I generally go to our web site and send the report via attachment - and give you the numbers for the ones on which we need your comments either way.

If you have any questions, please do not hesitate to call me. It makes working together a lot easier. In the "changing of the guard" I realize that sometimes things slip through the cracks. Thanks for your prompt response.

Dianne Ball, IDWR, Cd'a Northern Region

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-9073 in the name of GLENN EATON, 7228 E Coeur d'Alene Lake Drive, Coeur d'Alene, ID 83814, was incorrectly advertised on May 3 and 10, 2001.

The place of Use and Point of Diversion were incorrectly advertised as being in the NWSW of S28, T50N, R4W, Kootenai County, whereas correctly it should be NWSW of S28, T50N, R3W, Kootenai County.

MICROFILMED

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before June 25, 2001.

KARL J. DREHER, Dir.

Published in the Coeur d'Alene Press on 6/7 and 14/2001.

May your life be littered with love and blessings.

Dianne

MICROFILMED

OCT 12 2001

Ball, Dianne

From: Ball, Dianne
Sent: Tuesday, April 24, 2001 2:34 PM
To: 'Mark Liter, IDFG Cd'A'
Subject: perweek1.txt NEW WATER RIGHT LISTINGS REQUIRING YOUR COMMENTS



perweek1.txt.url

reetings, Mark, and I hope you have a marvelous day.

Following is a list of water rights for which you will find information in the attachment:

95-9070 DeTar;
95-9071 Trefz;
95-9072 Trefz;
95-9073 Eaton;
95-9074 Nelson.

We require comments from you on each of these five pending applications found within the attachment. You can either click on the http address or double click on the attachment itself. Either one should get you to the website with the listings. The final date for protest or comments to be received in our office on these five water right applications will be MAY 21, 2001. Protests received must be original signed copies, together with a \$25.00 fee for each application protested. If you have no interest in any of these applications, please advise us of that fact.

We will appreciate your comments either way, and if there is no protest, an e-mail response will be great.

Thank you very much for your prompts response. Dianne Ball, IDWR, Cd'A office

<http://www.idwr.state.id.us/info/water/rights/perweek1.txt>

MICROFILMED

OCT 12 2001

RECEIVED
JUN 15 2001

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

Jennifer Standridge being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular Thursday
issue of said newspaper for 2 consecutive Weeks
commencing on the 17 day of June 2001, and
ending on the 14 day of June 2001, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.


Personally appeared before me this

14 day of June

2001

Regina Mason

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.



MY COMMISSION EXPIRES 6/18/03

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-9073 in the name of GLENN EATON, 7228 E Coeur d'Alene Lake Drive, Coeur d'Alene, ID 83814, was incorrectly advertised on May 3 and 10, 2001.

The place of Use and Point of Diversion were incorrectly advertised as being in the NWSW of S28, T50N, R4W, Kootenai County, whereas correctly it should be NWSW of S28, T50N, **R3W**, Kootenai County. *ok*

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.) Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before June 25, 2001.

KARL J. DREHER, Dir.
Legal 175
June 7, 14, 2001

MICROFILMED

JUN 15 2001

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-9073 in the name of GLENN EATON, 7228 E Coeur d'Alene Lake Drive, Coeur d'Alene, ID 83814, was incorrectly advertised on May 3 and 10, 2001.

The place of Use and Point of Diversion were incorrectly advertised as being in the NWSW of S28, T50N, R4W, Kootenai County, whereas correctly it should be NWSW of S28, T50N, R3W, Kootenai County.

(For additional information concerning the property location, call the Northern Regional Office at 769-1450.)

Any protests against the approval of the above-referenced correction must be filed with the applicant and with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814, together with a protest fee of \$25.00 on or before June 25, 2001.

KARL J. DREHER, Dir.

Published in the Coeur d'Alene Press on 6/7 and 14/2001.

MICROFILMED
OCT 12 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

May 30, 2001

Legal Notices Department
Coeur d'Alene Press
201 N Second
Coeur d'Alene ID 83814

Re: Water Right Application No. 95-9073 for Glenn Eaton

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the Affidavit of Publication, and the bill, to this office before June 25, 2001.

Thank you.

Sincerely,

Dianne Ball
Administrative Assistant

Enclosure

MICROFILMED

OCT 12 2001

AFFIDAVIT OF PUBLICATION

RECEIVED
MAY 11 2001

STATE OF IDAHO,
County of Kootenai,

ss.

Jennifer Standridge

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *1991 Notice*

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *Weeks* commencing on the *3* day of *May*, 2001, and ending on the *10* day of *May*, 2001, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *10* day of *May*, 2001.

Regina Mason

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MY COMMISSION EXPIRES 6/18/03

*Readvertise
should be
Rpt 3 w*

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-9070

THOMAS R DE TAR
1490 SCHILLING LOOP
POST FALLS, ID 83854
Point(s) of Diversion NESW S10 T50N R05W KOOTENAI County
Source SPRING, UNNAMED STREAM
Point(s) of Diversion NWSE S10 T50N R05W KOOTENAI County
Source SPRING, UNNAMED STREAM
Use: IRRIGATION 03/15 To 11/15 0.2 CFS
Total Diversion: 0.2 CFS
Date Filed: 03/16/2001
Place Of Use: IRRIGATION
T50N R05W S10 NESW
Number of Acres 10

95-9071

GARY TREFZ
JENNIFER TREFZ
18491 S FRANCIS FAIRE RD
WORLEY ID 83876
Point(s) of Diversion NESE S17 T48N R05W KOOTENAI County
Source SPRINGS, UNNAMED STREAM
Point(s) of Diversion NESE S17 T48N R05W KOOTENAI County
Source SPRINGS, UNNAMED STREAM
Use: WILDLIFE STORAGE 01/01 To 12/31 2AFA
Use: RECREATION STORAGE 01/01 To 12/31 2AFA
Use: DIVERSION TO STORAGE 01/01 To 12/31 0.2CFS
Total Diversion: 0.2CFS
Date Filed: 03/22/2001
Place Of Use: WILDLIFE STORAGE and RECREATION STORAGE
T48N R05W S17 NESE

95-9072

GARY TREFZ
JENNIFER TREFZ
18491 S FRANCIS FAIRE RD
WORLEY ID 83876
Point(s) of Diversion NESE S17 T48N R05W KOOTENAI County
Source UNNAMED STREAM
Use: WILDLIFE STORAGE 01/01 To 12/31 2.5AFA
Use: RECREATION STORAGE 01/01 To 12/31 2.5AFA
Total Diversion: 2.5AFA
Date Filed: 03/22/2001
Place Of Use: WILDLIFE STORAGE and RECREATION STORAGE
T48N R05W S17 NESE

95-9073

GLENN EATON
7228 E COEUR D ALENE LAKE DRIVE
COEUR D ALENE ID 83814
Point(s) of Diversion NWSW S28 T50N R04W KOOTENAI County
Source COEUR D ALENE LAKE
Use: DOMESTIC 01/01 To 12/31 0.04CFS
Use: IRRIGATION 03/15 To 11/15 0.03CFS
Total Diversion: 0.07CFS
Date Filed: 03/28/2001
Place Of Use: DOMESTIC and IRRIGATION
T50N R04W S28 NWSW
Number of Acres 2
Remark: Two points of diversion, one for domestic and one for irrigation.

95-9074

DAVID M NELSON
SANDRA K NELSON
1547 STANDING ELK TRAIL
COEUR D ALENE ID 83814
Point(s) of Diversion SWSWSW S20 T50N R04W KOOTENAI County
Source SPRINGS
Use: FIRE PROTECTION 01/01 To 12/31 0.03CFS 4AFA
Use: WILDLIFE STORAGE 01/01 To 12/31 0.03CFS 4AFA
Use: RECREATION STORAGE 01/01 To 12/31 0.03CFS 4AFA
Use: DIVERSION TO STORAGE 01/01 To 12/31 0.2CFS 4AFA
Use: IRRIGATION STORAGE 03/15 To 11/15 0.2CFS 4AFA
Use: IRRIGATION FROM STORAGE 03/15 To 11/15 0.2CFS 4AFA
Use: FIRE PROTECTION 01/01 To 12/31 0.2CFS 4AFA
Use: IRRIGATION 03/15 To 11/15 0.1CFS 4AFA
Total Diversion: 0.2CFS
Date Filed: 04/02/2001
Place Of Use: FIRE PROTECTION STORAGE, WILDLIFE STORAGE, RECREATION STORAGE, IRRIGATION AND IRRIGATION STORAGE:
T50N R04W S20 SWSW
Number of Acres 5
Remark: Recreation storage is for fishing and swimming.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.
Any protest against the approval of this application must be filed with the Director Dept. of Water Resource, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 05/21/2001. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director
Legal 958
May 3, 10, 2001

MICROFILMED

OCT 12 2001

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-9070

THOMAS R DE TAR
1490 SCHILLING LOOP
POST FALLS ID 83854

Point(s) of Diversion NESW S10 T50N R05W KOOTENAI County
Source SPRING, UNNAMED STREAM
Point(s) of Diversion NWSE S10 T50N R05W KOOTENAI County
Source SPRING, UNNAMED STREAM
Use: IRRIGATION 03/15 To 11/15 0.2 CFS
Total Diversion: 0.2 CFS

Date Filed: 03/16/2001
Place Of Use: IRRIGATION
T50N R05W S10 NESW
Number of Acres 10

95-9071

GARY TREFZ
JENNIFER TREFZ
18491 S FRANCIS FAIRE RD
WORLEY ID 83876

Point(s) of Diversion NESE S17 T48N R05W KOOTENAI County Source SPRINGS, UNNAMED STREAM
Point(s) of Diversion NESE S17 T48N R05W KOOTENAI County Source SPRINGS, UNNAMED STREAM
Use: WILDLIFE STORAGE 01/01 To 12/31 2 AFA
Use: RECREATION STORAGE 01/01 To 12/31 2 AFA
Use: DIVERSION TO STORAGE 01/01 To 12/31 0.2 CFS
Total Diversion: 0.2 CFS

Date Filed: 03/22/2001
Place Of Use: WILDLIFE STORAGE and RECREATION STORAGE
T48N R05W S17 NESE

95-9072

GARY TREFZ
JENNIFER TREFZ
18491 S FRANCIS FAIRE RD
WORLEY ID 83876

Point(s) of Diversion NESE S17 T48N R05W KOOTENAI County
Source UNNAMED STREAM
Use: WILDLIFE STORAGE 01/01 To 12/31 2.5 AFA
Use: RECREATION STORAGE 01/01 To 12/31 2.5 AFA
Total Diversion: 2.5 AFA

Date Filed: 03/22/2001
Place Of Use: WILDLIFE STORAGE and RECREATION STORAGE
T48N R05W S17 NESE

95-9073

GLENN EATON
7228 E COEUR D ALENE LAKE DRIVE
COEUR D ALENE ID 83814

Point(s) of Diversion NWSW S28 T50N R04W KOOTENAI County
Source COEUR D ALENE LAKE
Use: DOMESTIC 01/01 To 12/31 0.04 CFS
Use: IRRIGATION 03/15 To 11/15 0.03 CFS
Total Diversion: 0.07 CFS

Date Filed: 03/28/2001
Place Of Use: DOMESTIC and IRRIGATION
T50N R04W S28 NWSW
Number of Acres 2
Remark: Two points of diversion, one for domestic and one for irrigation.

MICROFILMED

001 12 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

April 25, 2001

Legal Notice Department
Coeur D Alene Press
201 N 2nd
COEUR D ALENE ID 83814

RE: Application for Permit No. 95-9070, 95-9071, 95-9072, 95-9073, and 95-9074

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 05/21/2001. Your cooperation is appreciated.

Sincerely

Dianne Ball
Administrative Assistant

MICROFILMED

OCT 12 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

April 25, 2001

GLENN EATON
7228 E COEUR D ALENE LAKE DRIVE
COEUR D ALENE ID 83814

RE: Application for Permit No 95-9073

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application. Enclosed is Receipt No. N014233 for your records.

A legal notice of the application has been prepared and is scheduled for publication in the Coeur d'Alene Press on May 3 and 10, 2001. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

Allen Beardslee
Senior Water Resource Agent

Enclosure

MICROFILMED

OCT 12 2001