

T48N R4W

Government lot check for
95-09050 by RGH 12/7/2000

PD

Carthage Bay

NWNE

NENE

SWNE

SENE

NWSE

NESE

SWSW

SESW

SWSE

SESE

EAST


POINT

ROAD

ROAD

MICROFILMED
APR 11 2001

36



512

50'

513

23 MI. TO INTERSTATE 90

2679 III SE
(MICA BAY)

515

47°30"

516

R. 4

Pondhorn Bay

X 2678

X BM 2182

POINT OF
DIVERSION
+
PLACE
OF USE

BM 2146

2684 X

2642

EAST

POINT

26 ROAD

BM 2346

BM 2568

BM 2426

Campground

Bell Bay

COEUR

COEUR D'ALENE

INDIAN

RESERVATION

T 48 N
47 N

OLD

Harlow Point

X Mile 0

ELEVATION 2125

MICROFILMED

APR 11 2001

Mile +
130

LENE

MEYER
48N., R. 4W.


Boat Ramp

Harrison

Little Cottonwood Bay

Reynolds Point

Coeur d'Alene Lake



Meyer Application for Permit ☐
T.48N, R.4W., Sec. 23

0

2

1

0

0

3

4

0

0

5

6

☐

0

MICROFIL
APR 11 2001



Expect the Best from Worst

R.C. Worst & Company, Inc.
625 Best Avenue, Coeur d'Alene, ID 83814-3740
208.664.2133 Fax: 208.667.8775

INVOICE

Invoice #: 0114853
Order #: 0139803

Order Date: 07/24/00

CASH SALE - COEUR D'ALENE

1-99999
CASH SALE - COEUR D'ALENE

ACCOUNT NO.	SALESMAN	PURCHASE ORDER NO.	SHIP VIA	COL	PPD.	DATE SHIPPED	TERMS	INVOICE DATE
199999	By: JON					07/24/00	CASH	07/28/00 2

QTY. ORDERED	QTY. SHIPPED	QTY. BACK ORDERED	ITEM NO.	DESCRIPTION	UNIT PRICE	DISC. %	EXTENDED PR
16	16		S GLVB1507	GALV BUSHING 1-1/2"X3/4"	EA 7.850	50.0	62.88
15	15		S BII0822-07	BII BALL VALVE BRASS IPS 3/4"	EA 11.300	50.0	84.75
17	17		S H0937441	HOSE ADPT 1/2FIPX3/4MIPX3/4MHT	EA 3.850	35.0	42.50
5	5		S IRTBMA150	INS BRASS RA 1-1/2"	EA 2.830	.0	14.15
17	17		S GLVN07025	GALV NIPPLE SCH 40 3/4"X2-1/2"	EA .810	25.0	10.37
1	1		S GLVT15	GALV TEE 1-1/2"	EA 14.239	50.0	7.12
2	2		S GLVR1507	GALV RED 1-1/2"X3/4"	EA 11.035	50.0	11.04
1	1		S RSL23551	RECTRSL PIPE CNPD T-PLUS 1/2PT	EA 9.700	20.0	7.70

THANK YOU FOR YOUR BUSINESS
PLEASE PAY FROM THIS INVOICE



JON NORCROSS
Sales

EXPECT THE BEST FROM WORST

Phone: (208) 664-2133 • Fax: (208) 667-8775
Toll Free: (888) 809-6778 • Email: jonn@pumping.com
625 Best Ave., Coeur d'Alene, ID 83814
Internet: www.pumping.com

Signature: NAME: RICHARD S MEYER

20% Restocking charge on return goods. Returns must be accompanied by original invoice.
A service charge of 1-1/2% per month, with a minimum charge of 50 cents, is made on all past due account balances. This is an annual rate of 18% and is correspondingly larger if the minimum charge is used.

SALE AMOUNT

MISC. CHARGES
SALES TAX
FREIGHT

THANK YOU

TOTAL

2910.96

Expect the Best from Worst

R.C. Worst Company, Inc.
625 Best Avenue, Coeur d'Alene, ID 83814-3740
208.664.2133 Fax: 208.667.8775

INVOICE

Invoice #: 0114853
Order #: 0139803

1-99999
CASH SALE - COEUR D'ALENE

Order Date: 07/24/00
CASH SALE - COEUR D'ALENE

SHIP TO

ACCOUNT NO.	SALESMAN	PURCHASE ORDER NO.	SHIP VIA	COL.	PPD.	DATE SHIPPED	TERMS	INVOICE DATE	PAGE
199999	By: JON					07/24/00	CASH	07/28/00 1	

QTY. ORDERED	QTY. SHIPPED	QTY. BACK ORDERED	ITEM NO.	DESCRIPTION	UNIT PRICE	DISC. %	EXTENDED PRICE
1	1		S GNF05010015	GRNDFS PE 4" 25530-15 3HP	EA 685.000	20.0	548.00
1	1		S GNF96021136	GRNDFS MTR 4" 3HP 230/1 F3W	EA 918.000	20.0	734.40
1	1		S GNF82F005	GRNDFS CNTRL BOX DLX 3HP 230VF	EA 286.000	20.0	228.80
1	1		S RCWSLI40	ASSY SUB LAKE INTAKE 4"	EA 169.860	10.0	152.87
1	1		S WSLA0412	WELL SEAL ADS 4"X1-1/4"	EA 14.460	20.0	11.57
1	1		S GLVR1512	GALV RED 1-1/2"X1-1/4"	EA 10.428	50.0	5.21
1	1		S GLVN12120	GALV NIPPLE SCH 40 1-1/4"X12"	EA 6.750	25.0	5.06
1	1		S GLVB1512	GALV BUSHING 1-1/2"X1-1/4"	EA 7.850	50.0	3.93
2	2		S HSKA4C	ADVANCE HEAT SHRINK 4W #14/10	EA 6.500	30.0	9.10
200	200		S WIRSP104	CABLE SUB TWISTED PVC CU 10/4	FT .650	25.0	98.00
200	200		S PLVP20012	POLY PIPE 200PSI 1-1/4"	FT .810	20.0	130.24
400	400		S PLVP20015	POLY PIPE 200PSI 1-1/2"	FT 1.100	20.0	352.00
30	30		S 1RTMAS6	1/2" STEEL MA 1-1/2"	EA 3.540	20.0	84.90
70	70		S CSSH13298	CLAMPS SS HEX 1-9/16" TO 2-1/2"	EA 1.240	30.0	60.90
15	15		S GLVT15	GALV TEE 1-1/2"	EA 14.240	50.0	106.79

Continued

Signature _____

SALE AMOUNT
MISC. CHARGES
SALES TAX
FREIGHT

20% Restocking charge on return goods. Returns must be accompanied by original invoice.
A service charge of 1-1/2% per month, with a minimum charge of 50 cents, is made on all past due account balances. This is an annual rate of 18% and is correspondingly larger if the minimum charge is used.

THANK YOU

TOTAL ➤

Expect the Best from Worst

R.C. Worst Company, Inc.
625 Best Avenue, Coeur d'Alene, ID 83814-3740
208.664.2133 Fax: 208.667.8775

INVOICE

Invoice #: 0114853
Order #: 0139003

1-99999
CASH SALE - COEUR D'ALENE

Order Date: 07/24/00
CASH SALE - COEUR D'ALENE

SHIP TO

COUNT NO.	SALESMAN	PURCHASE ORDER NO.	SHIP VIA	COL.	PPD.	DATE SHIPPED	TERMS	INVOICE DATE	PAGE
199999	By: JON					07/24/00	CASH	07/28/00 1	

QTY. ORDERED	QTY. SHIPPED	QTY. BACK ORDERED	ITEM NO.	DESCRIPTION	UNIT PRICE	DISC. %	EXTENDED PRICE
1	1		S GNF05010015	GRNDFS PE 4" 25530-15 3HP	EA 685.000	20.0	548.00
1	1		S GNF96021136	GRNDFS MTR 4" 3HP 230/1 F3W	EA 918.000	20.0	734.40
1	1		S GNF82F005	GRNDFS CNTRL BOX DLX 3HP 230VF	EA 286.000	20.0	228.80
1	1		S RCWSLI40	ASSY SUB LAKE INTAKE 4"	EA 169.060	10.0	152.87
1	1		S WSLA0412	WELL SEAL ABS 4"X1-1/4"	EA 14.450	20.0	11.57
1	1		S GLVR1512	GALV RED 1-1/2"X1-1/4"	EA 10.420	50.0	5.21
1	1		S GLVN12120	GALV NIPPLE SCH 40 1-1/4"X12"	EA 6.750	25.0	5.06
1	1		S GLVB1512	GALV BUSHING 1-1/2"X1-1/4"	EA 7.850	50.0	3.93
2	2		S HSKA4C	ADVANCE HEAT SHRINK 4W #14/10	EA 6.500	30.0	9.10
200	200		S WIRSP104	CABLE SUB TWISTED PVC CU 10/4	FT .650	25.0	98.00
200	200		S PLYP20012	POLY PIPE 200PSI 1-1/4"	FT .610	20.0	132.04
400	400		S PLYP20015	POLY PIPE 200PSI 1-1/2"	FT 1.100	20.0	352.00
30	30		S 1RTMAS6	1/2" STEEL MA 1-1/2"	EA 3.540	20.0	84.90
70	70		S CSSH132SS	CLAMPS SS HEX 1-3/16" TO 2-1/2"	EA 1.240	30.0	60.90
15	15		S GLVT15	GALV TEE 1-1/2"	EA 14.240	50.0	106.79

Continued

SALE AMOUNT
MISC. CHARGES
SALES TAX
FREIGHT

Signature_____

20% Restocking charge on return goods. Returns must be accompanied by original invoice.
A service charge of 1-1/2% per month, with a minimum charge of 50 cents, is made on all past due account balances. This is an annual rate of 18% and is correspondingly larger if the minimum charge is used.

THANK YOU

TOTAL ➤

meyer



95-9050

T48N R4W

Government lot check for
95-09050 by RGH 12/7/2000

PD

Bay

NWNE

NENE

SWNE

SENE

NWSE

NESE

SWSW

SESW

SWSE

SESE

EAST

POINT

ROAD

Also

95-9065

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09050

Priority: June 29, 2000

Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 3.0 AF

It is hereby certified that RICHARD S MEYER
3813 E 80TH ST
TACOMA WA 98443 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated June 29, 2000; and has
submitted Proof of Beneficial Use on November 16, 2001. An examination indicates that the works have
a diversion capacity of 0.03 cfs of water from:

SOURCE

COEUR D ALENE LAKE Tributary: SPOKANE RIVER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	3/15 to 11/15	0.03 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L2 NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 23, Twp 48N, Rge 4W, B.M. KOOTENAI County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N 04W 23					1.0												1.0


Total Acres: 1

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 20th day of JUNE, 2002.


KARL J. DREHER
Acting for Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

NOV 16 2001

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-9050 Telephone No. 253 539 1686

2. Name of Permit Holder(s): Richard Meyer

3. Mailing Address: 3813 East 80th St,

City Tacoma State WA Zip 98443

4. Source of Water: Coeur d'Alene Lake If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 1 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.10 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Richard Meyer Telephone Number: 253 539 1686

Address: 3813 East 80th St., Tacoma, WA 98443

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature: Richard Meyer] Date: Nov. 14, 2001
(include your title, if on behalf of company or organization)

MICROFILMED

FEB 25 2002

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09050

Priority: 06/29/2000

Maximum Diversion Rate: 0.03 CFS

This is to certify, that RICHARD S MEYER
3813 E 80TH ST
TACOMA WA 98443

has applied for a permit to appropriate water from:

COEUR D ALENE LAKE tributary to SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

COEUR D ALENE LAKE L2 NW1/4NW1/4 Sec. 23, Twp 48N, Rge 04W, B.M. KOOTENAI County

PLACE OF USE: IRRIGATION


Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N 04W 23						1.0											1.0
						L2											

Total Acres: 1

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before January 01, 2002.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 3rd day of January, 2001.


for KARL J DREHER, Director

MICROFILMED

APR 11 2001

RECEIVED

DEC 8 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant Richard S. Meyer Phone 2535391686
Mailing address 3813 East 80th St., Tacoma, WA 98443
2. Source of water supply Coeur d'Alene Lake which is a tributary of Spokane River
3. Location of point of diversion is Township 48 N Range 4 W Sec. 23 in the 1/4,
NW 1/4, NW 1/4, Govt. Lot 2182 #2, B.M., Kootenai County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .03 cfs for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .03 cfs and/or (b) 6
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source: 3 hp pump (40 gpm) with 200' of 1 1/2" flexible pipe feeding 3 sprinklers. Orchard is about 150' from the lake with at 80' rise,
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 0.5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. _____
e. Other; describe fully. _____

MICROFILMED

APR 11 2001

8. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
23	48N	4W						1											1 acre
48N	4W	23					1.6	2											

Total number of acres to be irrigated 1

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Lake Coeur d'Alene - State of Idaho

b. Who owns the land to be irrigated or place of use? self - Richard S. Meyer

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: ENCROACHMENT PERMIT


12. Remarks: This water will be used to irrigate fruit trees and raspberry patches. Although the pump will deliver 40 gpm when in use; irrigation will actually occur only 2 or 3 days a week when needed (primarily in July and August).

Dr. Richard S. Meyer
62934 S. Powderhorn Bay Rd.
Harrison, Idaho 83833

property address →

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Signature of Applicant (and title, if applicable)

Received by db Date 6/29/00 Time 1:50 P Preliminary check by DB
Fee \$ 50 - Receipted by db # 1013798 Date 6/29/00
Publication prepared by db Date 7/26/00 Published in IDAHO 8/13/00 9/1+14/00
Publication approved _____ Date _____

NOTE TO FILE - THIS IS A RE-FILING OF 98-08725
WHICH HAS Lapsed

APR 11 2001

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08725

Proposed Priority: November 8, 1991 Maximum Diversion Rate: 0.03 CFS

This is to certify, that RICHARD S MEYER
PO BOX 11046
TACOMA WA 98411

has applied for a permit to appropriate water from:

COEUR D ALENE LAKE

tributary of SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 23, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04W	23	NWNW	1		1


Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1993.
2. Subject to all prior water rights.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

16th day of January, 1992

for 
R. Keith Higginson, Director

MICROFILM

APR 11 2001

LAPSED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 22, 1992

RICHARD S MEYER
PO BOX 11046
TACOMA WA 98411

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08725

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

MICROFILMED
APR 11 1994

T48N R4W

Government lot check for
95-09050 by RGH 12/7/2000

PD

Bay

2684

SW

EAST


POINT

26

ROAD

MICRO-Link
APP 7.1.2000

36



MEYER
48N., R. 4W.

ELEVATION 2125
MICROFILMED
APR 11 2007

Mile 130

X Mile 0

RESERVATION

48 N
147 N

Boat Ramp

Carson

Harlow Point

COEUR D'ALENE

HA

OLD

Little Cottonwood Bay
Reynolds Point

Bell Bay

Campground

ROAD

EAST

POINT

Pond
Brig

23 MI. TO INTERSTATE 90
2679 IN SE (MICA BAY)

47'30"

16


15

13

50'

12

Coeur d'Alene Lake



Meyer Application
T.48N, R.4W., S.

0

2

1

0

0

3

4

0

0

5

6

MICRO

APR 1 1961



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

August 13, 2002

RICHARD S MEYER
3813 E 80TH ST
TACOMA WA 98443

Re: Permit No. 95-9065 and License 95-9050

Dear Dr. Meyer:

I received your hand-drawn diagram and the invoices from the pump and irrigation system you are using for irrigation. After I received this documentation, I spoke with Wayne Baldwin on the phone.

Wayne recalled seeing a diagram of the sprinkler system, but did not know why it wasn't attached to the field report. He explained to me that there are five (5) large sprinkler heads and the remaining ten (10) heads are "mistlers" and that he measured the output of the 5 large heads because you had told him the mistlers aren't run at the same time as the large heads since they take the bulk of the water.

At this point, I believe it would be best for you and Wayne to sort the discrepancies out and by copy of this letter to Wayne, I will request that he contact you personally to discuss these issues and then for him to provide his final recommendations to me in writing. No further action will be taken by this office until the written documentation is received here.

If you have any questions, please give me a call.

Sincerely,

Sharla Curtis
Senior Water Resource Agent.

Cc: Wayne Baldwin – Northern Region

MEMORANDUM

To: Files 95-9050 and 95-9065

From: Sharla

Date: July 16, 2002

Re: Telecon

On 7/2/2002, Mr. Meyer called in response to Shelley's letter. He told me that 15 sprinklers are used instead of the 5 recommended by the examiner. He said he had given a hand-drawn diagram to Wayne when he was out there for the examination and had also given him copies of the pump/sprinklers invoices. I told him this information had not been attached to the field report. Mr. Meyer sent copies to me a few days later.

On this date I spoke with Wayne Baldwin at Northern Region concerning the correspondence from Mr. Meyer. Wayne told me that there were 5 large sprinkler heads used and the other 10 are misters. The right holder had told him that the misters aren't run at the same time as the 5 large heads because the 5 take the bulk of the water. Wayne offered to drop by the property when he is in the area again and/or discuss this with Mr. Meyer. I told him that I will send him a copy of my correspondence to Mr. Meyer and a copy of the information Mr. Meyer had sent to me. I feel that Wayne and Mr. Meyer need to discuss this matter together so that they both come to the same conclusion about the system that is being used.

Dr. Richard S. Meyer

RECEIVED

JUL - 8 2002

Department of Water Resources

3813 East 80th Street
Tacoma, Washington 98443
253-539-1686
FAX 253-539-0308


July 2, 2002

Ms. Sharla Curtis
Water Rights Supervisor
State Of Idaho
Department of Water resources
1301 North Orchard Street
Boise, Idaho 83706

Dear Ms. Curtis:

Following up on our conversation today, I have attached a copy of my irrigation sprinkler map and the invoice from the Worst Company. I would recommend that my system be granted 0.1 CFS which is the output of my system on permit request # 95-9065.

Best wishes,

A handwritten signature in black ink, appearing to read "Richard Meyer", is written over a horizontal line. The signature is fluid and cursive, with a large initial "R".

Richard Meyer



Expect the Best from Worst

R.C. Worst & Company, Inc.
625 Best Avenue, Coeur d'Alene, ID 83814-3740
208.664.2133 Fax: 208.667.8775

INVOICE

Invoice #: 0114853
Order #: 0139803

1-99999
CASH SALE - COEUR D'ALENE

Order Date: 07/24/00
CASH SALE - COEUR D'ALENE


SOLD TO

SHIP TO

ACCOUNT NO.	SALESMAN	PURCHASE ORDER NO.	SHIP VIA	COL	PPD.	DATE SHIPPED	TERMS	INVOICE DATE
199999	By: JON					07/24/00	CASH	07/28/00 2

QTY ORDERED	QTY SHIPPED	QTY BACK ORDERED	ITEM NO.	DESCRIPTION	UNIT PRICE	DISC. %	EXTENDED PR
16	16		S GLVB1507	GALV BUSHING 1-1/2"X3/4"	EA 7.850	50.0	62.88
15	15		S BII0822-07	811 BALL VALVE BRASS IPS 3/4"	EA 11.300	50.0	94.75
17	17		S HDS37441	HOSE ADPT 1/2FIPX3/4MIPX3/4MHT	EA 3.850	35.0	42.50
5	5		S IRTBMA150	INS BRASS RA 1-1/2"	EA 2.930	.0	14.15
17	17		S GLVN07025	GALV NIPPLE SCH 40 3/4"X2-1/2"	EA .810	25.0	18.37
1	1		S GLVT15	GALV TEE 1-1/2"	EA 14.239	50.0	7.12
2	2		S GLVR1507	GALV RED 1-1/2"X3/4"	EA 11.035	50.0	11.04
1	1		S RSL23551	RECTRSL PIPE CHPD T-PLUS 1/2PT	EA 3.700	20.0	7.76

THANK YOU FOR YOUR BUSINESS
PLEASE PAY FROM THIS INVOICE



JON NORCROSS
Sales

EXPECT THE BEST FROM WORST

Phone: (208) 664-2133 • Fax: (208) 667-8775
Toll Free: (888) 809-6778 • Email: jonn@pumping.com
625 Best Ave., Coeur d'Alene, ID 83814
Internet: www.pumping.com

Signature _____ NAME: RICHARD S. MEYER

20% Restocking charge on return goods. Returns must be accompanied by original invoice.
A service charge of 1-1/2% per month, with a minimum charge of 50 cents, is made on all past due account balances. This is an annual rate of 18% and is correspondingly larger if the minimum charge is used.

THANK YOU

SALE AMOUNT

MISC. CHARGES
SALES TAX
FREIGHT

TOTAL ➤

2910.96

Expect the Best from Worst

R.C. Worst Company, Inc.
625 Best Avenue, Coeur d'Alene, ID 83814-3740
208.664.2133 Fax: 208.667.8775

INVOICE

Invoice #: 0114853
Order #: 0139803

1-99999
CASH SALE - COEUR D'ALENE

Order Date: 07/24/00
CASH SALE - COEUR D'ALENE

SHIP TO

COUNTING NO	SALESMAN	PURCHASE ORDER NO	SHIP VIA	COL	PPD	DATE SHIPPED	TERMS	INVOICE DATE	PAG
199999	By: JON					07/24/00	CASH	07/28/00 1	

QTY ORDERED	QTY SHIPPED	QTY BACK ORDERED	ITEM NO	DESCRIPTION	UNIT PRICE	DISC %	EXTENDED PRICE
1	1		S GNF05010015	GRNDFS PE 4" 25S30-15 3HP	EA 685.000	20.0	548.00
1	1		S GNF96021136	GRNDFS MTR 4" 3HP 230/1 F3W	EA 918.000	20.0	734.40
1	1		S GNF82F005	GRNDFS CNTRL BOX DLX 3HP 230VF	EA 286.000	20.0	228.80
1	1		S RCWSLI40	ASSY SUB LAKE INTAKE 4"	EA 169.860	10.0	152.87
1	1		S WSLA0412	WELL SEAL ABS 4"X1-1/4"	EA 14.460	20.0	11.57
1	1		S GLVR1512	GALV RED 1-1/2"X1-1/4"	EA 10.428	50.0	5.21
1	1		S GLVN12120	GALV NIPPLE SCH 40 1-1/4"X12"	EA 6.750	25.0	5.06
1	1		S GLVB1512	GALV BUSHING 1-1/2"X1-1/4"	EA 7.850	50.0	3.93
2	2		S HSKA4C	ADVANCE HEAT SHRINK 4W #14/10	EA 6.500	30.0	9.10
200	200		S WTRSP104	CABLE SUB TWISTED PVC CU 10/4	FT .650	25.0	98.00
200	200		S PLYP20012	POLY PIPE 200PSI 1-1/4"	FT .810	20.0	130.24
400	400		S PLYP20015	POLY PIPE 200PSI 1-1/2"	FT 1.100	20.0	352.00
30	30		S IRTM85	1/2" STEEL MA 1-1/2"	EA 3.540	20.0	24.90
70	70		S CSSH132SS	CLAMPS SS HEX 1-3/16" TO 2-1/2"	EA 1.240	30.0	60.90
15	15		S GLVT15	GALV TEE 1-1/2"	EA 14.240	50.0	106.79

Continued

SALE AMOUNT
MISC. CHARGES
SALES TAX
FREIGHT

Signature _____

20% Restocking charge on return goods. Returns must be accompanied by original invoice.
A service charge of 1-1/2% per month, with a minimum charge of 50 cents, is made on all past due account balances. This is an annual rate of 18% and is correspondingly larger if the minimum charge is used.

THANK YOU

TOTAL ➤



Expect the Best from Worst

R.C. Worst Company, Inc.
625 Best Avenue, Coeur d'Alene, ID 83814-3740
208.664.2133 Fax: 208.667.8775

INVOICE

Invoice #: 0114953
Order #: 0139003

1-99999
CASH SALE - COEUR D'ALENE

Order Date: 07/24/00
CASH SALE - COEUR D'ALENE

SHIP TO

COUNT NO.	SALESMAN	PURCHASE ORDER NO.	SHIP VIA	COL	PPD	DATE SHIPPED	TERMS	INVOICE DATE	PAGE
199999	By: JON					07/24/00	CASH	07/28/00 1	

QTY ORDERED	QTY SHIPPED	QTY BACK ORDERED	ITEM NO.	DESCRIPTION	UNIT PRICE	DISC %	EXTENDED PRICE
1	1		S GNF05010015	GRNDFS PE 4" 25S30-15 3HP	EA 685.000	20.0	548.00
1	1		S GNF96021136	GRNDFS MTR 4" 3HP 230/1 F3W	EA 916.000	20.0	734.40
1	1		S GNF82F005	GRNDFS CNTRL BOX DLX 3HP 230VF	EA 286.000	20.0	228.80
1	1		S RCWSLI40	ASSY SUB LAKE INTAKE 4"	EA 169.860	10.0	152.87
1	1		S WSLA0412	WELL SEAL ADS 4"X1-1/4"	EA 14.460	20.0	11.57
1	1		S GLVR1512	GALV RED 1-1/2"X1-1/4"	EA 10.428	50.0	5.21
1	1		S GLVN12120	GALV NIPPLE SDH 40 1-1/4"X12"	EA 6.750	25.0	5.06
1	1		S GLVB1512	GALV BUSHING 1-1/2"X1-1/4"	EA 7.850	50.0	3.93
2	2		S HSKA4C	ADVANCE HEAT SHRINK 4W #14)10	EA 6.500	30.0	9.10
200	200		S WIRSP104	CABLE SUB TWISTED PVC CU 10/4	FT .850	25.0	98.00
200	200		S PLYP20012	POLY PIPE 200PSI 1-1/4"	FT .810	20.0	130.04
400	400		S PLYP20015	POLY PIPE 200PSI 1-1/2"	FT 1.100	20.0	352.00
30	30		S 1RTM86	ONE STEEL MA 1-1/2"	EA 3.500	20.0	84.90
70	70		S CSSH1329S	CLAMPS SS HEX 1-3/16" TO 2-1/2"	EA 1.200	30.0	60.90
15	15		S BLVT15	GALV TEE 1-1/2"	EA 14.240	50.0	106.79

Cont. Order

SALE AMOUNT
MISC. CHARGES
SALES TAX
FREIGHT

TOTAL ➤

THANK YOU

Signature _____

20% Restocking charge on return goods. Returns must be accompanied by original invoice.
A service charge of 1-1/2% per month, with a minimum charge of 50 cents, is made on all past due account balances. This is an annual rate of 18% and is correspondingly larger if the minimum charge is used.

7-28.00


S & S Home Renovations

No job too big or small

KEN SEIFNER

4842 Aqua Drive
Bonney Lake, WA 98390
(360) 863-0782

INSTALL ONE SUBMERSIBLE 3HP. PUMP.
IN LAKE. RUN 600' OF WATER LINE
INSTALL ALL ELECTRICAL. TO GET
PUMP TO WORK INSTALL 10-
WATER SPECTERS. AT LAKE ~~Coeur~~ Coeur d'Alene
I.D.

Owner Richard Myer ~~sign~~ 

WORK DONE BY Ken Seifner ~~sign~~ 

PRICE FOR JOB is 200⁰⁰ A DAY.

40⁰⁰ FOR GAS

60 - MOTEL.

3-DAYS INCLUDING DRIVE-
OVER AND BACK.

TOTAL \$700⁰⁰


\$100⁰⁰ DOWN-

\$600⁰⁰ BALANCE.

3237
8/2/00

Meyer
Irrigation system
7/2/02

260' to roadway



(X) = faucets

• each faucet is hooked to a 50' hose +
rainbird sprinkler except for #1

→ #1

201' Lakefront

pump ↓ 70' out

Dr. Richard S. Meyer

3813 East 80th Street
Tacoma, Washington 98443
253-539-1686
FAX 253-539-0308

June 26, 2002

RECEIVED

JUN 28 2002

Department of Water Resources


Ms. Shelley W. Keen
Water Rights Supervisor
State Of Idaho
Department of Water resources
1301 North Orchard Street
Boise, Idaho 83706

Dear Ms. Keen:

There appears to be a mistake on the amount of water granted on the Water Right License, which I received today. I requested 0.1 CFS on both of my permit applications (95-9050 and 95-9065) and the water inspector (Mr. Wayne Baldwin at 208-769-1450) measured the output of my system at 0.1 CFS to 0.09 CFS and recommended that they system be approved for 0.1 CFS. Mr. Baldwin should be able to help clarify this matter.

I don't know where the 0.03 CFS came from since it was not on any of the submissions by me. Please let me know what I need to do to get this situation rectified.

Best wishes,



Richard Meyer



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 24, 2002

RICHARD S MEYER
3813 E 80TH ST
TACOMA WA 98443

RE: License No. 95-9050 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt


Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on June 24, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 95-9050

**RICHARD S MEYER
3813 E 80TH ST
TACOMA WA 98443**



**Kari Lynn Townsend
Secretary**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Comment Report


95-9050

1. S. Keen 6/20/2002 Licensing Review

Comment: Licensing review and data entry by S. Keen on 6/20/2002.

Permit 95-9065 was filed to add additional rate to the same system. Although it seems like a 3 hp motor and pump should produce about 0.10 cfs, the examiner reported that the system was measured at 0.03 cfs. I plan to wait until I have communicated with the right holder before I decide how to proceed with 95-9065.

meyer



95-9050

1:100,000

911

912

50'

913

23 TO INTERSTATE 90 (MICA BAY)

915

47°30'

916

Mile
★ 126

file 0+

Light
East
Point

Bel
Bay

Carlingford

Gasser
Point

Aberdeen Lodge
Bay

C O E U R

133

+

Elev.

CORR DALEND

Harlow

INDIAN

RESEI

T 48 N
T 47 N

36

95-9065
95-9050

P₀

Powderhorn Bay

EAST

2684

2600

2500

2400

2300

2200

2100

2000

1900

1800

1700

1600

1500

1400

1300

1200

1100

1000

900

800

700

600

500

400

300

200

100

0

-100

-200

-300

-400

-500

-600

-700

-800

-900

-1000

-1100

-1200

-1300

-1400

-1500

-1600

-1700

-1800

-1900

-2000

-2100

-2200

-2300

-2400

-2500

-2600

-2700

-2800

-2900

-3000

-3100

-3200

-3300

-3400

-3500

-3600

-3700

-3800

-3900

-4000

-4100

-4200

-4300

-4400

-4500

-4600

-4700

-4800

-4900

-5000

-5100

-5200

-5300

-5400

-5500

-5600

-5700

-5800

-5900

-6000

-6100

-6200

-6300

-6400

-6500

-6600

-6700

-6800

-6900

-7000

-7100

-7200

-7300

-7400

-7500

-7600

-7700

-7800

-7900

-8000

-8100

-8200

-8300

-8400

-8500

-8600

-8700

-8800

-8900

-9000

-9100

-9200

-9300

-9400

-9500

-9600

-9700

-9800

-9900

-10000

-10100

-10200

-10300

-10400

-10500

-10600

-10700

-10800

-10900

-11000

-11100

-11200

-11300

-11400

-11500

-11600

-11700

-11800

-11900

-12000

-12100

-12200

-12300

-12400

-12500

-12600

-12700

-12800

-12900

-13000

-13100

-13200

-13300

-13400

-13500

-13600

-13700

-13800

-13900

-14000

-14100

-14200

-14300

-14400

-14500

-14600

-14700

-14800

-14900

-15000

-15100

-15200

-15300

-15400

-15500

-15600

-15700

-15800

-15900

-16000

-16100

-16200

-16300

-16400

-16500

-16600

-16700

-16800

-16900

-17000

-17100

-17200

-17300

-17400

-17500

-17600

-17700

-17800

-17900

-18000

-18100

-18200

-18300

-18400

-18500

-18600

-18700

-18800

-18900

-19000

-19100

-19200

-19300

-19400

-19500

-19600

-19700

-19800

-19900

-20000

-20100

-20200

-20300

-20400

-20500

-20600

-20700

-20800

-20900

-21000

-21100

-21200

-21300

-21400

-21500

-21600

-21700

-21800

-21900

-22000

-22100

-22200

-22300

-22400

-22500

-22600

-22700

-22800

-22900

-23000

-23100

-23200

-23300

-23400

-23500

-23600

-23700

-23800

-23900

-24000

-24100

-24200

-24300

-24400

-24500

-24600

-24700

-24800

-24900

-25000

-25100

-25200

-25300

-25400

-25500

-25600

-25700

-25800

-25900

-26000

-26100

-26200

-26300

-26400

-26500

-26600

-26700

-26800

-26900

-27000

-27100

-2

T48N R4W

Government lot check for
95-09050 by RGH 12/7/2000

PD

Boy

NWNE

NENE

SWNE

SENE

NWSE

NESE

SWSW

SESW

SWSE

SESE

EAST

POINT

26 ROAD

Also

95-9065

36

E. NARRATIVE/REMARKS/COMMENTS

This right was filed for one acre.
Mr. Meyer needed to pick up another
0.5 acres, so he filed 95-9065. This
is the same pump same system feeding
this permit plus 95-9065

Have conditions of permit approval been met? ☒ yes ☐ no

Measured Method:

Additional Computation Sheets Attached

5 gal bucket 5 gal in 95 sec. 3.1 gpm
Pump handles 5 splinters This is the avg.
making all 5 measured.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{1 \times 3 = 3}{V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03(295)(14835) = 14.6}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Longaker

Period of Use
From
To

From 03-15

51-11
To

Rate of Diversion	Q (cfs)
0.00	0.00
0.05	0.05
0.10	0.10
0.15	0.15
0.20	0.20
0.25	0.25
0.30	0.30
0.35	0.35
0.40	0.40
0.45	0.45
0.50	0.50
0.55	0.55
0.60	0.60
0.65	0.65
0.70	0.70
0.75	0.75
0.80	0.80
0.85	0.85
0.90	0.90
0.95	0.95
1.00	1.00

Σ 00

Annual Volume
V (afa)

3
(afa)

2. Recommended Amendments

Change P.D. as reflected above

Change P.U. as reflected above

Add P.D. as reflected above

Add P.U. as reflected above

None

Other

Totals:

103

5

H. RECOMMENDATIONS



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

December 20, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

RICHARD MEYER
3813 EAST 80TH ST
TACOMA WA 98443

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-09050

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Northern** Regional Office of the department in Coeur d'Alene at (208) 769-1450.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office (w/encl.)

MICROFILMED

FEB 25 2002

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9050

Reviewed By: dgibson

Date: December 20, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		N013798, C057859	Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received		11/16/2001
Date proof due	-	01/01/2002
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	06/29/2000
New priority date	=	06/29/2000

Deficiencies of Actions Items

Acknowledge proof.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

November 9, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

RICHARD MEYER
3813 80TH ST E
TACOMA WA 98443-1054

Re: Permit Nos. 95-9050 and 95-9065

Dear Dr. Meyer:

I am responding to a letter you recently sent to Deborah Gibson of this office and I will hopefully clear up your confusion as to why you have been asked for two proof of beneficial use forms and filing fees.

In June of last year, you filed application 95-9050 for the irrigation of one (1) acre from Coeur d'Alene Lake and the rate of diversion that was permitted was 0.03 cfs (approximately 13.5 gpm). In the remarks section of that application you had mentioned that the system actually produces 40 gpm. After you received the permit approval, you contacted us about the low rate of diversion that had been approved. As a result, we suggested that you file a second application to pick up the additional rate of diversion.

The second application, 95-9065, actually identified the entire 40 gallons per minute (0.10 cfs) and so we placed a condition on its approval that limited the two permits to a total combined rate of diversion of 0.10 cfs. But because the second permit can cover your entire use, I would suggest that you allow permit 95-9050 to lapse and simply retain the latter permit for the total 0.10 cfs. You have already filed the proof of beneficial use for that permit and so the department can conduct an examination and issue a final license.

I am sorry for the confusion the two filings have caused and I hope my explanation has helped to clear this up for you. If you have any questions, please do not hesitate to call Deborah or me.

Sincerely,

Sharla Curtis
Sr. Water Resource Agent

MICROFILMED

FEB 25 2002

Dr. Richard S. Meyer

3843 East 80th Street
Tacoma, Washington 98443
253-539-1686
FAX 253-539-0308

RECEIVED

NOV - 7 2001

Department of Water Resources


Ms. Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau
State of Idaho
1301 North Orchard Street
P. O. Box 83720,
Boise, Idaho 83720-0098

Dear Ms. Gibson:

I am a bit confused. I received a registered letter (November 5, 2001 copy enclosed) from you today requesting a second form for Beneficial Use to be filled out. However, I received a letter from you on October 16th, acknowledging receiving my Proof of Beneficial Use form. I believe that the problem arose when I first applied for a permit this past year, your office pulled up a request I made 10 years ago and used old water use volumes. To correct the mistake, I had to resubmit another water permit request, which was again approved. It could be that you have issued tow separate permit numbers for the same request.

Please let me know if there is anything that I need to do.

Best regards,


Richard Meyer

MICROFILMED

FEB 23 2002

October 31, 2001

RICHARD S MEYER
3813 E 80TH ST
TACOMA, WA 98443

PROOF DUE NOTICE

RE: PERMIT NO. 95-9050

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 01, 2002. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson, Admin. Assistant
Water Allocation Bureau

Enclosures

MICROFILMED

FEB 23 2002



MEMORANDUM

DATE: January 17, 2001

TO: File 95-09050

FROM: Sharla Curtis *SC*

RE: Phone conversation
=====

This application listed 40 gpm on the diverting works description and in remarks, but only .03cfs was listed for the rate to be appropriated.

In a phone conversation on 1-12-01 with the applicant, I recommended that he file a second application to pick up the additional rate.

A new application form was mailed to him on 1-17-01.

cc: Allen Beardslee, Northern Region

MICROFILMED
APR 11 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 5, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

RICHARD S MEYER
3813 E 80TH ST
TACOMA WA 98443

RE: Permit No. 95-9050

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed a least sixty days prior to the commencement of work in the stream.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

MICROFILMED

APR 11 2001

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, appearing to read "Shelley Keen".

Shelley W. Keen

Water Right Supervisor

SWK:klt

Enclosure(s)

RECORDED


APR 11 2001

CERTIFICATE OF MAILING

I hereby certify that on the January 05, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 95-9050

**RICHARD S MEYER
3813 E 80TH ST
TACOMA WA 98443**


**Kari Lynn Townsend
Secretary**

MICROFILMED
APR 11 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Reviewed by Sharla Curtis on 12/19/00

AREA OF CONCERN: No/Yes ~~Moratorium~~ ~~GWMA~~ TRUST/NON-TRUST

COMMENTS

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

DEC 18 2000

APPLICATION # 95-09050

INITIAL REVIEW

DEPARTMENT OF WATER RESOURCES

APPLICANT: MEYER

BY: TS

DATE: 7/21/00

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
- (X) Signature
- (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

(Yes) (No)

- Y Field check: by _____
- Y Field report attached
- Y Analysis Supp. attached (>5cfs/500af)
- Y Water delivered by water master?
- Water District # _____

PROCESSING

(Yes) (No) PRIORITY DATE: 6/29/00

X (Include Moratorium Remark)

X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County

GONT LOT CHECKED

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
<u>1</u>	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
<u>1</u>	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
<u>1</u>	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()

- Y Groundwater management area
- Y Critical ground water area
- Y Well Drilling Permit required
- Y Well Drilling Application and Fees received
- Y Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- Y Notice of pending void order issued. Final order response date: 1/1/01
- Y Further information required from applicant
- Y Affidavit of publication received
- Y Application published correctly. If not, record action taken: published on 11/13/00
- Y Publication dates and paper recorded on application
- Y Protests received, Final protest date: 8/21/00
- Y Measuring device required
- Y Measuring port required
- Y Special conditions:
- Y Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: RMA

Date: 12/7/2000

Ball, Dianne

From: CHARLES CORSI [ccorsi@IDFG.STATE.ID.US]
Sent: Wednesday, August 02, 2000 3:53 PM
To: dball@idwr.state.id.us
Subject: re: perweek1.txt

Dianne -

Took a quick look at these and see no significant concerns from a fish and wildlife perspective.

Chip Corsi
----- Original Text -----

From: "Ball, Dianne" <dball@idwr.state.id.us>, on 8/2/00 3:37 PM:

Greetings, Chip, there are 2 water rights in the attachment for which we need comments from you. They are the last two on the list: 95-09050 - Richard S. Meyer with water from Lake Cd'A, and 96-09053 - Gary Fast with water from an unnamed stream.

We need your comments no later than August 21, 2000 on both of these.

Thanks very much. Dianne - IDWR - Cd'A

<<perweek1.txt.htm>>

REPROFILMED

AUG 14 2000

Ball, Dianne

From: Ball, Dianne
Sent: Wednesday, August 02, 2000 3:30 PM
To: 'Chip Corsi'
Subject: perweek1.txt

Greetings, Chip, there are 2 water rights in the attachment for which we need comments from you. They are the last two on the list: 95-09050 - Richard S. Meyer with water from Lake Cd'A, and 96-09053 - Gary Fast with water from an unnamed stream.

We need your comments no later than August 21, 2000 on both of these.

Thanks very much. Dianne - IDWR - Cd'A



perweek1.txt.htm

MICROFILMED
APR 11 2001

AFFIDAVIT OF PUBLICATION

RECEIVED

NOV 13 2000

STATE OF IDAHO,
County of Kootenai,

ss,

Jennifer Stanchidge being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive Weeks, commencing on the 2 day of November, 2000, and ending on the 9 day of November, 2000, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 9 day of November, 2000

Regina Mason

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MY COMMISSION EXPIRES 6/18/03

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-09050

MEYER, RICHARD S

3813 E 80TH ST

TACOMA, WA 98443

Source: COEUR D'ALENE LAKE

Diversion Pt: Lot 2 (NWNW)

Use: IRRIGATION

Tributary: SPOKANE RIVER

Sec 23 T 48N R 04W in KOOTENAI County.

(0.030 CFS)

(0.030 CFS)

Total Diversion:

Date Filed: 6/29/2000

In: KOOTENAI County

T48N R04W S23

Lot 2

NWNW

1.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before NOVEMBER 20, 2000.

Legal 35

Nov 2, 9, 2000

KARL J. DREHER, Director

MICROFILMED

SEP 11 1999

Advertising Receipt

Coeur d'Alene Press

P.O. BOX 7000
Coeur d'Alene, ID 83816
Phone: (208) 664-8176
Fax: (208) 664-0212

LEGAL-61623
IDAHO DEPT OF WATER RESOURCES-CDA
1910 NORTHWEST BLVD
STE 210
COEUR D ALENE, ID 83814

Customer #: 01109281-000
Ad #: 07536653
Job #: 07536653
Phone:
Date: 11/09/00
Description: LGL 35-MEYER WTR

Run Date	Insertion Number	Sales Person	Description	Ad Type	Size	Rate Code	Total Cost
11/09/00	07536654	2	07 LEGALS	NC	0.00 x 0.00	UL	0.00

Total: 0.00

Tax: 0.00

Prepayment: 0.00

Total Due 0.00

RECEIVED
NOV 13 2000
DWR/North

MICROFILMED

APR 1 1 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

October 30, 2000

FAX TO: 664-0212

5 pages including this page

Legal Notices Department
Coeur d'Alene Press
Second and Lakeside
Coeur d'Alene ID 83814

Re: Water Right No. 95-09050 - Richard S. Meyer

Gentlemen:

Enclosed you will find a legal Notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

This is a complete RE-ADVERTISEMENT of this water right because it was not advertised as submitted. * (We are enclosing a copy of the tear sheet from the prior advertisement for reference, marked to show how it was incorrectly advertised.) *

* It is very important that the advertisement be published as submitted, indicating the proper advertising dates and the proper date by which protests are allowed to be filed.

Therefore, we request that you re-advertise this on November 2 and 9, 2000. An affidavit of publication must be submitted to the Department following completion of the advertising.

Because it was correct as previously submitted there should be no charge for this re-advertisement.

Your cooperation is appreciated.

Please send the Affidavit of Publication to this office before November 20, 2000.

Thank you.

Sincerely,

Dianne Ball

Dianne Ball
Administrative Assistant

Enclosure

Please call if you have ANY questions,
before preparing & running notice.
Thanks, Dianne 769-1450

RECEIVED

APR 11 2001

DEPARTMENT OF WATER RESOURCES

1910 NORTHWEST BLVD SUITE 210

COEUR D'ALENE ID 83814

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-09050

MEYER, RICHARD S

3813 E 80TH ST

TACOM, WA 98443

Source: COEUR D'ALENE LAKE

Diversion Pt: LOT 2 (NWNW)

Use: IRRIGATION

Total Diversion:

Date Filed: 6/29/2000

In: KOOTENAI County

T48N R04W S23 LOT 2 (NWNW)

1.0 ACRES TOTAL

Tributary: SPOKANE RIVER

Sec 23 T 48N R 04W in KOOTENAI County.

(0.030 CFS)

(0.030 CFS)

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before MAY 24, 1999.

KARL J. DREHER, Director

Legal 525

Aug 1, 8, Sept 7, 14, 2000

These dates should
not have been in
ad.

Date on this should have been
Sept 25, 2000

These were correct in our prior submission.

{ See new ad which follows }

Shanks, Dianne Ball
769-1450

MICROFILMED

APR 11 2001

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

APR 11 2006

95-09050

MEYER, RICHARD S
3813 E 80TH ST
TACOMA, WA 98443

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 2 (NWNW) Sec 23 T 48N R 04W in KOOTENAI County.

Use: IRRIGATION (0.030 CFS)
Total Diversion: (0.030 CFS)

Date Filed: 6/29/2000

In: KOOTENAI County
T48N R04W S23 Lot 2(NWNW)

1.0 ACRES TOTAL

MICROFILMED

SEP 11 2000

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d' Alene, Idaho 83814, together with a protest fee of \$25.00 on or before NOVEMBER 20, 2000.

KARL J. DREHER, Director

Published: 11/ 2/2000 & 11/ 9/2000

UNRECORDED

APR 11 2001

AFFIDAVIT OF PUBLICATION

RECEIVED

OCT 26 2000

IDWR/North

STATE OF IDAHO,
County of Kootenai,

ss,

Jennifer Standridge

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *Weeks*, commencing on the *7* day of *September* 20*00*, and ending on the *14* day of *September* 20*00*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *25* day of *October*

00

Regina Mason

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MY COMMISSION EXPIRES 6/18/03

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-09050

MEYER, RICHARD S

3813 E 80TH ST

TACOMA, WA 98443

Source: COEUR D'ALENE LAKE

Diversion Pt: LOT 2 (NWNW)

Use: IRRIGATION

Total Diversion:

Date Filed: 6/29/2000

In: KOOTENAI County

T48N R04W S23 LOT 2 (NWNW)

1.0 ACRES TOTAL

Tributary: SPOKANE RIVER

Sec 23 T 48N R 04W in KOOTENAI County.

(0.030 CFS)

(0.030 CFS)

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before MAY 24, 1999.

KARL J. DREHER, Director

Legal 525

Aug 1, 8, Sept 7, 14, 2000

MICROFILMED

SEP 1 1999

Advertising Receipt

Coeur d'Alene Press

P.O. BOX 7000
Coeur d'Alene, ID 83816
Phone: (208) 664-8176
Fax: (208) 664-0212

LEGAL-61623
IDAHO DEPT OF WATER RESOURCES-CDA
1910 NORTHWEST BLVD
STE 210
COEUR D ALENE, ID 83814

Customer #: 01109281-000
Ad #: 10501100
Job #: 10501100
Phone:
Date: 10/25/00
Description: LGL 525- APP.FOR

Run Date	Insertion Number	Sales Person	Description	Ad Type	Size	Rate Code	Total Cost
08/08/00	10501101	2	07 LEGALS	LE	0.00 x 0.00	UL	48.60

Total: 48.60

Tax: 0.00

Prepayment: 0.00

RECEIVED
OCT 26 2000
IDWR/North

~~Total Due~~
No charge.

*NO
CHARGE*

MICROFILMED

APR 11 2001

August 30, 2000

Legal Notices Department
Coeur d'Alene Press
Second and Lakeside
Coeur d'Alene ID 83814

Re: Water Right No. 95-09050

Gentlemen:

Enclosed you will find a legal Notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

This is a complete RE-ADVERTISEMENT of this water right because it was advertised on the wrong dates. We originally requested that this be advertised on August 3 and 10, 2000, and it was inadvertently advertised on August 1 and 8, 2000.

Under Rule 37.03.08.040.02.a.i. of the Idaho Code:

"Advertisement of applications for permit proposing a rate of diversion of ten (10) cfs or less or storage of 1000 AF or less shall comply with provisions of Section 42-203A, Idaho Code. The first required advertisement will be published on the first or third THURSDAY of a month when published in daily newspapers and on the first or third publishing day of the month for weekly newspapers."

Therefore we request that you re-advertise this on September 7 and 14, 2000. There should be no charge for this re-advertisement.

An affidavit of publication must be submitted to the Department following completion of the advertising. Your cooperation is appreciated.

Please send the Affidavit of Publication to this office before September 25, 2000.

Thank you.

Sincerely,

Dianne Ball
Administrative Assistant

Enclosure

10/25
Affidavit not yet received
MICROFILMED

APR 11 2001

Talked to Jennifer 10/25/00
She will mail affidavit.
D

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

APR 11 2011

95-09050

MEYER, RICHARD S
3813 E 80TH ST
TACOM, WA 98443

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 2 (NWNW) Sec 23 T 48N R 04W in KOOTENAI County.

Use: IRRIGATION (0.030 CFS)
Total Diversion: (0.030 CFS)

Date Filed: 6/29/2000

In: KOOTENAI County
T48N R04W S23 Lot 2 (NWNW)

1.0 ACRES TOTAL

MICROFILMED

APR 11 1981

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d' Alene, Idaho 83814, together with a protest fee of \$25.00 on or before SEPTEMBER 25, 2000.

KARL J. DREHER, Director

Published: 9/ 7/2000 & 9/14/2000

MICROFILMED

APR 11 2000

AFFIDAVIT OF PUBLICATION

RECEIVED
AUG 14 2000
IDWR/North

STATE OF IDAHO,
County of Kootenai,

ss.

Jennifer Standridge being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive Tuesday Weeks commencing on the 1 day of August, 2000 and ending on the 8 day of August, 2000 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Subscribed and sworn to before me this 8 day of August, 2000

Jennifer Standridge
Regina Mason
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MY COMMISSION EXPIRES 6/18/03

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-09050

MEYER, RICHARD S

3813 E 80TH ST

TACOM, WA 98443

Source: COEUR D'ALENE LAKE

Diversion Pt: LOT 2 (NWNW)

Use: IRRIGATION

Total Diversion:

Date Filed: 6/29/2000

In: KOOTENAI County

T48N R04W S23 LOT 2 (NWNW)

1.0 ACRES TOTAL

Tributary: SPOKANE RIVER

Sec 23 T 48N R 04W in KOOTENAI County.

(0.030 CFS)

(0.030 CFS)

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before MAY 24, 1999.

KARL J. DREHER, Director

Legal 525

Aug 1, 8, 2000

Adv. in Wrong dates - readv.

Requested
Adv on

8/3 + 10 -

Adv on

8/1 + 8

MICROFILMED

APR 11 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

JULY 26, 2000

Legal Notices Department
COEUR D ALENE PRESS
SECOND & LAKESIDE
COEUR D ALENE, ID 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 21, 2000.

Yours truly,

DIANNE BALL
Administrative Assistant

Enclosure

Richard Meyer 95-9050

MICROFILMED

SEP 11 2000

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

WIC-ALC-1111

APR 11 2001

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d' Alene, Idaho 83814, together with a protest fee of \$25.00 on or before AUGUST 21, 2000.

KARL J. DREHER, Director

Published: 8/ 3/2000 & 8/10/2000

MAILED 11 11

APR 11 2001

95-09050

MEYER, RICHARD S
3813 E 80TH ST
TACOM, WA 98443

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 2 (NWNW) Sec 23 T 48N R 04W in KOOTENAI County.

Use: IRRIGATION	(	0.030 CFS)
Total Diversion:	(	0.030 CFS)

Date Filed: 6/29/2000

In: KOOTENAI County
T48N R04W S23 Lot 2(NWNW)

1.0 ACRES TOTAL

MAILED 11:11

JUN 30 1999

August 11, 2000

Richard S. Meyer
3813 E 80th Street
Tacoma WA 98443

Re: Water Appropriation Application No. 95-09050

Dear Mr. Meyer:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to Appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application. Enclosed for your file is Receipt Number N013798.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db


MAILED 11 11 2000
AUG 11 2000

Dr. Richard S. Meyer
3813 East 80th Street
Tacoma, Washington 98443

Dear Ms. Ball:

Per our conversation,
enclosed is \$50 for
my water permit
application,

RECEIVED
JUL 07 2000
IDWR/North

Thank you,


MICROFILMED

JUL 11 2000



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

July 6, 2000

Dr. Richard S. Meyer
3813 E 80th Street
Tacoma WA 98443

Dear Dr. Meyer:

In accordance with our telephone conversation yesterday, I am returning your check No. 3549 in the amount of \$100.00, for reissue in the amount of \$50.00. We will expect to receive your check in the amount of \$50.00 by return mail.

If you have any questions, please contact Mr. Allen Beardslee of this office. He is our water right specialist. One of his business cards is enclosed for your reference.

Sincerely,

Dianne Ball
Administrative Assistant

db

enc. Your check #3549 for reissue

ENCLOSURE

7/11/00