



West of the River Meridian.

b
c
h
u
i



MICROFILMED
APR 11 2001



Post Falls

SPOKANE


RIVER

POINT OF DIVERSION
PLACE OF USE

MICROFILMED
APR 11 2001

ERLANDSON

T. SON., R.S.W.



Green Ferri
0-3080


Note:

Shoreline depiction for illustrative purposes only, property lines assumed to extend to ordinary mean high water mark for assessment purposes unless otherwise noted.

MICROFILMED
APR 11 2001

Falls River Homes

0-2460




UPON REV - V TO
SEE IF @ MAINT.

ated
ation
ing
wn
in
be

0-00

17E

9-99



Government Lot check
for 95-09047 by RSH
8/16/2000

MACRO
APR 11 2000
GREEN

FOR OFFICE USE ONLY
Amt. of Fee \$: \$0 -
Receipt No. 1015339
Receipt By: AB
Date Received: 10-22-02

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
OCT 28 2002

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 959047 Telephone No. (208) 699-4400
2. Name of Permit Holder(s): GERALD ROYCE ERLANDSON
3. Mailing Address: 10805 W. CRYSTAL BAY RD
City POSS FALLS State ID Zip 83854
4. Source of Water: Spoken River If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
Well Driller: _____ Drilling Permit Number: _____ - _____ - _____ - _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 3/4 Other: Aesthetic

6. Total rate of diversion and/or volume for which proof is submitted: .18 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No ✓
Has the measuring device been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: GERALD ERLANDSON Telephone Number: (208) 699-4400
Address: 10805 W. CRYSTAL BAY RD POSS FALLS ID 83854

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 10/22/02
(include your title, if on behalf of company or organization)

MICROFILMED
OCT 28 2002

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09047

Priority: April 28, 2000

Maximum Diversion Rate:

0.18 CFS

This is to certify, that **GERALD R ERLANDSON**
1245 E CRYSTAL BAY RD
POST FALLS ID 83854

has applied for a permit to appropriate water from:
SPOKANE RIVER tributary of COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.03 CFS
AESTHETIC	01/01 to 12/31	0.15 CFS
	Totals	0.18 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 5 (NENW), Sec. 11, Township 50N, Range 05W
Lot 4 (NWNW), Sec. 11, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N 05W 11	Lot 5 (NENW) 0.3	Lot 4 (NWNW) 0.3		0.6

Total number of acres irrigated: 0.6

PLACE OF USE: AESTHETIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before November 1, 2002.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. This right authorizes a single point of diversion.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
6. The issuance of this right does not grant any right-of-way or easement across the land of another.
7. Water shall not be diverted under this right when flows in the Spokane River are below established minimum stream flows.
8. Aesthetics use is for a water amenity.

MICROFILMED

JUN 1 1 2001


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09047

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

31st day of October, 2000.


for Karl J. Dreher, Director



MICROFILMED

APR 1 1 2001

Ident. No. 95-09047

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

RECEIVED

SEP 6 2000

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant GERALD R. ERLANDSON Phone 773-7373
Mailing address 1245 E. CRYSTAL BAY RD. POST FALLS, ID 83854
2. Source of water supply SPOKANE RIVER which is a tributary of COLUMBIA RIVER
3. Location of point of diversion is Township 50N Range 5W Sec. 11, in the 1/4.
NW 1/4, NW 1/4, Govt. Lot 4, B.M., KOOTENAI County;
additional points of diversion if any: NE NW, SEC. 11, T. 50N., R. 5W. (GOVT. LOTS)
4. Water will be used for the following purposes:
13.56 ^{gpm} Amount 0.03 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.05 for AESTHETICS purposes from 7/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.08 and/or (b)
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source PUMP IN RIVER
 - b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet
 - c. Proposed well diameter is inches; proposed depth of well is feet
 - d. Is ground water with a temperature of greater than 85° F being sought?
 - e. If well is already drilled, when? ; Drilling firm
Well was drilled for (well owner) ; Drilling Permit No.
7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW.
 - b. Stockwatering; list number and kind of livestock.
 - c. Municipal; show name of municipality.
 - d. Domestic; show number of households.
 - e. Other; describe fully. AESTHETIC USE WILL BE FOR WATER SCAPE/WATER CALL.

MICROFILMED

SEP 11 2001

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

use below. See instructions for standard symbols.

SW	NW	NE
SW	NW	NE

Total number of acres to be irrigated

c. If the property is owned by a person other than the applicant, describe the arrangement enabling

~~SECRET~~


1011


16 27.11


U

6

11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525
 526
 527
 528
 529
 530
 531
 532
 533







Green Ferry

0-3080

Note:

Shoreline depiction for illustrative purposes only, property lines assumed to extend to ordinary mean high water mark for assessment purposes unless otherwise noted.

Falls River Homes

0-2460

#6222

#14266

#14265

001-001-A
0.623 Ac

001-003-0
0.274 Ac

001-004-0
0.355 Ac

001-005-A
0.121 Ac

001-006-A
1.296 Ac

001-007-A
0.541 Ac

001-008-A
2.270 Ac

001-009-A
1.564 Ac

001-011-A
0.265 Ac

001-012-0
0.335 Ac

001-013-0
0.406 Ac

001-014-0
0.423 Ac

001-015-0
0.251 Ac

001-016-0
0.251 Ac

LOWER CRYSTAL BAY RD (PRIVATE)

CRYSTAL BAY RD (PRIVATE)

#18250

3475
1.530 Ac

#14780

3500
1.945 Ac

#7715

3450
1.257 Ac

#5870

3400
0.748 Ac

#18322

3400
0.748 Ac

#5585

GOVT LOT 4
14.00 Ac

#5586

3400
0.748 Ac

#8814

3385
3.102 Ac

MICHO
APR 11 2001


UPON REV - 170
SEE IF @ MAINT.

175

99-99

0-00

ated
ation
ing
in
is





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

October 29, 2002

GERALD R ERLANDSON
10805 W CRYSTAL BAY RD
POST FALLS ID 83854

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-9047

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions, please contact the **Northern** Regional Office of the department in Coeur d'Alene (208) 769-1450.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office (w/encl.)

MICROFILMED

MAR 20 2003

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 95-9047

Reviewed By: dgibson

Date: October 28, 2002

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?		X
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:	N013624, N015339		Well driller's report filed?		X
Additional Amount Due:			Measuring device required?		X
Name and address same as permit?		X	Measuring device installed?		X
Are the water uses correct?		X	Measure device waiver requested?		

Priority Calculation

Date proof received		10/22/2002
Date proof due	-	11/01/2002
Lapse notice sent	-	
No. of days late	=	0
Holiday allowance	+	
Priority date	+	04/28/2000
New priority date	=	04/28/2000

Deficiencies of Actions Items

Acknowledge proof. Change address on the database. There is some discrepancy with the amount of acres they are irrigating. However, I am going to let the field examiner determine the amount of acres being irrigated, since the difference between the proof and the permit is close.

August 30, 2002

GERALD ROYCE ERLANDSON
1245 E CRYSTAL BAY RD
POST FALLS, ID 83854

PROOF DUE NOTICE

RE: PERMIT NO. 95-9047

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 01, 2002. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson, Admin. Asst.
Water Allocation Bureau

Enclosures

MICROFILMED

MAR 9 11 2003



**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**
Reviewed by Cindy Zimmerman on _____

No. 95-1017 Name: PRINCE Corp. Officers NT Ad ok ✓ Govt Lots ✓

AREA OF CONCERN: (No/Yes _____) Moratorium _____ GWMA _____ TRUST/NON-TRUST _____

— **GROUNDWATER:** (✓Flow Chart)

DRILLING PERMIT

All wells - 046(P23)

Irr. w/in WD - P05
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067

~~WMD~~

Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

— **LOCATION:**

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - P84 (20s-70s, 81-86)
Swan Falls Flag -
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

✓ **USES:**

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
✓ IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac) 3.0
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-081(P10)
FISH PROP - 029(70'S only)-007-042-081(P10)
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

✓ **SURFACE WATER:** (✓Flow Chart)

✓ F&G contacted - Yes/No Response isn't
In/Above MSF - WB9
✓ PLANNING REVIEW/RESPONSE add WB9 Spokane R
In-stream development - P52
— WD - R04 (WD# _____)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J(P08)

✓ **SPRINGS/SINK, INACTIVE WD & REST OF STATE**

✓ ≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

— **RIVER BASINS:** (SW special considerations)

Snow R (01) - W22(P04), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

✓ **USES:**

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

BENEFICIAL USE DUE: 11 / 01 / 02

✓ **MISC CONDITIONS/REMARKS:**

Protested - 020-W19
✓ Development Period
≤ 1 yr - P16
✓ > 1 yr - 26A(P17)
✓ Ownership - 004
Non-consumptive - 027
Water Quality - 081-R07

Multiple pd's per 1/4 - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
✓ Use definitions - W02 example S/50 range Aest/water
Pre-1987 development - 068-074 (allow 120 days for proof due) scope
✓ Single p/d intended - 076

IRRIGATION SEASON 3/15 - 11/15 (Per updated map)

OTHER CONDITIONS/REMARKS DWB9/Spokane R 26A R66 2 Aest/water amenity
COMMENTS Needs planning review 5 076

FT Codes: P17, P52



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

November 1, 2000

GERALD R ERLANDSON
1245 E CRYSTAL BAY RD
POST FALLS ID 83854

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-09047

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

NOV 1 1 2001

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED


APR 11 2001

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of **November, 2000**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved Permit)** to the person(s) listed below:

Water Right No. 95-09047

GERALD R ERLANDSON
1245 E CRYSTAL BAY RD
POST FALLS ID 83854


Kari Lynn Townsend
Secretary

MICRO FILMED
APR 11 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

APR 11 1981

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

WRI
BCA
WKA

SEP 6 2000

APPLICATION # 95-09047

INITIAL REVIEW

DEPARTMENT OF WATER RESOURCES

APPLICANT: ERLANDSON

BY: AB

DATE: 4/28/00

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
 - (x) Nature of Proposed Use
 - (x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other water Rights
11. (x) Ownership
12. (x) Map
 - (x) Signature
 - (x) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

(Yes) (No)

- x Field check: by _____
- + Field report attached
- + Analysis Supp. attached (>5cfs/500af)
- + Water delivered by water master?
- Water District # _____

PROCESSING

(Yes) (No) PRIORITY DATE: 4/28/00

x (Include Moratorium Remark)

x Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
- () Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
<u>+</u>	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
<u>+</u>	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()
<u>+</u>	Dom. Non-Dom.	Paid \$ _____	_____	Y () N ()

- + Groundwater management area
- + Critical ground water area
- + Well Drilling Permit required
- + Well Drilling Application and Fees received
- + Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- 5/26 5/20 5/10 ✓ Notice of pending void order issued. Final order response date: _____
- ✓ Further information required from applicant
- ✓ Affidavit of publication received
- ✓ Application published correctly. If not, record action taken: _____
- ✓ Publication dates and paper recorded on application _____ Sr. Agent initial _____
- ✓ Protests received, Final protest date: 6/5/00
- ✓ Measuring device required
- ✓ Measuring port required
- ✓ Special conditions:
- ✓ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: REST

Date: 8/16/2000

Ball, Dianne

From: Ball, Dianne
Sent: Wednesday, May 10, 2000 9:36 AM
To: 'Chip Corsi'; 'Gregg Servheen'
Subject: perweek1.txt

Greetings, gentlemen,

Near the end of the attachment that follows, you will find some water rights for which we need your comments:

Gregg, we need comments from you on 84-07305 - Eby - last date for protest is 6/5/00
85-07669 - Larson - last date for protest is also 6/5/00 on this one.

Chip, I only have one for you on this list 95-09047 - Erlandson - last date for protest here is also 6/5/00.

Your comments either way on these water rights prior to the 6/5/00 date, will be greatly appreciated.

Thank you very much. Dianne - IDWR North



perweek1.txt.htm

*No response
from
Chip Corsi*

MICROFILMED
APR 11 2001

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai, } ss.

Stacie Walker

being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.
2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *weeks* commencing on the *18* day of *May* *2000*, and ending on the *25* day of *May* *2000*, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Stacie Walker
Subscribed and sworn to before me this *25* day of *May* *2000*

Regina Mason
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MY COMMISSION EXPIRES 6/18/01

NOTICE OF APPLICATION FOR WATER RIGHT
The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-09046

PARKVIEW WATER ASSN
210 W. PARKVIEW DR
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: NENENW Sec 10 T 50N R 05W in KOOTENAI County.
Use: IRRIGATION (0.160 CFS)
DOMESTIC (0.300 CFS)

Total Diversion:
Date Filed: 4/5/2000
In: KOOTENAI County
T50N R05W S10 NENW
8.0 ACRES TOTAL

95-09047

ERLANDSON, GERALD R
1245 E CRYSTAL BAY RD
POST FALLS, ID 83854
Source: SPOKANE RIVER
Diversion Pt: NENW Sec 11 T
KOOTENAI County.

Tributary: COLUMBIA RIVER
50N R 05W in

Use: IRRIGATION NWNW Sec 11 T 50N R 05W in KOOTENAI County.
AESTHETIC (0.030 CFS)
Total Diversion: (0.150 CFS)
Date Filed: 4/28/2000
In: KOOTENAI County
T50N R05W S11 NENW
0.6 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450
The permit (s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before JUNE 5, 2000.

Legal 103
May 18, 25, 2000
KARL J. DREHER, Director

RECEIVED
MAY 26 2000
IDWR/North

MICROFILMED

APR 1 2001

95-09047

ERLANDSON, GERALD R
1245 E CRYSTAL BAY RD
POST FALLS, ID 83854

Source: SPOKANE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt:	NENW	Sec 11 T 50N R 05W in KOOTENAI County.
	NWNW	Sec 11 T 50N R 05W in KOOTENAI County.

Use: IRRIGATION	(	0.030 CFS)
AESTHETIC	(	0.150 CFS)
Total Diversion:	(	0.180 CFS)

Date Filed: 4/28/2000

In: KOOTENAI County		
T50N R05W S11	NENW	NWNW

0.6 ACRES TOTAL

MICROFILMED

JUN 1 1 2001

May 10, 2000

Gerald R. Erlandson
1245 E Crystal Bay Rd
Post Falls ID 83854

Re: Water Appropriation Application No. 95-09047

Dear Mr. Erlandson:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

MICROFILMED

APR 11 2001

WR0749NP
No. 95-09047

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/04/00
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GERALD R ERLANDSON 1245 E CRYSTAL BAY RD POST FALLS ID 83854 (208) 773-7373	04/28/2000	IRRIGATION AESTHETIC	03/15 11/15 01/01 12/31	0.030 CFS 0.150 CFS	
TOTAL DIVERSION:					0.180 CFS	

Water Source: SPOKANE RIVER

Tributary to: COLUMBIA RIVER

Stage: APPLICATION

Point(s) of Diversion: T50N R05W S11 NENW NWNW KOOTENAI County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S		T	R	S		T	R	S		T	R	S		SUM
50N	05W	11	:				:				:				:	0.6
TOTAL ACRES																0.6

Place of use location for AESTHETIC is the same location as described for: IRRIGATION

Pou County: KOOTENAI

Remarks: GEN Aesthetics use will be for water scape/water fall.

Dates: App. Received: 04/28/2000 Priority Date: 04/28/2000
Proof Due Date: Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 05/04/2000 User-ID: DBALL Subject: Examiner's notes.
POD owned by applicant/Dept of Lands.
Pump in river.
Time required 2 years.

Audit: 05/04/00 DBALL