


95-8823

ship N°49 North Range N° 3 West of th



MISSOURI

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo


Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		34		Submersible	

4.

Scale: 1" = _____
 Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____




3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



95.8823

ship N^o 49 North Range N^o 3 West of the





← PLACE OF USE

← POINT OF DIVERSION



← PRESSURE TANK (40 PSI)

MICROEV MCA
NOV 08 1994

← PLACE OF USE



← POINT OF DIVERSION



← PRESSURE TANK (40 PSI)

NOV 08 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08823

Priority: July 13, 1993

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that RONALD G KAESLIN

3385 W EDDYVILLE RD

HARRISON ID 83833

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 13, 1993; and has submitted Proof of Beneficial Use on November 3, 1993. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWNW), Sec. 4, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

49N 03W 4 Lot 3(NWNW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.

Witness the seal and signature of the Director, affixed at Boise, this 11TH
day of OCTOBER, 1994.

NOV 08 1994

Acting for R. Keith Higginson, Director

RECEIVED

RECEIVED
STATE OF IDAHO
NOV 03 1993

OCT 18 1993

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

CK# 356
Enclosed

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08823 Telephone No. (916) 685-41492. Name(s) of Permit Holder(s): RONALD G. KAESLIN3. Post Office Address: 10033 MEADOWDALE WAY ELK GROVE, CA 956244. Source of Water: COEUR D'ALENE LAKE, SQUAW RAYa. If ground water, well driller's name: N/A Date drilled: _____

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic 1 (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ NoOR
Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No8. Fee Enclosed: \$ NONE (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

RONALD G. KAESLIN
Name(916) 685-4149
Telephone No.10033 MEADOWDALE WAY ELK GROVE, CA 95624
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10/13/93
DateRonald G. Kaeslin
Signature (and title if on behalf of a company or organization)

JAN 21 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08823

Proposed Priority: July 13, 1993

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **RONALD G KAESLIN**
10033 MEADOWDALE WAY
ELK GROVE CA 95624
has applied for a permit to appropriate water from:

COEUR D ALENE LAKE

tributary of **SPOKANE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWNW), Sec. 4, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC


49N 03W 4 Lot 3(NWNW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1994.**
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

1st day of October, 1993.


for R. Keith Higginson, Director

JAN 21 1994

RECEIVED
SEP 10 1993



Form 202
10/92 Department of Water Resources

Ident. No. 95-8823

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant RONALD G. KAESLIN Phone ⁽²⁰⁸⁾ 765-9076
⁽⁹¹⁶⁾ 685-4149
Post office address 10033 MEADOWDALE WAY ELK GROVE, CA 95624
2. Source of water supply CD'A LAKE which is a tributary of SPOKANE RIVER
3. Location of point of diversion is _____ 1/4 of NW 1/4 of NW 1/4, Govt. Lot 3
Sec. 4 Township 49N. Range 3W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 7/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP IN LAKE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____


JAN 21 1994
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

1. *Staphylococcus aureus* (100%)

12. Remarks:

applicable to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? ~~APPLICABLE~~

11. a. Who owns the property at the point of diversion? UTAH STATE DEPT. OF LANDS

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated -

TWP	RANGE	SEC.	NE¼				NW¼				SE¼				SW¼				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
49N.	30W.	4																	

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households. 1 Home


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

JAN 21 1994

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Ronald S. Kuehlin
(Applicant)

Introduction

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

61

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

Idaho No. _____, and said application is hereby

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Date _____

8/25/83

Date: _____

7/28/93.

Published in

8/5 + 12/93

[Signature]

#

99/

Date _____

7/13/93

Received by

Date _____

7/13/93


Time

10:30 AM Preliminary check by

[Signature]

95-8823

ship N^o 49 North Range N^o 3 West of the





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 12, 1994

RONALD G KAESLIN
3385 W EDDYVILLE RD
HARRISON ID 83833

RE: WATER RIGHT NO. 95-08823

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED
NOV 08 1994

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-8823 DATE 8-31-94



NAME	Yes ☒ No ☐	Or Address Change? <u>CHECK</u>
PRIORITY DATE	☐	☒ Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒ Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒ Amendment needed? _____ ☒ Overlaps? _____
PLACE OF USE	☐	☒ Amendment needed? _____ ☒ Overlaps? _____
DIV RATE	☐	☒ Measurement Q = _____ Theoretical Q = _____ <u>Standard Domestic .04</u> Capacity: _____ Combined rates exceed capacity _____ Permit/fee limits: _____ Allowable: _____
ANNUAL VOLUME	☐	☒ Season of use: _____ Calculations: <u>Standard Domestic</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	☒ Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☐	☒ Multiple p/d(s) in ¼ ¼? _____ ☒ Other _____
CONDITIONS	☐	☒ Measuring/Locking Devices ☒ Watermaster control - District _____ ☒ Irrigation Overlap ☒ Water Quality <u>004</u> ☒ Other _____

COMMENTS: _____

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>	ADJUSTMENT MEMO NEEDED ☐
_____	_____	_____	1ST AMENDMENT LETTER _____
_____	_____	_____	FINAL AMENDMENT LETTER _____
TOTALS			



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

95-08823

RECEIVED

AUG 29 1994

A. GENERAL INFORMATION

Permit No. 95-08823
Department of Water Resources

1. Owner: RONALD G KAESLIN Phone No. _____

Current Address: 3385 W EDDYVILLE RD HARRISON ID 83833

2. Accompanied by: RON KAESLIN EXAM DATE: 7-9-94

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: COEUR D'ALENE tributary to SPOKANE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	03		NW	NW	04	49N	03W	KOOTENAI	USGS 7.5 min QUAD

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
49 _N	03 _W	04						D											

NOV 08 1994

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4		Submersible	

4.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached of (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

Scale: 1" =



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

WATER TAKEN FROM LAKE FOR DRINKING AND
HOUSEHOLD PURPOSES.

Have conditions of permit approval been met? ☒ yes ☐ no

NOV 08 1994

Measured Method:

Additional Computation Sheets Attached

1. Volume Calculations for Irrigation:

1. Volume Calculations for Irrigation:

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$V =$ Smaller of V_{LR} and V_{DR} .

2. Volume Calculations for Other Uses:

1. Recommended Amounts

DOMESTIC

01-01 12-31

Q (SIC) 0

(b)(7) A

Change P.D. as reflected above

Change P.U. as reflected above

Change P.D. as reflected above

Change P.U. as reflected above

____ Add P.D. as reflected above

____ Add P.U. as reflected above


None
Other


Field Examiner's Name _____

Date _____

SEAL

NOV 03 1994





Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs taken 1975. Field checked 1976. Map edited 1981

Projection and 10,000-foot grid ticks: Idaho coordinate system, west zone (transverse Mercator)

(MICA BAY)
2079 IN SE

NOV 08 1994

0°14' 4 MIL S


1000 0 1000


1 5

CON

95-8823

ship N^o 49 North Range N^o 3 West of Th





← PLACE OF USE

← POINT OF DIVERSION


← PRESSURE TANK (40 PSI)

NOV 08 1994

← PLACE OF USE

← POINT OF DIVERSION

← PRESSURE TANK (40 PSI)



RECEIVED
NOV 08 1994

November 4, 1993

RONALD G KAESLIN
10033 MEADOWDALE WAY
ELK GROVE CA 95624

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08823

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

Karen L. Gustafson
Senior Secretary

c: IDWR - Region

JAN 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 19, 1993

Ronald G Kaeslin
10033 Meadowdale Way
Elk Grove, CA 95624

Re: Permit No. 95-08823

Dear Permit Holder:

Returned is the proof of beneficial use you submitted in connection with the above referenced permit. Unfortunately, it is unacceptable as filed.

The Department has determined, from pertinent sections of the Idaho Code, that the permit holder must meet two requirements in order to be exempt from the license exam fee. They are:

1. The water right must use a groundwater (well) source.
2. The rate of diversion must be .04 cfs or 4.0 AF or less.

As you can see, you do not meet requirement #1 since you use Coeur d'Alene Lake (surface) for your source. Therefore, a license examination fee of \$50 applies to each permit. I have enclosed a copy of the Instructions for the Proof of Beneficial Use for your convenience.

If you have any questions or if I can be of any further assistance, please feel to contact me.

Sincerely,

A handwritten signature in cursive script that reads 'Karen L. Gustafson'.

Karen L. Gustafson
Senior Secretary

Enclosure

NOV 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 7, 1993

RONALD G KAESLIN
10033 MEADOWDALE WAY
ELK GROVE CA 95624

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08823

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in black ink, appearing to be 'JJ', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED

JAN 21 1994

95-08823

KAESLIN, RONALD G
10033 MEADOWDALE WAY
ELK GROVE, CA 95624

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 3 (NWNW) Sec 4 T 49N R 03W in KOOTENAI County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 7/13/1993

In: KOOTENAI County
T49N R03W S04 Lot 3(NWNW)

RECORDED 1994

JAN 21 1994

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

AUG 13 1993

NORTHERN REGION

Being first duly sworn

Keri Alexander

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

legal notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive weeks commencing on the 5th day of August, 1993, and ending on the 12th day of August, 1993, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this

12th day of August

19 93

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY

My commission expires 2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08820

COX, CHARLES
721 MILITARY DR
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: NWSW Sec 35 T 52N R 04W
in KOOTENAI County.
Use: IRRIGATION (200 CFS)
DOMESTIC (080 CFS)
Total Diversion: (200 CFS)

Date Filed: 7/22/1993
In: KOOTENAI County
T52N R04W S35 NESW NWSW
21.0 ACRES TOTAL
95-08821

ACME MATERIALS AND CONSTRUCTION CO.
PO BOX 2503
SPOKANE, WA 99220
Source: GROUNDWATER
Diversion Pt: SESW Sec 12 T 51N R 05W
in KOOTENAI County.
Use: COMMERCIAL (2,000 CFS)
Total Diversion: (2,000 CFS)

Date Filed: 7/14/1993
In: KOOTENAI County
T51N R05W S12 SESW
95-08822

PRUGH, LOUISE M
5811 S PERRY
SPOKANE, WA 99223
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: NESE Sec 20 T 48N R 04W
in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)

Date Filed: 5/12/1993
In: KOOTENAI County
T48N R04W S20 NESE
95-08823

KAESLIN, RONALD G
10033 MEADOWDALE WAY
ELK GROVE, CA 95624
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 3 (NWNW) Sec 4 T
49N R 03W in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)

Date Filed: 7/13/1993
In: KOOTENAI County
T49N R03W S04 LOT 3 (NWNW)
For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources,

Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho 83814 on
or before AUGUST 23, 1993.

R. KEITH HIGGINSON, Director
Legal 753
Aug. 5, 12, 1993

JAN 21 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450

~~XXXXXXXXXXXXXXXXXXXX~~

Fax (208) 769-1454

CECIL D. ANDRUS

Governor
July 29, 1993

R. KEITH HIGGINSON
Director

Mr. Ronald G. Kaeslin
10033 Meadowdale Way
Elk Grove Ca 95624

Dear Mr. Kaeslin:

Re: Water Appropriation Application No. 95-8823.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

JAN 31 1994