




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Leo G. Couchman
(Applicant)

UNRECORDED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo


Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

4.

Scale: 1" = _____
Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).
Aerial Photo Attached _____
(required for irrigation of 10+ acres)
Photo of Diversion and System Attached _____




3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



(MICA BAY)
2679 III SE

SCALE 1:24 000



CONTOUR INTERVAL 20 FEET
SUPPLEMENTARY CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

50 N
4 W



QUADRANGLE LOCATION

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, h improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route

RECEIVED
AUG 09 1995

COEUR D'ALENE


NE/4 COEUR D'ALENE 15'
N4737.5-W1164

1981

DMA 2679 III NE-SE

MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
REPRODUCING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

95-08813



12177.49 additional

Mean Declination

1893 2170 East.

50 4W 35

95-08813

The above Map of Township 1. N. 50 North,
Boise Meridian. Idaho
notes of the survey thereof on file in this Office, which
Surveyor General's Office.
Boise City, Idaho.
February 23, - 1893.

AUG 09 1995

PD



Pv



Pv



AUG 09 1995

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

..... being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.


2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The legal notice

of which the annexed is a printed copy, was published in the regular Times issue of said newspaper for consecutive commencing on the 31st day of June, 1993, and ending on the 1st day of July, 1993, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 1st day of June, 1993.



Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY 2-5-99
My commission expires

OK
6/12/93

NOTARIAL

SEP 01 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08809

KRAMER, THOMAS J
KRAMER, JUDY
E. 2500 MALLORY RD
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversion Pt: NESW Sec 29 T 52N R 04W
in KOOTENAI County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 5/25/1993
In: KOOTENAI County
T52N R04W S29 NWSE
95-08810

HULLINGER, DON
3010 FOXBOROUGH ST
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversion Pt: SWSW Sec 28 T 50N R 03W
in KOOTENAI County.
SESW Sec 28 T 50N R 03 W

in KOOTENAI County.
Use: IRRIGATION (.200 CFS)
DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 5/24/1993
In: KOOTENAI County
T50N R03W S28 SWSW SESW
10.0 ACRES TOTAL
95-08811

SYRINGA PROPERTIES
PO BOX 1242
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SWNE Sec 29 T 50N R 03W
in KOOTENAI County.
Use: IRRIGATION (.500 CFS)
COMMERCIAL (.200 CFS)
DOMESTIC (.300 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 5/14/1993
In: KOOTENAI County
T50N R03W S29 SWNE
25.0 ACRES TOTAL
95-08812

DODSON, CHARLES M
DODSON, DIANA J
S 550 SIMONSEN RD
POST FALLS, ID 83854
Source: SPOKANE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: Lot 3 (NWNE) Sec 10 T 50N
R 05W in KOOTENAI County.
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 5/18/1993
In: KOOTENAI County
T50N R05W S10 NWNE
1.0 ACRES TOTAL
95-08813

FALL, SUSAN
790 KIDD ISLAND RD
COEUR D ALENE, ID 83814
Source: SPRING
Tributary: SINKS
Diversion Pt: SWSWNE Sec 35 T 50N R
04W in KOOTENAI County.
Use: DOMESTIC (.110 CFS)
Total Diversion: (.110 CFS)

Date Filed: 5/26/1993
In: KOOTENAI County
T50N R04W S35 SENW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before JUNE 21, 1993.

R. KEITH HIGGINSON, Director

Legal 441
June 3, 10, 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08813

Priority: May 26, 1993

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

7.2 AF

This is to certify, that SUSAN FALL
790 KIDD ISLAND RD
COEUR D ALENE ID 83814

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 26, 1993; and
has submitted Proof of Beneficial Use on May 7, 1993. An examination indicates
that the works have a diversion capacity of 0.110 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.11 CFS	7.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSWNE , Sec. 35, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 04W 35 Lot 1 (SENW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 6 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3RD
day of August, 1995.

Acting for

KARL J. DREHER, Director

AUG 09 1995

RECEIVED

SEP 30 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 5/7/93

Receipt No. 06517

Receipt by PAH

RECEIVED

SEP 28 1993

NOTARY PUBLIC
IDWR

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08813 Telephone No. 664-6666
2. Name(s) of Permit Holder(s): Sue Fall
3. Mailing Address: 790 Kidd Island Rd Cda ID 83814
4. Source of Water: Spring

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 6 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.11 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No ☒ Installed? _____ Yes ☒ No ☒

OR
Flow Measurement Port: Required? _____ Yes ☒ No ☒ Installed? _____ Yes ☒ No ☒

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

As above
Name _____ Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 28 1993

Date _____ Signature (and title, if on behalf of a company or organization) Sue Fall

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

LICENSE EXAMINATION FEE SCHEDULE

(C.F.S. = cubic feet per second AF = acre feet)

cfs	af	Fee
0 - 0.20	0 - 20	50.00*
.21 - 1.00	21 - 100	100.00
1.01 - 2.00	101 - 200	125.00
2.01 - 3.00	201 - 300	150.00
3.01 - 4.00	301 - 400	175.00
4.01 - 5.00	401 - 500	200.00
5.01 - 6.00	501 - 600	225.00
6.01 - 7.00	601 - 700	250.00
7.01 - 8.00	701 - 800	275.00
8.01 - 9.00	801 - 900	300.00
9.01 - 10.00	901 - 1000	325.00
10.01 - 11.00	1001 - 1100	350.00
11.01 - 12.00	1101 - 1200	375.00
12.01 - 13.00	1201 - 1300	400.00
13.01 - 14.00	1301 - 1400	425.00
14.01 - 15.00	1401 - 1500	450.00
15.01 - 16.00	1501 - 1600	475.00
16.01 - 17.00	1601 - 1700	500.00
17.01 - 18.00	1701 - 1800	525.00
18.01 - 19.00	1801 - 1900	550.00
19.01 - 20.00	1901 - 2000	575.00
19.01 - 20.00	1901 - 2000	575.00
20.01 - over	2001 - over	600.00

Checks should be made payable to the
Department of Water Resources

*A license examination fee is not required in connection with permits which use a ground water source AND have a total rate of diversion of 0.04 cfs or less. A fee also is not required in connection with permits to store water where the total volume stored is 4.0 AF per annum or less.

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08813

Proposed Priority: May 26, 1993

Maximum Diversion Rate:

0.11 CFS

This is to certify, that **SUSAN FALL**

790 KIDD ISLAND RD

COEUR D ALENE ID 83814

has applied for a permit to appropriate water from:

SPRING

tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.11 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSWNE , Sec. 35, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 04W 35


SESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1994.
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. Domestic use is for 6 homes.
5. This permit authorizes irrigation of up to 1/2 acre within each platted subdivision lot upon which a domestic dwelling has been constructed.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

13th day of July, 1993.


R. Keith Higginson, Director

for

RECEIVED

SEP 01 1993

RECEIVED

JUN 23 1993

Department of Water Resources

Ident. No. 95-08813

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: SUSAN FALL 208-664-6666
Address: 790 KIDD ISLAND RD
COEUR D ALENE ID 83814
 2. Source: SPRING Trib. to: SINKS
 3. Location of Point of Diversion: SWSWNE Sec. 35, Township 50N, Range 04W
KOOTENAI County
 4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.110		
 5. Total quantity to be appropriated is:
0.110 CFS (and/or) AF
 6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
SPRING BOX AND PIPELINE.
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).
 8. Place of Use: DOMESTIC
- TWN RGE SEC
50N 04W 35 SENW
9. a. Who owns the property at the point of diversion?
APPLICANT
 - b. Who owns the land to be irrigated or place of use?
PROPERTY OWNERS.
 - c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
WATER SERVICE AND MAINTENANCE AGREEMENT.

SEP 01 1993

10. Remarks:

Domestic use is for 6 homes.

11. Map of proposed point of diversion and place of use attached? ☒


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X/S. J. J. J.
Applicant

Received by BJ Date 5/26/93 Time 11:30 Preliminary check by BJ
Fee \$ 30 100 Receipted by BJ # N-6574 Date 5/26/93
Publication prepared by pm Date 5/26/93 Published in 6/3-10/93
Publication approved pm Date 6/12/93

RECORDED
JUN 01 1993

FOUGAR BAY



Scale: 2 inches equal 1 mile.

SEP 01 1993

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Leo C. Couchman
(Applicant)

WATER SERVICE AND MAINTENANCE AGREEMENT

The seller Arhtur L. Fall and Susan Fall, has caused to be constructed a spring, reseviour and water distribution system, located on land owned by Susan Fall Parcel #50 N 4 W 35 - 1300, for domestic water service to be provided to six properties located as follows:

- 1) Lot 10, third addition to Fall's Bay Lots
- 2) Parcel # 50 N 4W 35 - 4730
- 3) Parcel # 50 N 4W 35 - 4735
- 4) Parcel # 50 N 4W 35 - 4680
- 5) Parcel # 50 N 4W 35 - 4675
- 6) Parcel # 50 N 4W 35 - 4685

It is understood and agreed by all parties as follows:

- 1) The property owner shall be entitled to connect to the water distribution system at no charge (except the actual costs in making the connection) for providing water service to a one-family dewelling.
- 2) The property owner shall share on a pro rata basis with other water users from said water distribution system in the costs of operation and maintenance of the said water distribution system.
- 3) The seller makes no warranty or representation concerning the future quantity or quality of the water provided from said source, nor is the property owner relying on any representation of the seller having to do therewith.

SEP 01 1993

Pg 1 of 2 SS

- 4) Failure to contribute the pro rata share of the operational and maintenance costs of said water distribution system shall be cause for discontinuance of water service therefrom.
- 5) It is contemplated that at such time as there are five domestic water users sharing in the operational and maintenance costs of said water distribution system, that a property owners association will be formed for the purposes of operating the water distribution system, and establishing appropriate rules, standards and regulations therefor, and further establish any fees and charges as may be required for appropriate maintenance and operation.
- 7) Should any litigation result by reason of the breach or enforcement of this agreement, the prevailing party shall be entitled to recover, in addition to allowable costs, a reasonable attorney fee.
- 8) This water right remains part of the above listed properties and is not transferable to other land parcels. However, the property owner may relinquish all rights and responsibility in the distribution system by sending written nitice of said desire to : Susan Fall, 790 Kidd Is. Rd., Coeur d'Alene, Id. 83814.

This agreement shall be binding upon the heirs, administrators, executors and/or assigns of the respective parties hereto.

Susan Fall
personal rep. for Arthur Fall
4-20-93

SEP 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 3, 1995

SUSAN FALL
790 KIDD ISLAND RD
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08813

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

Microfilm

AUG 09 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 95-8813 Name: Fall Date: 7/28/95
App Rcd 5/26/93 Priority 5/26/93 Examined 7/5/95 ✓ Lots 1

NAME Chng OK Or Address Change?
SOURCE Clarify source
Prelim. Order to Void - Source change.
P/D Amendment Needed? -P39, P38
Overlap(s)
P/U Amendment Needed? add 4.3 -P41, P38
Overlap(s)
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies.)
RATE Permit/fee limits 0.11 / 0.11
Measured Q= cfs Theoretical Q= cfs
permitted 0.11
Domestic homes (standards) = 0.11
Recommended capacity 0.11 cfs
Recommended rate 0.11 cfs
VOLUME Season of Use: () 1/1-12/31 = 365 days
Calculations: domestic homes x 1.2 AF/hm = 7.2 AF
Flow limit: 0.11 x 365 x 1.9835 = 79.6 AF
Recommended volume 7.2 AF
USES Same Nature of Use? -P46
Amendment Needed?
REMARKS Multiple p/d's in 1/1?
Dom 1/6
CONDITIONS Measuring (R01)/Locking (R02) Devices
Watermaster Control (R04) - WD #
Irrigation rate/volume overlap
Irrigation water overlap (065) (If gw use sw)
Water Quality
Other

PRIORITY Due 7/1/94 Rc'd 5/7/93 Receipt# N006517 Fee OK? (Yes) No
Order to Reinstate Needed? Yes/No Done?
If Yes, Advanced? Yes/No to:

COMMENTS: license as permitted, add gov. lots.

USE	CFS	DIV VOL	Adjustment Memo
<u>Dom 1/6</u>	<u>0.11</u>	<u>7.2</u>	
<u>TOTAL</u>	<u>0.11</u>	<u>7.2</u>	

LICENSE: (P49)
#1 AMEND LTR: P46 or
P39/P41/P37 & P38
#2 AMEND LTR: P42/P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 13 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08813

1. Owner: SUE FALL Phone No. 664-6666

Current Address: 790 Kid Island Rd. Cda ID. 83814

2. Accompanied by: SUE FALL EXAM DATE: _____

Address: SAME AS above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW	NE	35	50N	04W	Kootenai	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	35								D									

RECEIVED
AUG 9 1995

SECRET

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

4.

Copy of USGS Quadrangle Attached Showing location(s) of _____
 (points) of diversion and place(s) of use (required).
 Aerial Photo Attached of _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____

Scale: 1" = _____



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

Lined area for narrative/remarks/comments.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
AUG 9 1995

AUG 09 1995

RECEIVED

SEAL

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$
$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$
$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

04-01

Period of Use

To

12-31

Rate of Diversion

Q (cfs)

0.11

Annual Volume

V (afa)

7.2

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name


Wayne Roberts

Date


7-6-95

Reviewer

Date



SCALE 1:24 000



CONTOUR INTERVAL 20 FEET
SUPPLEMENTARY CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

50 N
4 W



QUADRANGLE LOCATION

ROAD CLASSIFICATION

Primary highway, hard surface	Light-duty road, improved surface
Secondary highway, hard surface	Unimproved road
Interstate Route	U. S. Route

COEUR D'ALENE


NE/4 COEUR D'ALENE 15'
N4737.5-W1164

1981

DMA 2679 III NE-SE

95-08813

MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
LOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
RIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



as 12774.49 additional
 Mean Inclination

2770 West.
 50 4W 35
 95-08813

The above Map of Township 1.750 North,
 Boise Meridian, Idaho
 notes of the survey thereof on file in this Office, when
 Surveyor General's Office.
 Boise City, Idaho.
 February 23, 1893.

AUG 09 1895

PD



PV



PV
AUG 9 1995

October 8, 1993

SUSAN FALL
790 KIDD ISLAND RD
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08813

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

OCT 28 1993

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08813 Reviewed by Klg Date 10/1/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? domestic - 6
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
NA Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
✓ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50 Amount Submitted
yes Correct?
NA Required?
Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____ Proof Made 9/28/93 10/1/93
Klg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 13, 1993

SUSAN FALL
790 KIDD ISLAND RD
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE


RE: PERMIT NO. 95-08813

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED

SEP 01 1993

APPLICATION FOR PERMIT STATE OFFICE REVIEW

Application #: 95-8813 Date: 6/30/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____

SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

GROUNDWATER:

+ 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing), NMR

- 0.2 cfs - NMR <flow chart>

Drilling Permit:

Included w/permit - P99 Permit No. _____

Existing well - N/A (if drilled before 7/1/87)

No WD permit? - 046-46B-P23 (if drilled after 7/1/87)

SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>

LOCATION:

Water District - WD No. _____

Surface water - 005 or 005-01J-P08(+.2)
or 005-01H-P01(-.2 w/pump); NMR

Groundwater - P05 (if well has not been drilled)

Irrigation Dist. - 023

Canal Co. Areas - 023

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (Groundwater temperature)

Swan Falls Flag - (1, Blank or Other)

Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust <1> - 048-049

RIVER BASINS (Surface): Water District Control Condition (005) &....

Boise (63) - 05A (req), 11E (non-domestic use)

Payette (65) - 047-P04, -P

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E-P10 (WQ/Choose One) & 010
042 (req), 002-P06(MD), 07A(Special),
044(Policy 5G)

Power - 08A, 17K, 025, 027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G or 17M; 18B-P09

Mining - 06A, 010, or 09E-P10 & 054 (req)

Storage(✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10'Size)

Rec/Wildlf/Aes - 027-if +½ A. pond (Non-Consumptive)

Domestic (surface - 021 - Boise River upstream from L Peak
restricted areas) 27A - Payette River & main tributaries

OWNERSHIP:

Non land owner - 004

PROTESTED:

Hearing agreement - 020

REMARKS:

1) w00: (b) 2) w05 (no size of lot specified)

OTHER CONDITIONS: _____

BENEFICIAL USE DUE: 7-1-1994

COMMENTS:

1) POW Ownership

2) Div desc.

WR0749NP
No. P95-08813

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 06/30/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SUSAN FALL 790 KIDD ISLAND RD COEUR D ALENE ID 83814 (208) 664-6666	05/26/1993	DOMESTIC	01-01 12-31	0.11 CFS	
TOTAL DIVERSION:					0.11 CFS	

Water Source: SPRING

Tributary to: SINKS

Stage: PERMIT

Point(s) of Diversion: T50N R04W S35 SW SW NE

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
50N	04W	35	:																	:
								D												

Pou County: KOOTENAI

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.

Remarks:

Domestic use is for 6 homes.
This permit authorizes irrigation of up to 1/2 acre within each
platted subdivision lot upon which a domestic dwelling has been
constructed.

Dates:	App. Received:	05/26/1993	Priority Date:	05/26/1993
	Proof Due Date:	07/01/1994	Proof Made Date:	
	Exam Made Date:		Exam Sent to S.O.:	
	Licensed Date:			

Misc: Water District Number: Field Exam Fee:

Comments: Date: 06/30/1993 User-ID: ZIMMERMA Subject: POU OWNERSHIP
Water is diverted from a spring on land owned by applicant, and
delivered for domestic use to places owned by six neighboring
property owners.

Date: 06/30/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
Springbox and pipeline to six homes.

Audit: 06/30/93 ZIMMERMA

APPLICATION # _____

***** INITIAL REVIEW *****

APPLICANT: FALL BY: AB DATE: 5 / 26 / 93

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- y Field check: by _____
+ Field report attached
+ Analysis Supp. attached(>5cfs/500af)
+ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 5 / 26 / 93

x (Include Moratorium Remark)

x Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: KOOTENAI County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: n/a

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: n/a

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- y Groundwater management area
+ Critical ground water area
+ Well Drilling Permit required
+ Well Drilling Application and Fees received
+ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- Notice of pending void order issued. Final order response date: ____/____/____
+ Further information required from applicant
+ Affidavit of publication received
pm Application published correctly, If not, record action taken: _____
+ Publication dates and paper recorded on application | Sr. Agent initial AB
+ Protests received. Final protest date: 6/21/93
Measuring device required
Measuring port required
Special conditions: _____
Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: AB Date: 6 / 16 / 93

95-08813

FALL, SUSAN
790 KIDD ISLAND RD
COEUR D ALENE, ID 83814

Source: SPRING

Tributary: SINKS

Diversion Pt: SWSWNE Sec 35 T 50N R 04W in KOOTENAI County.

Use: DOMESTIC (.110 CFS)

Total Diversion: (.110 CFS)

Date Filed: 5/26/1993

In: KOOTENAI County
T50N R04W S35

SENW

RECEIVED

SEP 01 1993

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

..... being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The
.....

of which the annexed is a printed copy, was published in the regular
issue of said newspaper for consecutive
commencing on the day of 19....., and
ending on the day of 19....., and such
publication was made as often during said period as said
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.....
.....

Subscribed and sworn to before me this day of
..... 19.....

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

RECEIVED

JUN 11 1993

NORTHERN REGION
IDWR

ROBERTA MANLEY
commission expires 2-5-99

SEP 01 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

95-08809

KRAMER, THOMAS J
KRAMER, JUDY
E. 2500 MALLORY RD
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversion Pt: NESW Sec 29 T 52N R 04W
in KOOTENAI County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 5/25/1993
In: KOOTENAI County
T52N R04W S29 NWSE
95-08810
HULLINGER, DON
3010 FOXBOROUGH ST
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversion Pt: SWSW Sec 28 T 50N R 03W
in KOOTENAI County.
SESW Sec 28 T 50N R 03 W
in KOOTENAI County.

Use: IRRIGATION (.200 CFS)
DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 5/24/1993
In: KOOTENAI County

T50N R03W S28 SWSW SESW
10.0 ACRES TOTAL
95-08811

SYRINGA PROPERTIES
PO BOX 1242
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SWNE Sec 29 T 50N R 03W
in KOOTENAI County.
Use: IRRIGATION (.500 CFS)
COMMERCIAL (.200 CFS)
DOMESTIC (.300 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 5/14/1993
In: KOOTENAI County
T50N R03W S29 SWNE
25.0 ACRES TOTAL
95-08812

DODSON, CHARLES M
DODSON, DIANA J
S 550 SIMONSEN RD
POST FALLS, ID 83854
Source: SPOKANE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: Lot 3 (NWNE) Sec 10 T 50N
R 05W in KOOTENAI County.
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 5/18/1993
In: KOOTENAI County
T50N R05W S10 NWNE
1.0 ACRES TOTAL
95-08813

FALL, SUSAN
790 KIDD ISLAND RD
COEUR D ALENE, ID 83814
Source: SPRING
Tributary: SINKS
Diversion Pt: SWSWNE Sec 35 T 50N R
04W in KOOTENAI County.
Use: DOMESTIC (.110 CFS)
Total Diversion: (.110 CFS)

Date Filed: 5/26/1993
In: KOOTENAI County
T50N R04W S35 SENW

For additional information concerning
the property location, call the Northern
Regional Office at 765-4639.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho 83814 on
or before JUNE 21, 1993.

R. KEITH HIGGINSON, Director
Legal 441
June 3, 10, 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

May 28, 1993

MS SUSAN FALL
790 KIDD ISLAND RD
COEUR D ALENE ID 83814

Dear Ms. Fall:

Re: Water Appropriation Application No. 95-8813.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

RECEIVED

SEP 01 1993