





PORTION OF GOVERNMENT LOT 3, SECTION 10
TOWNSHIP 50 NORTH, RANGE 5 WEST, BOYCE MERIDIAN
KOOTENAI COUNTY, IDAHO





BASIS OF BE

The basis of bearing for t
the two found monuments in
First Addition to Falls Ri
calculated to be North 08°

SURVEYOR'S CER

This map correctly represents
by me in accordance with the
Idaho in July, 1990. at the re






This map correctly represents
by me in accordance with the
Idaho in July, 1990. at the r

RECEIVED
FEB 26 1996

95- 8812



SURVEY

Sec. 2.

Sec. 1.

Sec. 3.

Confirmed
Union
of

Frederick Post

RIVER

Sec. 10.

Sec. 11.

Sec. 12.

Sec. 14.

Sec. 13.

Sec. 15.

Sec. 16.

Horizontal

House, 1880

RECORDED
FEB 26 1996


SD 5w 10

95-08812



P.U.

P.U.



← P.D.

MACGOSTIN
FEB 26 1996

9200122 N 1 H 12


P.U.



← P.U.

← P.D.

MACROSTORM
FEB 26 1996



0840
6,513 ft
or .149 AC

OUT TO 8000

Addition to 1

MICROFILMED
OCT 28 1993

ices were

EAST

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

..... being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.


2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The legal notice

of which the annexed is a printed copy, was published in the regular Times issue of said newspaper for 2 consecutive issues commencing on the 3rd day of June, 1993, and ending on the 10th day of June, 1993, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 10th day of June, 1993.



Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY 2-5-99
My commission expires

NOTIFIED

JUL 08 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08809
KRAMER, THOMAS J
KRAMER, JUDY
E. 2500 MALLORY RD
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversions Pt: NESW Sec 29 T 52N R 04W
in KOOTENAI County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 5/25/1993
In: KOOTENAI County
T52N R04W S29 NWSE
95-08810
HULLINGER, DON
3010 FOXBOROUGH ST
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversions Pt: SWSW Sec 28 T 50N R 03W
in KOOTENAI County.
SESW Sec 28 T 50N R 03 W

in KOOTENAI County.
Use: IRRIGATION (.200 CFS)
DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 5/24/1993
In: KOOTENAI County
T50N R03W S28 SWSW SESW
10.0 ACRES TOTAL
95-08811

SYRINGA PROPERTIES
PO BOX 1242
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Diversions Pt: SWNE Sec 29 T 50N R 03W
in KOOTENAI County.
Use: IRRIGATION (.500 CFS)
COMMERCIAL (.200 CFS)
DOMESTIC (.300 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 5/14/1993
In: KOOTENAI County
T50N R03W S29 SWNE
25.0 ACRES TOTAL
95-08812
DODSON, CHARLES M
DODSON, DIANA J
S 550 SIMONSEN RD
POST FALLS, ID 83854
Source: SPOKANE RIVER
Tributary: COLUMBIA RIVER
Diversions Pt: Lot 3 (NWNE) Sec 10 T 50N
R 05W in KOOTENAI County.
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 5/18/1993
In: KOOTENAI County
T50N R05W S10 NWNE
1.0 ACRES TOTAL
95-08813

FALL, SUSAN
790 KIDD ISLAND RD
COEUR D'ALENE, ID 83814
Source: SPRING
Tributary: SINKS
Diversions Pt: SWSWNE Sec 35 T 50N R
04W in KOOTENAI County.
Use: DOMESTIC (.110 CFS)
Total Diversion: (.110 CFS)

Date Filed: 5/26/1993
In: KOOTENAI County
T50N R04W S35 SENW
For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before JUNE 21, 1993.

R. KEITH HIGGINSON, Director
Legal 441
June 3, 10, 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08812

Priority: May 18, 1993

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

3.0 AF

This is to certify, that CHARLES M DODSON
DIANA J DODSON

S 550 SIMONSEN RD

POST FALLS ID 83854

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 18, 1993; and has submitted Proof of Beneficial Use on September 8, 1993. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPOKANE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWNE), Sec. 10, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	05W	10	Lot 3(NWNE)	1		1

Total number of acres irrigated: 1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

FEB 26 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08812


CONDITIONS OF APPROVAL AND REMARKS

6. Place of use is located within Lot 10, Block 1, First Addition to Falls River Homes Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30TH day of JANUARY, 1996.

Acting for

KARL J. BREHER, Director



RECORDED
JAN 31 1996

RECEIVED

SEP 10 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 9/8/93

Receipt No. 11-6950

Receipt by AB

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08812 Telephone No. 208-773-2869 or 208-664-1577
2. Name(s) of Permit Holder(s): Charles M. Dodson, Diana J. Dodson
3. Mailing Address: 5550 Simonsen Road Post Falls, Idaho 83854
4. Source of Water: Spokane River

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: 3/4 hp. Pressure (psi): 50 psi Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 1.0 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.02 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No Installed? _____ Yes _____ No

OR
Flow Measurement Port: Required? _____ Yes ☒ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)


9. Person to contact to accompany the Department representative during field examination of the water system.

Diana J. Dodson 208-773-2869
Name Telephone No.

5550 Simonsen Road Post Falls, Idaho 83854
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 7/8/93


Signature (and title, if on behalf of a company or organization)

OCT 28 1993

RECORDED

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08812

Proposed Priority: May 18, 1993 Maximum Diversion Rate: 0.02 CFS

This is to certify, that CHARLES M DODSON
DIANA J DODSON
S 550 SIMONSEN RD
POST FALLS ID 83854

has applied for a permit to appropriate water from:

SPOKANE RIVER

tributary of COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	05/15 to 11/15	0.02 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWNE), Sec. 10, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	05W	10	NWNE	1		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1994.
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Place of use is located within Lot 10, Blk. 1, First Addition to Falls River Homes Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

6th day of July, 1993.

R. Keith Higginson
for R. Keith Higginson, Director

RECEIVED

JUL 08 1993

RECEIVED

JUN 23 1993

Form 202
6/85

Department of Water Resources
STATE OF IDAHO


Ident. No. 95-8812

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Charles M. & Diane J. Dodson Phone 208-773-2869
Post office address 5550 Simonsen Road Post Falls Idaho 83854
2. Source of water supply Spokane River which is a tributary of Columbia River
3. Location of point of diversion is _____ 1/4 of NW 1/4 of NE 1/4, Govt. Lot 3
Sec. 10 Township 50 N Range 5 W B.M. Koderai County; additional
points of diversion if any: NONE
4. Water will be used for the following purposes:
Amount .02 CFS for irrigation purposes from May 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .02 CFS. and/or (b) 2.3825802
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. exposed pipe (1 1/4") extending 43 ft. into Spokane River; extending approx 25' to 3/4 hp. pump and pressure tank; pumped into sprinkler system for lawn, garden, trees, etc.
 - b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is one years (minimum 1 year).


JUL 08 1993



GTON 5M 2183
ures Trailer Park
Powerhouse Dam Boat Ramp River Park Ford Rock Borrow Pits Black Bay Trailer Park

2 3 4
WT WT
Dam Boat Ramp
2180
2200
2351 x
2400
2450
2600
2800
2951 x
3000
3200
3400
3600
3800
4000
4200
RIVERVIEW DRIVE
SCHILLING ROAD
BUNN ROAD
Water Tank
EAST
16 15 14
x 3008 x 3138
x 3842 x 4122
x 4362
Radio Tower 4408
Blossom Mountain
8 1993
3174

PORTION OF GOVERNMENT LOT 3, SE
TOWNSHIP 50 NORTH, RANGE 5 WEST, BO
KOOTENAI COUNTY, IDAHO




BASIS OF BE

The basis of bearing for the two found monuments in First Addition to Falls River Homes calculated to be North 08°

SURVEYOR'S CER

This map correctly represents the land by me in accordance with the laws of Idaho in July, 1990. at the re

ACCEPTED
JUL 08 1993



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. *See attached*

50-100000

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524</

ANNO DOMINI

JUL 08 1993

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Application for permit to appropriate the public waters of the State of California



(Applicant)

(Applicant)

JUL 08 1993

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	Date	Time	Preliminary check by
<i>[Signature]</i>	5/18/93	11:50 AM	<i>[Signature]</i>
Fee \$ 30.00			
Received by	Date	#	Date
<i>[Signature]</i>	5/26/93	N 65245	5/18/93
Publication prepared by	Date	Published in	Date
<i>[Signature]</i>	5/26/93	6/3-15/93	6/15/93
Publication approved	Date		
<i>[Signature]</i>	6/15/93		



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 31, 1996

CHARLES M DODSON
DIANA J DODSON
S 550 SIMONSEN RD
POST FALLS ID 83854

RE: WATER RIGHT NO. 95-08812

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
JAN 31 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08812 DATE 1-26-96



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: Order to reinstate needed? Incorrect fee for rate recommended?

SOURCE Changes or just clarification of originally intended source? ☒ Notice of Intent to Void necessary?

POINT OF DIV Amendment needed? ☒ Overlaps? ☒

PLACE OF USE Amendment needed? ☒ Overlaps? ☒

DIV RATE Permit/fee limits: .02 CFS
Meas Q = .02 Theo Q = Recommend: .02
Combined rates exceed capacity

ANNUAL VOLUME Volume Limit: NEW Season: B/3.0 (3-15 to 11-15)
Calculations: 1 acre x 3 = 3 af
Flow limit: cfs x x 1.9835 =
Combined volumes exceed capacity/allowable

USES Change in Nature of Use or additional uses? Amendment necessary?

ADDITIONAL INFO Replaces Surface Water 050 Supplemental GW Irr/Dom Combination WB5 PPU Recommendation Boise River/Wood River Source Aes/Rec Uses W38

NEW REMARKS Multiple p/d(s) in 1/4 1/4? Other

NEW CONDITIONS WM Control- District Meas/Lock Devices R29 Irrigation Overlap Other Water Quality Heat/Cool/Fish verified

COMMENTS:

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed	LICENSE
<u>Irrigation</u>	<u>.02</u>	<u>3.0</u>	<u>NA</u>	<u>YES</u>	<u>✓</u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>

1ST AMEND LETTER
2ND AMEND LETTER

MEMORANDUM

TO: File 95-08812 / Charles Dodson
FROM: Brenda Chapman
DATE: January 26, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 95-08812 are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.02	3.0

The season of use and volume has been changed to the current recommended guidelines for the per acre field headgate requirement of crops/lawns in that area.
[3.0 afa per acre]

RECORDED

FEB 26 1996

RECEIVED
DEC 14 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08812

1. Owner: CHARLES M DODSON Phone No. _____

Current Address: S 550 SIMONSON RD POSTFALLS ID, 83854

2. Accompanied by: _____ EXAM DATE: 8-20-99

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: SPOKANE River tributary to COLOMBIA RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-02002 95-07591

2. Other water rights with the same point of diversion: 95-07809

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	10	50N	05W	Kootenai	USGS 7.5 MIN QUAD


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	05W	10		I														1	

DEC 9 1999

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached of _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2		Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gallon Bucket						

2. Measurements:

11 gallons in ONE min

E. NARRATIVE/REMARKS/COMMENTS

PUMP SUPPLIES WATER FOR IRRIGATION PURPOSES
TO SURROUNDING YARD USING HOSES.

Have conditions of permit approval been met? ☒ yes ☐ no

FEB 26 1996

F. FLOW CALCULATIONS

Measured Method: _____

Additional Computation Sheets Attached _____

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: *

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 3.5 = 3.5$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 245 \times 1.9835 = 9.7$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

* IRRIGATION

Period of Use
From To

Rate of Diversion
Q (cfs)

Annual Volume
V (afa)

Totals:

.02

3.5

2. Recommended Amendments

____ Change P.D. as reflected above

____ Add P.D. as reflected above

____ None

____ Change P.U. as reflected above

____ Add P.U. as reflected above

____ Other

I. AUTHENTICATION

Field Examiner's Name Ted MSC Date 8-20-94


Reviewer _____ Date _____

SEAL

FEB 26 1996

* See adjustment memo. BC

PORTION OF GOVERNMENT LOT 3, SEC 10
TOWNSHIP 50 NORTH, RANGE 5 WEST, BO
KOOTENAI COUNTY, IDAHO




BASIS OF BE


The basis of bearing for the two found monuments in First Addition to Falls River Homes is calculated to be North 08°

SURVEYOR'S CER

This map correctly represents by me in accordance with the Idaho in July, 1990, at the r



95-8812



L SON SW

95-8812

QUIVEY

Sec. 1

Sec. 2

Sec. 3

Sec. 4

Confirmed
Union
of

Frederick Ave

RIVER

Sec. 9

Sec. 10

Sec. 11

Sec. 12

Sec. 13

Sec. 14

Sec. 15

Sec. 16

Provisional House

FEB 26 1936

50 SW 10

95-08812



P.U.

P.U.

← P.D.

FEB 26 1996

020012Z H 1741Z

P.U.



← P.U.

← P.D.

FEB 26 1996

September 17, 1993

CHARLES M DODSON
DIANA J DODSON
S 550 SIMONSEN RD
POST FALLS ID 83854

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08812

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

OCT 28 1993

Dodson & Raeon
ASSOCIATES IN THE PRACTICE OF LAW

P.O. BOX 1237
1034 N. 3RD STREET
COEUR D'ALENE, IDAHO 83814

RECEIVED

JUL 16 1993

Department of Water Resources

CHARLES M. DODSON
(208) 664-1577

JAMES A RAEON
(208) 765-5875

July 14, 1993

State of Idaho
Department of Water Resources
ATTN: Jim Johnson
Water Rights Supervisor
1301 North Orchard Street
Statehouse Mail
Boise ID 83720-9000

RE: Permit Number 95-08812
Charles M. Dodson


Dear Mr. Johnson:

I am in receipt of the Permit Approval Notice issued by the Department of Water Resources regarding Permit Number 95-08812. I note on the Conditions or Remarks (number 5) that the place of use is located within Lot 10, Block 1, First Addition to Falls River Homes Subdivision. I would advise that the description of the property contained on the Permit to Appropriate Water is indeed my neighbor's property, and I am enclosing herewith a copy of the Assessor's Map which identifies my property as Tax Number 12101. The property immediately to the east of my property is Lot 10, Block 1, First Addition to Falls River Homes Subdivision.

Please make the appropriate corrections and return to me an amendment to the Permit to Appropriate Water, or, if you desire to have the original Permit returned to you, please acknowledge the same to me.

Thank you for your attention to this matter.


Sincerely,


Charles M. Dodson
Attorney at Law

RECORDED

CMD/ame
Enclosure

OCT 28 1993



0840
6.515 ±
or .149 AC

OUT TO 8000

ices were

FAST

MID-PLANNED
OCT 28 1993

3.832 AC
001-001-0



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 6, 1993

CHARLES M DODSON
DIANA J DODSON
S 550 SIMONSEN RD
POST FALLS ID 83854

PERMIT APPROVAL NOTICE


RE: PERMIT NO. 95-08812

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED
JUL 08 1993

95-08812

DODSON, CHARLES M
DODSON, DIANA J
S 550 SIMONSEN RD
POST FALLS, ID 83854

Source: SPOKANE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 3 (NWNE) Sec 10 T 50N R 05W in KOOTENAI County.

Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 5/18/1993

In: KOOTENAI County
T50N R05W S10 NWNE

1.0 ACRES TOTAL

RECORDED

JUL 08 1993

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

..... being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.


2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice

of which the annexed is a printed copy, was published in the regular Times issue of said newspaper for 2 consecutive days commencing on the 30th day of June, 1993, and ending on the 1st day of July, 1993, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 10th day of June, 1993



Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY 2-5-99
My commission expires

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08809
KRAMER, THOMAS J
KRAMER, JUDY
E. 2500 MALLORY RD
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversions Pt: NESW Sec 29 T 52N R 04W
in KOOTENAI County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 5/25/1993
In: KOOTENAI County
T52N R04W S29 NWSE
95-08810
HULLINGER, DON
3010 FOXBOROUGH ST
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversions Pt: SWSW Sec 28 T 50N R 03W
in KOOTENAI County.

SESW Sec 28 T 50N R 03 W
in KOOTENAI County.
Use: IRRIGATION (.200 CFS)
DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 5/24/1993
In: KOOTENAI County
T50N R03W S28 SWSW SESW
10.0 ACRES TOTAL
95-08811

SYRINGA PROPERTIES
PO BOX 1242
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversions Pt: SWNE Sec 29 T 50N R 03W
in KOOTENAI County.
Use: IRRIGATION (.500 CFS)
COMMERCIAL (.200 CFS)
DOMESTIC (.300 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 5/14/1993
In: KOOTENAI County
T50N R03W S29 SWNE
25.0 ACRES TOTAL
95-08812

DODSON, CHARLES M
DODSON, DIANA J
S 550 SIMONSEN RD
POST FALLS, ID 83854
Source: SPOKANE RIVER
Tributary: COLUMBIA RIVER
Diversions Pt: Lot 3 (NWNE) Sec 10 T 50N
R 05W in KOOTENAI County.
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 5/18/1993
In: KOOTENAI County
T50N R05W S10 NWNE
1.0 ACRES TOTAL
95-08813

FALL, SUSAN
790 KIDD ISLAND RD
COEUR D ALENE, ID 83814
Source: SPRING
Tributary: SINKS
Diversions Pt: SWSWNE Sec 35 T 50N R
04W in KOOTENAI County.
Use: DOMESTIC (.110 CFS)
Total Diversion: (.110 CFS)

Date Filed: 5/26/1993
In: KOOTENAI County
T50N R04W S35 SENW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before JUNE 21, 1993.

R. KEITH HIGGINSON, Director
Legal 441
June 3, 10, 1993

JUL 08 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

May 28, 1993

MR CHARLES DODSON
S 550 SIMONSEN RD
POST FALLS ID 83854

Dear Mr. Dodson:

Re: Water Appropriation Application No. 95-8812.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

RECEIVED
MAY 28 1993

JUL 08 1993