







Sturgeon

VABM 2290
Rathdrum Magnetic

CHICAGO


MILWAUKEE

NORTHERN

BM 2282

BM

2272



Pine Grove Cem

T52N R4W
SEC 29

SEP 12 1994



95-08809



UNRECORDED

SEP 12 1994

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Keri Alexander

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.


3. The *legal notice*

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks* commencing on the *3rd* day of *June*, 19*93*, and ending on the *10th* day of *June*, 19*93*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this *10th* day of *June*, 19*93*.



Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY *2-5-99* JUL 08 1993
My commission expires

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08809

KRAMER, THOMAS J
KRAMER, JUDY
E. 2500 MALLORY RD
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversión Pt: NESW Sec 29 T 52N R 04W
in KOOTENAI County.
Use: DOMESTIC (.040 CFS)
Total Diversión: (.040 CFS)

Date Filed: 5/25/1993
In: KOOTENAI County
T52N R04W S29 NWSE
95-08810

HULLINGER, DON
3010 FOXBOROUGH ST
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversión Pt: SWSW Sec 28 T 50N R 03W
in KOOTENAI County.
SESW Sec 28 T 50N R 03 W

in KOOTENAI County.
Use: IRRIGATION (.200 CFS)
DOMESTIC (.200 CFS)
Total Diversión: (.200 CFS)

Date Filed: 5/24/1993
In: KOOTENAI County
T50N R03W S28 SWSW SESW
10.0 ACRES TOTAL
95-08811

SYRINGA PROPERTIES
PO BOX 1242
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversión Pt: SWNE Sec 29 T 50N R 03W
in KOOTENAI County.
Use: IRRIGATION (.500 CFS)
COMMERCIAL (.200 CFS)
DOMESTIC (.300 CFS)
Total Diversión: (1.000 CFS)

Date Filed: 5/14/1993
In: KOOTENAI County
T50N R03W S29 SWNE
25.0 ACRES TOTAL
95-08812

DODSON, CHARLES M
DODSON, DIANA J
S 550 SIMONSEN RD
POST FALLS, ID 83854
Source: SPOKANE RIVER
Tributary: COLUMBIA RIVER
Diversión Pt: Lot 3 (NWNE) Sec 10 T 50N
R 05W in KOOTENAI County.
Use: IRRIGATION (.020 CFS)
Total Diversión: (.020 CFS)

Date Filed: 5/18/1993
In: KOOTENAI County
T50N R05W S10 NWNE
1.0 ACRES TOTAL
95-08813

FALL, SUSAN
790 KIDD ISLAND RD
COEUR D ALENE, ID 83814
Source: SPRING
Tributary: SINKS
Diversión Pt: SWSWNE Sec 35 T 50N R
04W in KOOTENAI County.
Use: DOMESTIC (.110 CFS)
Total Diversión: (.110 CFS)

Date Filed: 5/26/1993
In: KOOTENAI County
T50N R04W S35 SENW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before JUNE 21, 1993.

R. KEITH HIGGINSON, Director

Legal 441
June 3, 10, 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08809

Priority: May 25, 1993

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that THOMAS J KRAMER
JUDY KRAMER

E 2500 MALLORY RD
RATHDRUM ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 25, 1993; and has submitted Proof of Beneficial Use on July 14, 1993. An examination indicates that the works have a diversion capacity of .090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 29, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 29

NWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29TH day of June, 1994.

Acting for


R. Keith Higginson, Director

SEP 12 1994

RECEIVED

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 7-14-93
Receipt No. C028135
Receipt by ju

JUL 14 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08809 Telephone No. 687-1230
2. Name(s) of Permit Holder(s): Thomas J. Kramer Judy Kramer
3. Mailing Address: E 2500 Mallory Rd. Rathdrum, ID. 83858
4. Source of Water: Well

If GROUNDWATER, Well Driller's Name: Brenson Water Wells Date Drilled: 5/5/1980

OPTIONAL:

Pump horsepower: 1.75 Pressure (psi): 45 Dynamic pumping level (ft.): 235

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)
Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes X No

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes X No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Tom Kramer 687-1230
Name Telephone No.

E 2500 Mallory Rd. Rathdrum ID. 83858
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

7/12/93
Date

Thomas J. Kramer
Signature (and title, if on behalf of a company or organization)

SEP 01 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08809

Proposed Priority: May 25, 1993

Maximum Diversion Rate:

0.04 CFS

This is to certify, that JUDY KRAMER

THOMAS J KRAMER

E 2500 MALLORY RD

RATHDRUM ID 83858

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 29, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 29


NWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1994.
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

6th day of July, 1993.

for 
R. Keith Higginson, Director

RECORDED

JUL 08 1993

RECEIVED

JUN 23 1993

STATE OF IDAHO

Ident. No. 95-8809

Form 202
6/85

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

JUDY AND/OR

1. Name of applicant THOMAS J. KRAMER Phone 687-1230

Post office address E. 2500 MALLORY RD. RATHDRUM, ID. 83858

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NE 1/4 of SW 1/4, Govt. Lot _____

Sec. 27 Township S2N Range 4W B.M. KOOTENAI County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from 4/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____


7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

JUL 08 1993

1951 20 11

1951 20 11



TAX No.
7810
3670
18.122 Ac.

TAX No.
7882
4000
8.502 Ac.

3820
11695
2.500 Ac.
370'

3950
7847
less tax#
5.878 Ac.

4570
7.733 Ac.

4700
5.064 Ac.

4750
5.064 Ac.

5620
7.460 Ac.

5470
5.050 Ac.

5050
5.050 Ac.

5000
5.040 Ac.

4920
2.520 Ac.

4880
2.520 Ac.

4840
5.030 Ac.

8000
5.020 Ac.

5750
5.063 Ac.

5800
5.060 Ac.

5890
5.060 Ac.

5930
5.060 Ac.

5150
5.038 Ac.

5200
5.040 Ac.

5290
2.520 Ac.

5330
2.520 Ac.

5300
5.030 Ac.

8750
4.720 Ac.

THIS IS NOT A SURVEY. THIS PLAT IS SUPPLIED
BY PIONEER TITLE COMPANY FOR INFORMATION
PURPOSES ONLY AND THE COMPANY ASSUMES
NO LIABILITY AS TO ITS ACCURACY

6820
68.170 Ac.


6370
1.390 Ac.

JUL 08 1993

HIGHWAY

SCALE: 1 inch = 200 feet

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Judy Mae Kramer
(Applicant)

Received by MB Date 5/25/93 Time 2:10
 Fee \$ 30.00 Received by MB Date 5/25/93
 Publication prepared by MB Date 5/26/93
 Published in CD-90 Date 5/25/93
 Publication approved MB Date 6/2/93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 1, 1994

THOMAS J KRAMER
JUDY KRAMER
E 2500 MALLORY RD
RATHDRUM ID 83858

RE: WATER RIGHT NO. 95-08809

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

A faint, rectangular stamp or mark, possibly a date stamp, located at the bottom right of the page.

SEP 12 1994

WR0749NP
No. L95-08809

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/25/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	THOMAS J KRAMER	05/25/1993	DOMESTIC	01-01 12-31	0.04 CFS	1.20 AFA
C	JUDY KRAMER					
	E 2500 MALLORY RD					
	RATHDRUM ID 83858					
	(208) 687-1230					
				TOTAL DIVERSION:	0.04 CFS	1.20 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T52N R04W S29 NESW KOOTENAI County

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE											
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
52N	04W	29	:					:					:					:					:
			:					:					:					:					:

Pou County: KOOTENAI

Other Water Rights Listing Overlapping Place(s) of use:
95-08305

Remarks: Domestic use is for 1 home.

Dates:	App. Received:	05/25/1993	Priority Date:	05/25/1993
	Proof Due Date:	07/01/1994	Proof Made Date:	07/14/1993
	Exam Made Date:	05/18/1994	Exam Sent to S.O.:	06/30/1994
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 07/25/94 CZIMMERM

MEMORANDUM

DATE: July 25, 1994
TO: File No. 95-08809
FROM: Cindy Zimmerman
SUBJECT: Adjustments to Beneficial Use Exam

=====

Adjustments to the place of use $\frac{1}{4}$ and recommended annual volume were made on the field exam to supply missing information. An adjustment was also made to the rate of diversion to reflect IDWR standards and to the calculated capacity to reflect correct rounding off to the nearest 1/100th.

1. Place of use is assumed as permitted to be located in NWSE, S29, T52N, R04W.
2. Rate of diversion is limited to IDWR standard for 1 home = 0.04 cfs.
3. Theoretical HP: $(8.8 \times 0.7 \times \text{hp}) \div [\text{lift} + (2.31 \times \text{psi})] = \text{cfs}$
 $\text{cfs} = (8.8 \times 0.7 \times 5) \div [235 + (2.31 \times 55)]$
 $= 30.8 \div 362.1 = 0.085$
 $= 0.09 \text{ cfs.}$
4. Recommended annual volume for 1 home (internal & external use) per IDWR standard = 1.2 AF.

SEP 12 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

JUN 30 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08809

1. Owner: Judy KRAMER Phone No. (208) 687 1230

Current Address: E 2500 Malloy Rd Pahrump Id. 83858

2. Accompanied by: _____ EXAM DATE: 5/18/94

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: 95-08336

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					<u>NE SW 29</u>	<u>52N 4W</u>	<u>Kootenai</u>		

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>52N 4W</u>		<u>29</u>																	

SEP 12 1994

SEP 12 1994

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

4.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached of (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

Scale: 1" = 1/4" M.S.



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

95-08336 WATER right listed
at SAME point of diversion
two additional homes on the
system.

Have conditions of permit approval been met? ☐ yes ☐ no

SEP 12 1994

F. FLOW CALCULATIONS

Measured Method:

X Additional Computation Sheets Attached

Theoretic Pump Affected
Calculation

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

Period of Use
From 1-1
To 12-31

Rate of Diversion
Q (cfs)
0.08 *

Annual Volume
V (afa)
*

2. Recommended Amendments

Change P.D. as reflected above
Add P.D. as reflected above
None
Change P.U. as reflected above
Add P.U. as reflected above
Other

I. AUTHENTICATION

Field Examiner's Name

Charles Amery
Date 6/13/94

Reviewer

Date

* Adjustments made during review of this report for licensing approval.
See memo for additional information. 7/25/94

SEAL

SEP 1 8 1994

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08809

DATE: 8-JUN-94

COMPLETE BY: CHARLOTTE

HORSEPOWER = 5

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 235 FEET

SYSTEM PRESSURE = 55 PSI

QUANTITY = 0.08 CFS *

RECEIVED
JUN 12 1994




WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



95-08809



UNCLASSIFIED

SEP 12 1994

July 16, 1993

JUDY KRAMER
THOMAS J KRAMER
E 2500 MALLORY RD
RATHDRUM ID 83858

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08809

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

SEP 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 15, 1993

Thomas and Judy Cramer
E 2500 Mallory Rd
Rathdrum, ID 83858

Re: Permit No. 95-08809

Dear Permit Holder:

The Department is in receipt of the proof of beneficial use and \$50 license examination fee submitted in connection with the above referenced permit.

You indicate the total rate of diversion to be 0.04 cfs. You also indicate the source of water as a groundwater or well source. The license examination fee associated with 0.04 cfs and a groundwater source is \$0. You are, therefore, entitled to a \$50 refund. I have enclosed a copy of the fee schedule for your reference.

I have begun the process to refund the \$50 overpayment. The process takes between two and four weeks and will arrive under separate cover.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Karen L. Gustafson".

Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: Fiscal

MAILED

SEP 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 6, 1993

JUDY KRAMER
THOMAS J KRAMER
E 2500 MALLORY RD
RATHDRUM ID 83858

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08809

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED

JUL 08 1993

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Ken Alexander being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.


2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The legal notice
of which the annexed is a printed copy, was published in the regular Thurs
issue of said newspaper for 2 consecutive weeks
commencing on the 3rd day of June, 1993, and
ending on the 10th day of June, 1993, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Ken Alexander
Subscribed and sworn to before me this 10th day of June, 1993.

Roberta Dranley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.



2-5-99 JUN 08 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08809
KRAMER, THOMAS J
KRAMER, JUDY
E. 2500 MALLORY RD
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversion Pt: NESW Sec 29 T 52N R 04W
in KOOTENAI County.
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 5/25/1993
In: KOOTENAI County
T52N R04W S29 NWSE
95-08810
HULLINGER, DON
3010 FOXBOROUGH ST
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversion Pt: SWSW Sec 28 T 50N R 03W
in KOOTENAI County.

SESW Sec 28 T 50N R 03 W
in KOOTENAI County.
Use: IRRIGATION (.200 CFS)
DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 5/24/1993
In: KOOTENAI County

T50N R03W S28 SWSW SESW
10.0 ACRES TOTAL
95-08811

SYRINGA PROPERTIES
PO BOX 1242
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SWNE Sec 29 T 50N R 03W
in KOOTENAI County.
Use: IRRIGATION (.500 CFS)
COMMERCIAL (.200 CFS)
DOMESTIC (.300 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 5/14/1993
In: KOOTENAI County
T50N R03W S29 SWNE
25.0 ACRES TOTAL
95-08812

DODSON, CHARLES M
DODSON, DIANA J
S 550 SIMONSEN RD
POST FALLS, ID 83854
Source: SPOKANE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: Lot 3 (NWNE) Sec 10 T 50N
R 05W in KOOTENAI County.

Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 5/18/1993
In: KOOTENAI County
T50N R05W S10 NWNE
1.0 ACRES TOTAL
95-08813

FALL, SUSAN
790 KIDD ISLAND RD
COEUR D ALENE, ID 83814
Source: SPRING
Tributary: SINKS
Diversion Pt: SWSWNE Sec 35 T 50N R
04W in KOOTENAI County.
Use: DOMESTIC (.110 CFS)
Total Diversion: (.110 CFS)

Date Filed: 5/26/1993
In: KOOTENAI County
T50N R04W S35 SENW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before JUNE 21, 1993.

R. KEITH HIGGINSON, Director
Legal 441
June 3, 10, 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

May 28, 1993

MR THOMAS KRAMER
E 2500 MALLORY RD
RATHDRUM ID 83858

Dear Mr. Kramer:

Re: Water Appropriation Application No. 95-8809.

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

MICROFILMED

JUL 08 1993