


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #1	?		Mike Smith said		6"
	it was none of our business!				
				@ 4:15 on 9-30-97	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PEEK Poly sonic meter						

2. Measurements:

MICROFILMED

JUN 26 1998



PA.
Well #1

MICROFILMED
JUN 26 1998

95-08804

RATHDRUM PRAIRI
T. 51 N., R. 04 W.
NORTHERN STATES INC.


5/NOV-20

DATE
12-28-95
12-19-96
04-11-97
12-28-95
12-28-95

nces were
were calculated
given information
imeter, scaling
creages shown
ble, has been
or may not be
parenthesis

17.333 AC
Total

Calculations:
ON
ALF



MICROFILMED
JUN 26 1998

NORTHERN STATES
WHOLESALE
95-08804

#9790

47.0
E10.0
A 3.0



191A
809
T1002
①
11.6
901
JAMES
LOEV
②
18.3

279A
T104
24.8
①
11.3
②

220A
T105
46
49.4
②
Francis
Porter
#1192

① 38.4
MICROFILMED
JUN 26 1998

28
29
434A
42.9
A 47.9
27.2
①
51A, R. 4W.

③ 6.6
④ 5.3
⑤ 4.6
344A
95-01

③
⑤
T104
901
T105
27.2
22.2

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT #

95-08804

PHOTOGRAPHS

95-08804

PIPE NO. 100-100-100
PIPE I.D. 5.874 IN
PIPE MATERIAL ALUMINUM
PIPE SPAN VELOCITY 10173.484 F/S
PIPE MATERIAL 1004
INNER SOUND VELOCITY 8.000 F/S
INNER THICKNESS 0.000 IN
INSIDE ABS ROUGHNESS 0.0001-0.001
PIPE MATERIAL METAL
ID SOUND VELOCITY 4800 F/S
VISCOSITY 1.152 C.S.
USER TYPE STANDARD
TRANSDUCER MOUNTING

MICROFILMED
JUN 26 1998

95-08804
NORTHERN STATES WAHLES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 95-08804



T O G R A P H

Well Head
6" main line



Place of use
Cross-fenced main line

ICROFILMED

JUN 26 1998



place of use.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08804

Priority: April 16, 1993

Maximum Diversion Rate: 0.20 CFS

Maximum Diversion Volume: 48.0 AF

This is to certify, that NORTHERN STATES WHOLESALE INC
211 KATHLEEN AVE
COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 16, 1993; and has submitted Proof of Beneficial Use on May 1, 1995. An examination indicates that the works have a diversion capacity of 0.380 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.20 CFS	48.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 20, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N 04W 20	SWNW 16			16

Total number of acres irrigated: 16

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED


JUN 26 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08804

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of April, 1998.


Acting for KARL J. DREHER, Director



MICROFILMED

JUN 26 1998

RECEIVED

APR 03 1998

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 95-08804

Date of Priority: April 16, 1993

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

48.0 AF

Comes now

NORTHERN STATES WHOLESALE INC

211 KATHLEEN AVE

COEUR D ALENE ID 83814

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-08804, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.20 CFS	48.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 20, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	04W	20	SWNW	16		16


Total number of acres irrigated: 16

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 1 day of April, 1998.

MICROFILMED

JUN 26 1998


(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08804

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 50.00 Received by LS # 1041962 Date 4/3/98


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 95-08804 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 9TH day of April, 1998.


Acting **KARL J. DREHER**, Director

MICROFILMED
JUN 26 1998

RECEIVED

STATE OF IDAHO
APR 06 1995 DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08804 Telephone No. 208-664-1411
2. Name(s) of Permit Holder(s): Northern States Whlse INC
3. Mailing Address: 211 Kathleen Ave CDA ID. 83814
4. Source of Water: WELL If **GROUNDWATER** (well), Date Drilled: mo. 4 / yr. 93
- a. Well Driller: United Drilling Drilling Permit Number: 95-93-N-62 000
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 19 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .20 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes _____ or No X

Flow Measurement Port: Is a flow measurement port required?

Yes _____ or No X

Has the measurement port been installed?

Yes _____ or No X

8. Fee Enclosed: \$ 0 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Michael Smith Telephone Number: 208-664-1411

Address: _____

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Michael Smith Date: 4-4-95

(include your title, if on behalf of company or organization)

MAY 31 1995

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08804

Proposed Priority: April 16, 1993 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **NORTHERN STATES WHOLESALE INC**

211 KATHLEEN AVE

COEUR D ALENE ID 83814

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.20 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 20, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	04W	20	SWSW	19		19

Total number of acres irrigated: 19

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1995.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Stockwater use is for 8 range cattle and 10 sheep.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

14th day of June, 1993.


for
R. Keith H. [Signature]
JUL 07 1993

Drilling Permit No. 95-93-N-02-000
Water Right Permit No. _____
Injection Permit No. _____

APP. Permit # 95-8804

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT



UPGRADED

1. Applicant (please print) MICHAEL SMITH

2. Mailing Address 211 KATHLEEN

City & State COEUR D'ALENE, ID Zip Code 83814 Telephone 664-1411 WK 687-2752 HM

(X) Well Owner () Well Operator () Other, specify _____

3. Proposed well location SW 1/4 SW 1/4, or Gov't Lot No. _____

Sec. 20, Twp. 51N, Rge. 4W, County KOOTENAI

Street Address of Well Site MYERS RD - CDA, ID 83814

Lot, block and subdivision _____

4. Proposed use of well:

- (X) Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

() Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

() Other _____
(Describe)

*This is the ORIGINAL
W/D Permit. It has
been upgraded on the
computer & resubmitted
to applicant & driller.
Cat 5/26/93*

5. Well construction information:

A. (X) New well () Deepen () Enlarge () Replace - See Condition 9

B. Proposed Surface Diameter 8" Proposed Maximum Depth 300'

C. Anticipated bottom hole temperature:

- (X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

6. Construction Start Date 4/15/93

7. Anticipated Well Driller UNITED DRILLING INC.
NOTE: The actual well driller must be identified prior to drilling.

MICROFILMED

8. Applicant's signature Judy C Brown-Perry Date 4/14/93 JUL 07 1993

Title SECRETARY
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is approved Date 4/16/93 (rebut 14/93)

If approved, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

MICROFILMED

JUL 07 1993

Robert L. Haynes
Signature of Authorized Department Representative

Leigh Myers
Title

Receipt No. N6453 N6451 Received by KR Fee \$165.00 \$35.00 Date 4/16/93 4/16/93

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

RECEIVED

MAY 28 1993
6/85

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8804

To appropriate the public waters of the State of Idaho

1. Name of applicant NORTHERN STATES WHOLESALE, INC Phone 664-1411
Post office address 211 KATHLEEN COEUR D'ALENE, ID 83814
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SW 1/4 of SW 1/4, Govt. Lot _____
Sec. 20 Township 5N Range 4W B.M. HOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.20 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .20 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. PUMP, PIPELINE TO PLACE
OF USE. 8 RAINBIRD SPARKLERS

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

DRILLING PERMIT #
95-93-N-62-000

a. Hydropower, show total feet of head and proposed capacity in kW.

8 HEAD CATTLE 10 SHEEP

c. Municipal; show name of municipality.

d. Domestic; show number of households.

e. Other; describe fully.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

ponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? HTLIC #201

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

12. Remarks:

PRESIDENT VIRGINIA SMITH

417 EICHABOD COCARD 'HENEID

SECRETARY MIKE SMITH

5120 E. ORCHARD (KATHLEEN D)

No Bares or Directions

20 51W

③ P.D. & P.H.

R-4W

MICROFILMED

JUL 07 1993

CMS Smith

(Applicant)

RECEIVED

JUL 07 1993

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by Mr. [Signature] Date 4/16/93 Time 4:00p Preliminary check by AB

Fee \$ 3000 Received by Mr. [Signature] Date 4/16/93 # N-6453 Date 4/16/93

Publication prepared by Mr. [Signature] Date 4/28/93 Published in 5/6-13/93

Publication approved Mr. [Signature] Date 5/21/93



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 16, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

NORTHERN STATES WHOLESALE INC
MIKE SMITH
211 KATHLEEN AVE
COEUR D ALENE ID 83814

RE: Application for Permit

Gentlemen:


In agreement with our previous conversation, I have enclosed a completed (except for your signature) Application for Permit. I have personally checked the information on the application and believe it to be in order.

Please take a moment to double check the information that has been entered on this application for permit. If you agree that the information is correct, please sign the form and return it with the required \$50.00 filing fee to my attention.

Upon receipt of the completed form and filing fee we will begin the processing of this application.

If you have any questions regarding this matter, you may call me at 208-327-7947.

Sincerely,


JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

Enclosure

While You Were Out

Date: 3/23 Time: 10:06
For: Jim
From: Mike Smith
Phone #: 208/864-1411

☒ Telephoned ☒ Please call
☐ Wants to see you ☐ Will call again
☐ Returned your call ☐ URGENT
☐ Was here to see you

Message: WR#95 08804

BC: KLT DZ 4/6

MICROFILMED

JUN 26 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 9, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

NORTHERN STATES WHOLESALE INC
211 KATHLEEN AVE
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08804

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 9th day of April, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 95-08804

NORTHERN STATES WHOLESALE INC
211 KATHLEEN AVE
COEUR D ALENE ID 83814


Kari Lynn Townsend
Secretary



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 13, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

NORTHERN STATES WHOLESALE INC
211 KATHLEEN AVE
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08804

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point(s) of diversion and place(s) of use developed are in locations other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the point(s) of diversion and place(s) of use and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MEMORANDUM

TO: File 95-08804

FROM: Sharla

DATE: March 13, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 95-08804 are as follows:

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.20 cfs	48.0 afa
------------	--------------	----------	----------

The standard volume for irrigation in this area is 3.0 af/acre; the irrigation volume has been calculated accordingly.

Examiner: Herman Spangle

Exam Date: September 30, 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08804

DATE 3/10/98

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>✓</u>	<u>✗</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>✓</u>	<u>✗</u>	Amendment required <u>NO</u> yes

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U
Overlap file pulled & reviewed —

RATE OF DIV

Permitted Rate	<u>.20</u> cfs
Fee limit	<u>.20</u> cfs \$50 ⁰⁰
Measured	<u>.38</u> cfs
Theoretical	<u>—</u> cfs ?

Recommended Total Div Rate .20 cfs

ANNUAL VOLUME/ NATURE OF USES <u>—</u>	<u>✓</u>	Use <u>Ir.</u>	cfs <u>.20</u>	Volume Calc <u>16 X 3.0 = 48.0</u>	af
	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	af
	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	af
	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	af
	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	af
		SUBTOTAL	<u>.20</u>	<u>48.0</u>	af

Flow rate .20 cfs X 246 days X 1.98 = 97.4 af
Total volume recommended 48.0 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —
1620 GW Measurement/Measuring Device
1620 Overlap

— Use-specific conditions
Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
Adjustment Memo 3.0 af/acre

1st Amend Letter ✗ P37, P38
2nd Amend Letter ✗ P47

[illegible]

JUN 26 1998

MICROFILMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PEEK Polysonic Meter						

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #1	?		Mike Smith		6"
					0.415 on 9-30-97

4.

- X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
- X Aerial Photo Attached (required for irrigation of 10+ acres)
- X Photo of Diversion and System Attached

Scale: 1" = 100'



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

System Consist ~~of~~ of a 300' Well that is 10" in diameter. A 6" Main line runs East along a fence for Approx 600'. 4" laterals run both North and South to irrigate 16 acres of Alfalfa.

The well sits approx 40' East of Meyer Rd.

* Well is pumping nearly Twice as much water as permit authorizes.

Need to have applicant file for additional water Right to cover the actual rate of use.

Have conditions of permit approval been met? ☒ yes ☐ no

1/20/2011
12:34 PM

F. FLOW CALCULATIONS

Measured Method:

* Additional Computation Sheets Attached

* See Polysonic Printout

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (16.0)(3.5) = 56.0$$

$$V_{dr} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (20)(245)(1.9835) = 97.2$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} = 56.0 \text{ ACRE FEET}$$

2. Volume Calculations for Other Uses:

none

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

IRRIGATION

Period of Use
From 3-15
To 11-15

Rate of Diversion
Q (cfs)
20

Annual Volume
V (afa)
56.0

2. Recommended Amendments

☒ Change P.D. as reflected above
☒ Change P.U. as reflected above

☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☐ Other

I. AUTHENTICATION

Field Examiner's Name

Thomas D. Sample

Date

9-30-97

Reviewer

Date

SEAL

UNRECORDED

JUN 26 1998

0.9 MI. TO IDAHO 41

18

17

16

15

14

19

20

21

22

19

20

21

22

30

29

28

27

26

MEYER

MEYER

HAYDEN

OHIO

AVE

BM

ROAD

RAMSEY

REED

ROAD

5280000N

47,45'

5287

5286

2244

ROAD

2244

2267

CANAL

2263

2264

2264

2240

Storage
Bins

Well

ATLAS

ROAD

ATLAS

ROAD

POLE LINE

Borrow
Pit

Pumping
Station

ROAD

SPOKANE

Well

2282

2287

Well

2272

2272

TAHITI
T. 51N, R. 04W.

95-08804

NORTHERN STATES INC.

Well

Borrow
Pit

2270

2270

2268

2260


510440-20


DATE
12-28-95
12-19-96
04-11-97
12-28-95
12-28-95


ances were
ere calculated
given information
imeter, scaling
creages shown
ble, has been
y may not be
parenthesis

17.333 Ac
Total

calculations:
ON
ALT







95-08804

NORTHERN STATES WHOLESAL

T.51N., R.04W., Sec. 20

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT #

95-08804

P H O T O G R A P H S

95-08804

95-08804

NORTHERN STATES WALES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT #

95-08804

TOGRAPH



*Shed Head
to a down line*



*Place at base
Cave-fenced, Main Line*



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-08804 Reviewed by Jr. Date 84-21-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 95-93-N-0062-000
200.00 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
0 Amount Submitted
no Correct?
no Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Return for 50.00 lic. Exam Fee
5/1 - Fee received / Proof acceptable

DATA ENTRY

New Address X Proof Made 5-1-95

May 16, 1995

NORTHERN STATES WHOLESALE INC
211 KATHLEEN AVE
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08804

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MAILED
MAY 17 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 24, 1995

Northern States Wholesale Inc.
211 Kathleen Ave.
Coeur d'Alene, ID 83814

RE: Permit No. 95-08804

Dear Permit Holder :

I have returned a copy of the Proof of Beneficial Use form submitted to this office in connection with the above referenced permit. The proof indicates the total rate of diversion of water to be 0.20 cfs from a ground water (well) source. A license exam fee of \$50.00 is required for a diversion rate of 0.20 cfs.

Please return the copy of the proof along with the license examination fee of \$50.00 within thirty (30) days of receipt of this letter. **Please address any correspondence directly to me.**

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7900.

Sincerely,

A handwritten signature in cursive script that reads "Julie L. Yarbrough".

JULIE L. YARBROUGH
Senior Secretary

Enclosure

March 31, 1995

NORTHERN STATES WHOLESALE INC
211 KATHLEEN AVE
COEUR D ALENE ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08804

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

Middletown

MAY 31 1995



RECEIVED

JUN 18 1993



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

Department of Water Resources
State la

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 14, 1993

NORTHERN STATES WHOLESALE INC
211 KATHLEEN AVE
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08804

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

APPLICATION FOR PERMIT STATE OFFICE REVIEW

Application #: 95-8804 Date: 6/9/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN?(comments) - No

SYSTEM COMPLETED:

- No - 26A-P17
- Complete in 1 year - P16
- Yes
- Proof not submitted - P16
- Proof submitted - N/A

GROUNDWATER:

- GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- No measurement required <flow chart>
- LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

- Approved w/permit - P99 Permit No. 95-93-N-62-000
- Not included - 046-46B-P23 (after 7/1/87), N/A

SURFACE WATER: not in w/d - 01C-P03 (+.2 w/pump), NMR <flow chart>

LOCATION:

- Water Districts - WD No.
- Surface water - 005 or 005-01H-P01(-.2 w/pump)
- or 005-01J-P08(+.2); NMR <flow chart>
- Groundwater - P05 (if well has not been drilled)
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Flood Control Dist. - 063
- Boise Front (63) - 058 (Groundwater)
- Swan Falls Flag - (1, Blank or Other)
- Trust - 051-052-053-P74 (Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS (Surface): Water District Control Condition &....

- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
- 042 (req), 002-P06(MD), 07A(Special),
- 044(Policy 5G)
- Power - 08A, 17K, 025, 027 (req); 01F-P19; 09E-P10;
- +25 cfs-P18; 17G or 17M; 18B-P09
- Mining - 06A, 010, or 09E-P10 & 054 (req)
- Storage - 18A-for multiple measuring devices(In WD),
- 18B-P09(Size)
- Rec/Wildlf/Aes - 027(Non-Consumptive)(if +1/2 A. pond)
- Domestic (surface) - 021 (Boise River - upstream from L Peak)
- (restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020

Remarks:

W02 (8 c/10 s)

Other Conditions

Beneficial Use Due Date

6-1-1995

Comments:

DIV DESC.

No. a
4/87-06/92n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

REC
MAY 28 1993

APPLICATION # _____

***** INITIAL REVIEW ***** Department of Water Resources

APPLICANT: NORTHERN STATES WHOLESALE BY: MB DATE: 4/19/93

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
(\) Dam information requested
or not requested
7. (x) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(x) Signature
(x) Fee (Amt, recpt, acknowlegment)
Send info sheet Y() N()

PROCESSING

Yes No PRIORITY DATE: 4/16/93
X (Include Moratorium Remark)
X Statewide Avertising: (Diversion rate
greater than 10 cfs or 1,000 af).

/ / / Advertised in: _____

County of: KOOTENAI

SEND COPIES TO:

() USFS CdA	() USFS Oro	() USFS Grangeville
() BLM	() W/W Corps	() Albeni Corps
() F&G CdA	() F&G Lew	() IDL () Region
() H&W CdA	() H&W Lew	() Adj Div
(Other) _____		

LETTERS SENT REQUESTING:

() Dam information () Fish Information
() Power information () Other

INFORMATION RECEIVED

() Power information () Dam information
() Fish Information () Other

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
+ Field report attached
+ Analysis Supp. attached(>5cfs/500af)
+ Water delivered by water master?
Water District # _____

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: / / /

Remarks: _____

- X Groundwater management area
+ Critical ground water area
+ Well Drilling Permit required
+ Well Drilling Application and Fees received
+ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ____ Notice of pending void order issued. Final order response date: / / /
+ Further information required from applicant
+ Affidavit of publication received
+ Application published correctly, If not, record action taken: _____
+ Publication dates and paper recorded on application | Sr. Agent initial MB
+ Protests received. Final protest date: 5/24/93
+ Measuring device required
+ Measuring port required
+ Special conditions: _____
+ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: MB RJA

Date: 5/24/93

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Keri Alexander

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *legal notice*

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks* commencing on the *10th* day of *May*, 19 *93*, and ending on the *13th* day of *May*, 19 *93*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Keri Alexander

Subscribed and sworn to before me this *13th* day of *May*, 19 *93*

Roberta Stanley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MAY 17 1993

2-5-99

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08803
VOGENSEN, HAROLD P
VOGENSEN, JOYCE
6455 HARBOR DR
COEUR D ALENE, ID 83814
Source: SPOKANE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: SENE Sec 7 T 50N R 04W in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)

Dated Filed: 4/21/1993

In: KOOTENAI County

T50N R04W S07 SENE

95-08804

NORTHERN STATES WHOLESALE INC
211 KATHLEEN AVE
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SWSW Sec 20 T 51N R 04W in KOOTENAI County.
Use: IRRIGATION (200 CFS)
STOCKWATER (020 CFS)
Total Diversion: (200 CFS)

Dated Filed: 4/16/1993

In: KOOTENAI County

T51N R04W S20 SWSW

19.0 ACRES TOTAL

95-08805

INTERSTATE CONCRETE & ASPHALT CO
845 W KATHLEEN AVE
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: NWSWNE Sec 35 T 52N R 04W in KOOTENAI County.
Use: IRRIGATION (020 CFS)
INDUSTRIAL (110 CFS)
DOMESTIC (040 CFS)
FIRE PROTECTION (110 CFS)
Total Diversion: (110 CFS)

Dated Filed: 4/23/1993

In: KOOTENAI County

T52N R04W S35 NENE SENE

2.0 ACRES TOTAL

96-08746

VONDERHARR, EUGENE H
VONDERHARR, SHEILA H
E 11350 NUNN RD
ATHOL, ID 83801
Source: UNNAMED CREEK
Tributary: SAGE CREEK
Diversion Pt: SESE Sec 36 T 53N R 03W in KOOTENAI County.
Use: STOCKWATER (020 CFS)
DOMESTIC (040 CFS)
Total Diversion: (060 CFS)

Dated Filed: 4/12/1993

In: KOOTENAI County

T53N R02W S31 SWNW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before MAY 24, 1993.

R. KEITH HIGGINSON, Director

Legal 257
May 6, 13, 1993

95-08804

NORTHERN STATES WHOLESALE INC
211 KATHLEEN AVE
COEUR D ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: SWSW Sec 20 T 51N R 04W in KOOTENAI County.

Use: IRRIGATION (.200 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.200 CFS)

Date Filed: 4/16/1993

In: KOOTENAI County
T51N R04W S20 SWSW

19.0 ACRES TOTAL

RECORDED
JUL 17 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

April 28, 1993

Northern States Wholesale Inc.
211 Kathleen Ave.
Coeur d'Alene, Id. 83814

Re: 95-8804

Gentlemen:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

RECEIVED
JUL 1 1993