






ay to Cd'A Lake

SCALE: 1 inch = 100 feet


2 acres ÷ 5 = .4 acre for each home
1.2 acres in NENW
.8 acres in SENW

RECEIVED
FEB 26 1996

Application Map Indicating
use is in both the NENW +
SENEW 1/4 1/4 S - Still Gov Lot 1

95-08796

BC



**T48N R4W
SEC. 17**

17

**UNCLASSIFIED
FEB 26 1998
(HARRISON)
638 IV NE**

ROAD CLASSIFICATION

- | | | | |
|------------------------------------|-------|--|-------|
| Primary highway,
hard surface | ————— | Light-duty road, hard or
improved surface | ————— |
| Secondary highway,
hard surface | ————— | Unimproved road | ===== |



5H

NSA

METSKER MAPS


111 SOUTH 10TH ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON



TOWNSHIP 48 N., RANGE 4
 (30) KOOTENAI COUNTY, IDAHO

KOOTENA!

COUNTY, IDAHO

FEB 26 1996





INDEXED

FEB 26 1996

95-08796

10010101 1010101



RECEIVED

FEB 26 1996

95-08796

100101 100101 100101

100101 100101 100101



100101 100101 100101

FEB 26 1996

95-08796

FEB 26 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08796


CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Places of use are located within Lots 5 and 6, Sanders Rockford Bay Development 1st Addition; Lot 2, Block 4 of Sanders Rockford Bay Subdivision; and Lots 15 and 16, Sanders Rockford Bay Development 3rd Addition.
7. Water for fire protection shall not be diverted under this right except to fight or repel an existing fire.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of FEBRUARY, 1996.

Acting for

KARL J. DREHER, Director



RECORDED
FEB 26 1996

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED

AUG 16 1993

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08796 Telephone No. 765-6284
2. Name(s) of Permit Holder(s): Burton H. Ross Sanders 3rd Golden Spr. Dist.
3. Post Office Address: 7415 W Sanders Dr Coeur d'Alene, ID 83814
4. Source of Water: Coeur d'Alene Lake
- a. If ground water, well driller's name: _____ Date drilled: _____
- b. Pump horsepower: 2 Pressure (psi): 65 Tank Dynamic pumping level (ft.): _____
5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 2 (No. of acres)

Stockwater _____ (No. and type of stock)

Other Flood Protectionfor 5 Home Plots6. Total rate and/or volume for which proof is submitted 0.06 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

OR

Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Burton H Ross
Name765-6284
Telephone No.As Above
Address

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Aug 12, 93
DateBurton H Ross
Signature (and title if on behalf of a company or organization)

AUG 31 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08796

Proposed Priority: December 11, 1992 Maximum Diversion Rate: 0.06 CFS
This is to certify, that SANDERS DRIVE 3RD ADDN IRRIGATION DIST
7415 W SANDERS DR
COEUR D ALENE ID 83814
has applied for a permit to appropriate water from:

COEUR D ALENE LAKE tributary of SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS
FIRE PROTECTION	01/01 to 12/31	0.06 CFS
Totals		0.06 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1(SENW), Sec. 17, Township 48N, Range 04W
KOOTENAI County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>				
<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
48N 04W 17	Lot 1(NENW) 2			2	
Total number of acres irrigated:				2	

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1994.
2. Subject to all prior water rights.
3. Point of diversion is also known as Lot 5 1st Addn. Rockford Bay Development.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

7th day of June, 1993.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUL 07 1993

RECEIVED

MAY 19 1993
STATE OF IDAHO

Ident. No. 95-8196

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

(BURTON H ROSS PRES
JAN SWENSEN ASS, T)

1. Name of applicant SANDERS DR. 3rd ADDITION IRRIGATION ^{DIST.} Phone 765 6284

Post office address 7415 W . SANDERS DRIVE

2. Source of water supply Goer D" Alene Lake which is a tributary of SPOKANE RIVER

3. Location of point of diversion is SE ^{NW} 1/4 of 4W-17 1/4 Govt. Lot 1

Sec. 17 Township 48 Range N R B.M. 4w b.m. KOOTENAI COUNTY County; additional

points of diversion if any: Lot 5 1st add. Rockford bay Dev

4. Water will be used for the following purposes:

Amount 06 ~~4.2 cfm~~ for Irrigation & Fire protection purposes from 3/15/93 ¹¹ ~~10/15/93~~ (both dates inclusive)
(cfs or acre-feet per annum)

There will be 5 lots on this system Lots-5-2-16-15-6 marked on map
Amount 06 for Fire Protection purposes from 1-1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 06 for Fire Protection purposes from 1-1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 07-06 for 07-06 purposes from 07-06 to 07-06 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 4.2 cfm and/or (b) 07-06
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 2 hp pump out in lakebed
35 ft from shore line at high water line On a 1 1/2 inch plastic
lineto all lots

b. Height of storage dam feet; active reservoir capacity acre-feet; total
reservoir capacity acre-feet; period of year when water will be diverted to storage:
 to inclusive.

c. Proposed well diameter is inches; proposed depth of well is feet.

d. Is ground water with a temperature of greater than 90°F being sought?

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

March & april of 93 years (minimum 1 year).

MICROFILMED

JUL 07 1993

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW.

b. Stockwatering; list number and kind of livestock.

c. Municipal; show name of municipality.

d. Domestic; show number of households.

e. Other; describe fully.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4			NW 1/4			SE 1/4			SW 1/4			NE 1/4			NW 1/4			SE 1/4			SW 1/4			TOTALS
48	4W	17	Lot # 5	2	2																						
48	4W	17	Lot # 2																								
48	4W	17	Lot # 16																								
48	4W	17	Lot # 15																								
48	4W	17	Lot # 6																								

Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Stan Marks
 b. Who owns the land to be irrigated or place of use? Stan Swenson- Robert Johnston
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. TO USE AS IRRIGATION AND FIRE PROTECTION FOR

LOTS THAT IS ON MAP

12. Remarks: WE ARE SETTING THIS UP FOR THE USE OF IRRIGATION AND FIRE PROTECTION AS THE WELL THAT IS USED IN THE THIRD ADD. IS FOR DOMESTIC USE ONLY AND IS OWNED BY VAUGHN SANDERS AND CHARGES A YEARLY FEE FOR ITS USE

JUL 07 1993

JUL 07 1993

054114000

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

_____, 19____.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by EGH Date 12/11/92 Time 2:08pm Preliminary check by _____
Fee \$ 30.00 Received by _____ # N6193 Date 12/11/92
Publication prepared by _____ Date 12/30/92 Published in _____
Publication approved _____ Date 1/23/93





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 9, 1996

SANDERS DRIVE 3RD ADDN IRRIGATION DIST
7415 W SANDERS DR
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08796

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

FEB 26 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08796 DATE 2-1-96



NAME Change OK ☒ Or Address Change? ☐

PRIORITY DATE Advance? ☒ Advanced to: Order to reinstate needed? Incorrect fee for rate recommended? NO

SOURCE Changes or just clarification of originally intended source? ☒ Notice of Intent to Void necessary? NO

POINT OF DIV Amendment needed? ☒ Overlaps? NA

PLACE OF USE Amendment needed? ☒ NO Add SENE 1/4 1/4 (STILL IN GOV LOT 1) Overlaps? NA

DIV RATE Permit/fee limits: .06 CFS IRR-2 acres FIRE PROT Meas Q = 0 Theo Q = 0 Recommend: .06
2 acres x .03 = .06
 Combined rates exceed capacity NO

ANNUAL VOLUME Volume Limit: Season: 0/3.0 (3-15 to 11-15) Calculations: 2 acres = 6 gf FIRE = 0
 Flow limit: cfs x 1.9835 =
 Combined volumes exceed capacity/allowable NO

USES Change in Nature of Use or additional uses? ☒ Amendment necessary? NO

ADDITIONAL INFO Replaces Surface Water 050 Supplemental GW NO
Irr/Dom Combination WB5 PPU Recommendation NO
Boise River/Wood River Source Aes/Rec Uses W38

NEW REMARKS Multiple p/d(s) in 1/4 1/4? yes Other WB6 - fire

NEW CONDITIONS WM Control- District Meas/Lock Devices NO
RR9 Irrigation Overlap NO
Other Water Quality Heat/Cool/Fish verified NO

COMMENTS: Still in Gov Lot 1 - no amendment necessary
License but Amend plu

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
<u>Irrigation</u>	<u>.06</u>	<u>6.0</u>	<u>NA</u>	<u>YES</u>
<u>Fire Protection</u>	<u>.06</u>	<u>6.0</u>	<u>LICENSE</u>	<u>YES</u>
<u>TOTAL</u>	<u>.06</u>	<u>6.0</u>	<u>1ST AMEND LETTER</u>	<u>2ND AMEND LETTER</u>

MEMORANDUM

TO: File 95-08796 / Sanders Drive 3 Addition Irrigation Dist.
FROM: Brenda Chapman
DATE: February 1, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 95-08796 are based on the information below:

C. DIVERSION AND DELIVERY SYSTEM

2. Place of Use:

There is no definitive description of the place of use in the exam. According to the subdivision plat map, which lists the owners of each of the 5 lots covered under this right, the lots are in both the NENW and SENW $\frac{1}{4}$'s. A representative from the Kootenai County Assessor's Office confirmed that lots 6, 15, and 16 in the 3rd Addition are in the NENW $\frac{1}{4}$ of Section 17.

And since both $\frac{1}{4}$'s are in Government Lot 1, an amendment is not necessary. The acre division is based on .4 acre for each lot.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.06	6.0
Fire Protection	1-01 to 12-31	.06	

The volume has been changed to the current recommended guidelines for the per acre field headgate requirement of crops/lawns in that area. [3.0 afa per acre]

RECEIVED
FEB 26 1996



ay to Cd'A Lake

SCALE: 1 inch = 100 feet

2 acres ÷ 5 = .4 acre for each home
 1.2 acres in NENW
 .8 acres in SENW

Application Map Indicating
 use is in both the NENW +
 SENW 1/4 1/4 5 - Still GOV Lot 1

1996

95-08796

BC

RECEIVED
6/92
DEC 14 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08796

1. Owner: SANDERS Drive 3rd ADDN Irrigation Phone No. _____

Current Address: 7415 W SANDERS Drive COEUR D'ALENE Id 83814

2. Accompanied by: BOSTON ROSS (OWNER) EXAM DATE: 8-14-94

Address: SAME Phone No. SAME

Relationship to Permit Holder: _____

3. Source: COEUR D'ALENE LAKE tributary to SPOKANE River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-08297

2. Other water rights with the same point of diversion: 95-04632 95-08668

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	NW	17	48N	04W	Kootenai	USGS 7.5 min quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
* 48N	04W	17								Id									2

FEB 26 1995

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'
 Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		2		Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

FEB 26 1996

E. NARRATIVE/REMARKS/COMMENTS

Pump supplies water for Irrigation
of 5 HOMES for YARD
Each Lot is 100x200

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
FEB 26 1996

Measured Method:

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 273621$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 66245 \times 1.9835 = 131279$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

1. Recommended Amounts

Beneficial Use

IRrigation

File Protection

From

Period of Use

12-31

10-10

Totals:

D (cfs)

Rate of Diversion

90"

↓

V (a) (b)

Annual Volume

7.0

2. Recommended Amendments

Change P.D. as reflected above

Change P.U. as reflected above

Add P.D. as reflected above

Add P.U. as reflected above

None

Other

1. AUTHENTICATION

Field Examiner's Name _____


Date: _____

Reviewer

* See adjustment memo. pg 335

7-18 2 6 1936

SEAL



SCALE 2 IN. = 1 MILE


FOR SALE BY

METSKER MAPS

111 SOUTH 10TH ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 48 N., RANGE 4

30 KOOTENAI COUNTY, IDAHO





RECEIVED
FEB 26 1996

FEB 26 1996

95-08796

1000101 AM 11 2



RECEIVED
FEB 26 1996

95-08796

RECEIVED KRM 12

RECEIVED KRM 12



RECEIVED KRM 12

FEB 26 1996

95-08796

August 20, 1993

SANDERS DRIVE 3RD ADDN IRRIGATION DIST
7415 W SANDERS DR
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08796

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

AUG 31 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 8, 1993

SANDERS DRIVE 3RD ADDN IRRIGATION DIST
7415 W SANDERS DR
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08796

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

MICROFILMED

JUL 07 1993

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Keri Alexander

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal notice*

of which the annexed is a printed copy, was published in the regular *Thurs.*
issue of said newspaper for *2* consecutive *weeks*,
commencing on the *1st* day of *April*, 19 *93*, and
ending on the *8th* day of *April*, 19 *93*, and such
publication was made as often during said period as said *daily*
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this *8th* day of *April*,
19 *93*.

Roberta Marley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MARLEY
My commission expires *2-5-99*

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-8797 in the name of Dennis L. Ross was advertised incorrectly on 2/4 & 11/1993. The diversion point and place of use were both incorrectly advertised as SENE Sec 28 T48N R04W; whereas, correctly they should both be NESE Sec 28 T48N R04W. NOTICE IS ALSO GIVEN THAT APPLICATION FOR PERMIT NO. 95-8796 in the name of Sanders Drive 3rd Addn Irrigation Dist. was advertised incorrectly on 1/7 & 14/1993.


The diversion point was incorrectly advertised as Lot 1 (NENE) Sec 17 T48N R04W; whereas, correctly it should be Lot 1 (SENW) Sec 17 T48N R04W.

(For additional information concerning the property location, call the Northern Regional Office at 765-4639.)

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, ID. 83814 on or before April 19, 1993.

R. KEITH HIGGINSON, Dir.

Legal 59
Apr. 1, 8, 1993



MICROFILMED

JUL 07 1993

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-8797 in the name of Dennis L. Ross was advertised incorrectly on 2/4 & 11/1993.

The diversion point and place of use were both incorrectly advertised as SENE Sec 28 T48N R04W; whereas, correctly they should both be NESE Sec 28 T48N R04W.

NOTICE IS ALSO GIVEN THAT APPLICATION FOR PERMIT NO. 95-8796 in the name of Sanders Drive 3rd Addn. Irrigation Dist. was advertised incorrectly on 1/7 & 14/1993.

The diversion point was incorrectly advertised as Lot 1 (NENE) Sec 17 T48N R04W; whereas, correctly it should be Lot 1 (SENW) Sec 17 T48N R04W.

(For additional information concerning the property location, call the Northern Regional Office at 765-4639.)

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814 on or before April 19, 1993.

R. KEITH HIGGINSON, Dir.

Published in the Coeur d'Alene Press on 4/1 & 8/1993.

RECEIVED


JUL 07 1993

MEMORANDUM

TO: Northern Region
FROM: Brenda L. Miller
DATE: February 22, 1993
RE: P/D Correction
Application No. 95-08796

=====

The application lists the point of diversion as being in the NENE of Section 17 instead of the SENW and has been advertised that way. The file is being returned to the region for correction and re-advertisement.



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

Keri Alexander

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal notice*

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks* commencing on the *7th* day of *January*, 19 *93* and ending on the *14th* day of *January*, 19 *93*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this *14th* day of *January*, 19 *93*

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY *2-3-93*
commission expires

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08794
COEUR D ALENE SCHOOL DISTRICT
311 N. 10TH ST
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: NENENE Sec 34 T 51N R 04W in KOOTENAI County.
Use: HEATING (1.500 CFS)
COOLING (1.500 CFS)
Total Diversion: (1.500 CFS)

Dated Filed: 12/15/1992
In: KOOTENAI County
T51N R04W S34 NENE

95-08795
FRANTZ, MARTY
N 12425 GEM SHORE RD
HAYDEN LAKE, ID 83835
Source: HAYDEN LAKE
Tributary: SINKS
Diversion Pt: SWNE Sec 10 T 51N R 03W in KOOTENAI County.
Use: IRRIGATION (1.00 CFS)
Total Diversion: (1.00 CFS)

Dated Filed: 12/22/1992
In: KOOTENAI County
T51N R03W S10 NWNW SWNW
4.0 ACRES TOTAL

95-08796
SANDERS DRIVE 3RD ADDN IRRIGATION DIST
7415 W SANDERS DR
COEUR D ALENE, ID 83814
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 1 (NENE) Sec 17 T

48N R04W in KOOTENAI County.
Use: IRRIGATION (0.060 CFS)
FIRE PROTECTION (0.060 CFS)
Total Diversion: (0.070 CFS)

Dated Filed: 12/11/1992
In: KOOTENAI County
T48N R04W S17 LOT 1 (NENW)
2.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before

R. KEITH HIGGINSON, Director
Legal 667
Jan. 7, 14, 1993

NORTHERN REGION
IDWR

JUL 07 1993

95-08796

SANDERS DRIVE 3RD ADDN IRRIGATION DIST
7415 W SANDERS DR
COEUR D ALENE, ID 83814

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 1 ^{SE NW} ~~(NENE)~~ Sec 17 T 48N R 04W in KOOTENAI County.

Use: IRRIGATION (.060 CFS)
FIRE PROTECTION (.060 CFS)
Total Diversion: (.070 CFS)

Date Filed: 12/11/1992

In: KOOTENAI County
T48N R04W S17 Lot 1(NENW)

2.0 ACRES TOTAL

*changed on
computer
3/25/93*

RECEIVED

JUL 07 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

January 5, 1993

Sanders Drive 3rd Addn. Irrigation Dist.
7415 W. Sanders Dr.
Coeur d'Alene, Id. 83814

Re: Water Appropriation Application No. 95-8796.

Gentlemen:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

RECEIVED

JUL 07 1993