




E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from three (3) separate springs. Is then gravity fed through approx. 1500 ft. of pvc piping to the place of use.



95-8786
DIVERSION LINE (PVC)

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 08 1996

PERMIT # 95-8786

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Place of use



Point of diversion

MICROFILMED
NOV 08 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 95-8786

P H O T O G R A P H S



Point of diversion



Point of diversion

MICROFILMED
NOV 08 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08786

Priority: October 16, 1992

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that RON L WIXOM

PO BOX 1067

HAYDEN ID 83835

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 16, 1992; and has submitted Proof of Beneficial Use on January 3, 1995. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from:

SPRINGS

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENESW , Sec. 10, Township 48N, Range 05W
NWNESW , Sec. 10, Township 48N, Range 05W
SESESW , Sec. 10, Township 48N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 05W 10

SESW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED
NOV 14 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08786

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18TH
day of OCTOBER, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED

NOV 12 1996

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-08786)

) ORDER

IN THE NAME OF RON L. WIXOM)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before January 2, 1995; and,

WHEREAS, the Department notified the permit holder on October 31, 1994, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, on January 3, 1995, the proof was received at the Northern Regional Office. Since the proof due date of January 2, 1995, was a state holiday, the proof was submitted timely.

WHEREAS, on January 5, 1995, the Department lapsed the permit in error; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause; and,

WHEREAS, the permit holder provided a reasonable showing why the permit should be reinstated by submitting the proof on January 3, 1995.

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-08786 be REINSTATED with no advance in priority.

RECORDED
MAR 30 1995

IT IS FURTHER HEREBY ORDERED that this ORDER supersedes the ORDER OF REINSTATEMENT issued on January 12, 1995.

Dated this 26th day of January, 1995.



L. GLEN SAXTON
Chief, Water Allocation Bureau

MAR 30 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-08786)
)
IN THE NAME OF RON L. WIXOM) **ORDER OF**
) **REINSTATEMENT**
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 2, 1995; and,

WHEREAS, the Department notified the permit holder on October 31, 1994, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder on January 6, 1995, that the permit had lapsed for failure to submit an acceptable proof of beneficial use or extension of time; and,

WHEREAS, Section 42-218a, Idaho Code, provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on January 5, 1995;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-08786 be REINSTATED with an advance in priority to October 19, 1992.

Dated this 12th day of January, 1995.



L. GLEN SAXTON

Chief, Water Allocation Bureau

JAN 20 1995

Amt. of Fee \$: 50.00
Receipt No. N008529
Receipt By: db
Date Received: 1/13/95

RECEIVED

JAN 05 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-8786 Telephone No. 769-9256

2. Name(s) of Permit Holder(s): RON L. WIXOM

3. Mailing Address: Box 1067 HAYDEN LAKE, ID 83835

4. Source of Water: SPRINGS If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: _____ Drilling Permit Number: _____

b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: _____ cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?
Has the measuring device been installed?

Yes ____ or No ☒
Yes ____ or No ☒

Flow Measurement Port: Is a flow measurement port required?
Has the measurement port been installed?

Yes ____ or No ☒
Yes ____ or No ☒

8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: SAHE Telephone Number: _____

Address: _____

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Ron L. Wixom Date: 12-13-94
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08786

Proposed Priority: October 16, 1992

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **RON L WIXOM**
PO BOX 1067
HAYDEN ID 83835

has applied for a permit to appropriate water from:

SPRINGS

tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENESW , Sec. 10, Township 48N, Range 05W
NWNESW , Sec. 10, Township 48N, Range 05W
SESESW , Sec. 10, Township 48N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

48N 05W 10

SESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 2, 1995**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this right in no way grants any right-of-way or easement across the land of another.
5. Two points of diversion are located within NENESW, S10, T48N, R05W.
6. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

14th day of December, 1992

[Signature]
for R. Keith Higginson, Director

MAY 26 1993


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant RON L. WIXOM Phone 667-2925
Post office address PO Box 1067 HAYDEN, ID 83835
2. Source of water supply SPRINGS (P) which is a tributary of SINKS BLM
3. Location of point of diversion is 1 SPRING SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 10 Township 48N Range 5W B.M. KOOTENAI County; additional
points of diversion if any: 2 SPRINGS IN NENE SW ~~1 SPRING~~
1 SPRING IN NWNESW 10 48N 5W
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. SPRING BOXES WITH PIPELINE
TO PLACE OF USE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

MAY 26 1993

0001 9 2 7 MW



THIS IS NOT A ~~CONFIDENTIAL~~ ~~EXPIRES~~ ~~ONLY~~ ~~AND~~ ~~THE~~ ~~COMPANY~~ ~~ASSUMES~~ ~~ALL~~ ~~LIABILITY~~ ~~FOR~~ ~~INFORMATION~~ ~~PLAT~~ ~~IS~~ ~~SUPPLIED~~

NO LIABILITY AS TO ITS ACCURACY

MAY 26 1993

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

48N

10

5W

MAY 26 1992

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ron L. Wisdom
(Applicant)

MAY 26 1993

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by Ken Date 10/16/92 Time 10:00A Preliminary check by AB
Fee \$ 30.00 Received by Ken # N-6063 Date 10/16/92
Publication prepared by Ken Date 10/28/92 Published in County News 11/24/92
Publication approved by Ken Date 11/17/92

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____
1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Keri Alexander

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The


Legal Notice

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks* commencing on the *5th* day of *November*, 19*92*, and ending on the *12th* day of *November*, 19*92*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this *12th* day of *November*, 19*92*



Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My Commission Expires *2-3-93*

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

95-08785

ZOLLARS, VERNON
18025 4TH AVE NW
SEATTLE, WA 98177
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: NWNW Sec 23 T 48N R 04W
in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)

Dated Filed: 10/8/1992
In: KOOTENAI County
T48N R04W S23 NWNW
95-08786

WIXOM, RON L
PO BOX 1067
HAYDEN, ID 83835
Source: SPRINGS
Tributary: SINKS
Diversion Pt: NENESW Sec 10 T 48N R 05W

NWNESW Sec 10 T 48N R 05W
SESESW Sec 10 T 48N R 05W

in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Dated Filed: 10/16/1992
In: KOOTENAI County
T48N R05W S10 SESW
95-08787

WOODS, STEVEN K
3008 135TH AVE NE
BELLEVUE, WA 98005
Source: HAYDEN LAKE
Tributary: SINKS
Diversion Pt: Lot 4 Sec 16 T 51N R 03W
in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)

Dated Filed: 10/9/1992
In: KOOTENAI County
T51N R03W S16 Lot 4

For additional information concerning
the property location, call the Northern
Regional Office at 765-4639.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho 83814 on
or before NOVEMBER 23, 1992.

R. KEITH HIGGINSON, Director

Legal 370
Nov. 5, 12, 1992

MAY 26 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 22, 1996

RON L WIXOM
PO BOX 1067
HAYDEN ID 83835

RE: WATER RIGHT NO. 95-08786

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

NOV 08 1996

MEMORANDUM

TO: File 95-08786

FROM: Sharla

DATE: October 17, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 95-08786 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Domestic	1/1 - 12/31	0.04 cfs	1.2 af
----------	-------------	----------	--------

The examiner recommends a volume of 0.6 af (assumably based on in-house use only). The photographs do not clearly show whether a lawn or garden is irrigated, however, the original application for permit stated that domestic use included lawn. The volume has been adjusted to include outside use.

Examiner: D. Pagel

Exam date: August 21, 1996

MICROFILMED

NOV 08 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08786

DATE 10/17/96

REVIEWER: S H A R L A

NAME	Change	<u>OK</u>	Address Change <u>NO</u>
SOURCE		<u>✓</u>	Is change clarification of originally intended source? <u> </u> If not, prepare Notice of Intent to Void <u> </u>
POINT OF DIV		<u>✓</u>	Amendment required <u>NO</u>
PLACE OF USE		<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? yes ✓ no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate	<u>.04</u>	cfs	
Fee limit	<u>.20</u>	cfs	<u>\$5000</u>
Measured	<u>.01</u>	cfs	<u>5 gal/min.</u>
Theoretical	<u> </u>	cfs	<u>.04 high water marks</u>
			Recommended Total Div Rate <u>.04</u> cfs

examiner says SWSW but map is SESW, no amendment recommended orig. PLU = SESW.

**ANNUAL VOLUME/
NATURE OF USES**

Use	Volume Calculation
<u>Dom.</u>	<u>1.2</u> af
<u> </u>	<u> </u> af
<u> </u>	<u> </u> af
<u> </u>	<u> </u> af
SUBTOTAL	<u>1.2</u> af

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af
 Total volume recommended 1.2 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1 home may not incl

CONDITIONS Watermaster Control WD#
 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo volume

1st Amend Letter N/A
 2nd Amend Letter

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8786

1. Owner: Row L. Wixom Phone No. (208) 667-2925

Current Address: P.O. Box 1067 Hayden, Id. 83835

2. Accompanied by: Row Wixom EXAM DATE: 8-21-96

Address: Same Phone No. _____

Relationship to Permit Holder: _____

3. Source: Springs tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NO

2. Other water rights with the same point of diversion: NO

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	N/A	NE	NE	SW	10	48N	5W	Kootenai	U.S.G.S Topo map
	N/A	NW	NE	SW	10	48N	5W	Kootenai	
	N/A	SE	SE	SW	10	48N	5W	Kootenai	

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	5W	10											D						

MICROFILMED

NOV 9 8 1996

NOV 2 1958

MICROFILMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

4.

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
____ Aerial Photo Attached (required for irrigation of 10+ acres)
____ Photo of Diversion and System Attached


Scale: 1" = 1/4" MS.



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

Water is being diverted from three (3) separate springs. Is then gravity fed through approx. 1500 ft. of pvc piping to the place of use.



95-8786
DIVERSION LINE (PVC)

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

NOV 08 1986

F. FLOW CALCULATIONS

Measured Method:

_____ Additional Computation Sheets Attached

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:** $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____**2. Volume Calculations for Other Uses:**

$$.028 \text{ ft}^2 \times 1.4 \text{ FPS} = .04 \text{ CFS}$$

H. RECOMMENDATIONS**1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>1-1</u>	<u>12-31</u>	<u>.04</u>	<u>.6</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.04</u>	<u>.6</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name D. Page Date 8-28-96

Reviewer _____ Date _____


SEAL

MICROFILMED
NOV 8 1996

PERMIT # 95-8786

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Place of use



Point of diversion

95-8786

MICROFILMED
NOV 08 1996


PERMIT # 95-8786

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Point of diversion



Point of diversion

MICROFILMED
NOV 08 1996

TELEPHONE CONVERSATION MEMORANDUM

Permit No. 95-8786 Name of Contact Rev Wixom

Employee _____

Date set for examination: 8-21-96 (Wed.)

Time 4:00

Directions 95 So. Elder Rd. (17 mi) Rt. go to 1st crossroad
Race Rd. - turn Rt. (N.) + at top of Hill, Rt. on Frost (E) 1/4 mi.
tan mobil.

Are all the uses on the permit developed? _____

Are there existing water rights used for the same purpose? _____

How many points of diversion are used? 3

What is the estimated flow at each point of diversion? total flow = 5 gals / 5 min.

Number of Acres irrigated by each P/D _____

Size of Motor used for each P/D _____

Estimate of depth to water _____

How many laterals are used? _____

Length and size of mainline 1"

Pressure at well _____

Pressure at sprinkler head _____

Have conditions of approval been complied with? _____

Is land under CRP? yes _____ no _____ (Review Permit Processing Administrative Memorandum #11 for conducting exams for CRP land)

Estimate ^{max.} Flow, based on high water marks, try to get
.04 CFS.

MICROFILMED
 NOV 08 1996

5266

T 49 N

32'30"

5265

T 48 N

5264

5263

5262

5261

2 130 000
FEET


47°30'

117°00'

33

34

35



95-8786

Wixon

T. 48 N, R. 5W

Mapped, edited, and published by the Geological Survey


Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs
taken 1975. Field checked 1976. Map edited 1981Projection and 10,000-foot grid ticks: Idaho coordinate
system, west zone (transverse Mercator)

1000 meters Universal Transverse Mercator

MICROFILMED

NOV 08 1986

WORLEY 11 MI.
PLUMMER 17 MI.0°03' 1 MILS
19½° 347 MILS

CONTO

(SETTERS)
2578 1 NE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 26, 1995

Ron L. Wixom
Box 1067
Hayden Lake, ID 83835

RE: Permit No. 95-08786

Dear Mr. Wixom:

Enclosed is an ORDER which supersedes the ORDER dated January 12, 1995. Please be advised that the previous ORDER has been rescinded and your priority date for Permit No. 95-08786 has not been advanced.

Please do not hesitate to contact me if you have any questions regarding the enclosed ORDER.

Sincerely,

A handwritten signature in cursive script that reads "Julie L. Yarbrough".

JULIE L. YARBROUGH
Senior Secretary

Enclosure

RECEIVED
MAR 30 1995

RECEIVED

JAN 23 1995

Department of Water Resources

January 17, 1995

TO: JULIE YARBROUGH

FROM: KEN KNOBLOCK

SUBJECT: 95-8786

Mr. Wixom was in my office today regarding the lapsed notice he received. He was asking about the Lapse Notice. He stated that he mailed the proof of beneficial use form with the payment on December 30, 1994 to meet the December 31 deadline.

I checked our records and found that we mailed the beneficial use form to you on January 4, 1995. We issued a receipt on January 3, 1995, which means that the form had to be in the mail before the first of the year. Since we were closed on December 31, I assume that the check and the form were in our empty office waiting for us to do the processing. I feel that we should re-instate his permit with no advance in the date of priority.

MAR 30 1995

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 95-8786 Reviewed by [Signature] Date 1-10-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
____ Proof timely received? Correct Uses? _____
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
____ Ground water source
____ Drilling permit required?
____ Copy in the file? Drilling Permit No. _____
____ Amount paid for permit _____ Correct?
____ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?
____ Required?
____ Installed?
____ Waiver requested?

PRIORITY CALCULATION

Date proof received 1-3-95
Date proof due 1-2-95
No. of days late 0 = _____
Priority Date _____ + _____
New Priority Date _____

1-2-95 was a state holiday. Proof received on time

DEFICIENCIES OR ACTION ITEMS

Reinstate & advance priority to

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 1- -95



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 11, 1995

RON L WIXOM
P O BOX 1067
HAYDEN ID 83835

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 95-08786

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating your permit since proof of beneficial use was received after the proof due date. Please note that the priority date has been advanced to October 19, 1992.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

RECEIVED
JAN 20 1995

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

January 5, 1995

RON L WIXOM
PO BOX 1067
HAYDEN ID 83835

LAPSE NOTICE

RE: PERMIT NO. 95-08786

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1994. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

RECEIVED

JAN 20 1995

CERTIFICATION OF MAILING

I hereby certify that on 1-6-95
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

October 31, 1994

RON L WIXOM
PO BOX 1067
HAYDEN ID 83835

PROOF DUE NOTICE

RE: PERMIT NO. 95-08786

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

JAN 20 1995





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 15, 1992

RON L WIXOM
PO BOX 1067
HAYDEN ID 83835

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08786

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

MICROFILMED

MAY 26 1993

APPLICATION FOR PERMIT REVIEW

BfM

Application #: 95-8786 Date: 12-10-92 Reviewer: Brenda Miller

SYSTEM COMPLETED:

- No - 26A-P17
- Complete in 1 year - P16
- Yes
- Proof not submitted - P16
- Proof submitted - N/A

AREA OF CONCERN? NONE

GROUNDWATER:

- GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- No measurement required <flow chart>
- LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

- Approved w/permit - P99
- Not included - 046-46A-46B-P23 (after 7/1/87), N/A

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

- Water Districts - WD No. _____
- Surface water - R04, R04-01H-P01(LT.2 w/pump)
- R04-01J-P08(GT.2), NMR <flow chart>
- Groundwater - P05
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Boise Front (63) - 058 (Groundwater)
- Swan Falls Flag - _____ (1, Blank or Other)
- Trust - 051-052-053-P74(Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS:

- (Surface Water) Water District Control Condition &....
- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
- 042(req.), 002-P06(MD), 07A(Spec.),
- 044(Policy 5G)
- Power - Use Power Review
- Mining - 06A, 010, or 09E-P10 & 054(req.)
- Storage - 18A-for multiple measuring devices(In WD),
- 18B-P09(Size)
- Rec/Wildlf/Aes - 027(Non-Consumptive)
- Domestic - 021 (Boise River - upstream from L Peak)
- (restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020

Beneficial Use Due Date - 01-02-1995

Other Conditions/Remarks: - _____

No. a
4/87-06/92n

IDA DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 95-8786

***** INITIAL REVIEW *****

APPLICANT: Wilcom BY: AB DATE: 10/20/92

ITEM REQUIRED INFORMATION

1. ☒ Name and Address
2. ☒ Source
3. ☒ Point of Diversion & County
4. ☒ Quantity
☒ Nature of Proposed Use
☒ Period of Use
5. ☒ Total Quantity
6. ☒ Description of diverting works
☒ Dam information requested
or not requested
7. ☒ Time required for b/u
8. ☒ Proposed use
9. ☒ Place of use or acres irrigated
10. ☒ Other Water Rights
11. ☒ Ownership
13. ☒ Map
☒ Signature
☒ Fee (Amt, recpt, acknowlegment)
Send info sheet Y() N()

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
- ☒ Field report attached
- ☒ Analysis Supp. attached(>5cfs/500af)
- ☒ Water delivered by water master?
- Water District # _____

PROCESSING

Yes No PRIORITY DATE: 10/16/92

☒ (Include Moratorium Remark)

☒ Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

11/5/92 Advertised in: KOOTENAI CDA Quinn

County of: KOOTENAI

SEND COPIES TO:

☐ USFS CdA	☐ USFS Oro	☐ USFS Grangeville
☐ BLM	☐ W/W Corps	☐ Albeni Corps
☐ F&G CdA	☐ F&G Lew	☐ IDL
☐ H&W CdA	☐ H&W Lew	☐ Adj Div
(Other) _____		

LETTERS SENT REQUESTING:

☐ Dam information ☐ Fish Information
☐ Power information ☐ Other

INFORMATION RECEIVED

☐ Power information ☐ Dam information
☐ Fish Information ☐ Other

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____

Remarks: _____

- ☒ Groundwater management area
- ☒ Critical ground water area
- ☒ Well Drilling Permit required
- ☒ Well Drilling Application and Fees received
- ☒ Well Drilling Application approved?
- Well Drilling Application Number _____

RECEIVED
NOV 25 1992

Department of Water Resources

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- Notice of pending void order issued. Final order response date: ____/____/____
- ☒ Further information required from applicant
- ☒ Affidavit of publication received
- ☒ Application published correctly, If not, record action taken: _____
- ☒ Publication dates and paper recorded on application | Sr. Agent initial _____
- ☒ Protests received. Final protest date: 11/23/92
- Measuring device required
- Measuring port required
- Special conditions: _____
- Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: AB PJA

Date: 11/20/92

95-08786

WIXOM, RON L
PO BOX 1067
HAYDEN, ID 83535

Source: SPRINGS

Tributary: SINKS

Diversion Pt: NENESW Sec 10 T 48N R 05W in KOOTENAI County.
 NWNESW Sec 10 T 48N R 05W in KOOTENAI County.
 SESESW Sec 10 T 48N R 05W in KOOTENAI County.

Use: DOMESTIC (.040 CFS)
 Total Diversion: (.040 CFS)

Date Filed: 10/16/1992

In: KOOTENAI County
 T48N R05W S10 SESW

RECORDED

MAY 26 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 29, 1992

Mr. Ron L. Wixom
P.O. Box 1067
Hayden, Id. 83535

Re: 95-8786

Dear Mr. Wixom:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to Appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB/pms

MAY 26 1993