



7504
R 3 W



21 1994



NW 1/4 SW 1/4 SW 1/4 SEC. 34, T50N, R3W

HOME WELL

JAN 21 1994

+ Mile 4





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08777

Priority: September 17, 1992

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that WILLIAM V FINNEY
6505 YELLOWSTONE

COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 17, 1992; and has submitted Proof of Beneficial Use on December 9, 1992. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NWSW), Sec. 34, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 03W 34 Lot 4(NWSW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 29TH day of DECEMBER, 1993.

Acting for  R. Keith Higginson, Director

RECORDED

JAN 21 1994

APPROVED

State of Idaho
Department of Water Resources

RECEIVED
DEC 23 1993
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08777

Date of Priority: September 17, 1992 Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

Comes now WILLIAM V FINNEY
6505 YELLOWSTONE
COEUR D ALENE ID 83814

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the
State of Idaho No. 95-08777, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(NWSW), Sec. 34, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC
50N 03W 34 Lot 4(NWSW)

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at Coeur d'Alene, this 16 day of December, 1993.

William V. Finney
(Signature)

JAN 21 1994

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08777

FOR DEPARTMENT USE ONLY

Preliminary check by B³ Kar Fee = 20.00 Received by Kar # 117230 Date 12/16/93 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 95-08777 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

Witness my hand this 29TH day of DECEMBER, 1993.

Ron C Young
Acting for. Keith Higginson, Director

RECORDED

JAN 21 1994

RECEIVED

DEC 9 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-8777 Telephone No. 667-7651
2. Name(s) of Permit Holder(s): WILLIAM V. FINNEY
3. Mailing Address: 6505 YELLOWSTONE RD COA, ID 83814
4. Source of Water: GROUNDWATER

If **GROUNDWATER**, Well Driller's Name: UNITED Date Drilled: 9/92

OPTIONAL:

Pump horsepower: 3 Pressure (psi): 40 Dynamic pumping level (ft.):

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater (No. and type of stock)
Irrigation (No. of acres) Other

6. Total rate and/or volume for which proof is submitted 0.04 cfs OR acre/feet

7. Refer to the approval conditions on your permit and respond accordingly: 12/9/92 Klg

Measuring device: Required? Yes X No Installed? Yes X No

OR
Flow Measurement Port: Required? Yes X No Installed? Yes X No

8. Fee Enclosed: \$ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

SAME
Name Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12/7/93
Date

William V. Finney
Signature (and title, if on behalf of a company or organization)

DEC 16 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

LICENSE EXAMINATION FEE SCHEDULE

(C.F.S. = cubic feet per second AF = acre feet)

cfs	af	Fee
0 - 0.20	0 - 20	50.00*
.21 - 1.00	21 - 100	100.00
1.01 - 2.00	101 - 200	125.00
2.01 - 3.00	201 - 300	150.00
3.01 - 4.00	301 - 400	175.00
4.01 - 5.00	401 - 500	200.00
5.01 - 6.00	501 - 600	225.00
6.01 - 7.00	601 - 700	250.00
7.01 - 8.00	701 - 800	275.00
8.01 - 9.00	801 - 900	300.00
9.01 - 10.00	901 - 1000	325.00
10.01 - 11.00	1001 - 1100	350.00
11.01 - 12.00	1101 - 1200	375.00
12.01 - 13.00	1201 - 1300	400.00
13.01 - 14.00	1301 - 1400	425.00
14.01 - 15.00	1401 - 1500	450.00
15.01 - 16.00	1501 - 1600	475.00
16.01 - 17.00	1601 - 1700	500.00
17.01 - 18.00	1701 - 1800	525.00
18.01 - 19.00	1801 - 1900	550.00
19.01 - 20.00	1901 - 2000	575.00
19.01 - 20.00	1901 - 2000	575.00
20.01 - over	2001 - over	600.00

Checks should be made payable to the
Department of Water Resources

*A license examination fee is not required in connection with permits which use a ground water source AND have a total rate of diversion of 0.04 cfs or less. A fee also is not required in connection with permits to store water where the total volume stored is 4.0 AF per annum or less.

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08777

Proposed Priority: September 17, 1992 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **WILLIAM V FINNEY**
6505 YELLOWSTONE

COEUR D ALENE ID 83814

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 34, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

51N 05W 30
50N 03W 34

SENE
NESW

← 1ST P/U listing should
never been printed. (SEC 30)
Glitch in the program.

CONDITIONS/REMARKS:

1. Proof of construction beneficial use shall
2. Subject to all prior
3. Project construction date of permit issue completion unless it Director of the Depa due to circumstances
4. Domestic use is for

Brenda
Chapman

This permit is issued pursuant to the provisions of the
Witness the signature of the

12-6-93

1st day of December, 1993

J. Glen Saylor
for R. Keith Higginson, Director

DEC 16 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08777

Proposed Priority: September 17, 1992 Maximum Diversion Rate: 0.04 CFS

This is to certify, that WILLIAM V FINNEY
6505 YELLOWSTONE

COEUR D ALENE ID 83814

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

LOCATION OF POINT(S) OF DIVE

PLACE OF USE: DOMESTIC
TWN RGE SEC

51N 05W 30	SENE
50N 03W 34	NESW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 2, 1995.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

1st day of December, 1992


for R. Keith Higginson, Director

DEC 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- WILLIAM V.
FINNEY
1. Name of applicant FINNEY Phone 664-6520
Post office address 6505 YELLOWSTONE, COEUR D'ALENE, ID 83814
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NE 1/4 of SW 1/4, Govt. Lot _____
Sec. 34 Township 50N Range 3W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 700' WELL WITH A
SHIP PUMP. OUTPUT RATED AT 15 GPM BY
R.C. WORST
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is 700' feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECEIVED

DEC 16 1992

Remarks: WELL DRILLING PERMIT 95-92-N-163
TOTAL VOLUME OF THE WELL IS LESS THAN

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion?

APPLICANT

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other, describe fully:

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower, show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

34

T-50N

P.D. 8

P.U.

R-3W

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

DEC 1 8 1900

William V. Finney
(Applicant)

DEC 16 1992

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved _____

Date _____

10/13/92

Publication prepared by _____

Date _____

9/23/92

Published in _____

10/14/92

Fee \$ _____

30.00

Received by _____

Date _____

9/17/92

Preliminary check by _____

K-5972

Date _____

9/17/92



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 30, 1993

WILLIAM V FINNEY
6505 YELLOWSTONE
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08777

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', written over a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

JAN 21 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 9, 1993

WILLIAM V FINNEY
6505 YELLOWSTONE
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08777


Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 14 days.

If you do not concur with this information, please contact me as soon as possible.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JAN 21 1994

WR0749NP
No. L95-08777

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/07/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WILLIAM V FINNEY 6505 YELLOWSTONE COEUR D ALENE ID 83814 (208) 664-6520	09/17/1992	DOMESTIC	01-01 12-31	0.04 CFS	1.2 AFA
TOTAL DIVERSION:					0.04 CFS	1.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T50N R03W S34 Lot 04(NW SW)

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
50N	03W	34	:	:	:	:	:	:	:	:	:	:	:	:	:	:
04-D																

Pou County: KOOTENAI

Remarks: Domestic use is for 1 home.

Dates: App. Received: 09/17/1992 Priority Date: 09/17/1992
Proof Due Date: 01/02/1995 Proof Made Date: 12/09/1992
Exam Made Date: 06/22/1993 Exam Sent to S.O.: 10/27/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Comments: Date: 09/18/1992 User-ID: STYPA Subject: EXAMINER NOTE
700 ft. well with 5 h.p. pump. Output rated at 15 g.p.m. by
R.C. Worst Co.

Date: 11/25/1992 User-ID: MILLER Subject: DRILLING PERMIT
The drilling permit number for this well is 95-92-N-163.

Date: 12/09/1992 User-ID: ANDREGG Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 12/07/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 95-8777 Date 12-6-93 Brenda Chapman

NAME Yes No ☒ Or Address Change?

PRIORITY DATE ☒ Advance? ☒ Advanced to: ☒
☒ Order to Reinstate Needed?
-NA- ☒ Incorrect Fee for rate recommended?

SOURCE ☒ Changes? Clarification of **Originally Intended** source
☒ Notice of Intent to Void - Source change.

P/D ☒ Amendment Needed? Change to NWSW GL 4
Overlap(s)

P/U ☒ Amendment Needed? CHANGE to NWSW GL 4
Overlap(s)

TOTAL CFS ☒ Measurement done?

 Theoretical 8.8 x .70 x
 + 2.31 x
☒ Capacity .04
Allowable Amount: .04

TOTAL VOLUME Season of Use:

☒ Calculations: 1 Domestic @ 1.2
Flow limit: x x 1.9835 =

USES ☒ Change(s) in Nature of Use?
☒ Amendment Needed?

REMARKS ☒ Multiple P/Ds in 1/4 1/4?
☒ Special Overlap
☒ Other

CONDITIONS ☒ Measuring/Locking Devices
☒ W/Master Control Water Dist
☒ Irrigation Overlap 9-17-92 App Rec'd
☒ Water Quality 6-22-93 Exam Made

COMMENTS: Corrected P/O + P/U from assessors records;
CHANGE TO 1 DOMESTIC (PER PROOF)

RECOMMENDED	CFS	DIV VOL
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

LICENSE
1ST AMEND LETTER P37
2ND AMEND LETTER P47


OFFICE OF TOM MOORE
KOOTENAI COUNTY ASSESSOR

MS-ASSESS/OCH/2

501 GOVERNMENT WAY

P.O. BOX 9000

COEUR D'ALENE, IDAHO 83816-1932



SP NA 982 DEC 21 12/01

RECEIVED
DEC 03 1993
Department of Water Resources



JAN 3 1 1994

Brenda Chapman
Dept of Water Resources
1301 W. Orchard
Boise, Idaho 83706-2237

Tax No. 3924

Book 154, Page 599

A portion of Government Lot 4, Section 34, Township 50 North, Range 3 W.B.M., Kootenai County, Idaho, described as follows: Beginning at the West quarter corner of Section 34, Township 50 North, Range 3 W.B.M.; thence South 89°57' East 445.1 feet along the North line of said Government Lot 4 to a point; thence South 0°03' West 717.5 feet, more or less to North right of way line of old U.S. Highway No. 10; thence Westerly 735 feet, more or less along North line of said old U.S. Highway 10 to section line between sections 33 and 34, Twp. 40 N., R. 3 W.B.M.; thence North 0°03' West 744.9 feet more or less along said section line to point of beginning.

In Office

the east 4
B.M.;
feet East
of the
Range 4
70.5 feet;
et to place
which has

Tax No. 3925

Book 153, Page 508


That portion of the East 100 feet of the West 200 feet of Government Lot 1, Section 36, Township 54 North, Range 2 W.B.M. described as follows: Beginning at a point on the East line of said East 100 feet of West 200 feet of said Lot 1, South of the County Road R/W; thence South along the East line of said East 100 feet of West 200 feet of said Lot 1, a distance of 60 feet; thence in a northerly direction to the West line of

Page 484

ent Lot 22,
B.M.;
said lot 22,
the center
to the
at right
westerly
northerly

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10+ acres) ☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NONE					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements: _____

JAN 21 1994

E. NARRATIVE/REMARKS/COMMENTS

POINT OF DIVERSION SHOULD BE
NW $\frac{1}{4}$ ~~SW $\frac{1}{4}$~~ SW $\frac{1}{4}$; SEC. 34, T. 50N, R. 3W.
NW

Have conditions of permit approval been met? ☒ yes ☐ no

JAN 21 1994

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

DOMESTIC

From
1-1

Period of Use
To
12-31

Rate of Diversion
Q (cfs)
0.04

Annual Volume
V (ata)
1.2

Totals:

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ Other

I. AUTHENTICATION

Field Examiner's Name


Don M. Kuntz Date 6-22-93

Date

Reviewer


SEAL

7504
R 3 W



COPYRIGHT BY THOS. C. NETSKER

121 199



NW 1/4 SW 1/4 SW 1/4 SEC. 34, T50N, R3W

HOME WELL

JAN 2 1 1994

+ Mile 4



6 22 '9



December 11, 1992

WILLIAM V FINNEY
6505 YELLOWSTONE
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08777

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

DEC 16 1992

Permit No. 95-08777 Reviewed by Klg Date 12/9/92

domestic - 1

Correct Uses? Yes

Yes Well log in the file?

NA Required?
Installed?
Waiver requested?

Date proof received	<u>NA</u>	
Date proof due	<u>/</u>	-
No. of days late	<u>/</u>	=
Priority Date	<u>/</u>	+
New Priority Date	<u>/</u>	

proof acceptable

Proof Made 12/9/92
12/11/92 Ktg

PERMIT NUMBER 95-92-N-0163-000 OWNER CODE 0 NAME & ADDRESS TWP RGE SEC TRACT LOT COUNTY
BIL FINNEY 50N 03W 34 NE SW KOOTENAI
6505 YELLOWSTONE RD
COEUR D ALENE, ID 83814
(208) 664-6520

Subdivision Location and Description:

Subdivision Name: NONE SHOWN
Well Site Address:
City, State:

Lot(s):
Block(s):

Geographic Location:
Accuracy Code:
Lat: : N
Long: : W

Proposed Use of Well: Domestic

Proposed Casing Diameter: 6 In.

Proposed Depth: 300 Ft.

Well Use Comments:

Driller License No: 0414

Firm Name: UNITED DRILLING INC
Official: ELDON R VOLKING

Permit Status: Permit

Verbal Issue Date:	Receipt No.	Receipt Date	Fee
Date Received: 08/20/1992	N005857	08/21/1992	\$ 35.00
Date Approved: 08/21/1992			
Proposed Start Date: 08/21/1992			
Extension Date:			
Extension Expiration:			

Permit Remarks:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 95-92-N-0163-000

Water Right No: 95-08777
Injection Permit No:

Nature of Work: NEW WELL

Construction Method: AIR ROTARY

Number of Monitor Wells:

Casing Diameter: 6 In.
Depth of Casing: 382 Ft.
Total Depth: 700 Ft.
Screen Installed? No
Production Rate: 20.00 GPM

Actual Start Date: 08/27/1992
Well Finish Date: 09/12/1992
Log Received Date: 10/15/1992
Certification Date: 09/16/1992
Field Inspection Date:

Well Log Remarks: DRILLER COMMENTS: SET PUMP AT 680 FT.

Inspector:



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 1, 1992

WILLIAM V FINNEY
6505 YELLOWSTONE
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08777

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under Condition No. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosure

RECORDED

DEC 16 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

USE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name BILL FINNEY
Address 6505 YELLOWSTONE RD, CDA, ID 83814
Owner's Permit No. 95-92-N-163

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness .250 inches Diameter 6 inches From 3 feet To 382 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No 23' DOWN
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 23 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port N/A

7. WATER LEVEL

Static water level 440 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality GOOD
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
18-20 ESTIMATED	698	1

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	3	CLAY BROWN		X
	3	8	CLAY & BASALT		X
	8	17	CLAY BROWN		X
	17	42	SANDY CLAY TAN		X
	42	53	CLAY DARK BROWN		X
	53	72	CLAY GRAY		X
	72	77	BASALT		X
	77	201	BASALT		X
	201	215	CLAY TAN		X
	215	220	CLAY DARK BROWN		X
	220	225	ASH BASALT		X
	225	246	CLAY DARK BROWN		X
	246	277	CLAY GRAY		X
	277	281	CLAY & BASALT		X
	281	289	BASALT ASH		X
	289	310	CLAY BLUE DECOMPOSED SHALE	X	
	310	319	BASALT		X
	319	325	SHALE		X
	325	345	BASALT		X
	345	382	SHALE		X
6	382	700	SHALE	X	

SET PUMP AT 680'

RECEIVED

OCT 28 1992

Department of Water Resources


RECEIVED

OCT 15 1992

NORTHERN REGION
IDWR

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County KOOTENAI

NE 1/4 SW 1/4 Sec. 34, T. 50N N/S, R. 3W E/W.

10.

Work started 8-27-92 finished 9-12-92

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name UNITED DRILLING INC. No. 414

Address P.O. BOX 2499 Date 9-16-92

CDA, ID 83814

Signed by (Firm Official) Tim R. Veltz VP.

and

(Operator) Bruce A. Stevenson

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Ken Alexander

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *THURS.* issue of said newspaper for *2* consecutive *weeks* commencing on the *1st* day of *October*, 19*92*, and ending on the *8th* day of *October*, 19*92*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Ken Alexander

Subscribed and sworn to before me this *8th* day of *October*, 19*92*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08775

RIMPLE, LIN
PO BOX 2561
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversión Pt: SENW Sec 15 T 52N R 04W
in KOOTENAI County.
Use: IRRIGATION (800 CFS)

DOMESTIC (200 CFS)
Total Diversión: (1.000 CFS)

Dated Filed: 9/15/1992
In: KOOTENAI County
T52N R04W S15 NENW SWNW
SENW

37.0 ACRES TOTAL
95-08776

IMSAMET OF IDAHO INC
W 4000 PRAIRIE AVE
POST FALLS, ID 83854
Source: GROUNDWATER
Diversión Pt: SENE Sec 30 T 51N R 05W
in KOOTENAI County.
Use: FIRE PROTECTION (1.300 CFS)
Total Diversión: (1.300 CFS)

Dated Filed: 9/17/1992
In: KOOTENAI County
T51N R05W S30 SENE
95-08777

FINNEY, WILLIAM V.
6505 YELLOWSTONE
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversión Pt: NESW Sec 34 T 50N R 03W
in KOOTENAI County.
Use: DOMESTIC (0.040 CFS)
Total Diversión: (0.040 CFS)

Dated Filed: 9/17/1992
In: KOOTENAI County
T50N R03W S34 NESW
95-08778

HAYDEN PINES WATER CO
1841 W HAYDEN
PO BOX 992
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversión Pt: SWSW Sec 1 T 50N R 04W,
NENE Sec 4 T 50N R 04W,
NWSW Sec 12 T 50N R 04W,
SWSW Sec 12 T 50N R 04W,
NENWNW Sec 35 T 51N R 04W
in KOOTENAI County.

Use: IRRIGATION (1.000 CFS)
COMMERCIAL (.100 CFS)
DOMESTIC (1.000 CFS)
Total Diversión: (1.000 CFS)

Dated Filed: 9/17/1992
In: KOOTENAI County
T50N R04W S10 NESE NWSE SWSE
SESE

S11 SWSW
S14 NWNW SWNW
S15 NENE NWNE SWNE SENE
NESE NWSE SWSE SESE
90.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before OCTOBER 19, 1992.

R. KEITH HIGGINSON, Director

Legal 210
Oct. 1, 8, 1992

FINNEY, WILLIAM V.
6505 YELLOWSTONE
COEUR D ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: NESW Sec 34 T 50N R 03W in KOOTENAI County.

```

Use: DOMESTIC                ( .040 CFS)
      Total Diversion: ( .040 CFS)

```

Date Filed: 9/17/1992

In: KOOTENAI County
T50N R03W S34 NESW

Figure 1 consists of two maps. The left map shows the state of Georgia with a box indicating the location of the study area in the northwestern part of the state. The right map is a detailed map of the study area, showing the location of the study area within the state of Georgia, with a box indicating the area shown in the right map.

DEC 16 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

September 24, 1992

Mr. William Finney
6505 Yellowstone St.
Coeur d'Alene, Id. 83814

Re: Water Right Application No. 95-8777

Dear Mr. Finney:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent

AB/pms

WATER RESOURCES

DEC 10 1992