





95-8756 AMENDED PLAT FOR
RECORD OF SURVEY
OF PART OF
SEC 34, T50N, R3W, B.M.



MICROFILMED

SEP 18 1992

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Keri Alexander

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks* commencing on the *4th* day of *June*, 19*92*, and ending on the *11th* day of *June*, 19*92*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this *11th* day of *June*, 19*92*.

RECEIVED
JUN 15 1992
NORTHERN REGION
IDWR
ROBERTA MANLEY
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.
My commission expires *2-3-93*

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08753
SPIRIT LAKE EAST WATER CO
PO BOX 7310
SPOKANE, WA 99207
Source: GROUNDWATER
Diversion Pt: NESW Sec 9 T 53N R 04W
in KOOTENAI County.
Use: IRRIGATION (800 CFS)
DOMESTIC (800 CFS)
Total Diversion: (800 CFS)
Dated Filed: 5/21/1992
In: KOOTENAI County
T53N R04W All of Sections 2, 3, 4, 9,
10 and 11.
T54N R04W All of Section 35.
1904.0 ACRES TOTAL
95-08754

KETCHUM, ROBERT G
1376 CIRCLE DR
HAYDEN LAKE, ID 83835
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: SENW Sec 23 T 49N R 04W
in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 5/15/1992
In: KOOTENAI County
T49N R04W S23 SENW

95-08755
SIEGNER, GEORGE L
S 1455 MEADOW LN
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: SWSE Sec 8 T 50N R 05W in
KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 5/15/1992
In: KOOTENAI County
T50N R05W S08 SWSE

WALL, TERRY LEE
PO BOX 73
MACEO, KY 42355
Source: GROUNDWATER
Diversion Pt: NWSWSE Sec 15 T 50N R
03W in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 5/15/1992
In: KOOTENAI County
T50N R03W S15 SWSE
95-08757

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
STAKE UNIT NO 503959
620 E MILES
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversion Pt: SENW Sec 35 T 51N R 05W
in KOOTENAI County.
T51N R03W S26 SENW
5.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before JUNE 22, 1992.

R. KEITH HIGGINSON, Director
Legal 599
June 4, 11, 1992

RECEIVED


SEP 18 1992

E. NARRATIVE/REMARKS/COMMENTS



Have conditions of permit approval been met? ☐ yes ☐ no

UNRECORDED
AUG 28 1995



APPROVED
AUG 28 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08756

Priority: May 15, 1992

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that TERRY LEE WALL
PO BOX 2348

COEUR D ALENE ID 83816-2348 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 15, 1992; and has submitted Proof of Beneficial Use on August 25, 1994. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 15, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 03W 15

SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.

Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of AUGUST, 1995.

Acting for


KARL J. DREHER, Director

AUG 28 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08756 Telephone No. 208-664-0510
2. Name(s) of Permit Holder(s): TERRY LEE WALL
3. Mailing Address: P.O. BOX 2348, COEUR D'ALENE, ID. 83816-2348
4. Source of Water: WELL If GROUNDWATER (well), Date Drilled: mo. 06 / yr. 88
 - a. Well Driller: H2O WELL SERVICE Drilling Permit Number: 95-88-N-39
 - b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): ONE Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0-0.20 cfs OR 0-20 acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No ☒
	Has the measuring device been installed?	Yes _____	or	No ☒
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No ☒
	Has the measurement port been installed?	Yes _____	or	No ☒
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: TERRY OR DIANNE WALL Telephone Number: 208-664-0510
Address: 908 N. 19th ST., COEUR D'ALENE, ID. 83814
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: _____

(Include your title, if on behalf of company or organization)

Date: 23 AUG. 94

SEP 12 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08756

Proposed Priority: May 15, 1992

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **TERRY LEE WALL**
PO BOX 73
MACEO KY 42355

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSWSE , Sec. 15, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 03W 15


SWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1994**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

25th day of August, 1992


for R. Keith Higginson, Director

MICROFILMED

SEP 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant TERRY LEE WALL Phone (MSG) 664-5962
Post office address PO Box 73, MACEO, KY 42355
2. Source of water supply GROUND WATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 15 Township 50 N Range 3 W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. WELL, SUBMERSIBLE PUMP
& PIPELINE

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 652 feet.
SWL @ 200'
d. Is ground water with a temperature of greater than 90°F being sought? NO
WELL DRILLING PERMIT # 95-88-11-39
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

SEP 18 1992

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? APP
b. Who owns the land to be irrigated or place of use? APP
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

Total number of acres to be irrigated.

[illegible]

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A full-page sheet of white graph paper featuring a uniform grid of thin black horizontal and vertical lines. The grid consists of 20 columns and 20 rows, creating a total of 400 small squares. The lines are evenly spaced and extend across the entire page, leaving no margins or additional markings.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEP 18 1992

(Applicant)

Received by TDK Date 5/15/92 Time 10:30A Preliminary check by _____
Fee \$ 30.00 Receipted by TDK # N5447 Date 5/15/92
Publication prepared by [Signature] Date 5/27/92 Published in Cover & Title Page
Publication approved [Signature] Date 6/17/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:


- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

NOT RECORDED

SEP 18 1992



95-8753 AMENDED PLAT FOR
RECORD OF SURVEY
OF PART OF
SEC 34 T50N, R3W B.M.



SEP 18 2002

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Keri Alexander

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The


Legal Notice

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks* commencing on the *4th* day of *June*, 19*92*, and ending on the *11th* day of *June*, 19*92*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Keri Alexander

Subscribed and sworn to before me this *11th* day of *June*, 19*92*.



Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires *2-3-93*

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08753
SPIRIT LAKE EAST WATER CO
PO BOX 7310
SPOKANE, WA 99207
Source: GROUNDWATER
Diversion Pt: NESW Sec 9 T 53N R 04W
in KOOTENAI County.
Use: IRRIGATION (800 CFS)
DOMESTIC (800 CFS)
Total Diversion: (800 CFS)
Dated Filed: 5/21/1992
In: KOOTENAI County
T53N R04W All of Sections 2, 3, 4, 9,
10 and 11.
T54N R04W All of Section 35.
1904.0 ACRES TOTAL

95-08754
KETCHUM, ROBERT G
1376 CIRCLE DR
HAYDEN LAKE, ID 83835
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: SENW Sec 23 T 49N R 04W
in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 5/15/1992
In: KOOTENAI County
T49N R04W S23 SENW

95-08755
SIEGNER, GEORGE L
S 1455 MEADOW LN
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: SWSE Sec 8 T 50N R 05W in
KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 5/15/1992
In: KOOTENAI County
T50N R05W S08 SWSE

WALL, TERRY LEE
PO BOX 73
MACEO, KY 42355
Source: GROUNDWATER
Diversion Pt: NWSWSE Sec 15 T 50N R
03W in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 5/15/1992
In: KOOTENAI County
T50N R03W S15 SWSE

95-08757
CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
STAKE UNIT NO 503959
620 E MILES
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversion Pt: SENW Sec 35 T 51N R 05W
in KOOTENAI County.
T51N R03W S26 SENW
5.0 ACRES TOTAL

For additional information concerning
the property location, call the Northern
Regional Office at 765-4639.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho 83814 on
or before JUNE 22, 1992.

R. KEITH HIGGINSON, Director
Legal 599
June 4, 11, 1992

SEP 18 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 22, 1995

TERRY LEE WALL
PO BOX 2348
COEUR D ALENE ID 838162348

RE: WATER RIGHT NO. 95-08756

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

AUG 28 1995

Cindy Zimmerman

Permit #: 95-8756 Name: Wall Date: 8/8/95
App Rcd 5/15/92 Priority 5/15/92 Examined 9/30/94 ✓ Lots ✓

	Chng	OK	
NAME	☒	☐	Or <u>Address Change?</u> Box 2348, CdA 83816 664-0510
SOURCE	☐	☒	Clarify source _____ Prelim. Order to Void - Source change.
P/D	☐	☒	Amendment Needed? _____ -P39,P38 Overlap(s) _____
P/U	☐	☒	Amendment Needed? <u>not on efem (same as P/D)</u> -P41,P38 Overlap(s) _____ *P/D & P/U Amend? P37,P38 (See paragraph list for governmental agencies.)
RATE	☐	☒	Permit/fee limits <u>0.04/0.04</u> Measured Q= <u>None</u> cfs Theoretical Q= <u>None</u> cfs <u>Dom/1 (stuffed in)</u> Recommended capacity <u>0.04</u> cfs Recommended rate <u>0.04</u> cfs
VOLUME	☐	☒	Season of Use: (____) <u>1/1-12/31</u> = <u>365</u> days Calculations: <u>Dom/1 = 1.2</u> Flow limit: <u>0.04</u> x 365 x 1.9835 = <u>29.0</u> AF Recommended volume <u>1.2</u> AF
USES	☐	☒	Same Nature of Use? _____ -P46 Amendment Needed? _____
REMARKS	☐	☒	Multiple p/d's in $\frac{1}{4}$? _____ <u>1 wo. / 1</u>
CONDITIONS	☐	☐	Measuring (R01)/Locking (R02) Devices Watermaster Control (R04) - WD # _____ Irrigation rate/volume overlap Irrigation water overlap (065) (If gw use sw) Water Quality Other

PRIORITY Due 9/11/94 Rc'd 8/25/94 Receipt# 603126 Fee OK? (Yes)/No
Order to Reinstate Needed? Yes/No Done? _____
If Yes, Advanced? Yes/No to: _____

COMMENTS: license as permitted

USE	CFS	DIV VOL
<u>Dom/1</u>	<u>0.04</u>	<u>1.2</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u>TOTAL</u>	<u>0.04</u>	<u>1.2</u>

Adjustment Memo ✓

LICENSE: P49
#1 AMEND LTR: P46 or
P39/P41/P37 & P38
#2 AMEND LTR: P42/P47

MEMORANDUM

DATE: August 8, 1995
TO: File No. 95-08756
FROM: Cindy Zimmerman
SUBJECT: Adjustments to Beneficial Use Exam

=====

The following adjustments were made on the field exam.

1. Place of use, per photograph and orthoquad map, is located within **SWSE**, S15, T50N, R03W.

[Faint handwritten signature]

AUG 28 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 13 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08756

1. Owner: DIANNE & TERRY Wall Phone No. 208-664 0510

Current Address: P.O. Box 2348 COEUR D'ALENE Id 83816-2348

2. Accompanied by: _____ EXAM DATE: 9/30/94

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE		15	50N	3W	BOOTHE	U.S.G.S. Topo.

2. Place(s) of Use:

Indicate Method of Determination

Indicate Method of Determination																			
TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	3W	15																	

AUG 28 1995

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo


Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3	2823028110	Franklin	Code F
		~~3~~		~~Franklin~~	~~230 1/2"~~

५.

_____ Copy of USGS Quadrangle Showing location(s) of
point(s) of diversion and place(s) of use (required).


_____ Aerial Photo Attached
(required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS



Have conditions of permit approval been met? ☐ yes ☐ no

RECEIVED
AUG 28 1995

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{ir} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

Period of Use

To 12-31

Rate of Diversion

Q (cfs)

0.04

Annual Volume

V (ata)

1.2

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name

Michelle Ammer

Date

4/18/95

Reviewer

Date

* Adjustments made during review of this report for better approval.

See memo for additional information. 8/8/95 csg

UNRECORDED

SEAL

AUG 28 1995

1. WELL OWNER

Name Terry MALLAddress P.O. Box 73Owner's Permit No. 95-88-N-39

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other PVC

Thickness	Diameter	From	To
<u>.0250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>78</u> feet
<u>PVC</u> inches	<u>4</u> inches	<u>652</u> feet	<u>652</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☒ Yes ☐ NoPerforated? ☒ Yes ☐ NoHow perforated? ☐ Factory ☒ Knife ☐ TorchSize of perforation 1/6 inches by 4 inches

Number	From	To
<u>80</u> perforations	<u>232</u> feet	<u>312</u> feet
<u>80</u> perforations	<u>392</u> feet	<u>422</u> feet
<u>80</u> perforations	<u>522</u> feet	<u>652</u> feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet


Surface seal depth 78 Material used in seal: ☐ Cement grout☒ Bentonite ☐ Pudding clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☒ Solvent

Weld

☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

7. WATER LEVEL

Station level 200 feet below land surface.Flow ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>6</u>	<u>652</u>	<u>6</u>

9. LITHOLOGIC LOG

Bore Diam.	Depth	Material	Water
From	To		Yes No
<u>8</u>	<u>0</u>	<u>78</u>	
<u>6</u>	<u>78</u>	<u>652</u>	
<u>0</u>	<u>2</u>	<u>top soil</u>	
<u>2</u>	<u>60</u>	<u>Brown shale</u>	X
<u>60</u>	<u>70</u>	<u>Soft Blue shale</u>	X
<u>70</u>	<u>130</u>	<u>hard Brown shale</u>	X
<u>130</u>	<u>132</u>	<u>Blue shale</u>	X
<u>132</u>	<u>135</u>	<u>hard Brown shale</u>	X
<u>135</u>	<u>140</u>	<u>Blue shale</u>	X
<u>140</u>	<u>152</u>	<u>Brown shale</u>	X
<u>152</u>	<u>202</u>	<u>Blue shale</u>	X
<u>202</u>	<u>235</u>	<u>Brown shale</u>	X
<u>235</u>	<u>350</u>	<u>Blue shale</u>	X
<u>350</u>	<u>652</u>	<u>hard grey & Blue Shale</u>	X

First water 250 29pm
 Second water 340 29pm
 third water 480 29pm

RECEIVED

JUN 24 1988

Department of Water Resources
Northern District Office

10.

Work started 6-9-88 finished 6-15-88

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O Well Service Firm No. 448Address 582 W Highway Date _____Hayden, Colorado

Signed by (Firm Official) _____

95-08756

AUG 28 1988

August 30, 1994

Terry Lee Wall
P.O. Box 2348
Coeur d'Alene, ID 83816-2348

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 95-08756

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

SEP 12 1994

August 30, 1994

Terry Lee Wall
P.O. Box 2348
Coeur d'Alene, ID 83816-2348

RE: Permit No. 95-08756

Dear Permit Holder:

The Department is in receipt of the proof of beneficial use and \$50.00 license examination fee submitted in connection with the above referenced permit.

You indicate the total rate of diversion to be from 0 - 0.20 cfs from a groundwater source. Your permit to appropriate water only authorizes a maximum diversion of 0.04 cfs. A license examination fee is not required for a rate of 0.04 cfs, therefore, you are entitled to a \$50.00 refund.

I have initiated the process to refund the \$50.00 license examination fee. The process takes between seven (7) and ten (10) days and will arrive under separate cover.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: Fiscal

SEP 1 2 1994

June 30, 1994

TERRY LEE WALL
PO BOX 73
MACEO KY 42355

PROOF DUE NOTICE

RE: PERMIT NO. 95-08756

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 26, 1992

TERRY LEE WALL
PO BOX 73
MACEO KY 42355

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08756

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

RECEIVED

SEP 18 1992

95-08756

WALL, TERRY LEE
PO BOX 73
MACEO, KY 42355

Source: GROUNDWATER

Diversion Pt: NWSWSE Sec 15 T 50N R 03W in KOOTENAI County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 5/15/1992

In: KOOTENAI County
T50N R03W S15 SWSE

RECORDED

SEP 18 1992