


95-8743

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Julius Bauers, Pres. *Judy Hayton* sec/
(Applicant) +2228.

SEP 18 1992

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM	
		NE		NW		SW		SE		NE		NW		SW		SE			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
L9508743	T51N R05W S25 GROUNDWATER																		
	:													18				18	
NO MATCHES FOR THIS POU IN AJ-POU																			
9502110	GROUNDWATE :	40	40	40	40	:										40	40	40	40 : 320
9502171	GROUNDWATE :					:		36		37	38	19	09	:					: 139
9504618	GROUNDWATE :					:		40		40	40	40	40	:					: 200
9507135	GROUNDWATE :					:			38	:				:					: 38
9508477	GROUNDWATE :					:						02	0	:			01	01	: 4
9508743	GROUNDWATE :					:						20		:					: 20
9508807	GROUNDWATE :					:						18		:					: 18
NO MAPPING INFO AVAILABLE																			

permit

2679 IV SE
(HAYDEN)

MICROFILMED
JAN 23 1997

Handwritten text on a piece of paper, possibly a document or letter, with a blue mark at the top right.

Handwritten text in the center of the page, possibly a date or a reference number: 45-08-143-050-125

Handwritten numbers 25 and 26, with a bracket connecting them.

Handwritten text at the bottom of the page, possibly a signature or a date.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 95-08743



for
fu



for
fu



for
fu

MICROFILMED
JAN 23 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08743

Priority: April 1, 1992

Maximum Diversion Rate:

0.36 CFS

Maximum Diversion Volume:

54.0 AF

This is to certify, that POOR BOYS WATER ASSN

2745 E POLELINE RD

POST FALLS ID 83854

has complied with the terms and conditions

of the permit, issued pursuant to Application for Permit dated April 1, 1992; and has submitted Proof of Beneficial Use on June 21, 1994. An examination indicates that the works have a diversion capacity of 0.450 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.36 CFS	54.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 25, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	05W	25	SWSW	18		18

Total number of acres irrigated: 18


CONDITIONS OF APPROVAL AND REMARKS


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Right 95-08807 is also diverted at the point of diversion described above.

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 95-08743

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th
day of December, 1996


Acting for KARL J. DREHER, Director



RECEIVED

JUN 24 1994

STATE OF IDAHO Department of Water Resources

For Office Use: Only
Amt. of Fee \$ 100.00
Date 6/21/94
Receipt No. D-7789
Received by [Signature]

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08743 Telephone No. (208) 773-0462
2. Name(s) of Permit Holder(s): POUR Boys Water Assn.
3. Post Office Address: 2745 E. GOLELINE AVE. POST FALLS, ID.
4. Source of Water: 83854

- a. If ground water, well driller's name: United Date drilled: April 1992
b. Pump horsepower: 40 Pressure (psi): 55 Dynamic pumping level (ft.): 260'

5. Extent of Use:

Domestic 0 (No. of households) Irrigation 20 (No. of acres)
Stockwater 0 (No. and type of stock) Other 0

6. Total rate and/or volume for which proof is submitted .4 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐
OR
Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

J.R. LINDGREN 773-5021
Name Telephone No.

2650 N. GREENSBERRY POST FALLS ID 83854
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/21/94 X J.R. Lindgren Pres of Assn
Date Signature (and title if on behalf of a company or organization)

RECEIVED

JUN 23 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08743

Proposed Priority: April 1, 1992 Maximum Diversion Rate: 0.40 CFS

This is to certify, that **POOR BOYS WATER ASSN**
E 2745 POLELINE RD
POST FALLS ID 83854

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.40 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 25, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	05W	25	SWSW	20		20

Total number of acres irrigated: 20

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1994**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

10th day of June, 1992

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

SEP 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8743

To appropriate the public waters of the State of Idaho


1. Name of applicant Poor Boy's Water Association Phone 773-0462
Post office address E. 2745 Poleline Rd. Post Falls, ID 83854
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 25 Township 51N Range 5W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.40^π for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.40^π and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well and pipeline to sprinklers.
 - b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total
reservoir capacity NA acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 350 ft feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

SEP 18 1992

SEP 18 1992

95-8743

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Julius Bauers, Pres. *Judy Hayton* sec/
(Applicant) *HBRS.*

SEP 18 1992

RECEIVED

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by _____ Date 4/11/92 Time 11:26 AM Preliminary check by _____

Fee \$ 45.00 Received by _____ Date 4/8/92 # N 5321 Date 4/1/92

Publication prepared by _____ Date 4/8/92 Published in _____ Date 4/6/92

Publication approved by _____ Date 4/24/92

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Legal Notice
of which the annexed is a printed copy, was published in the regular Thurs
issue of said newspaper for 2 consecutive weeks
commencing on the 16th day of April, 1992, and
ending on the 23rd day of April, 1992, and such
publication was made as often during said period as said Daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 23rd day of April, 1992.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

RECEIVED
APR 24 1992
NORTHERN REGION
IDWR

2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

94-07337
BLALACK, CARL L
E 29340 HARDY LOOP
CATALDO, ID 83810
Source: GROUNDWATER
Diversion Pt: SESW Sec 19 T 49N R 01E
in KOOTENAI County.
Use: FISH PROP. STORAGE (10.00 AF);
RECREATION STORAGE (10.00 AF);
Total Diversion: (10.00 AF)
Date Filed: 3/30/1992
In: KOOTENAI County T49N R01E S19
SESW

94-07338
BLALACK, CARL L
E 29340 HARDY LOOP
CATALDO, ID 83810
Source: GROUNDWATER
Diversion Pt: SESW Sec 19 T 49N R 01E
in KOOTENAI County.
Use: IRRIGATION (.050 CFS); FIRE
PROTECTION (1.700 CFS); Total
Diversion: (1.750 CFS)
Date Filed: 3/30/1992
In: KOOTENAI County T49N R01E S19
SESW

1.5 ACRES TOTAL
95-08743
POOR BOYS WATER ASSN
E 2745 POLELINE RD
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: SWSW Sec 25 T 51N R 05W
in KOOTENAI County.
Use: IRRIGATION (.400 CFS); Total
Diversion: (.400 CFS)
Date Filed: 4/1/1992
In: KOOTENAI County T51N R05W S25
SWSW

20.0 ACRES TOTAL
95-08744
CARPENTER, DAVE
E 4445 FERNAN HILL RD
COEUR D ALENE, ID 83814
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 3 (NWSE) Sec 13 T
49N R 04W in KOOTENAI County.
Use: DOMESTIC (.040 CFS); Total
Diversion: (.040 CFS)
Date Filed: 3/30/1992
In: KOOTENAI County T49N R04W S13
NWSE

96-08690
HENRY, VERN
PO BOX 331
ATHOL, ID 83801
Source: GROUNDWATER
Diversion Pt: SWNW Sec 15 T 53N R 03W
in KOOTENAI County.
Use: COMMERCIAL (.200 CFS);
DOMESTIC (.040 CFS); Total Diversion:
(.200 CFS)
Date Filed: 4/6/1992
In: KOOTENAI County T53N R03W S15
SWNW

For additional information concerning
the property location, call the Northern
Regional Office at 765-4639.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho 83814 on
or before MAY 4, 1992.

R. KEITH HIGGINSON, Director
Legal 326
April 16, 23, 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 30, 1996

POOR BOYS WATER ASSN
2745 E POLELINE RD
POST FALLS ID 83854

RE: WATER RIGHT NO. 95-08743 and 95-08807

Dear Water Right Holder(s):

Enclosed are copies of the Water Right Licenses issued on the above referenced permits. If you have any questions, please contact me within 10 days of receipt of these licenses.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

RECEIVED
DEC 31 1996

RECEIVED

DEC 23 1996

Department of Water Resources

December 18, 1996

Shelley Walter Keen
Idaho Department of Water Resources
1301 N Orchard
Boise, ID 83720

4743
RE: 95-8742 & 95-8807

Dear Mr. Keen:

In answer to your letter of October 31, 1996, our organization has
~~to~~ ^{no} interest and is not supplied water from 95-2171 and 95-4618.

Sincerely,



J.R. Lindgren
✓ Poor Boys Water Association
2745 E Poleline
Post Falls, ID 83854

100-1111

JAN 25 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 9, 1996

POOR BOYS WATER ASSN
2745 E POLELINE RD
POST FALLS ID 83854

RE: Water Right No. 95-08743 and 95-08807

Dear Water Right Holders:

In October I wrote you to determine if you have any interest in Water Right License 95-02171 or Water Right Claim 95-04618. Judy Hayton called me on November 13 to tell me that you intend to look into the matter, but I have not heard from you since then.

Please contact me within 15 days to discuss your progress. If I have not heard from you within that time, I will assume you have no interest in Right 95-02171 and Claim 95-04618, and I will see that licenses are issued as soon as possible for Rights 95-08807 and 95-08743, which are your existing permits.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

Enclosures

12/14/96
4:28 PM

MEMORANDUM

DATE: November 13, 1996

TO: Files 95-08743 and 95-08807

FROM: Shelley W. Keen ^{SWK}

RE: Phone call from Permit Holder

This morning Judy Hayton of the Poor Boys Water Assn. called to let me know that she received my letter and that the association will look into the matters I wrote about. She said that the association will probably turn the matter over to Mr. J. R. Lindgren.

Judy Hayton told me her phone number is (208) 773-0462 in case I need to reach her.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 31, 1996

POOR BOYS WATER ASSN
2745 E POLELINE RD
POST FALLS ID 83854

RE: Water Right No. 95-02171

Dear Water Right Holders:

I am reviewing your Water Right Permits, Nos. 95-08807 and 95-08743, in preparation for issuing water right licenses. During my review, I discovered that Water Right License 95-02171 includes 19 acres of irrigation from groundwater within the same 40-acre tract that your 27 acres of irrigation is located. In addition, Water Right Claim 95-04618 includes 40 acres of irrigation from groundwater within the same 40-acre tract that your irrigation use is located. License 95-02171 was issued to Kon Tiki, Inc., in 1971 with a 1965 priority date. Water Right Claim 95-04618 was filed by Prairie Water Association in 1983 and claims a 1959 priority date. I have enclosed copies of License 95-02171 and Claim 95-04618 for you to review.

I am writing you to find out if you are aware of Right 95-02171 and Claim 95-04618 and to determine to what extent they should be considered when issuing the licenses for Rights 95-08807 and 95-08743. In Idaho, water rights are appurtenant to the land where they are established, and they remain with the land when it is sold unless the deed or sale agreement specifies otherwise. Because some of the land you are now irrigating has apparently been irrigated under Right 95-02171, and possibly under a right represented by Claim 95-04618, you may be entitled to a portion of those rights. The primary advantage to you would be in having the earlier (senior) priority dates if groundwater diversions are ever regulated in your area.

You should also know that if there has been a period of five consecutive years during which Right 95-02171 and Claim 95-04618 was not used, they can be considered to have been forfeited.

If you research the historical use of water on your property and come to believe that you are entitled to portions of Right 95-02171 and Claim 95-04618, you will have to provide information documenting which lands previously irrigated by Kon Tiki, Inc., you now irrigate. You will also need to file an Application for Transfer to add your well as a point of diversion for your portion of each right.

MAILED-11/1/96


NOV 2 1996

Poor Boys Water Assn.
October 31, 1996
Page 2

Please contact me within 15 days if you intend to look into Right 95-02171 and Claim 95-04618. If I have not heard from you within that time, I will assume you have no interest in Right 95-02171 and Claim 95-04618, I will see that licenses are issued as soon as possible for Rights 95-08807 and 95-08743.

If you have any questions, please contact me at 208-327-7946.

Respectfully,



Shelley Walter Keen
Water Rights Supervisor

Enclosures

MEMORANDUM

TO: File 95-08743

FROM: Sharla

DATE: October 30, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 95-08743 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Irrigation	3/15 - 11/15	0.36 cfs	54.0 afa
------------	--------------	----------	----------

The rate of 0.02 cfs for per for the licensing of 18 acres is 0.36 cfs.

Overlapping rights: 95-04618 lists all 40 acres in the SWSW. Section 25, with a point of diversion in the NWSW, S25. Since it is a **claim**, it is not being included in the overlap review. 95-02171 was licensed for 19 acres in the SWSW; the original application identified the acres as in the W½SWSW and NESWSW. These acres overlap what is proposed for licensing in this right. The point of diversion listed on the previous license was a 285' well with 150 hp pump in the NESW. Standard overlap conditions will suffice. Finally, permit 95-08807 is being reviewed for licensing concurrently. That permit is to be licensed for 9 acres in the SWSWSW - the only overlap is in point of diversion; applicable conditions/remarks will be added to both rights.

On this date, I spoke with the examiner, Wayne Baldwin. I questioned the separate measurements made for the two rights from the same well. He indicated that they do use the same well, but they are two separate delivery systems. They weren't operating at the same time, but also operate simultaneously upon demand. The licenses will be issued with their individual measurements as separate systems with a remark indicating the shared well.

Examiner: Wayne Baldwin

Exam date: July 25, 1995

1000-11-11

10-31-96

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08743

DATE 10/8/96

REVIEWER: S H A R L A

	Change	OK
NAME		☒

Address Change NO

SOURCE _____ ✓

Is change clarification of originally intended source? ____
If not, prepare Notice of Intent to Void ____

POINT OF DIV _____ / _____

Amendment required No

PLACE OF USE _____ 

Amendment required NO

Does map agree with written description? ☒ yes ☐ no

OVERLAPS

P/D

P/U

yes ☐ no ☒
permit 95-8807-^{No}same 18 ac?

RATE OF DIV

Permitted Rate .40 cfs

Fee limit 1.0 cfs \$100⁰⁰

Measured .45 cfs

Theoretical .64 cfs

$8.84.7/260 + (2.31 \times 50) = .64$
Recommended Total Div Rate .36 cfs

ANNUAL VOLUME/
NATURE OF USES

Use

Volume Calculation

$$18 \times 3 = 54.0 \text{ af}$$

SUBTOTAL _____ af

Flow rate .36 cfs X 245 days X 1.98 ~~af~~ = 174.6 af

Total volume recommended 94.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W36 (95-08807)

CONDITIONS _____ Watermaster Control WD# _____

GW Measurement/Measuring Device

K29 Overlap

 Use-specific conditions

Advancement of Priority Date Required ☐ yes ☒ no

SRBA Claim Filed ~~NA~~

1st Amend Letter NA

Adjustment Memo Rate

2nd Amend Letter

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L9508743	T51N R05W S25 GROUNDWATER																	
	:											18						18
NO MATCHES FOR THIS POU IN AJ-POU																		
9502110	GROUNDWATE :	40	40	40	40											40	40	320
9502171	GROUNDWATE :							36		37	38	19	09					139
9504618	GROUNDWATE :							40		40	40	40	40					200
9507135	GROUNDWATE :								38									38
9508477	GROUNDWATE :											02	0			01	01	4
9508743	GROUNDWATE :											20						20
9508807	GROUNDWATE :											18						18
NO MAPPING INFO AVAILABLE																		

permit

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 15 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08743

1. Owner: Pool Boop Water Assn Phone No. (208) 773-0962

Current Address: E. 2745 Poleline Rd. Post Falls Id 83854

2. Accompanied by: J.R. Lindgren EXAM DATE: 7-25-96

Address: 2650 N Greenferry Post Falls Id 83854 Phone No. (208) 773-5041

Relationship to Permit Holder: President of Assn

3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-02171, 95-04618, 95-08477, 95-08807

2. Other water rights with the same point of diversion: 95-08807

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	25	51N	05W	Kootenai	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
51N	05W	25											18						

NOTIFIED

AUG 28 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		40		Somerset/4	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS

Same pump also supplying 95-08807

WATER IS PUMPED FROM WELL BY 40 H.P.
PUMP. 4" ALUMINUM "MAIN-LINES" AND LATERAL
LINES WITH RAIN BIRD TYPE SPRINKLERS ARE USED
FOR IRRIGATION OF PROPERTIES.

Have conditions of permit approval been met? ☒ yes ☐ no

RECORDED
APR 23 1977

Measured Method:

```

-25-96
LE FACTOR = 0.99
SET (OPN) = 0.99
C OFFSET = 7.04
C OFFSET = 0.10
DET DLY = 1.0
TER FAC:
SER: STANDARD/V
UP
DLY = 154.12
UP
DLY = 154.12
STG = 1.65
STG = 1.65
STG = 2.33
STG = 2.33
STG = 5.49
STG = 5.49
STG = 9
STG = 9
TIME (ms) = 153.3
TIME (ms) = 153.3
COUNT = 144
COUNT = 144
COUNT = 96
COUNT = 96
COUNT = 133
COUNT = 133
COUNT = 2343
COUNT = 2343
COUNT = 0.660
COUNT = 0.660
COUNT = 48633
COUNT = 48633
COUNT = 14358
COUNT = 14358
FILE FACTOR = 0.939
FILE FACTOR = 0.939
FILE FACTOR = 282.695
FILE FACTOR = 282.695
FILE FACTOR = 5.345
FILE FACTOR = 5.345
FILE FACTOR = 1.78
FILE FACTOR = 1.78

```

1. Volume Calculations for

2. Volume Calculations for Other Uses:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 18. \times 3 = 54$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 40. \times 295 \times 1.9835 = 194$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = 54$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Longoria

Period of Use
From To

03-1

51-11

Rate of Diversion

06
(SIC) n

Annual Volume

V (afa) 5-4

2. Recommended Amendments

— Change P.D. as reflected above

— Change P.U. as reflected above

____ Add P.D. as reflected above

____ Add P.U. as reflected above

None

I. AUTHENTICATION

Reviewer

Date _____

Field Examiner's Name /

Date 7-26-96

SEAL

POST FALLS QUADRANGLE
IDAHO POTENAI CO.
7.5 MINUTE LINES (TOPOGRAPHIC)
NW/4 COEUR D'ALENE 15' QUADRANGLE

26° 14' 50" N
116° 52' 30" W





PERMIT # 95-08743

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



*for
FO*

*for
FO*

*for
FO*

APPROVED
JAN 29 1997

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08743

Reviewed by [Signature]

Date 7-5-94

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irr.
Correct Uses? yes

SOURCE OF WATER

Surface water source
☒ Ground water source

yes Drilling permit required?
no Copy in the file? Drilling Permit No. 95-92-N-0042
200.00 Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100.00 Amount Submitted
yes Correct?

MEASURING DEVICE

Required?
Installed?
☒ Waiver requested?

PRIORITY CALCULATION

Date proof received		
Date proof due	-	
No. of days late	=	
Priority Date	+	
New Priority Date		

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address [X]

Proof Made 6-24-94

July 5, 1994

POOR BOYS WATER ASSN
E 2745 POLELINE RD
POST FALLS ID 83854

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08743

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

UNRECORDED

JUL 13 1994

April 30, 1994

POOR BOYS WATER ASSN
E 2745 POLELINE RD
POST FALLS ID 83854

PROOF DUE NOTICE

RE: PERMIT NO. 95-08743

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 11, 1992

POOR BOYS WATER ASSN
E 2745 POLELINE RD
POST FALLS ID 83854

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08743

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

BRENDA L. MILLER
Technical Records Specialist

BLM:cz

Enclosures

RECORDED

SEP 18 1992

APPLICATION FOR PERMIT REVIEW

Application #: 95-8743
Date: 6-7-92

Reviewer: Brenda Miller

Brenda

SYSTEM COMPLETED:

- No - 26A-P17
- Complete in 1 year - P16
- Yes
- Proof not submitted - P16
- Proof submitted - N/A

GROUNDWATER:

- GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- No measurement required <flow chart>
- LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

- (Approved) w/permit - P99 #95-92-N-42
- Not included - 046-P23 (All GW, even existing wells)

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

- Water Districts - WD No. _____
- Surface water - 005, 005-01H-P01 (LT.2 w/pump)
- 005-01J-P08 (GT.2)
- Groundwater - P05
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Boise Front (63) - 058 (Groundwater)
- Swan Falls Flag - (1, Blank or Other)
- Trust - 051-052-053-P74 (Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS:

- (Surface Water) Water District Control Condition &....
- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
- 042(req.), 002-P06(MD), 07A(Spec.),
- 044(Policy 5G)
- Power - Use Power Review
- Mining - 06A, 010, or 09E-P10 & 054(req.)
- Storage - 18A-for multiple measuring devices(In WD),
- 18B-P09(Size)
- Rec/Wildlf/Aes - 027(Non-Consumptive)
- Domestic - 021(restricted areas)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020

Beneficial Use Due Date: -

Other Conditions Recommended

07-01-1994

No. a
4/87-11/91n

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

***** INITIAL REVIEW *****

APPLICANT: FOOR Bay BY IDK DATE _____ APPLICATION # 95-8743

REQUIRED INFORMATION

- (1). ☒ Name and Address:
(2). ☒ Source:
(3). ☒ P. D. including county:
(4). ☐ Quantity:
 ☒ Nature of proposed use:
 ☒ Period of use:
(5). ☐ Total Quantity:
(6). ☒ Description of diverting works:
 ☒ Dam information requested
 or not required
(7). ☒ Time required for b/u
(8). ☒ Proposed uses:
(9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
(12). ☐ Map:
 ☒ Signature:
 ☐ Fee: (Amt, recpt, acknowledgment)

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: by _____
☒ Field report attached:
☐ Analysis Supp attached (>5cfs/500af)
☐ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

☒ Proposed Priority 4/1/92
☒ In form for Advertising in the
 Cum d'Almeida 4/16/92
County of KOOTENAI

☒ Statewide advertising: (diversion
greater than (10cfs/1,000af)

SEND COPIES TO:

☐ USFS CdA	☐ USFS Oro	☐ USFS Grangville
☐ BLM	☐ W/W Corps	☐ Albeni Corps
☐ F&G CdA	☐ F&G Lew	☐ IDL
☐ H&W CdA	☐ H&W Lew	☐ Adj Div
(Other) _____		

LETTERS SENT REQUESTING:

☐ Dam information ☐ Fish Information
☐ Power information ☐ Other

INFORMATION RECEIVED

☐ Power information ☐ Dam information
☐ Fish Information ☐ Other

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked By SL

- ☒ Groundwater management area:
☒ Critical ground water area:
☒ Well Drilling Permit required:
☒ Well Drilling Application and Fees received:
☒ Well Drilling Application approved?
Well Drilling Application Number 95-92-N-42

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- ☐ Notice of pending void order issued: Final date of order response. _____
☐ Further information required from applicant:
☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken: _____
☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 5/4/92
☐ Measuring device required:
☐ Measuring port required: REDA
☐ Special conditions REDA
☐ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: RGA

Date

RECEIVED
MAY 8 1992

Department of Water Resources

95-08743

POOR BOYS WATER ASSN
E 2745 POLELINE RD
POST FALLS, ID 83854

Source: GROUNDWATER

Diversion Pt: SWSW Sec 25 T 51N R 05W in KOOTENAI County.

Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)

Date Filed: 4/ 1/1992

In: KOOTENAI County
T51N R05W S25 SWSW

20.0 ACRES TOTAL

RECEIVED

SEP 18 1992