


-
- A topographic map of a section of T. 50 N., R. 3 W. The map features contour lines indicating elevation, with labels such as 2400, 2600, 2800, 3000, and 3200. A grid system is overlaid on the map. Key geographical features include:
- Water Features:** French Gulch, Steel Draw, and a Water Tank near Harrison Ave.
 - Roads:** French Hill Road, Steel Draw Road, and Harrison Ave.
 - Infrastructure:** Two pipelines are marked with dashed lines and labeled "PIPELINE".
 - Handwritten Annotations:**
 - T. 50 N. R. 3 W.** is written in large blue letters at the top center.
 - WELL HOME** is written in blue letters near the center, with a blue arrow pointing to a specific location marked with a circle and a cross.
 - Other Labels:** "Guthrie", "N. A. T. I. C.", "FERNAN HILL", and "HARRISON" are visible.
- The map also includes a scale bar at the bottom right, labeled "BM 2111".

James Michael S. Stoner
(Applicant)



T50N
R3W

MAIL BOX
1497

JAN 21 1994



MR. SCHNEIDER'S
WELL



PERMIT # 95-08740



MR. SCHNEIDER'S
HOME



INDEXED
JAN 21 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08740

Priority: February 24, 1992

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.3 AF

This is to certify, that MICHAEL S SCHNEIDER
MARLENE M SCHNEIDER

E 4779 FRENCH GULCH RD
COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 24, 1992; and has submitted Proof of Beneficial Use on May 27, 1993. An examination indicates that the works have a diversion capacity of .040 cfs of water from a ~~GROUNDWATER~~ source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 5, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

50N 03W 5

SESE

PLACE OF USE:

DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.
6. Stockwater use is for 10 head of mixed stock.

JAN 21 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08740

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6TH
day of DECEMBER, 1993.

Acting for


R. Keith Higginson, Director

JAN 21 1994

please address & change

OFFICE USE ONLY

Amt. of Fee \$ _____
Date _____
Receipt No. _____
Receipt by _____

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

MAY 27 1993

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08740 Telephone No. 208-664-6876
2. Name(s) of Permit Holder(s): Michael S. & Marlene M. Schneider
3. Mailing Address: E. 4779 French Gulch Rd. CoA.
4. Source of Water: well

If **GROUNDWATER**, Well Driller's Name: H2O Date Drilled: 01/12/92

OPTIONAL:

Pump horsepower: 1 hp Pressure (psi): 35 Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic (1) (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 1/2 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ____ Yes ____ No Installed? ____ Yes ____ No

OR

Flow Measurement Port: Required? ____ Yes ____ No Installed? ____ Yes ____ No

8. Fee Enclosed: \$ -0- (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name _____ Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

05-27-93
Date

Marlene M. Schneider
Signature (and title, if on behalf of a company or organization)

JUL 07 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08740

Proposed Priority: February 24, 1992 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **MICHAEL S SCHNEIDER**

MARLENE M SCHNEIDER

E 5095 FRENCH GULCH RD

COEUR D ALENE ID 83814

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.04 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 5, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

50N 03W 5 SESE

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1993.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.
4. Stockwater use is for 10 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

10 day of June, 1992

for

R. Keith Higginson, Director

RECORDED

SEP 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Michael S. or Marlene M. Schneider Phone 664-6876
Post office address E. 5035 French Gulch Rd. CoA. ID 83804
2. Source of water supply ground water which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 5 Township 50 N Range 3 W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 123 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? N
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

SEP 18 1992

a. Hydropower; show total feet of head and proposed capacity in kW. 10 RANGE STOCK

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. 1 HOME

e. Other; describe fully. _____

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

ponding place of use below. See instructions for standard symbols.

[illegible]

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing. *N/A*

12. Remarks:

-
- A topographic map of a section of land, labeled "T. 50 N. R. 3 W." in the upper center. The map features contour lines indicating elevation, with labels such as 2400, 2600, 2800, and 3000. A prominent feature is a "WELL" site, marked with a cross and labeled "WELL HOME" in large, bold letters. The well is located near a "FERNAN HILL" and a "FRENCH GULCH". Other features include a "Water Tank", a "HARRISON" road, and a "FERNAN" road. The map also shows a "PIPELINE" and a "DRAIN". The terrain is rugged, with many contour lines and a grid overlay.

James Michael S. Sumalin
(Applicant)

Received by B Date FEB 24, 1992 Time 1:30 pm Preliminary check by PK
Fee \$ 30 0/100 Received by B # N-5229 Date FEB 24, 1992
Publication prepared by me Date 3/26/92 Published in CD'AGU
Publication approved me Date 4/16/92

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
SEP 18 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 7, 1993

MICHAEL S SCHNEIDER
MARLENE M SCHNEIDER
E 4779 FRENCH GULCH RD
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08740

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

JAN 21 1994

DATE: 11/24/93
PAGE: 1

Stage: LICENSE

Audit: 11/24/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 95-8740 Date 11-23-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒ ☐ ☒ ☐ ☒	Advance? <u> </u> Memo to Advance <u> </u> Order to Reinstate Needed? Incorrect Fee for rate recommended?
SOURCE	☐ ☒ ☐ ☒	Changes? Clarification of Originally Intended source Notice of Intent to Void - Source change.
P/D	☐ ☒ ☐ ☒	Amendment Needed? <u> </u> Overlap(s) <u> </u>
P/U	☐ ☒ ☐ ☒	Amendment Needed? <u> </u> Overlap(s) <u> </u>
TOTAL CFS	☐ ☒ ☐ ☒ ☐ ☒ ☐ ☒	Disagree/Measurement <u>NONE DONE</u> <u>STOCKWATER (10) = .01</u> <u>DOMESTIC = .04</u> Theoretical 8.8 x .70 x + 2.31 x Capacity <u>.04</u> Allowable Amount: <u>.04</u>
TOTAL VOLUME	☒ ☐ ☐ ☐	Disagree with Examiner's Calculations? <u>STOCKWATER = .1</u> <u>DOMESTIC = 1.2</u> Flow limit: <u>.04</u> x 365 x 1.9835 = <u>29</u> Season <u>1-1/12-31</u>
USES	☐ ☒ ☐ ☒	Change(s) in Nature of Use? <u> </u> Amendment Needed? <u> </u>
REMARKS	☐ ☒ ☐ ☒ ☐ ☒	Multiple P/Ds in 1/4 1/4? <u> </u> Special Overlap <u> </u> Other <u> </u>
CONDITIONS	☐ ☒ ☐ ☒ ☐ ☒ ☐ ☒	Measuring/Locking Devices W/Master Control <u> </u> Water Dist Irrigation Overlap <u>2-24-92</u> App Rec'd Water Quality <u>6-24-93</u> Exam Made

COMMENTS: Reduce stockwater to acceptable rate
stock = 10 mixed head

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Stockwater</u>	<u>.01</u>	<u>.1</u>	☒
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>	☐
			AMEND ☐
			2ND AMEND ☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 01 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08740

1. Owner: MICHAEL SCHNEIDER Phone No. 664-6876

Current Address: E. 4779 FRENCH GULCH RD.

2. Accompanied by: N/A EXAM DATE: 6-24-93

Address: N/A Phone No.

Relationship to Permit Holder:

3. Source: GROUND WATER tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	5	50N	3W	KOOTENAI	U.S.G.S. TOPO.


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	03W	5																DS	

JAN 21 1994

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Aerial Photo Attached of 10+ acres (required for irrigation of 10+ acres)
☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NONE					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE

JAN 21 1994

E. NARRATIVE/REMARKS/COMMENTS

STOCKWATER NOT IN USE.

* NOTE: HAD TO call permit owner to verify whether stockwater was being used or not.

Have conditions of permit approval been met? ☒ yes ☐ no

JAN 21 1994

JAN 21 1994

RECEIVED (K70)

SEAL

Reviewer

Date

Field Examiner's Name

John M. Kunz Date 6-24-93

I. AUTHENTICATION

☐ Change P.D. as reflected above
☒ Add P.D. as reflected above
☐ Add P.U. as reflected above
☐ Other
☒ None

2. Recommended Amendments

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
STOCKWATER	From 1-1 To 12-31	.04 cfs	0.2
DOMESTIC	From 1-1 To 12-31	.04	1.2
	Totals:	.04	1.3

1. Recommended Amounts

H. RECOMMENDATIONS

NONE

2. Volume Calculations for Other Uses:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{NONE}$$
$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$
$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

1. Volume Calculations for Irrigation:


G. VOLUME CALCULATIONS

NONE

Measured Method:

F. FLOW CALCULATIONS

Additional Computation Sheets Attached




T50N
R3W

JAN 21 1994



MR. SCHNEIDER'S
WELL



PERMIT # 95-08740



MR. SCHNEIDER'S
HOME



WILLIAM SCHNEIDER
JAN 21 1984

May 28, 1993

MICHAEL S SCHNEIDER
MARLENE M SCHNEIDER
E 4779 FRENCH GULCH RD
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08740

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUL 07 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08740 Reviewed by Klg Date 5/27/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
data Copy in the file? Drilling Permit No. 95-92-N-0004
35 Amount paid for permit y Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

NA Required?
/ Amount Submitted
/ Correct?

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due	<u>/</u>	-
No. of days late	<u>/</u>	=
Priority Date	<u>/</u>	+
New Priority Date	<u>/</u>	

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address E 4779 French Gulch Rd Klg 5/28/93 Proof Made 5/27/93
5/28/93 Klg

MICHAEL S SCHNEIDER
MARLENE M SCHNEIDER
E 5095 FRENCH GULCH RD
COEUR D ALENE ID 83814

April 30, 1993

RE: PERMIT NO. 95-08740 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



JUL 07 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 11, 1992

MICHAEL S SCHNEIDER
MARLENE M SCHNEIDER
E 5095 FRENCH GULCH RD
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08740

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

BRENDA L. MILLER
Technical Records Specialist

BLM:cz

Enclosures

MICROFILMED

SEP 18 1992

AFFIDAVIT OF PUBLICATION

RECEIVED
APR 15 1992
NORTHERN REGION
being first duly sworn

STATE OF IDAHO,
County of Kootenai,

} ss.

Julio Jacobs

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *weeks* commencing on the *2nd* day of *April*, 19 *92* and ending on the *9th* day of *April*, 19 *92* and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julio Jacobs

Subscribed and sworn to before me this *9th* day of *April*, 19 *92*

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
Commission expires *2-3-93*

SEP 18 1992

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08739
KUHLMAN, NORMAN L
1725 E. 16TH ST.
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: SWSENE Sec 35 T 51N R 05W in KOOTENAI County.
Use: IRRIGATION (.040 CFS); DOMESTIC (.020 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/10/1992
In: KOOTENAI County T51N R05W S35 SWNE
2.4 ACRES TOTAL

95-08740
SCHNEIDER, MICHAEL S
SCHNEIDER, MARLENE M
E. 5095 FRENCH GULCH RD
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversion Pt: SESESE Sec 5 T 50N R 03W in KOOTENAI County.
Use: STOCKWATER (.040 CFS); DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 2/24/1992
In: KOOTENAI County T50N R03W S05 SESE

95-08741
STILKEY, JAY T
STILKEY, DEBORAH
N. 150 SEELEY
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: NENWSE Sec 5 T 50N R 04W in KOOTENAI County.
Use: DOMESTIC (.110 CFS); IRRIGATION (.040 CFS)
Total Diversion: (.110 CFS)
Date Filed: 3/25/1992
In: KOOTENAI County T50N R04W S05 NWSE
2.0 ACRES TOTAL

95-08742
PHELPS, H LEE
PHELPS, PATRICIA K
847 LARCH ST
RATHDRUM, ID 83858
Source: HAYDEN LAKE Tributary: SINKS
Diversion Pt: LOT 8 (NESESW) Sec 34 T 52N R 03W in KOOTENAI County.
Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 3/24/1992
In: KOOTENAI County T52N R03W S34 Lot 8 (SESW)
1.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before APRIL 20, 1992.

R. KEITH HIGGINSON, Director

Legal 270
April 2, 9, 1992

95-08740

SCHNEIDER, MICHAEL S
SCHNEIDER, MARLENE M
E 5095 FRENCH GULCH RD
COEUR D ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: SESESE Sec 5 T 50N R 03W in KOOTENAI County.

Use: STOCKWATER (.040 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 2/24/1992

In: KOOTENAI County
T50N R03W S05 SESE

RECEIVED

SEP 18 1992

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]