




MICROFILMED

FEB 26 1996

50N 3W 19

Mile 2

H

h

I

i

K

k

L

l

M

South



REPRODUCTION

SEP 26 1996

50N 3W 19

95-08737

Pump & Motor



Drip Irr.
System to
each tree



Irr.

← trees



ARCHIVED

FEB 26 1996

8 12 94

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08737

Priority: February 3, 1992

Maximum Diversion Rate:
Maximum Diversion Volume:

0.02 CFS
2.3 AF

This is to certify, that HAGADONE HOSPITALITY CO
CALLER 6200

COEUR D ALENE ID 83814-1937 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 3, 1992; and has submitted Proof of Beneficial Use on November 2, 1992. An examination indicates that the works have a diversion capacity of 2.890 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	2.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5(NWSE), Sec. 19, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	03W	19	NWNE 0.5	SWNE 3	Lot 6(NESE) 0.5	5.5
			Lot 5(NWSE) 1.5			

Total number of acres irrigated: 5.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

FEB 26 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08737


CONDITIONS OF APPROVAL AND REMARKS

6. Right 95-08593 is also diverted at the point of diversion described above.
7. Use of this right when combined with the Right 95-08593 is limited to a total combined diversion rate of 2.89 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of FEBRUARY, 1996.

Acting for

KARL J. DREHER, Director



RECEIVED

1996 FEB 20

7/94

For Office Use Only
\$25 Filing Fee
Receipt# _____
Date _____

RECEIVED

FEB 12 1996

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ASSIGNMENT OF PERMIT

I, IDAHO TRANSPORTATION DEPT., hereby assign to HAGADONE HOSPITALITY CO.
of, CALLER 6200 COEUR D' ALENE IDAHO 83814-1937 (208) 667-3431
(Full Address) (Phone)

All my right, title, and interest in and to Permit No. 95-08737 to appropriate the public waters of the State of Idaho.

Q (for partial assignments)

The following described portion of my right, title, and interest in and to Permit No. 95-08737 to appropriate the public waters of the State of Idaho. (Describe portion of the permit assigned listing the number of acres in each 40-acre subdivision, point of diversion location, and the amount of water in cubic feet per second.)

Permit proved for 5.5 Acres from Coeur d'Alene Lake via CdA Golf Course Irrigation system at a rate of 0.02 CFS. Proof of Beneficial Use provided 10/27/92
(Hand Scape trees I-90)

Made this 6 day of FEBRUARY, 1996.

X James L. Bahr Dist. Engr.
Permit Holder or Representative

State of Idaho)
County of KOOTENAI) ss

On this 6 day of FEBRUARY, 1996, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

seal

John Little
Notary Public residing at
POST FALLS, IDAHO

My commission expires: 09/07/2000

RECORDED

FEB 26 1996

RECEIVED

NOV 02 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08737 Telephone No. (208) 772-1200
2. Name(s) of Permit Holder(s): Idaho Transportation Department
3. Post Office Address: 600 W. Prairie Ave., Coeur d'Alene, ID 83814-8764
4. Source of Water: Coeur d'Alene Lake
- a. If ground water, well driller's name: N/A Date drilled: _____
- b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
5. Extent of Use:
- | | |
|--|--------------------------------------|
| Domestic _____ (No. of households) | Irrigation <u>5.5</u> (No. of acres) |
| Stockwater _____ (No. and type of stock) | Other _____ |
6. Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:
- Measuring device: Required? Yes ☒ No Installed? Yes ☐ No N/A
- OR
- Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No N/A
8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:
- LARRY A. WOLF, P.E., Ass't District Engineer (208) 772-1200
Name Telephone No.
- IDAHO TRANSPORTATION DEPARTMENT, 600 W. PRAIRIE AVE., COEUR D'ALENE ID
Address 83814

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10/27/92
Date

[Signature] LARRY A. WOLF, P.E., ADE
Signature (and title if on behalf of a company or organization)

DEC 15 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08737

Proposed Priority: February 3, 1992 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **STATE OF IDAHO**
DEPT OF TRANSPORTATION
DIVISION OF HIGHWAYS
PO BOX 7129
BOISE ID 83720

has applied for a permit to appropriate water from:

COEUR D ALENE LAKE tributary of **SPOKANE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 5(NWSE), Sec. 19, Township 50N, Range 03W
KOOTENAI County


<u>PLACE OF USE: IRRIGATION</u>						
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	03W	19	NWNE 0.5	SWNE 3	Lot 6(NESE) 0.5	
			Lot 5(NWSE) 1.5			5.5
Total number of acres irrigated:						5.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1993**.
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

10 day of June, 1992

for 
R. Keith Higginson, Director

MICROFILMED
SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Idaho Transportation Department Phone 772-1200
Post office address 600 West Prairie Ave., Coeur d'Alene, ID 83814-8764
2. Source of water supply Lake Coeur d'Alene which is a tributary of Spokane River
3. Location of point of diversion is * 1/4 of (NWSE)^{TDK} 1/4 Govt. Lot 5
Sec. 19 Township 50 N. Range 3 W. B.M. Kootenai County; additional
points of diversion if any: *Lake Coeur d'Alene thru existing Coeur d'Alene
Golf Course irrigation system.
- * 4. Water will be used for the following purposes: (maximum) 3/15 11/15 BLW
0.02 cfs TDK
Amount 10 for irrigation purposes from April 1 to Sept. 30 (both dates inclusive)
(cfs or acre-feet per annum) gal's. per min./8 hrs. per day
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.02 TDK acres or (b) 2.2 (720,000 gal. maximum)
cubic feet per second acre feet per annum
6. Proposed diverting works: From existing irrigation system of Coeur d'Alene
Resort Golf Course.
a. Description of ditches, flumes, pumps, headgates, etc. Additional water distribution
lines and/or pump system to be installed to draw water from the exist-
ing golf course irrigation system and supply a drip irrigation system
on I-90 highway slopes that receive landscape tree plantings.
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
one years (minimum 1 year).

* Standard Season of Use

RECORDED
SEP 17 1992

SEP 17 1966

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. See attached Plan Sheet.

[illegible]

MICROFILMED

SEP 17 1992

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

on for permit to appropriate the public waters of
Idaho Transportation Department
Harry A. Wolf P.E., ADE
(Applicant)
Harry A. Wolf

SEP 17 1992
MICROFILMED

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by _____ Date 2/3/92 Time 3:00 PM Preliminary check by TDK

Fee \$ 30.00 Received by _____ # N 5179 Date 2/3/92

Publication prepared by _____ Date 2/12/92 Published in _____ Date 2/22/92

Publication approved by _____ Date 3/3/92



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 20, 1996

HAGADONE HOSPITALITY CO
CALLER 6200
COEUR D ALENE ID 838141937

RE: WATER RIGHT NO. 95-08737

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
FEB 26 1996

FEB 26 1996



TRANSPORTATION DEPARTMENT
DISTRICT 1 • 600 W. PRAIRIE • COEUR D'ALENE, ID • 83814-8764 • (208) 772-1200

RECEIVED

FEB 12 1996

Department of Water Resources

B-71

February 7, 1996

Brenda Chapman
DWR-Water Management
1301 N Orchard St
Statehouse Mail
Boise ID 83706-2237

Dear Brenda:

Enclosed is the "Assignment of Permit" form you recently provided. It has been completed, signed, and notarized.

Thank you for your assistance in this matter.

Sincerely,

L.A. WOLF, P.E.
Assistant District Engineer

LAW:gv
Enclosure

RECEIVED
FEB 26 1996

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE										
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac									
L9508737	T50N R03W S19	COEUR D ALENE LAKE																																
	:			0		03				:								:						06-0	05-01		:	4						
9504356	FERNAN LAK :		01							:								:										:	1					
9507522	FERNAN LAK :		01							:								:										:	1					
9507890	GROUNDWATE :									:								:						06-02				:	2					
9508593	COEUR D AL :					20				:	38			25		37		:								15		:	140					
L9508593	COEUR D AL :					20				:	38			03-25		04-37		:								05-15		:	140					
9508737	COEUR D AL :			0		03				:								:							06-0	05-01		:	4					

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08737

DATE 1-29-96



NAME

Change OK ☒

Or Address Change? ☒

PRIORITY DATE

Assignment revised Corrected address + name

Advance? ☒ Advanced to:

Order to reinstate needed?

Incorrect fee for rate recommended?

SOURCE

Changes or just clarification of originally intended source?

Notice of Intent to Void necessary?

POINT OF DIV

Amendment needed? ☒

Overlaps? 95-08593 @ 2.48 CFS

PLACE OF USE

Amendment needed? ☒

Overlaps?

DIV RATE

Permit/fee limits: .02 CFS (5.5 acres)

Meas Q = Theo Q = Recommend: .02

(from 95-08593) 1.02 @ 2.89 CFS

Combined rates exceed capacity YES

ANNUAL VOLUME

Volume Limit: Season: 03.0 (3-15 to 11-15)

Calculations: 5.5 acres x 3 = 16.5 af

241 days x 3000 gal/day = 738,000 gal = 2.3 af

Flow limit: .02 cfs x 246 x 1.9835 = 4.7

Combined volumes exceed capacity/allowable

USES

Change in Nature of Use or additional uses? ☒

Amendment necessary?

ADDITIONAL INFO

Replaces Surface Water 050 Supplemental GW

Irr/Dom Combination WB5 PPU Recommendation

Boise River/Wood River Source Aes/Rec Uses W38

NEW REMARKS

Multiple p/d(s) in 1/4 1/4

Other W38 (95-08593) + CORRECTED W41

NEW CONDITIONS

WM Control- District Meas/Lock Devices

R29 Irrigation Overlap

Other

Water Quality Heat/Cool/Fish verified

COMMENTS: Volume limited by drip system application system.

RECOMMENDATION

CFS

VOLUME

SRBA Claim Filed

NA

Irrigation

.02

2.3

Adjustment Memo Needed

YES

LICENSE

✓

1ST AMEND LETTER

2ND AMEND LETTER

MEMORANDUM

TO: File 95-08737 / Hegadone Hospitality Co.
FROM: Brenda Chapman
DATE: February 14, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 95-08737 are based on the information below:

F. FLOW CALCULATIONS

The drip irrigation system for this water right is tied into the Coeur d' Alene Golf Course's irrigation system. Per telephone conversation with the maintenance supervisor for the Coeur d' Alene Golf Course, the 3 main pumps pump from a level of 5.75'. The 10 hp booster pump is surface level in the pumping station and kicks in when the water is being pumped up hill. The drip system has 5 stations, with each running an hour twice a day, for a system total of 10 hrs per day. It is set for 2 gallons per day for each of the 1,500 trees covered. He said they pump at 120 psi.

$$\frac{8.8 \times .7 \times 140 \text{ hp (all 4 pumps)}}{21' + (2.31 \times 120 \text{ psi})} = 2.89 \text{ cfs}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.02	2.3

The volume has been reduced based on 3000 gallons per day for the 246 day season of use.

FEB 26 1996

DEC 14 1994

Department of Water Resources

State of Idaho

1. Owner: Department of Transportation Phone No. (208) 772-1200

Current Address: 600 W Prairie Ave. Coeur D'Alene, ID 83814

2. Accompanied by: Gus Foulk EXAM DATE: 9/12/94

Address: Same Phone No. Same

Relationship to Permit Holder: Worker

3. Source: Coeur D'Alene Lake tributary to Spokane River

1. Other water rights with the same place of use: 95-07890, 95-08593

2. Other water rights with the same point of diversion: _____

1. Point(s) of Diversion:

[illegible]

Indicate Method of Determination U.S.G.S. Topo.

[illegible]

* SEE AS-BUILT PLANS.

Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	5	SPM3212	Coulds	1 1/2"

D. FLOW MEASUREMENTS

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements:

Name

E. NARRATIVE/REMARKS/COMMENTS

Drip Irrigation system cycles once a day for 60 min. rotating 5 sections.

The irrigation is for 1,500 trees along both sides of the highway

Have conditions of permit approval been met? ☒ yes ☐ no

FEB 26 1986

F. FLOW CALCULATIONS

Measured Method:

None

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5.5 \times 3.5 = 19.25$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 245 \times 1.9835 = 9.72$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 9.72$$

2. Volume Calculations for Other Uses:

None

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Irrigation

Period of Use
From 03-15
To 11-15

Rate of Diversion
Q (cfs)
.02

Annual Volume
V (afa)
9.72

Totals:

2. Recommended Amendments

☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☒ None
☐ Change P.U. as reflected above
☐ Add P.U. as reflected above
☐ Other

I. AUTHENTICATION

Field Examiner's Name

Don M. Kuntz

Date

9/14/94

Reviewer

Date


SEAL

* SEE adjustment memo. BS

FEB 2 8 1996



50N 3W 19



#95-08737

Pump & Motor




Drip Irr.
System to
each tree



Irr.

← trees



12/1/84
12/1/84

November 6, 1992

STATE OF IDAHO
DEPT OF TRANSPORTATION
DIVISION OF HIGHWAYS
600 W PRAIRIE AVE
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08737

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.


If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

6-4181001



RECEIVED
NOV 02 1992

Department of Water Resources

TRANSPORTATION DEPARTMENT
DISTRICT 1 - 600 W. PRAIRIE - COEUR D'ALENE, ID - 83814-8764 - 208/772-1200

October 28, 1992

Idaho Department of Water Resources
1301 N. Orchard Street
Statehouse Mail
Boise, ID 83720-9000

RE: PERMIT NO. 95-08737, PROOF OF BENEFICIAL USE
PERMITTEE: IDAHO TRANSPORTATION DEPARTMENT

Ladies and Gentlemen:

In reference to the captioned Permit to Appropriate Water, enclosed please find our submittal of Form 217, Proof of Beneficial Use, along with our check payment in the amount of \$50.00 to cover the required license examination fee.

This information and fee payment are being submitted subsequent to the development of the planned irrigation system.

Please advise if additional information is needed.

Sincerely,

LARRY A. WOLF, P.E.
Assistant District Engineer

LAW:dg
Enclosures

NOV 02 1992
COEUR D'ALENE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 11, 1992

STATE OF IDAHO
DEPT OF TRANSPORTATION
DIVISION OF HIGHWAYS
PO BOX 7129
BOISE ID 83720

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08737

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

BRENDA L. MILLER
Technical Records Specialist

BLM:cz

Enclosures

RECEIVED
SEP 17 1992

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, } ss.
County of Kootenai,

Julie Jacobs being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular Thus issue of said newspaper for 2 consecutive weeks commencing on the 20th day of February, 1992, and ending on the 27th day of February, 1992, and such publication was made as often during said period as said Daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Julie Jacobs

Subscribed and sworn to before me this 27th day of February, 1992.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:
95-08737

STATE OF IDAHO
DEPT OF TRANSPORTATION
DIVN OF HIGHWAYS
PO BOX 7129
BOISE, ID 83720
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: Lot 5 Sec 19 T 50N R 03W in KOOTENAI County.
Use: IRRIGATION (020 CFS)
Total Diversion: (020 CFS)

Dated Filed: 2/3/1992
In: KOOTENAI County
T50N R03W S19 NWNE SWNE Lot 6 (NESE) Lot 5 (NWSE)
5.5 ACRES TOTAL
96-08684

RUSSELL WATER ASSN
PO BOX 476
ATHOL, ID 83801
Source: GROUNDWATER
Diversion Pt: SWSWNW Sec 10 T 53N R 03W in KOOTENAI County.
Use: IRRIGATION (1.000 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.180 CFS)
Total Diversion: (1.000 CFS)

Date Filed: 2/6/1992
In: KOOTENAI County
T53N R03W S10 NENW SWNW SENW
50.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before MARCH 9, 1992.

R. KEITH HIGGINSON, Director

Legal 61
Feb. 20, 27, 1992

10 W R

RECEIVED

SEP 17 1992

2-3-93

95-08737

STATE OF IDAHO
DEPT OF TRANSPORTATION
DIVN OF HIGHWAYS
PO BOX 7129
BOISE, ID 83720

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 5 () Sec 19 T 50N R 03W in KOOTENAI County.

Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 2/ 3/1992

In: KOOTENAI County
T50N R03W S19 NWNE SWNE Lot 6 (NESE) Lot 5 (NWSE)

5.5 ACRES TOTAL

RECORDED
INDEXED
FEB 17 1992

February 5, 1992

IDAHO DEPARTMENT OF TRANSPORTATION
600 WEST PRAIRIE AVE
COEUR D ALENE ID 83814

Re: Water Appropriation Application # 95-8737

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho, as well as the required appropriation filing fee, for which your Receipt is enclosed. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.


If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

Enc: Receipt

RECEIVED
FEB 17 1992



TRANSPORTATION DEPARTMENT
DISTRICT 1 • 600 W. PRAIRIE • COEUR D'ALENE, ID • 83814-8764 • 208/664-8181



January 30, 1992

Idaho Department of Water Resources
1910 Northwest Blvd., Suite 210
Coeur d'Alene, ID 83814

RE: APPLICATION FOR PERMIT - IRRIGATION WATER
PROJECT IR-ID-I-90-1(138)14
SHERMAN AVENUE - HILLTOP I.C., KEY NO. 2601

Gentlemen:

Enclosed is our Application for Permit for irrigation water on the captioned project along with our check payment in the amount of \$30.00 to cover the required application fee.

Please advise if additional information is required.

Sincerely,

LARRY A. WOLF, P.E.
Assistant District Engineer

LAW:dg
Enclosures

RECEIVED
FEB 17 1992