






JOHN HATROCK'S
HOUSE & WELL

MICROFILMED

JAN 21 1994



JOHN HATROCK'S
BARN.



SECOND WELL IS
NEAR THE OTHER
SIDE OF THE BARN.

JOHN HATROCK'S
HOUSE



PERMIT # 95-08733

RECEIVED

JAN 21 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08733

Priority: December 20, 1991

Maximum Diversion Rate:
Maximum Diversion Volume:

0.04 CFS
1.8 AF

This is to certify, that JOHN HATROCK JR
BEVERLY HATROCK

4900 MULLAN TRAIL RD
COEUR D'ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 20, 1991; and has submitted Proof of Beneficial Use on February 16, 1993. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW, Sec. 21, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 03W 21


SWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Two points of diversion are located within SWSW, T50N, R03W, S21.
6. Domestic use is for 1 home which also includes a bed and breakfast inn.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6TH day of DECEMBER, 1993.

Acting for


R. Keith Higginson, Director

JAN 21 1994

RECEIVED

FEB 16 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$

Date

Receipt No.

Receipt by

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08733 Telephone No. 208-6674900
2. Name(s) of Permit Holder(s): John HATROCK JR BEVERLY HATROCK
3. Mailing Address: 4900 Mallon Trail Rd. CDA ID 83814
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Aqua DRILLING Date Drilled: 11-20-91

OPTIONAL:

Pump horsepower: 3/4 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 42 (No. of households) Stockwater _____ (No. and type of stock)
Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 0 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name John HATROCK Telephone No. 208-6674900
Address 4900 Mallon Trail Rd CDA ID 83814

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2-1-93
Date

John Hatrock, Jr. Owner
Signature (and title, if on behalf of a company or organization)

MAY 24 1993

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

LICENSE EXAMINATION FEE SCHEDULE

(C.F.S. = cubic feet per second AF = acre feet)

cfs	af	Fee
0 - 0.20	0 - 20	50.00*
.21 - 1.00	21 - 100	100.00
1.01 - 2.00	101 - 200	125.00
2.01 - 3.00	201 - 300	150.00
3.01 - 4.00	301 - 400	175.00
4.01 - 5.00	401 - 500	200.00
5.01 - 6.00	501 - 600	225.00
6.01 - 7.00	601 - 700	250.00
7.01 - 8.00	701 - 800	275.00
8.01 - 9.00	801 - 900	300.00
9.01 - 10.00	901 - 1000	325.00
10.01 - 11.00	1001 - 1100	350.00
11.01 - 12.00	1101 - 1200	375.00
12.01 - 13.00	1201 - 1300	400.00
13.01 - 14.00	1301 - 1400	425.00
14.01 - 15.00	1401 - 1500	450.00
15.01 - 16.00	1501 - 1600	475.00
16.01 - 17.00	1601 - 1700	500.00
17.01 - 18.00	1701 - 1800	525.00
18.01 - 19.00	1801 - 1900	550.00
19.01 - 20.00	1901 - 2000	575.00
19.01 - 20.00	1901 - 2000	575.00
20.01 - over	2001 - over	600.00

Checks should be made payable to the
Department of Water Resources

*A license examination fee is not required in connection with permits which use a ground water source AND have a total rate of diversion of 0.04 cfs or less. A fee also is not required in connection with permits to store water where the total volume stored is 4.0 AF per annum or less.

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08733

Proposed Priority: December 20, 1991 Maximum Diversion Rate: 0.04 CFS

This is to certify, that JOHN HATROCK JR
BEVERLY HATROCK
715 E LAKESIDE AVE
COEUR D ALENE ID 83814

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSW , Sec. 21, Township 50N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

50N 03W 21 SWSW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1993.
2. Subject to all prior water rights.
3. Two points of diversion located in SWSW, T50N, R03W, S21.
4. Domestic use is for 1 home and 1 bed and breakfast inn.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

18th day of March, 1992

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED
MAY 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant JOHN OR BEVERLY HATROCK, JR Phone 765-5930
Post office address 715 E. LAKESIDE, COEUR D'ALENE, ID 83814
2. Source of water supply GROUND WATER which is a tributary of _____
2 POINTS
3. Location of point of diversion is _____ 1/4 of SW 1/4 of SW 1/4, Govt. Lot _____
Sec. 21 Township 50N Range 3W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 2 WELLS 301' 6 602'
EXISTING WELLS
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 301' 6 602' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECEIVED
MAY 22 1992

CONFIDENTIAL

281 - N-12-96

DRILLING PERMITS - 95-91-N-182,

12. Remarks:

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion?

APPENDIX

10. Describe any other water rights used for the same purposes as described above.

None

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

95-8733

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

21

T-50W

P.D.

6

P.O.

R-3W

MAY 22 1982

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John H. Hark Jr.
(Applicant)

MAY 22 1992
MICROFILMED

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

_____, 19____

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved _____

Date _____

11/14/92

Publication prepared by _____

Date _____

12/24/91

Published in _____

1/22/92

Fee \$ _____

30.00

Received by _____

Date _____

12/20/91

Preliminary check by _____

8:30

12/20/91

Green & Allen



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 7, 1993

JOHN HATROCK JR
BEVERLY HATROCK
4900 MULLAN TRAIL RD
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08733

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

JAN 21 1994

WR0749NP
No. L95-08733

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/29/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOHN HATROCK JR	12/20/1991	DOMESTIC	01-01 12-31	0.04 CFS	1.8 AFA
C	BEVERLY HATROCK					
	4900 MULLAN TRAIL RD					
	COEUR D ALENE ID 83814					
	(208) 667-4900					
				TOTAL DIVERSION:	0.04 CFS	1.8 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T50N R03W S21 SW SW

Place of use Legal Description for: DOMESTIC

	NE				NW				SW				SE			
	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE
T R S	: Lt	Ac	: Lt	Ac	: Lt	Ac	: Lt	Ac	: Lt	Ac	: Lt	Ac	: Lt	Ac	: Lt	Ac
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
50N 03W 21	:		:		:		:		:		:		:		:	

Pou County: KOOTENAI

Other Water Rights Listing Overlapping Place(s) of use:
95-08170

Remarks: Two points of diversion are located within SWSW, T50N, R03W, S21.
Domestic use is for 1 home which also includes a bed and breakfast inn.

Dates:	App. Received:	12/20/1991	Priority Date:	12/20/1991
	Proof Due Date:	04/01/1993	Proof Made Date:	02/16/1993
	Exam Made Date:	06/22/1993	Exam Sent to S.O.:	10/27/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Comments: Date: 12/23/1991 User-ID: STYPA Subject: 2 Diversion Points.
Two diversion points in SWSW, S21, T50N, R03W.

Audit: 11/29/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 95-8733 Date 11-24-93 Brenda Chapman

NAME	Yes ☐ No ☒	Or Address Change?
PRIORITY DATE	☐ ☒	Advance? <u> </u> Memo to Advance <u> </u>
	☐ ☒	Order to Reinstate Needed?
	<u>-NA-</u> ☒	Incorrect Fee for rate recommended?
SOURCE	☐ ☒	Changes? Clarification of Originally Intended source <u> </u>
	☐ ☒	Notice of Intent to Void - Source change.
P/D	☐ ☒	Amendment Needed? <u> </u>
	☐ ☒	Overlap(s) <u> </u>
P/U	☐ ☒	Amendment Needed? <u> </u>
	☐ ☒	Overlap(s) <u> </u>
TOTAL CFS	<u>-NA-</u>	Disagree/Measurement <u>None Done</u>
	☐ ☒	Theoretical 8.8 x .70 x
	☐ ☒	+ 2.31 x
	☐ ☒	Capacity <u>.04</u>
	☐ ☒	Allowable Amount: <u>.04</u>
TOTAL VOLUME	☐ ☒	Disagree with Examiner's Calculations?
	☐ ☒	<u>allow more because of bed +</u>
	☐ ☒	<u>break fast inn in home.</u>
	☐ ☒	<u>1.8 + .6 = 1.8</u>
	☐ ☒	Flow limit: <u>.04</u> x 365 x 1.9835 = <u>29</u>
	☐ ☒	Season <u> </u>
USES	☐ ☒	Change(s) in Nature of Use? <u> </u>
	☐ ☒	Amendment Needed? <u> </u>
REMARKS	☒ ☒	Multiple P/Ds in 1/4 1/4? <u> </u>
	☐ ☒	Special Overlap <u> </u>
	☐ ☒	Other <u> </u>
CONDITIONS	☐ ☒	Measuring/Locking Devices
	☐ ☒	W/Master Control
	☐ ☒	Irrigation Overlap
	☐ ☒	Water Quality
		Water Dist <u> </u>
		<u>12-20-91</u> App Rec'd
		<u>6-22-93</u> Exam Made

COMMENTS:

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Domestic</u>	<u>.04</u>	<u>1.8</u>	☒
<u> </u>	<u> </u>	<u> </u>	AMEND <u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 01 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08733

1. Owner: JOHN HAT ROCK JR. Phone No. 667-4900

Current Address: 4900 MULLAN TRAIL RD. Cd. A, Id. 83814

2. Accompanied by: JOHN HAT ROCK JR. EXAM DATE: 6-22-93

Address: SAME Phone No. _____

Relationship to Permit Holder: OWNER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: PERMIT: # 95-08170

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW		21	50N	33	KOOTENAI	U.S.G.S. TOPO. /

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	3W	21											D						

JAN 21 1994

JAN 8 1 1994

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NONE					


•

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

SCHEM 1



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

WATER PUMPED FROM (2) WELLS TO CISTERN,
TO HOUSE. THERE IS ONE HOUSE WITH
A BED AND BREAKFAST ~~RAN~~ OPERATED OUT OF
THE HOME. WATER IS FOR DOMESTIC PURPOSES.

Have conditions of permit approval been met? ☐ yes ☐ no

JAN 21 1994

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

DOMESTIC

Period of Use

From 1-1 To 12-31

Rate of Diversion

Q (cfs) 0.04

Annual Volume

V (afa) 1.8

2. Recommended Amendments

☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

☐ Add P.D. as reflected above
☒ None
☐ Add P.U. as reflected above
☐ Other

I. AUTHENTICATION

Field Examiner's Name

Don M. Kunz


Date

6-22-93

Reviewer

Date

SEAL





JOHN HATROCK'S
HOUSE & WELL

MASSACHUSETTS

JAN 21 1994



JOHN HATROCK'S
BARN.



SECOND WELL IS
NEAR THE OTHER
SIDE OF THE BARN.

JOHN HATROCK'S
HOUSE



PERMIT # 95-08733

JAN 21 1994

February 19, 1993

BEVERLY HATROCK
JOHN HATROCK JR
4900 MULLAN TRAIL RD
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08733

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAY 24 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08733

Reviewed by KLg

Date 2/17/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

domestic - 2
yes Correct Uses?

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 95-91-N-0187 ⁰¹⁸²

33 Amount paid for permit yes Correct?

data Well log in the file?

LICENSE EXAMINATION FEE

NA Required?
/ Amount Submitted
/ Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address 4900 Mullan Trail Rd

Proof Made 2/16/93

2/19/93 KLg

RECEIVED
NOV 29 1991State of Idaho
Department of Water Resources

VERBAL: 95-91-N-182

Department of Water Resources

APPLICATION FOR DRILLING PERMIT1. Applicant (please print) John Hatrock (1st well)

2. Mailing Address _____

Telephone _____

☒ Well Owner () Well Operator () Other, specify _____

3. Proposed well location _____ 1/4 _____ 1/4, or Gov't Lot No. _____

Sec. 21, Twp. 50N, Rge. 3W, County Kootenai

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purposes in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

() Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9B. Proposed Surface Diameter 6" Proposed Maximum Depth ?

C. Anticipated bottom hole temperature:

- ☒
- 85°F or less (Ordinary water well)
-
- () 85°F to 212°F (Low temp. geothermal well)
-
- () 212° or more (Geothermal well)

6. Construction Start Date November 11, 19917. Anticipated Well Driller Aqua Drilling & Exploration, Inc., by/Scott N Braun, President
NOTE: The actual well driller must be identified prior to drilling.8. Applicant's signature Scott N Braun Date _____Title Driller

(Owner, Firm Representative, Other)

RECEIVED
NOV 24 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is approved

Date

11/25/91 (verbal 11/13/91)

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Robert D. Haynes

Signature of Authorized Department Representative

REGIONAL SUPERVISOR

Title

Receipt No.

N5052

Received by

[Signature]

Fee

\$500

Date

11/25/91

EXTENSION OF DRILLING PERMIT

Extended by

Approval Date

MAY 24 1993

This extension is good for 60 days beyond the above extension approval date.

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08733

Reviewed by RLG

Date 2/17/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

domestic - 2
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 95-91-N-0187 ⁰¹⁸²

33 Amount paid for permit yes Correct?

data Well log in the file?

LICENSE EXAMINATION FEE

NA Required?
/ Amount Submitted
/ Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address 4900 Mullan Trail Rd

Proof Made 2/16/93

2/19/93 RLG

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
95-91-N-0182-000	0	JOHN HATROCK COEUR D'ALENE, ID	50N	03W	21			KOOTENAI

Subdivision Location and Description:
Subdivision Name:
Well Site Address:
City, State:

Geographic Location:
Accuracy Code:
Lat: : : N
Long: : : W

Proposed Use of Well: Domestic
Proposed Casing Diameter: In.
Proposed Depth: Ft.

Well Use Comments:
Driller License No: 0163
Firm Name: AQUA DRILLING & EXPLORATION INC
Official: SCOTT W BRAUN

Permit Status:
Verbal Issue Date:
Date Received:
Date Approved:
Proposed Start Date:
Extension Date:
Extension Expiration:

Receipt No. Receipt Date Fee

Permit Remarks:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 95-91-N-0182-000
Water Right No:
Injection Permit No:

Nature of Work: NEW WELL
Construction Method: ROTARY & AIR
Number of Monitor Wells:

Casing Diameter: 6 In.
Depth of Casing: 40 Ft.
Total Depth: 602 Ft.
Production Rate: 1.00 GPM
Screen Installed?

Actual Start Date: 11/12/1991
Well Finish Date: 11/16/1991
Log Received Date: 11/27/1991
Certification Date:

Well Log Remarks:
Field Inspection Date:
Inspector:

RECEIVED
MAY 24 1993

VERBAL: 95-91-N-187

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) John Hatrock (2nd Well)
2. Mailing Address _____

Telephone _____
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location _____ 1/4 _____ 1/4, or Gov't Lot No. _____
Sec. 21, Twp. 50N, Rge. 3W, County Kootenai
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
- ☒ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purposes in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- () Non-Domestic: Any beneficial use not included within the definition of domestic.
- () Injection
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
- A. ☒ New well () Deepen () Replace - See Condition 9
- B. Proposed Surface Diameter 6" Proposed Maximum Depth ?
- C. Anticipated bottom hole temperature:
- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date November 19, 1991
7. Anticipated Well Driller Agua Drilling & Exploration, Inc., by Scott N Braun/President
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Scott N Braun Date MICROFILMED
Title Driller
(Owner, Firm Representative, Other)

MAY 24 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is approved

Date 11/25/91 (revised 11/19/91)

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

REGIONAL SUPERVISOR

Robert L. Haynes

Signature of Authorized Department Representative

Title

Receipt No. 15852 Received by [signature] Fee \$5.00 Date 11/25/91

RECEIVED

EXTENSION OF DRILLING PERMIT

MAY 24 1993

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

PERMIT NUMBER	OWNER CODE	NAME & ADDRESS	TWP	RGE	SEC	TRACT	LOT	COUNTY
95-91-N-0187-000	0	JOHN HATROCK COEUR D'ALENE, ID	50N	03W	21			KOOTENAI

Subdivision Location and Description:
Subdivision Name:
Well Site Address:
City, State:

Geographic Location:
Accuracy Code:
Lat: : N
Long: : W

Proposed Use of Well: Domestic
Proposed Casing Diameter: In.
Proposed Depth: Ft.

Well Use Comments:

Driller License No: 0163
Firm Name: AQUA DRILLING & EXPLORATION INC
Official: SCOTT N BRAUN

Permit Status:

Verbal Issue Date:	Date Received:	Date Approved:	Proposed Start Date:	Extension Date:	Extension Expiration:	Receipt No.	Receipt Date	Fee

Permit Remarks:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 95-91-N-0187-000
Water Right No:
Injection Permit No:

Nature of Work: NEW WELL
Construction Method: ROTARY & AIR
Number of Monitor Wells:

Casing Diameter:	In.	Static Water Level:	50	Ft.	Actual Start Date:	11/19/1991
Depth of Casing:	19	Temperature:		F.	Well Finish Date:	11/20/1991
Total Depth:	301	Production Rate:	1.00	GPM	Log Received Date:	11/27/1991
Screen Installed?					Certification Date:	

Field Inspection Date: Inspector:

Well Log Remarks:

MAY 24 1993

January 31, 1993

BEVERLY HATROCK
JOHN HATROCK JR
715 E LAKESIDE AVE
COEUR D ALENE ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08733

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MAILED

MAY 24 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 20, 1992

BEVERLY HATROCK
JOHN HATROCK JR
715 E LAKESIDE AVE
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08733

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:clh

Enclosures

RECEIVED

MAY 22 1992

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julio Jacob

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive weeks commencing on the 2nd day of January, 1992, and ending on the 9th day of January, 1992, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this

9th

day of

January

1992

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY

NOTARY PUBLIC EXPIRES 2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08733

HATROCK, BEVERLY
HATROCK JR, JOHN
715 E. LAKESIDE AVE
COEUR D ALENE, ID 83814
Source: GROUNDWATER
Diversión Pt: SWSW Sec 21 T 50N R 03W
in KOOTENAI County.
Use: DOMESTIC (040 CFS)
TOTAL DIVERSION: (040 CFS)

Date Filed: 12/20/1991
In: KOOTENAI County
T50N R03W S21 SWSW
95-08734

HATROCK, BEVERLY
HATROCK JR, JOHN
715 E. LAKESIDE AVE
COEUR D ALENE, ID 83814
Source: UNNAMED STREAM
Tributary: COEUR D ALENE LAKE
Diversión Pt: SWSW Sec 21 T 50N R 03W
in KOOTENAI County.
Use: IRRIGATION STORAGE (1.00 AF)
IRRIGATION FROM STORAGE (1.00 AF)
FIRE PROTECTION STORAGE (1.00 AF)
FIRE PROTECT. FROM STOR (1.00 AF)
Total Diversion: (1.00 AF)

Date Filed: 12/20/1991
In: KOOTENAI County
T50N R03W S21 SWSW
15.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before JANUARY 21, 1992.

R. KEITH HIGGINSON, Director

Legal 864

Jan. 2, 9, 1992

RECEIVED

JAN 13 1992

NORTHERN REGION

IDWR

MAY 22 1992

95-08733

HATROCK, BEVERLY
HATROCK JR, JOHN
715 E LAKESIDE AVE
COEUR D ALENE, ID 83814

Source: GROUNDWATER

Diversion Pt: SWSW Sec 21 T 50N R 03W in KOOTENAI County.

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 12/20/1991

In: KOOTENAI County
T50N R03W S21 SWSW

RECORDED

MAY 22 1992