


T51N R3W



Clarksville

Clark Point

The Clark House

Windy Point

O'Rourke Bay

Yellowstone Point 15

ELEVATION 2238 JULY 1958

MICROFILMED
MAR 06 1992

HAYDEN

LAKE

English Point

Evernade Point

Harris Landing

Rockaway Beach

Chicken Point

Lees Point

McLeans Bay

Skinner Bay

5

4

8

9

10

16


18

15

20

22

T51N R3W S16



MICROFILMED
MAR 06 1992

DEC 21 1994

MISSISSIPPI
JAN 3 0 1995

Department of Water Resources

2. Measurements: *ROUTE*

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>ROUTE</i>						


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo


Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<i>GENERAL ELECTRIC</i>	<i>1 HP</i>	<i>WFS</i>	<i>GRUNDOS</i>	<i>PUMP TYPE SS10</i>

4.

Scale: 1" = _____
X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
_____ Aerial Photo Attached (required for irrigation of 10+ acres)
X Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.





REFERENCED
NW CORNER

51N 3W S16

DEC 21 1994

SCALE 1:24 000





4 3 2 1 EAST
4000 4000 4000 4000
80 80
Sec. 5.
640.00

Previous Survey by
J.D. Robinson 1890
Sec. 4.
80.00

Sec. 3.
4170
316.86
49.33
22.00
53.19
38.92
38.70
39.96
43.90
Sec. 10.
150.06

Sec. 8.
631.54

Sec. 9.
533.88
47.90
31.93

Sec. 17.
159.01

Sec. 16.
123.37

HAYDEN'S

LAKE

DEC 21 1994

51N3W16

Sec. 20.
405.47

Sec. 15.
252.49
25.77
38.33
52.93
23.37
20.80
21.84
53.54
26.38
39.93

Sec. 14.
27.41
35.16
34.4
33.32
35.93
37.29

95-08729
MR. GRAY'S
HOME.

← P.U.



MR. GRAY'S
PUMP HOUSE



MR. GRAY'S
PUMP HOUSE
&
BACKVIEW OF
HOUSE



DEC 21 1994



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08729

Priority: November 18, 1991

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that DAVID J GRAY

6070 ENGLISH PT RD

HAYDEN LAKE ID 83835

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 18, 1991; and has submitted Proof of Beneficial Use on August 26, 1992. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

HAYDEN LAKE

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NWNE), Sec. 16, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 03W 16 Lot 1(NWNE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 95A.
6. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
7. Place of use is located within Lot 9, Block B, English Point Building Sites.
8. Domestic use is for 1 home.


1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 95-08729

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th
day of NOVEMBER, 1994.


Acting for R. Keith Higginson, Director



NOV 29 1994



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08729 Telephone No. 772-4497
2. Name(s) of Permit Holder(s): David J. Gray
3. Post Office Address: 6070 E. English Point Rd. Hayden Lake, Id 83835
4. Source of Water: Hayden Lake
 - a. If ground water, well driller's name: _____ Date drilled: _____
 - b. Pump horsepower: 1 Pressure (psi): 60 Dynamic pumping level (ft.): _____
5. Extent of Use:


Domestic <u>1</u> ~~4~~ (No. of households)	Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock)	Other <u>4 / guest house</u>
6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? <u>Yes</u> ~~No~~	Installed? <u>Yes</u> ~~No~~
OR		
Flow Measurement Port:	Required? <u>Yes</u> ~~No~~	Installed? <u>Yes</u> ~~No~~
8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

<u>Richard Blina</u>	<u>772-6701</u>
Name	Telephone No.
<u>5990 Mc Mahon Rd Hayden Lake, Id 83835</u>	
Address	
10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

8-21-92
Date

David J. Gray
Signature (and title if on behalf of a company or organization)



SEP 17 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08729

Proposed Priority: November 18, 1991 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **DAVID J GRAY**
6070 ENGLISH PT RD
HAYDEN LAKE ID 83835

has applied for a permit to appropriate water from:

HAYDEN LAKE tributary of **SINKS**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NWNE), Sec. 16, Township 51N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC


51N 03W 16 Lot 1(NWNE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1993**.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 95A.
4. A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion prior to diversion of water under this right.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 1 home.
7. Place of use located within Lot 9, Block B, English Point Building Sites.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of February, 1992

for 
R. Keith Higginson, Director

FILED
MAR 06 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant David J Gray Phone 772-4497
Post office address 6070 English Pt Rd Hayden Lake ID 83835
2. Source of water supply Hayden Lake which is a tributary of sinks
3. Location of point of diversion is _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot 6 L 1
Sec. 16 Township 5 N Range 3 W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. pump & pipeline
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MAR 06 1992

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____


d. Domestic; show number of households. _____

e. Other; describe fully. _____


9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.



T51N R3W S16



MADE 06 1982

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David O. Gray
(Applicant)

(Applicant

MAR 06 1992

RECORDED

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by RMH Date 11/18/91 Time 3:45
Fee \$ 3000
Received by RMH # N5044 Date 11/18/91
Published in 12/5+10/91 Date 11/27/91
Publication prepared by RMH Date 11/27/91
Publication approved RMH Date 12/12/91



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 29, 1994

DAVID J GRAY
6070 ENGLISH PT RD
HAYDEN LAKE ID 83835

RE: WATER RIGHT NO. 95-08729

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

DEC 21 1994

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08729 DATE 10-28-94



NAME	Yes	No	☒	Or Address Change?
PRIORITY DATE			☒	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE			☒	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV			☒	Amendment needed? <u> </u>
			☒	Overlaps? <u> </u>
PLACE OF USE			☒	Amendment needed? <u> </u>
			☒	Overlaps? <u> </u>
DIV RATE			☒	Permit/fee limits: <u>.04 CFS</u> Meas Q = <u> </u> Theo Q = <u> </u> Recommend: <u>.04</u> <u>Standard domestic @ .04</u> Combined rates exceed capacity <u> </u>
ANNUAL VOLUME			☒	Season of use: <u>(1-1 to 12-31)</u> Calculations: <u>Standard @ 1.2</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES			☒	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
REMARKS			☒	Multiple p/d(s) in 1/4 1/4? <u> </u>
			☒	Other <u> </u>
CONDITIONS	<u>R02</u>		☒	Measuring <u>(Locking)</u> Devices
	<u>R04</u>		☒	Watermaster control - District <u>95A</u>
			☒	Irrigation Overlap
			☒	Water Quality
			☒	Other <u> </u> Heat/Cool/ Fish verified <u> </u>

COMMENTS:

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NA</u>
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>	Adjustment Memo Needed	<u>NO</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMENDMENT LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	FINAL AMENDMENT LETTER	<u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 30 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08729

1. Owner: DAVID J. GRAY Phone No. (208) 772-4497

Current Address: 6070 ENGLISH PT. RD. HAYDEN LAKE, ID. 83835

2. Accompanied by: MR. GRAY EXAM DATE: 7-8-93

Address: SAME Phone No. SAME

Relationship to Permit Holder: OWNER

3. Source: HAYDEN LAKE tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	01		NW	NE	16	SIN	3W	KOOTENAI	U.S.G.S. TOPO, METSKER

2. Place(s) of Use:


Indicate Method of Determination U.S.G.S. TOPO, METSKER

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
SIN	3W	16		OLD															

DEC 8 1994

(BC)

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

X Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GENERAL ELECTRIC	1/2 HP	WFS	GRUNDOS	PUMP TYPE SS10

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements:

None

E. NARRATIVE/REMARKS/COMMENTS

SYSTEM IS COMPLETE AND IN USE.

Have conditions of permit approval been met? ☒ yes ☐ no

DEC 21 1994

SEAL

Review

Date _____

Field Examiner's Name _____

Don M. Kuz Date 8-18-93

1. AUTHENTICATION

Change P.D. as reflected above

Change P.U. as reflected above

☒ None	☐ Add P.D. as reflected above
☐ Other	☐ Add P.U. as reflected above

2. Recommended Amendments

Beneficial Use

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

ANON

$V =$ Smaller of $V_{I.R.}$ and $V_{D.R.} =$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$
$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:


ANOSN

2 NON

Measured Method:

F. FLOW CALCULATIONS


Additional Computation Sheets Attached



Edited, and published by the Geological Survey

SGS and NOS/NOAA

SCALE 1:24 000



4000 4000 4000 4000

Sec. 5.
640.00

Previous Survey in

Sec. 4.

1890

Sec. 13.
631.54

Sec. 9.
533.48

Sec. 10.
150.06

Sec. 17.
153.01

Sec. 16.
123.07

HAYDEN'S

LAKE

Sec. 10.
405.47

Dec 21 1894

51 N 3 W 16

95-08729
MR. GRAY'S
HOME.

← P.U.

MR. GRAY'S
PUMP HOUSE

←

MR. GRAY'S
PUMP HOUSE
&
BACK VIEW OF
HOUSE

←

REC-21-1934

September 4, 1992

DAVID J GRAY
6070 ENGLISH PT RD
HAYDEN LAKE ID 83835

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08729

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

SEP 17 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 3, 1992

DAVID J GRAY
6070 ENGLISH PT RD
HAYDEN LAKE ID 83835

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08729

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a lockable device that will provide the watermaster control on your diversion.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:clh

Enclosures

Copy sent to Idaho Dept of Lands, Boise

MAR 06 1992

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julio Jacobs

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thus* issue of said newspaper for *2* consecutive *weeks* commencing on the *5th* day of *December*, 19*91*, and ending on the *12th* day of *December*, 19*91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julio Jacobs

Subscribed and sworn to before me this *12th* day of *December*, 19*91*.

RECORDED

MAR 06 1992

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires *9-3-93*

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08729

GRAY, DAVID
6070 ENGLISH PT RD
HAYDEN LAKE, ID 83835
Source: HAYDEN LAKE Tributary:
SINKS
Diversion Pt: LOT 1 (NWNE) Sec 16 T
51N R 03W in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 11/18/1991
In: KOOTENAI County
T51N R03W S16 Lot 1 (NWNE)
95-08730

CONNER, GREGORY S
2724 E. 14TH ST
SPOKANE, WA 99202
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 3 (NESW) Sec 12 T
47N R 04W in KOOTENAI County.
Use: DOMESTIC (040 CFS)
Total Diversion: (040 CFS)
Date Filed: 11/14/1991
In: KOOTENAI County
T47N R04W S12 NESW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before DECEMBER 23, 1991.

R. KEITH HIGGINSON, Director
Legal 758
Dec. 5, 12, 1991

RECEIVED

DEC 17 1991

NORTHERN REGION
IDWR

95-08729

GRAY, DAVID J
6070 ENGLISH PT RD
HAYDEN LAKE, ID 83835

Source: HAYDEN LAKE

Tributary: SINKS

Diversion Pt: LOT 1 (NWNE) Sec 16 T 51N R 03W in KOOTENAI County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 11/18/1991

In: KOOTENAI County
T51N R03W S16 Lot 1(NWNE)

RECORDED

MAR 06 1992

FROM

Pat

DATE

12/13/91

TO

File

SUBJECT

95-8729

Mr. Gray stopped by the office today to let us know that he will not be starting the work on putting in the water system for this Water Right until after July 1, 1992, because the Idaho Department of Lands will probably reduce their encroachment permit fee from \$250 to \$50.

MICROFILMED

MAR 06 1992

SIGNATURE

November 27, 1991

Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 95-8729

Gentlemen:

Enclosed is a recent filing with this Department that may be of interest to your agency.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

Enclosure

MICROFILMED
MAR 06 1992