

RECEIVED

NOV 21 1991

EXISTING MARINA
FENCING ADJACENT
TO DOCKS

25'

18" PERCEPTION SUPPLY LINE CHANNEL


WATER LINE

RIVER
BOTTOM

PUMP UNIT

LOW & HIGH WATER MARKS
ALMOST THE SAME ON
RIVER — 2128 ON LAKE
2132

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEC. 14 TOWNSHIP 50
RANGE 4

Nov 21 1991
[Signature]
Mayor (Applicant)

E. NARRATIVE/REMARKS/COMMENTS



Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 18 1995

E. NAF

2101010106



60 ppi

Have conditions of permit approval been met? ☒ yes ☐ no


MICROFILMED
SEP 18 1995

E. NAF

901012

901012 11/10/12

60 psi



Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 18 1995

23
25 A

R I V E R

1860 A

17-29

7
35 A

3.00	5.00	5.00	5.00
------	------	------	------

14
249 A


4
37.44 Å

6
18.00A

1290

2000	RD 40 H
5.09' 45 E	

95-08716



95-8716
TSDN R04W
COUGAR BAY S14


REDACTED

SEP 18 1995

latest
government lots
original
government lot lines

- P/U boundaries
per Harborview Plaza Map

⊗ P/D



95-8716

T. 50 N. R. 4 W
Sec. 14

RECORDED
SEP 18 1995



95-8716

Waterline
Designated Area

SEP 8 1982

Gov't.
Lot 2


GOV'T. LOT 7

GOV'T. LOT 8

Spokane River

SEAWALL
PUMP

HENNESSEY, INC.



95-8716

EXISTING MARKING
FENCING ADJACENT
TO DOCKS


25'

1 1/2" DIAMETER SUPPLY LINE

WATER LINE

← Piling →

RIVER
BOTTOM →




PUMP UNIT

MICROFILMED

NOV 21 1991

LOW & HIGH WATER MARKS
ALMOST THE SAME ON
RIVER — 2128 ON LAKE
2121



OF SURVEY


ITE OF IDAHO, HEREBY
CTLY REPRESENTS A
MY DIRECTION.



NOV 21 1991

MECKEL ENGINEERING
402 IDAHO AVE
COEUR d'ALENE, ID

SURVEY OF PORTIONS OF LOTS 7
DONED MILITARY RESERVATION, SEC.



Scale: 2 inches equal 1 mile.

UNRECORDED

NOV 21 1991

SEC. 14 TOWNSHIP 50

RANGE 4

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08716

Priority: September 11, 1991

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

7.5 AF

This is to certify, that CITY OF COEUR D ALENE
PO BOX 489

COEUR D ALENE ID 83814-0489 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 11, 1991; and has submitted Proof of Beneficial Use on December 30, 1991. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

SPOKANE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.03 CFS	7.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 7(NENW), Sec. 14, Township 50N, Range 04W
Lot 8(SENW), Sec. 14, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	14	Lot 2(NWNE) 0.1	Lot 7(NWNE) 2.3	Lot 8(SWNE) 0.1	2.5

Total number of acres irrigated: 2.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Single point of diversion located on or near line between Lot 7

SEP 18 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 95-08716

CONDITIONS OF APPROVAL AND REMARKS

(NENW) and Lot 8 (SENW), S14, T50N, R04W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 6th
day of September, 1995.

Norman C Young
KARL J. DREHER, Director



SEP 8 1995

RECEIVED
AUG 30 1995

Department of Water Resources

State of Idaho
Department of Water Resources

RECEIVED
AUG 30 1995

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08716

Date of Priority: September 11, 1991 Maximum Diversion Rate: 0.03 CFS
Maximum Diversion Volume: 7.5 AF

Comes now CITY OF COEUR D ALENE
PO BOX 489
COEUR D ALENE ID 83814-0489 and represents to the Director of the
Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the
State of Idaho No. 95-08716, and requests that the permit be changed as follows:

Source: SPOKANE RIVER tributary to COLUMBIA RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.03 CFS	7.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 7(NENW), Sec. 14, Township 50N, Range 04W
Lot 8(SENW), Sec. 14, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION


<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	04W	14	Lot 2(NWNE) 0.1	Lot 7(NWNE) 2.3	Lot 8(SWNE) 0.1	2.5

Total number of acres irrigated: 2.5

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at 710 Mullen Ave., this 24th day of August, 1995.
Coeur d'Alene, Idaho

RECORDED


(signature)

SEP 18 1995

State of Idaho
Department of Water Resources

RECEIVED

AUG 30 1995

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08716

FOR DEPARTMENT USE ONLY


Preliminary check by _____ Fee = 50.00 Received by JW # C033470 Date 8-30-95

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 95-08716 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Single point of diversion located on or near line between Lot 7 (NENW) and Lot 8 (SENW), S14, T50N, R04W.

Witness my hand this 6TH day of SEPTEMBER, 1995.
Acting for KARL J. DREHER, Director

SEP 18 1995

RECEIVED
DEC 30 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 50.00
Date 12/31/91
Receipt No. 0022793
Received by WCB

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08716 Telephone No. (208) 667-9533

2. Name(s) of Permit Holder(s): CITY OF COEUR D' ALENE, IDAHO

3. Post Office Address: P.O. BOX 489

4. Source of Water: Spokane River, tributary of Columbia River

a. If ground water, well driller's name: N/A Date drilled: N/A

b. Pump horsepower: 1/2 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 2.5 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.05 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

OR
Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Mr. David Beadell (208) 667-9533 ext. 281

Name Telephone No.

710 Mullan Ave. Coeur d' Alene City Hall Coeur d' Alene, ID 83814

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 12-16-91 Signature Kenneth M. Thompson City Administrator
(and title if on behalf of a company or organization)

FEB 12 1992



CITY OF COEUR D'ALENE
"All America City" 1990

WENDY M. HAGUE
ADMINISTRATIVE ASSISTANT

208/769-2323

P.O. Box 489
CITY HALL - 710 MULLAN
COEUR D'ALENE, ID 83814-3958

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08716

Proposed Priority: September 11, 1991 Maximum Diversion Rate: 0.05 CFS

This is to certify, that CITY OF COEUR D ALENE

710 MULLAN AVE

COEUR D ALENE ID 83814

has applied for a permit to appropriate water from:

SPOKANE RIVER

tributary of COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

04/01 to 11/01

0.05 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 7(SENW), Sec. 14, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

50N 04W 14

SWNE 2.5

2.5

Total number of acres irrigated:

2.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 2, 1992.
2. Subject to all prior water rights.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of November, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

NOV 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant The City of Coeur d' Alene Phone (208) 667-9533
Post office address 710 Mullan Avenue Coeur d' Alene, Idaho 83814 Columbia R., - pms9/24/
2. Source of water supply Spokane River which is a tributary of Lake Coeur d' Alene ⁹¹
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot 7
Sec. 14 Township 50N Range 4W B.M. Kootenai County; additional
points of diversion if any: none
4. Water will be used for the following purposes:
Amount .05 cfs for irrigation purposes from April 1 to Oct. 15 (both dates inclusive) ^{11/01 per standard season 08 11-129/}
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .05 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 2 ea. 1/2 H.P. submersible
pumps with 1 1/2" galvanized supply to sprinkled irrigation

b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.
c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
N/A 1 years (minimum 1 year). Diversion construction completed before
city acquired ownership. ^{NOV 2 1991}

NOV 21 1997

NOV 12 1961

NOV 21 1991

EXISTING
WIRING
FENCING
ADJACENT
TO DOCKS

25'


WATERLINE

RIVER
BOTTOM

PUMP UNIT

LOW + HIGH WATER MARKS
ALMOST THE SAME ON
RIVER — 2128 ON LAKE

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEC. 14 TOWNSHIP 50

RANGE 4

NOV 21 1991

[Signature]

Mayor (Applicant)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by _____ Date 2:45 PM Time 9/11/91
Fee \$ 30.00 Received by _____ # N 4880 Date 9/11/91
Publication prepared by _____ Date 9/25/91 Published in 10/30/91
Publication approved _____ Date 10/11/91

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
e. Other: _____

NOV 8 1 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs

being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.


3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive weeks commencing on the 3rd day of October, 1991, and ending on the 10th day of October, 1991, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 10th day of October, 1991.



Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

2-3-93

NOTICE OF APPRECIATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08715
MAC DONALD, DON
PO BOX 2636
HAYDEN, ID 838352636
Source: GROUNDWATER
Diversion Pt: SWNW Sec 24 T 53N R 03W
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 9/23/1991
In: T53N R03W S24 SWNW

95-08716
CITY OF COEUR D' ALENE
710 MULLAN AVE
COEUR D ALENE, ID 83814
Source: SPOKANE RIVER
Tributary: COLUMBIA RIVER
Diversion Pt: LOT 7 (SENW)
Sec 14 T 50N R 04W
Use: IRRIGATION (.050 CFS)
Total Diversion: (.050 CFS)

Date Filed: 9/11/91
In: T50N R04W S14 SWNE
2.5 ACRES TOTAL

95-08717
CRYSTAL SPRINGS RSW INC
PO BOX 2439
COEUR D' ALENE, ID 83814 1918
Source: GROUNDWATER
Diversion Pt: NWNE
Sec 25 T 48N R 05W
Use: IRRIGATION (.100 CFS)
DOMESTIC (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 9/16/1991
In: T48N R05W S25 NWNE
6.0 ACRES TOTAL

95-08718
FOREST SHORES MOUNTAIN
SHADOWS P O C A
C/O JERRY BOYD
W 717 SPRAGUE AVE
1200 SPOKANE, WA 99204
Source: GROUNDWATER
Diversion Pt: LOT 1 (NWNE)
Sec 20 T 48N R 04W
Use: IRRIGATION (.120 CFS)
DOMESTIC (.140 CFS)
Total Diversion: (.140 CFS)

Date Filed: 9/6/1991
In: T48N R04W S20 Lot 1 (NWNE)
Lot 4 (SWNE)
6.0 ACRES TOTAL

95-08719
VANDERLIP, KEN
174 5 STONEBROOK DR
ORANGE, CA 92669
Source: SPRINGS Tributary: SINKS
Diversion Pt: NENWSE
Sec 28 T 52N R 03W
Use:

STOCKWATER (.020 CFS)
STOCKWATER STORAGE (1.00 AF)
DOMESTIC (.040 CFS)
DOMESTIC STORAGE (1.00 AF)
DIVERSION TO STORAGE (.040 CFS)
Total Diversion: (.100 CFS)

Date Filed: 9/23/1991
In: T52N R03W S28 NWSE

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d' Alene, Idaho 83814 on or before OCTOBER 21, 1991.

R. KEITH HIGGINSON, Director
Legal 467
October 3, 10, 1991

NOV 21 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 7, 1995

CITY OF COEUR D ALENE
PO BOX 489
COEUR D ALENE ID 838140489

RE: WATER RIGHT NO. 95-08716

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

SEP 18 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 9, 1995

CITY OF COEUR D ALENE
PO BOX 489
COEUR D ALENE ID 838140489

RE: WATER RIGHT NO. 95-08716

Dear Water Right Holder(s):


The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:rl

Enclosure

RECEIVED

SEP 18 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 95-8716 Name: City of Council Bluffs Date: 7/26/95
App Rcd 9/11/91 Priority 9/11/91 Examined 6/8/95 ✓ Lots ✓

NAME Chng OK Or Address Change? PO Box 489

SOURCE — ✓ Clarify source —
Prelim. Order to Void - Source change.

P/D — ✓ Amendment Needed? on near lot between lot 7 & lot 8 -P39, P38
Overlap(s) —

P/U ✓ — Amendment Needed? add 0.1 A or 2 reduce lot 7 to 2.3 A -P41, P38
Overlap(s) add 0.1 A or 8
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)

RATE — ✓ Permit/fee limits: 0.05 / 0.05
Measured Q = None cfs Theoretical Q = 0.03 cfs
2.5 A + 0.03 = 0.03 cfs allowable permitted at 0.05 cfs
(HP) 8.8 x 0.70 x 1 = 6.16
50 + (2.31 x 60) = 188.6 = 0.03 cfs
Recommended capacity 0.03 cfs
Recommended rate 0.03 cfs

VOLUME — ✓ Season of Use: (—) 4/1 - 11/1 = 215 days
Calculations: 2.5 x 3 = 7.5 AF
Flow limit: 0.03 x 215 x 1.9835 = 12.8 AF
Recommended volume 7.5 AF

USES — ✓ Same Nature of Use? — -P46
Amendment Needed? —

REMARKS — ✓ Multiple p/d's in 1/4? —
QW33

CONDITIONS — ✓ Measuring (R01)/Locking (R02) Devices —
— Watermaster Control (R04) - WD # —
R49 Irrigation rate/volume overlap —
— Irrigation water overlap (065) (If gw use sw) —
— Water Quality/Other —

PRIORITY Due 9/2/92 Rc'd 12/30/91 Receipt# 1022743 Fee OK? Yes No
Order to Reinstate Needed? Yes/No Done? —
If Yes, Advanced? Yes/No to: —

COMMENTS: Amend p/a; limited by capacity

USE	CFS	DIV VOL	Adjustment Memo
<u>1rr/2.5 A</u>	<u>0.03</u>	<u>7.5</u>	LICENSE: <u>P49</u>
<u>—</u>	<u>—</u>	<u>—</u>	#1 AMEND LTR: <u>P46 or</u>
<u>—</u>	<u>—</u>	<u>—</u>	<u>P39/P41/P37 & P38</u>
<u>TOTAL</u>	<u>0.03</u>	<u>7.5</u>	#2 AMEND LTR: <u>P42/P47</u>

MEMORANDUM

DATE: July 26, 1995
TO: File No. 95-08716
FROM: Cindy Zimmerman
SUBJECT: Adjustments to Beneficial Use Exam


=====

The following adjustments were made on the field exam to the legal description of the point of diversion to reflect the correct $\frac{1}{4}$ of Government Lots within Section 14, T50N, R04W.

1. Point of diversion is located on or near the line between Lot 7 (NENW) and Lot 8 (SENW), S14, T50N, R04W.
2. Place of use for irrigation use is located as follows:
 - T50N, R04W, S14, Lot 2 (NWNE), 0.1 acre
 - T50N, R04W, S14, Lot 7 (NWNE), 2.3 acres
 - T50N, R04W, S14, Lot 8 (SWNE), 0.1 acre
 - Total acres irrigated = 2.5 acres

RECEIVED

SEP 18 1995



23
3744A

4
3744A

5
3884A

3
10.7A

6
18.00A

14.78A

16.60A

2A
19.09A

2
16.43A

7
15.35A

8
17.28A

18
4.96A

17
4.75A


16
4.75A

15
4.75A

14
2.49A

SEP 18 1995

95-08716



95-8716
TSDN R04W
COUGAR BAY S14

SEP 18 1995

latest
government lots +
original
government lot lines

P/D

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 13 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8716

1. Owner: CITY OF COEUR D'ALENE Phone No. 208 769 2246

Current Address: P.O. Box 489 COEUR D'ALENE ID 83814

2. Accompanied by: DAVID BEADELL EXAM DATE: 6/8/95

Address: _____ Phone No. _____

Relationship to Permit Holder: CITY EMPLOYEE

3. Source: SPOKANE RIVER tributary to COLUMBIA RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: *

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<u>7</u>		<u>SE</u>	<u>NW</u>	<u>14</u>	<u>50N</u>	<u>4W</u>	<u>Kootenai</u>	<u>SITE of 4/565 Topo</u>

*2. Place(s) of Use: Gov't Lots 2, 7, 8

Indicate Method of Determination

Plats and SITE

E. 1/4 Sec 14, T. 50N, R. 4W, S. 14S																									
TWP			RGE			SEC			NE				NW				SW				SE				Totals
									NE		NW		SW		SE		NE		NW		SW		SE		
50N 4W 14															2.5										

SEP 18 1995

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS



Have conditions of permit approval been met? ☒ yes ☐ no

MISSOURI
SEP 18 1995

[illegible][illegible]




[Signature]

UNRECORDED
SEP 18 1995

E. NAF

001012

001012 11 10 12



Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
SEP 18 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{2.5}{0.03} \times 3 = 7.5$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 12.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4-01</u>	<u>11-01</u>	<u>0.03</u>	<u>7.5</u>
Totals:			<u>0.03</u>	<u>7.5</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Charles W. Conway Date 6/8/95

Reviewer _____ Date _____

RECORDED
SEP 18 1995
SEAL

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-8716

DATE: 14-JUN-95

COMPLETE BY: CHARLOTTE

HORSEPOWER = 1

PUMP EFFICIENCY = 60%

DYNAMIC LIFT = 50 FEET

SYSTEM PRESSURE = 60 PSI

QUANTITY = 0.03 CFS

RECEIVED
FBI - NEW YORK


SEP 18 1995



95-8716

T. 50 N. R. 4 W
Sec. 14

SEP 18 1935



95-8716

Waterline
segregated area

Gov't.
Lot 2

GOV'T. LOT 7

BNRR CENTERLINE

NORTHWEST BOULEVARD

HUBBARD

GOV'T. LOT 8

EXISTING UNPAVED
60' WIDE EASEMENT LINE
WWTB ACCESS ROAD
VERIFY UNDERGROUND UTILITIES
INSTRUMENT NO. 759575

60' WIDE R.O.W.

OSPREE
UPPER PARKING

100' WIDE R.O.W.

BNRR CENTERLINE

OSPREE
LOWER PARKING

OSPREE RESTAURANT
EXHIBIT A (11171437)
ACCESS EASEMENT
TO HENNESSEY

CD'A. WWTB

IRON ROD W/CAP (TYP)

HENNESSEY, INC.

pump

SEA WALL

95-8716

GOV'T.

G

December 31, 1991

CITY OF COEUR D ALENE
P.O. BOX 489
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08716

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
FEB 12 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 18, 1991

CITY OF COEUR D ALENE
710 MULLAN AVE
COEUR D ALENE ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08716

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

NOV 21 1991

95-08716

CITY OF COEUR D ALENE
710 MULLAN AVE
COEUR D ALENE, ID 83814

Source: SPOKANE RIVER

Tributary: COLUMBIA RIVER

Diversion Pt: LOT 7 (SENW) Sec 14 T 50N R 04W

Use: IRRIGATION (.050 CFS)
Total Diversion: (.050 CFS)

Date Filed: 9/11/ 1991

In: T50N R04W S14 SWNE

2.5 ACRES TOTAL

RECORDED

NOV 21 1991

September 27, 1991

City of Coeur d'Alene
7110 Mullan Ave.
Coeur d'Alene , Id 83814

Re: Water Appropriation Application # 95-08716

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho, as well as the required appropriation filing fee, for which your Receipt is enclosed. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

Enc: Receipt

NOV 21 1991

95-08716

IDAHO DEPARTMENT OF LANDS

P.O. BOX 670, COEUR D'ALENE, IDAHO 83814-0670

STANLEY F. HAMILTON
DIRECTOR

BOARD OF LAND
COMMISSIONERS
CECIL D. ANDRUS
Governor

PETE T. CENARRUSA
Secretary of State

LARRY ECHOHAWK
Attorney General

J.D. WILLIAMS
State Auditor

JERRY L. EVANS
Sup't of Public
Instruction

MEMORANDUM

DATE: September 23, 1991

TO: Idaho Department of Fish and Game
Idaho Department of Health and Welfare
Idaho Department of Water Resources
Panhandle Health District 1
Clean Lake Coordinating Council
Kootenai Environmental Alliance
Spokane River Association, Inc.
Adjacent Property Owners

RECEIVED

SEP 24 1991

NORTHERN REGION
IDWR

FROM: Carl Washburn
Navigable Waters Specialist *CW*

RE: NOTICE OF APPLICATION - L-95-S-2391A - CITY OF COEUR D'ALENE

Enclosed is an application and plats requesting permission to install a waterline and pump in Spokane River.

Please submit your recommendations to me by October 7, 1991, regarding the likely effect of the proposed encroachment upon adjacent property, lake, and streambed value factors of navigation, fish and wildlife habitat, aquatic life, recreation, aesthetic beauty, or water quality. If you have concerns or are opposed to the project as proposed, please list your specific reasons for concern or opposition and any facts or documentation to support your position.

You should recommend alternate plans if they are economically feasible to accomplish the purpose of the proposed encroachment. You should also recommend any mitigation measures or special restrictions/provisions you would like included as part of the permit if one is issued.

If you do not submit a comment, I will assume you have no objections to the application. If you have questions concerning the application, I suggest you contact the applicant. If the applicant cannot answer your questions, please contact me at (208)664-2171.


mc

enclosures

c: Real Estate Specialist, Boise

NOV 21 1991

JOINT APPLICATION FOR PERMIT
U.S. ARMY CORPS OF ENGINEERS
AND
STATE OF IDAHO, DEPARTMENT OF WATER RESOURCES
STATE OF IDAHO, DEPARTMENT OF LANDS



The Department of the Army permit program is authorized by Section 10 of the River and Harbor Act of 1899 and Section 404 of the Clean Water Act. These laws require permits authorizing structures and work in or affecting navigable waters of the United States and the discharge of dredged or fill material into waters of the United States, including their adjacent wetlands. State permits are required under the State of Idaho, Stream Channel Protection Act (Title 42, Chapter 38, Idaho Code) and the Idaho Lake Protection Act, Section 58-142 et. seq, Idaho Code. This application will meet the requirements of the above agencies.

The applicant has sent copies of this application to the agencies checked: ID Dept. Water Res. - Boise ☐ ,
Coeur d'Alene ☐ ; ID Dept. Lands ☐ , Corps of Engineers - Walla Walla ☐ .

PLEASE TYPE OR PRINT

1. Corps of Engineers # Date Received	2. State of Idaho # <u>L-95-S-2391A</u> Date Received <u>9/12/91</u> <u>Spokane River</u>
3. NAME OF APPLICANT <u>The City of Coeur d'Alene, 710 Mullan Ave.</u> MAILING ADDRESS <u>Coeur d'Alene, ID 83814</u> Area Area PHONE Work <u>(208) 667-9533</u> Home <u>() N/A</u> Date of Application <u>Sept. , 1991</u>	4. AUTHORIZED AGENT MAILING ADDRESS Area Area PHONE Work <u>()</u> Home <u>()</u>

5. Location where proposed activity exists or will occur.

Name of waterway Spokane River Tributary of Lake Coeur d'Alene
Coeur d'Alene Assessor's Desc. (Tax Number or Subdivision, Lot & Block No.)
In or near city or town
Kootenai Idaho 83814 14 50 4
County State Zip Code Section Township Range

6. Describe the proposed activity, including description of the type of structures, if any, to be erected on fills, or pile or float-supported platforms. If additional space is needed, use a separate sheet or Section 15 (Remarks).

Describe the proposed activity in detail: Twin submersible pump package with 1 1/2" supply line is to be suspended below existing marina breakwater to supply sprinkled irrigation system for landscape.

Describe construction methods and equipment: N/A

Length of project along the stream or extension into lake or reservoir: N/A; straight down

Stream gradient: Gradual; slow moving

Will material be placed waterward of ordinary high water mark? N/A

Will material be placed in adjacent wetlands? NO

Type of fill material: N/A (i.e. sand, etc.) Material Source: N/A

Volume of material to be placed N/A (cubic yards)

Will excavation be required? NO Disposal Site Location: N/A

Method of diverting flow, if needed: N/A

Method of controlling turbidity: N/A

NOV 21 1991

DO NOT SEND PROCESSING FEE WITH APPLICATION

18 U.S.C. Section 1001 provides that: Whoever, in any manner within the jurisdiction of any department or agency of the United States knowingly falsifies, conceals, or covers up by any trick, scheme, or device a material fact or makes any false, fictitious, or fraudulent statements or representations or makes or uses any false writing or document knowing same to contain any false, fictitious, or fraudulent statements or makes or uses any false writing or document or imprisoned not more than five years, or both. Do not send a permit processing fee with this application. The appropriate fee will be assessed when a permit is issued.

Date _____ Signature of Authorized Agency (if applicable) _____ Signature of Applicant (if applicable) _____

NOV 21 1991

I hereby designate _____ to act as my agent in matters related to this permit. I understand that if a federal permit is issued, I must sign the permit.

The application must be signed by the applicant. If an authorized agent is to be designated, Item 4 and the following information should be completed.

Date _____

Signature of Applicant (Required) _____

16. Application is hereby made for a permit or permits to authorize the activities described herein. I certify that I am familiar with the information contained in this application, and that to the best of my knowledge and belief such information is true, complete, and accurate. I further certify that I possess the authority to undertake the proposed activities. I hereby grant to the agencies to which this application is made, the right to come upon the above-described location to inspect the proposed or completed work.

15. Remarks or additional information: _____

None

14. Has any agency denied approval for the activity described herein or for any activity directly related to the activity described herein? YES ☐ NO ☒ (If "Yes" explain) _____

Issuing Agency _____ Type Approval _____ Identification No. _____ Date of Application _____ Date of Approval _____

7-95-S-2391

MARINA

FBI

13. List other applications, approvals or certifications from other Federal, interstate, state, or local agencies for any structures, constructions, deposits, or other activities described in this application.

PHONE _____

Work () _____

Area _____

Home () _____

Area _____

Zip Code _____

City, State, _____

MAILING ADDRESS _____

N/A

IF OTHER THAN APPLICANT _____

12. LEGAL OWNER _____

Idaho Forest Industries/DeArmond Mill

11. Names, addresses and telephone numbers of adjoining property owners, lessees, etc., whose property also adjoins the waterway. _____

10. If any portion of the activity is complete indicate month and year of completion. _____

Sept. 1984

9. Proposed Starting Date _____ Estimated Duration _____ Yearly/seasonal _____

Describe Use of river water for landscape irrigation purposes _____

Commercial _____

Public _____

X

Private _____

Other _____

8. Purpose and intended use: _____

checklist for completing the drawings.

7. Preparation of drawings. One set of original or good quality reproducible drawings must be attached to this application. NOTE: DRAWINGS NO LARGER THAN 8 1/2 X 11 INCHES IN SIZE. See the instruction pamphlet for instructions and a

EXISTING
WIRING
FENCING ADJACENT
TO DOCK


25'

BRICK WALL SUPPLY LINE GALVANIZED

WATER LINE

← Ring →

RIVER
BOTTOM →




PUMP UNIT

RECEIVED

NOV 21 1991

LOW & HIGH WATER MARKS
ALMOST THE SAME ON
RIVER
— HAVE NO LEG
210

approx. 100' from pump to
Hebener property
approx. 260' to Union Pacific
R/W
approx. 600' to I.F.I.



OF SURVEY

STATE OF IDAHO, HEREBY
CERTIFIES THAT THIS
MAP REPRESENTS A
TRUE AND CORRECT
COPY OF THE ORIGINAL
AS SUBMITTED TO THE
CLERK OF THE DISTRICT
COURT FOR THE COUNTY
OF BLAINE, IDAHO, FOR
RECORDING.



NOV 21 1991

MECKEL ENGINEERING
402 IDAHO AVE
COEUR D'ALENE, IDAHO

SURVEY OF PORTIONS OF LOTS 7
AND 8, DONED MILITARY RESERVATION, SEC.

