








(BC)

MICROFILMED

FEB 26 1996

Auxiliary Base Line 95-08.705

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	STA-RITE	3/4	1F78P	STA-RITE	CEP67ABN

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
BUCKET					5 GALL	

2. Measurements:

RECEIVED

FEB 26 1996



12

50'

13

23 MI. TO INTERSTATE 90

2679 III SE
(MICA BAY)

15

47'30"

16

R 4

Powderhorn Bay

2678

BM 2182

BM 2146

2684

EAST

POINT

26 ROAD

Campground

Bell Bay

T48N R4W
S.23

COEUR

COEUR D'ALENE

ELEVATION 2125

Harlow Point

Mile 130

D A L E N E

Mile 0

Little Cottonwood Bay

Reynolds Point

RESERVATION BOUNDARY

Boat Ramp

Harrison

Boat Ramp

Light

Spokane

MICA BAY
FEB 26 1996

95-08705



IRRIGATED
← AREA



← Pump

FEB 26 1996

95-08705

Lari Lynn.

The large map attached
to the C/o, shows "Lot 3,
1st Addition to Jensen Powderhorn
Bay Addition" to be in
the SE 1/4, S15, T48N, R4W.

The place of use is in
the NW 1/4, S23 - not a
match - would they like
to TRY AGAIN?

Charla

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08705

Priority: July 19, 1991

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

0.3 AF

This is to certify, that IRWIN FAMILY TRUST

C/O KAY ROWLEY

S 2215 S E BLVD #4

SPOKANE WA 99203

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 8, 1991; and has submitted Proof of Beneficial Use on September 12, 1991. An examination indicates that the works have a diversion capacity of 0.010 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.01 CFS	0.3 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(NWNW), Sec. 23, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N	04W	23	Lot 2(NWNW)	0.1		0.1

Total number of acres irrigated: 0.1

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs nor more than .3 afa for the land described above.


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08705

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 31st
day of JANUARY, 1996.


Acting for KARL J. DREHER, Director



[Faint, illegible text, possibly a stamp or signature]

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-08705 IN THE)
NAME OF IRWIN FAMILY TRUST) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before September 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on September 12, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-08705 be REINSTATED and the priority advanced to July 19, 1991.

Dated this 7th day of November, 1991.



L. GLEN SAXTON, Chief
Water Allocation Bureau

DEC 31 1991



STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

Department of Water Resources

DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08705 Telephone No. 509-535-2233
2. Name(s) of Permit Holder(s): Irwin Family Trust--Kay Rowley & Claude Irwin, Trustees
3. Post Office Address: S. 2215 S.E. Blvd. #4 SPOKANE, WA 99203
4. Source of Water: Coeur D'Alene Lake
 - a. If ground water, well driller's name: _____ Date drilled: _____
 - b. Pump horsepower: _____ Pressure (psi): 25-30 Dynamic pumping level (ft.): NA
5. Extent of Use:

Domestic _____ (No. of households)	Irrigation <u>0.1</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____
6. Total rate and/or volume for which proof is submitted 0.02 cfs NA acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? <u>Yes</u> ☒ No	Installed? <u>Yes</u> ☒ No
OR		
Flow Measurement Port:	Required? <u>Yes</u> ☒ No	Installed? <u>Yes</u> ☒ No
8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule) Paid earlier in year _____
9. Person to contact to accompany the Department representative during the field examination:

<u>Kay Rowley</u> Name	<u>509-535-2233</u> Telephone No.
<u>S. 2215 S.E. Blvd. #4</u> <u>Spokane, WA 99203</u> Address	

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 31 1991

Date 9-9-91

Irwin Family Trust - Kay Rowley
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08705

Proposed Priority: July 8, 1991 Maximum Diversion Rate: 0.02 CFS
This is to certify, that ERWIN FAMILY TRUST

C/O KAY ROWLEY
S. 2215 S.E. BLVD. #4
SPOKANE, WA 99203

has applied for a permit to appropriate water from:

COEUR D ALENE LAKE

tributary of SPOKANE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.02 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: LOT 2(NWNW), Sec. 23, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
48N 04W 23	NWNW 0.1			0.1

Total number of acres irrigated: 0.1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1991.
2. Subject to all prior water rights.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of August, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

DEC 8 1 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant ERWIN FAMILY TRUST Phone _____

Post office address SEE # 12

2. Source of water supply LAKE COEUR D'ALENE which is a tributary of SARAME R.

3. Location of point of diversion is _____ 1/4 of NW 1/4 of NW 1/4, Govt. Lot 2

Sec. 23 Township 48N Range 36W B.M. _____ County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .02 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP HOSE & SPRINKLER

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

DEC 31 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

302 ATTACHED

RECORDED
DEC 2 1964

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Kay Rowley (Applicant) -

DEC 31 1991

RECORDED

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by TK Date 7/8/91 Time 12:15 PM Preliminary check by PWT

Fee \$ 30.00 Received by pm # N 46 49 Date 7/9/91

Publication prepared by pm Date 7/9/91 Published in 7/18/91

Publication approved pm Date 7/29/91





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 30, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

KATHLEEN D ROWLEY
3904 S ALDER CIRCLE
SPOKANE WA 99223

RE: Change of Ownership for Water Right 95-08705

Dear Ms. Rowley:

During our review of the information you included with the ownership change paperwork for the above listed water right we found some discrepancies in the information you submitted and what our database records show for the legal descriptions.

Our records indicate the place of use for this right as T48N, R04W, S23, NWNW. The map you provided indicates the place of use is within T48N, R04W, S15, SE $\frac{1}{4}$. I have enclosed a copy of the water right license for your information.

Because we are unable to reconcile our records with the ownership change information you submitted, the paperwork you sent is being returned to you. We will be happy to process your request after you have taken the appropriate action so that Department records and county records match.

If you have any questions regarding this matter, please call me at 208-327-7941.

Sincerely,

A handwritten signature in cursive script, reading "Kari Lynn Townsend".

Kari Lynn Townsend
Secretary

KLT:k

Enclosure

MEMORANDUM

DATE: February 8, 1996
TO: File 95-08705
FROM: Roberta Loveall
SUBJECT: Returned license

=====

The license for this right was returned as undeliverable. The phone number listed in the file was disconnected, so I called Spokane information and was told there were 2 "K Rowleys" listed. One of them conected me with the Kay Rowley I was trying to reach. She gave me her current address. The new address is as follows.

Kay Rowley
3904 S Alder Cir Telephone: 509-448-8981
Spokane WA 99223

RECEIVED
FEB 8 1996

FEB 26 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 31, 1996

IRWIN FAMILY TRUST
C/O KAY ROWLEY
S 2215 S E BLVD #4
SPOKANE WA 99203

RE: WATER RIGHT NO. 95-08705

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
FEB 2 6 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08705 DATE 1-26-96



Change OK ☒

NAME ☐ Or Address Change? ☐

PRIORITY DATE ☒ Advance? DONE Advanced to: 7-19-91
Order to reinstate needed? DONE
Incorrect fee for rate recommended? NA at that time

SOURCE ☐ ☒ Changes or just clarification of originally intended source? _____
Notice of Intent to Void necessary? _____

POINT OF DIV ☐ ☒ Amendment needed? _____
☐ ☒ Overlaps? _____

PLACE OF USE ☐ ☒ Amendment needed? _____
☐ ☒ Overlaps? _____

DIV RATE ☒ Permit/fee limits: .02 CFS / .10 acre limit
Meas Q = _____ Theo Q = _____ Recommend: .02
5 gal bucket in 47 sec = .01 CFS
Combined rates exceed capacity _____

ANNUAL VOLUME ☒ Volume Limit: _____ Season: D/3.0 (3-15 to 11-15)
Calculations: .1 x 3 = .3 af
Flow limit: _____ cfs x _____ x 1.9835 = _____
Combined volumes exceed capacity/allowable _____

USES ☐ ☒ Change in Nature of Use or additional uses? _____
Amendment necessary? _____


ADDITIONAL INFO ☐ Replaces Surface Water 050 Supplemental GW _____
☐ Irr/Dom Combination WB5 PPU Recommendation _____
☐ Boise River/Wood River Source Aes/Rec Uses W38

NEW REMARKS ☐ Multiple p/d(s) in ¼ ¼? _____
W31 Other (under 1 acre remark/overlaps)

NEW CONDITIONS ☐ WM Control- District _____ Meas/Lock Devices _____
☐ Irrigation Overlap _____
☐ Other _____
☒ Water Quality _____ Heat/Cool/Fish verified _____

COMMENTS: NOTE: The application for permit may have been incorrect.
There is .92 acre. The app listed .1 acre (possibly meaning 1.0 acre?)
But must limit recommendation to permitted amount.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
Irigation	.01	.3		NA YES
			LICENSE	✓
			1ST AMEND LETTER	
			2ND AMEND LETTER	



(BC)

MEMORANDUM

TO: File 95-08705 / Irwin Family Trust
FROM: Brenda Chapman
DATE: January 26, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 95-08705 are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	.01	.3

The rate of flow was reduced to the measured capacity of 6.36 gpm or .01 cfs.

The volume has been reduced to the portion of what the current recommended guidelines for the per acre field headgate requirement of crops/lawns in that area.
[3.0 afa per acre]

NOTE: The lawn measures 400' x 100' which = .92 acre. The application for permit was for .1 acre and it could be possible that it was meant to be 1.0 acre. The permit was issued for .1 acre with no record of any objection to it by the permit holder. Therefore, the licensing recommendation must be within the parameters of the permit.

12/6/1996

RECEIVED
DEC 14 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08705

1. Owner: IRWIN Family Trust Phone No. (509) 535-2233

Current Address: S 2215 SE RIVD #4 SPOKANE WA 99203

2. Accompanied by: OWNER EXAM DATE: 8-11-94

Address: SAME Phone No. _____

Relationship to Permit Holder: _____

3. Source: CODUR D ALONE LAKE tributary to SPOKANE RIVER

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-08725

2. Other water rights with the same point of diversion: 95-04515 - 95-07700 95-07520 95-8165
95-08725

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	23	98N	09W	Kootenai	USGS 2.5 MIN QUAD


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
98N	09W	23						D											

FEB 26 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached of 10+ acres) _____
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	STA-RITE	3/4	1F78P	STARITE	CIF67ARV

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket					5 Gall	

2. Measurements:

FEB 26 1996

E. NARRATIVE/REMARKS/COMMENTS

Pump supplies ~~water~~ and yard
watered by garden hose

Have conditions of permit approval been met? ☐ yes ☐ no

RECEIVED

FEB 26 1996

Additional Computation Sheets Attached

Measured Method: 5 gallon bucket

F. FLOW CALCULATIONS

$$\text{Gallons in 47 sec} = \frac{5}{47} \times 60 = 6.38 \text{ gallons per min}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$\begin{aligned} V_{IR} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.5 \times 1 = 3.5 \\ V_{DR} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .02 \times 245 \times 1.9835 = 9.7 \\ V &= \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.5 \end{aligned}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

Irrigation

Period of Use
From To

Rate of Diversion
Q (cfs)

Annual Volume
V (afa)

03-15

11-15

.02

3.5

Totals:

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name TEP MSc Date 8-11-94

Reviewer _____ Date _____

SEAL


* the adjustment memo. 80

FEB 26 1996




T48N R4W
S.23

95-08705



IRRIGATED
← AREA



← Pump

FEB 26 1996

95-08705

November 8, 1991

IRWIN FAMILY TRUST
C/O KAY ROWLEY
S. 2215 S.E. BLVD. #4
SPOKANE WA 99203

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08705

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED

DEC 31 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 95-8705

Date 11-6-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
NO Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- NO Required?
☐ Amount submitted?
☐ Correct amount?

MEASURING DEVICE

- NA Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received Sept 12, 1991 255
Date proof due Sept 1, 1991 - 244
No. of days late = 11
Priority date July 8, 1991 + 189
NEW PRIORITY DATE July 19, 1991 = 200

LB

DATE 9-3-91

FROM Cam Skaggs

TO File #95-8705

SUBJECT Data Entry Error

Applicant questioned the proof due date on approved permit. Should be 1992 instead of 1991. Also, name begins with an I not E. Updated the database & made corrections.

DEC 31 1991

Cam Skaggs
SIGNATURE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 26, 1991

ERWIN FAMILY TRUST
C/O KAY ROWLEY
S. 2215 S.E. BLVD. #4
SPOKANE, WA 99203

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08705

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

DEC 31 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss. *Julie Jacobs* being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.


3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thus* issue of said newspaper for *2* consecutive *weeks* commencing on the *18th* day of *July*, 19*91*, and ending on the *25th* day of *July*, 19*91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *25th* day of *July*, 19*91*.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.



NOTICE OF APPLICATION FOR
WATER RIGHT
The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

95-08702
SABALA, JAMES A.
SABALA, JANICE R.
1633 PACKSADDLE DR.
COEUR D'ALENE, ID 83814
Source: HAYDEN LAKE
Tributary: SINKS
Diversion Pt: LOT 5 (SESENE) Sec 10 T
51N R 03W
Use: DOMESTIC (.040 CFS);
Total Diversion: (.040 CFS)
Date Filed: 7/1/1991
In: T51N R03W S10 SENE
95-08703

DAVIS, ROSALIE
BOX 215
HARRISON, ID 83833
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 4 (SENE) Sec 3 T 47N
R 04W
Use: DOMESTIC (0.40 CFS);
Total Diversion: (.040 CFS)
Date Filed: 7/5/1991
In: T47N R04W S03 NESW
95-08704

O MYER, LYLE
O MYER, JUTTA
N. 2000 MEYER RD.
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: SENENW Sec 32 T 51N R
04W
Use: IRRIGATION (.160 CFS);
DOMESTIC (.160 CFS);
Total Diversion: (.160 CFS)
Date Filed: 7/8/1991
In: T51N R04W S32 NENW NWNW
SENE
8.0 ACRES TOTAL
95-08705

ERWIN FAMILY TRUST
C/O KAY ROWLEY
S. 2215 S. E. BLVD. #4
SPOKANE, WA 99203
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 2 (NWNW) Sec 23 T
48N R 04W
Use: IRRIGATION (.020 CFS);
Total Diversion: (.020 CFS)
Date Filed: 7/8/1991
In: T48N R04W S23 NWNW
0.1 ACRES TOTAL

For additional information concerning
the property location, call the Northern
Regional Office at 765-4639.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho 83814 on
or before AUGUST 5, 1991.

R. KEITH HIGGINSON, Director
Legal 56
July 18, 25, 1991

DEC 31 1991

95-08705

ERWIN FAMILY TRUST
C/O KAY ROWLEY
S. 2215 S.E. BLVD. #4
SPOKANE, WA 99203

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 2 (NWNW) Sec 23 T 48N R 04W

Use: IRRIGATION (.020 CFS)
Total Diversion: (.020 CFS)

Date Filed: 7/ 8/ 1991

In: T48N R04W S23 NWNW

0.1 ACRES TOTAL

DEC 31 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 12, 1991

Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 95-8705

Gentlemen:

Enclosed is a recent filing with this Department that may be of interest to your agency.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

Enclosure

DEC 31 1991

July 9, 1991

Erwin Family Trust
S. 2215 SE Blve #4
Spokane Wa. 99203

Re: Water Appropriation Application # _____

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho, as well as the required appropriation filing fee, for which your Receipt is enclosed. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. You will be notified by mail of the Directors decision.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

Enc: Receipt

200811