


1977-1978
 1979-1980
 1981-1982



		TOWNSHIP				
	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	32
33	34	35	36	37	38	39
40	41	42	43	44	45	46

- SECTION NUMBER SYSTEM
IN STANDARD TOWNSHIP

QUARTER NAME AND NUMBER SYSTEM
IN STANDARD SECTION

[illegible][illegible]

"This plat is made solely for the purpose of assisting in locating said land, and the Company assumes no liability for variations, if any, in dimensions and location ascertained by actual survey."

SCALE: 1 inch = 100 feet

Amt. of Fee \$: 50 -
Receipt No. NO 11482 7/30/97
Receipt By: FB
Date Received: 7/28/97

RECEIVED

JUL 30 1997

NORTHERN REGION
IDWR

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG 01 1997

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08704 Telephone No. 765-6468

2. Name(s) of Permit Holder(s): LYLE O MYER

3. Mailing Address: N 2000 MYER RD POST FALLS ID 83854

4. Source of Water: GROUNDWATER If GROUNDWATER (well), Date Drilled: mo. / yr.

a. Well Driller: Drilling Permit Number: 95-92-N-23

b. OPTIONAL:
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 4 Stockwater (No. and type of stock):

Irrigation (No. of acres): 2 Other:

6. Total rate of diversion and/or volume for which proof is submitted: 0.16 cfs OR acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No ✓

Has the measuring device been installed? Yes or No

Flow Measurement Port: Is a flow measurement port required? Yes or No ✓

Has the measurement port been installed? Yes or No

8. Fee Enclosed: \$ 50 - (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: SAME AS ABOVE Telephone Number:

Address:

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: x Lyle O Myer Date: 7/28/97

(include your title, if on behalf of company or organization)

RECEIVED

JUL 08 1994

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

\$50 Fee Receipted by 15

Date 7/6/94

Receipt No. AJ-7839

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 95-08704

Name(s) of Permit Holder: LYLE O'MYER & JUTIA O'MYER

Mailing Address: N 2000 MEYER RD, POST FALLS, ID, 83854

Date Proof is Due: 9, 1, 94 Telephone No. 765-6468

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

WATER LINES HAVE BEEN INSTALLED TO TWO LOTS.

Costing \$ 1,500

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

POOR HEALTH HAS NOT ALLOWED COMPLETION OF
DEVELOPMENT.

Permit holder(s) request an extension to SEPT. 1, 19 99

FEE: \$50.00

X Lyle Omyer
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to September 1 1997.

AUG 11 1994

Signed this 26th day of July, 19 94

Jean Johnson
for Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08704

Proposed Priority: July 8, 1991 Maximum Diversion Rate: 0.16 CFS
This is to certify, that

LYLE O MYER
JUTTA O MYER
N. 2000 MEYER RD.
POST FALLS, ID 83854

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.16 CFS
DOMESTIC	01/01 to 12/31	0.16 CFS
	Totals	0.16 CFS

LOCATION OF POINT(S) OF DIVERSION: SENENW Sec. 32, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	04W	32	NENW 5	NWNW 2	SENW 1	8
Total number of acres irrigated:						8

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1994**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Domestic use is for 8 homes.

OCT 07 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08704

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of August, 1991

for 
R. Keith Higginson, Director



OCT 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant LYLE O'MYER & JUTA O'MYER Phone 765-6468
Post office address N 2000 MYER RD. POST FALLS, ID. 83854
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 32 Township 51N Range 4W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.16 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.16 for IRRIGATION purposes from 2-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.16 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL PUMP & PIPELINE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 300 ± feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

OCT 07 1991

Remarks:

Remarks:

_____, applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? *APR 2, 1947*

a. Who owns the property at the point of diversion? APPLICANT

Describe any other water rights used for the same purposes as described above. None

Total number of acres to be irrigated

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

Description of place of use:

e. Other, describe fun, DOMESTIC USE IS WATER FOR 8 HOMES

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering: list number and kind of livestock.

a. Hydropower, show total feet of head and proposed capacity in kW.

Description of proposed uses (if irrigation only, go to item 9):

THIS DRAWING IS TO BE USED FOR THE PURPOSES OF ASSISTING IN LOCATING SAID LAND AND THE COMPANY ASSUMES NO LIABILITY FOR VARIATIONS, IF ANY, IN DIMENSIONS AND LOCATION ASCERTAINED BY ACTUAL SURVEY.



Township

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36

KOOTENAI COUNTY
IDAHO


SECTION NUMBER SYSTEM
IN STANDARD TOWNSHIP

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29	30	31	32

QUARTER NAME AND NUMBER SYSTEM
IN STANDARD SECTION

1/4 Sec. 1	1/4 Sec. 2	1/4 Sec. 3	1/4 Sec. 4
1/4 Sec. 5	1/4 Sec. 6	1/4 Sec. 7	1/4 Sec. 8
1/4 Sec. 9	1/4 Sec. 10	1/4 Sec. 11	1/4 Sec. 12
1/4 Sec. 13	1/4 Sec. 14	1/4 Sec. 15	1/4 Sec. 16

1/4 Sec. 1	1/4 Sec. 2	1/4 Sec. 3	1/4 Sec. 4
1/4 Sec. 5	1/4 Sec. 6	1/4 Sec. 7	1/4 Sec. 8
1/4 Sec. 9	1/4 Sec. 10	1/4 Sec. 11	1/4 Sec. 12
1/4 Sec. 13	1/4 Sec. 14	1/4 Sec. 15	1/4 Sec. 16



SCALE: 1 inch = 100 feet

SEE ATTACHED

OCT 7 1981

Lyle O'inger
(Applicant)

OCT 07 1991

RECEIVED

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by 105 Date 7-8-91 Time 11:30A Preliminary check by GH

Fee \$ 30.00 Received by 105 # N 4641 Date 7-8-91

Publication prepared by 105 Date 7/9/91 Published in 7/18-25/91

Publication approved 105 Date 7/29/91

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice


of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive weeks commencing on the 18th day of July, 1991, and ending on the 25th day of July, 1991, and such publication was made as often during said period as said Daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 25th day of July, 1991.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.



2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08702
SABALA, JAMES A.
SABALA, JANICE R.
1633 PACKSADDLE DR.
COEUR D'ALENE, ID 83814
Source: HAYDEN LAKE
Tributary: SINKS
Diversión Pt: LOT 5 (SESENE) Sec 10 T 51N R 03W
Use: DOMESTIC (0.40 CFS);
Total Diversión: (0.40 CFS)
Date Filed: 7/1/1991
In: T51N R03W S10 SENE
95-08703

DAVIS, ROSALIE
BOX 215
HARRISON, ID 83833
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversión Pt: LOT 4 (SENEW) Sec 3 T 47N R 04W
Use: DOMESTIC (0.40 CFS);
Total Diversión: (0.40 CFS)
Date Filed: 7/5/1991
In: T47N R04W S03 NESW
95-08704

O MYER, LYLE
O MYER, JUTTA
N. 2000 MEYER RD.
POST FALLS, ID 83854
Source: GROUNDWATER
Diversión Pt: SENENW Sec 32 T 51N R 04W
Use: IRRIGATION (1.60 CFS);
DOMESTIC (1.60 CFS);
Total Diversión: (1.60 CFS)
Date Filed: 7/8/1991
In: T51N R04W S32 NENW NWNW
SENW
8.0 ACRES TOTAL
95-08705

ERWIN FAMILY TRUST
C/O KAY ROWLEY
S. 2215 S. E. BLVD. #4
SPOKANE, WA 99203
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversión Pt: LOT 2 (NWNW) Sec 23 T 48N R 04W
Use: IRRIGATION (0.20 CFS);
Total Diversión: (0.20 CFS)
Date Filed: 7/8/1991
In: T48N R04W S23 NWNW
0.1 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before AUGUST 5, 1991.

R. KEITH HIGGINSON, Director
Legal 56
July 18, 25, 1991

OCT 07 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

RECEIVED

MAY 25 2004

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

May 12, 2004

LYLE O MYER
JUTTA O MYER
108 S SAINT CHARLES RD
SALMON ID 83467

no cords modified 5-26-04
-JP

RE: Snake River Basin Adjudication (SRBA)
Notices of Claim to a Water Right #75-10775 and 75-14004
and Permit #95-8704

Dear Claimants:

cc: W.A.

Mail we sent to you was returned undeliverable. We have enclosed the returned mail. Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary before returning this letter, list any other water rights you have, and return this letter by May 25, 2004. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records. Be sure to list your water right numbers.

If there has been a change in ownership of the property connected with the water right claim(s) referenced above, please call this office toll-free at 1/800-451-4129 so we can contact the new owner(s) regarding their water right(s) and updating our records.

Sincerely,

Sally Sherman

Sally Sherman
Technical Records Specialist
Adjudication Bureau

SS:region

Enclosure:

Returned Mail

#####

The address is correct as shown above or as otherwise changed.

Lyle Omyer
Water Right Holder's Signature

208 - 756 - 1426

SCANNED telephone No.

MAY 25 2004



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 1, 1997

Lyle O'Myer
N 2000 Meyer Rd
Post Falls, ID 83854

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08704

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **NORTHERN** Regional Office in Coeur d'Alene at (208) 769-1450.

Sincerely,

A handwritten signature in black ink, reading 'L. Glen Saxton', is written over a horizontal line.

L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - N. Region

RECEIVED

SEP 16 1997

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08704 Reviewed by VJS Date 8-1-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

for & down
Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 95-92-N-23

200 Amount paid for permit

yes Well log in the file?

yes Correct?

LICENSE EXAMINATION FEE

yes Required?

50 Amount Submitted

yes Correct?

MEASURING DEVICE

no Required?

 Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

DATA ENTRY

New Address

Proof Made 7-28-97

June 30, 1997

LYLE O MYER
JUTTA O MYER
N 2000 MEYER RD
POST FALLS ID 83854

PROOF DUE NOTICE

RE: PERMIT NO. 95-08704

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

SEP 10 1997



ANALYSIS SHEET
FOR
EXTENSION OF TIME

Permit No. 95-08704

Reviewed by [Signature]

Date 7-22-94

BASIC INFORMATION

7-8-94

Date stamp received

yes

Extension received timely

yes

Fee received and receipted

yes

Name and signature same as permit

no

Address Change

BASIS FOR EXTENSION REQUEST

yes

Has adequate work been completed to demonstrate due diligence?

Has the permit been involved in litigation?

Is supporting documentation needed to complete the file? Requested?

Is delay by a government agency?

Is supporting documentation needed to complete the file? Requested?

Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Should extend until 9-1-97 for due diligence.

PRIORITY CALCULATION

Date extension received

Proof due date

Number of days late

Priority date

New Priority Date

	=	
	=	
	=	
	=	
	=	

DATA ENTRY

New Address X

Change Proof Due Date

9-1-97

Change Priority Date X

July 26, 1994

Lyle and Jutta O'Meyer
N 2000 Meyer Rd.
Post Falls, ID 83854

RE: Permit No. 95-08704

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to September 1, 1997. Please note that the department has granted this extension based on **due diligence**. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office


AUG 11 1994

June 30, 1994

LYLE O'MYER
JUTTA O'MYER
N 2000 MEYER RD
POST FALLS ID 83854

PROOF DUE NOTICE

RE: PERMIT NO. 95-08704

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,


JULIE L. YARBROUGH
Senior Secretary

Enclosures

AUG 11 1994



State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>LYLE O'MYER</u> Address <u>N. 2000 MEYER RD POST FALLS, ID</u> Drilling Permit No. <u>95-92-N-5</u> Water Right Permit No. <u>95-08704</u>	7. WATER LEVEL Static water level <u>213</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality <u>GOOD</u> <i>Describe artesian or temperature zones below.</i>																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td>30-40</td> <td>240</td> <td>1 1/2</td> </tr> <tr> <td>ESTIMATED</td> <td></td> <td></td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	30-40	240	1 1/2	ESTIMATED																																							
Discharge G.P.M.	Pumping Level	Hours Pumped																																													
30-40	240	1 1/2																																													
ESTIMATED																																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>8</td> <td>0</td> <td>34</td> <td>SAND & GRAVEL CLAY</td> <td></td> <td>X</td> </tr> <tr> <td>6</td> <td>34</td> <td>62</td> <td>SAND & CLAY</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>62</td> <td>140</td> <td>HEAVY SAND & CLAY</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>140</td> <td>194</td> <td>SAND, GRAVEL, CLAY & HEAVY COBBLES</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>194</td> <td>215</td> <td>SAND & CLAY</td> <td></td> <td>X</td> </tr> <tr> <td></td> <td>215</td> <td>240</td> <td>SAND & 3/4 GRAVEL MIX</td> <td>X</td> <td></td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	8	0	34	SAND & GRAVEL CLAY		X	6	34	62	SAND & CLAY		X		62	140	HEAVY SAND & CLAY		X		140	194	SAND, GRAVEL, CLAY & HEAVY COBBLES		X		194	215	SAND & CLAY		X		215	240	SAND & 3/4 GRAVEL MIX	X	
Bore Diam.	Depth		Material	Water																																											
	From	To		Yes	No																																										
8	0	34	SAND & GRAVEL CLAY		X																																										
6	34	62	SAND & CLAY		X																																										
	62	140	HEAVY SAND & CLAY		X																																										
	140	194	SAND, GRAVEL, CLAY & HEAVY COBBLES		X																																										
	194	215	SAND & CLAY		X																																										
	215	240	SAND & 3/4 GRAVEL MIX	X																																											
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)	RECEIVED APR 14 1992 NORTHERN REGION IDWR																																														
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table style="width: 100%;"> <tr> <td>Thickness</td> <td>Diameter</td> <td>From</td> <td>To</td> </tr> <tr> <td><u>.250</u> inches</td> <td><u>6</u> inches</td> <td><u>+ 1</u> feet</td> <td><u>240</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation? _____ inches by _____ inches <table style="width: 100%;"> <tr> <td>Number</td> <td>From</td> <td>To</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </table> Well screen installed? ☐ Yes ☒ No Manufacturer _____ Type _____ Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>30</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>+ 1</u> feet	<u>240</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																		
Thickness		Diameter	From	To																																											
<u>.250</u> inches		<u>6</u> inches	<u>+ 1</u> feet	<u>240</u> feet																																											
_____ inches	_____ inches	_____ feet	_____ feet																																												
_____ inches	_____ inches	_____ feet	_____ feet																																												
Number	From	To																																													
_____ perforations	_____ feet	_____ feet																																													
_____ perforations	_____ feet	_____ feet																																													
_____ perforations	_____ feet	_____ feet																																													
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>KOOTENAI</u> NE 1/4 NW 1/4 Sec. <u>32</u>, T. <u>51N</u> S ☐ R. <u>4W</u> W ☐	10. Work started <u>3-9-92</u> finished <u>3-13-92</u>																																														
11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>UNITED DRILLING INC.</u> Firm No. <u>414</u> Address <u>P.O. BOX 2499</u> Date <u>3-13-92</u> <u>CDA, ID 83814</u> Signed by Drilling Supervisor, _____ and _____ (Operator) _____ (If different than the Drilling Supervisor)																																															



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 26, 1991

LYLE O'MYER
JUTTA O'MYER
N. 2000 MEYER RD.
POST FALLS, ID 83854

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08704

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosure

RECEIVED
OCT 07 1991

APPLICATION FOR PERMIT REVIEW

Application #: 95-8704
Date: 8-16-91

Reviewer: Pam Skaggs

Existing:

☒ No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

☒ GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)

☒ LT. 0.2 cfs - N/A

Drilling Permit:

☒ Approved w/permit - P99

☒ Not included - 046-P23 All GW, even existing wells

Location:

Water Districts - WD No. _____

Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

☒ Swan Falls Flag - _____ (1, Blank or Other)

Trust - 051-052-053-P74(Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

☒ Beneficial Use Due Date: - 09-01-1994

Other Conditions Recommended _____

OCT 07 1991

No. a
4/87-4/91n

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: RMS DATE 7/8/91 APPLICATION NUMBER: 95-8704

APPLICANT: O' Myer

REQUIRED INFORMATION

- (1). ☒ Name and Address:
(2). ☒ Source:
(3). ☒ Point of diversion including county:
(4). ☒ Quantity:
() Nature of proposed use:
() Period of use:
(5). ☒ Total Quantity:
(6). ☒ Description of diverting works:
(7). ☒ Time required for beneficial use of water:
(8). ☒ Proposed uses:
(9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
(13). ☒ Map:
() Signature:
() Fee: (Amount, receipt number and date recorded on application)
() Overlap Review: Attachments? (Y)___ (N)___ Remarks: (Y)___ (N)___
() Acknowledgment Letter:

ADDITIONAL INFORMATION

Yes No

- ☒ Field check: Checked by: _____ Field report attached _____
☒ Critical ground water area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ send letter for additional fish information:
☒ Send letter for additional power information:
☒ Diversion greater than 5 cfs of 500 af: Supplemental Analysis Sheet Attached
☒ Well drilling permit required: # _____ - _____ -N- _____

Processing

Yes No

- ☒ In form for advertising: Proposed priority date 7/8/91
☐ Statewide advertising: (10.00 cfs of more, 1,000 afa or more.)

RECEIVED
AUG 16 1991

Department of Water Resources

Send Copies to

Adj. Bureau Yes No
GW Prot. Div Yes No
Idaho F & G Yes No
Coeur d'alene Yes No
Lewiston Yes No
Dept. Lands Yes No

Idaho H & W Yes No
Coeur d'alene Yes No
Lewiston Yes No
BLM Yes No
US Corps. of Eng. Yes No
Other Yes No

USFS Yes No
Panhandle N. F. Yes No
Coeur d'alene Yes No
Clearwater N. F. Yes No
Orofino Yes No
Nez Perce N. F. Yes No
Grangeville Yes No

Application Number

FINAL REGIONAL PROCESSING REVIEW

YES NO

Additional information received:

Notice of pending void order issued: Final date of order response.

Comments added

Maps Copied

✓ Affidavit of publication received:

✓ Application published correctly: If not, record action taken.

✓ Publication dates and paper recorded on application:

 ☒ Protests received, Final date for protest 5/5/91

Recommendations attached:

Measuring device required:

Measuring port required:

____ Water delivered by water master? District #

____ Special conditions of approval or cover letter: (see additional info. below)

Approval Recommended by: [Signature] Date 8/13/91

STATE OFFICE REVIEW

See remarks for additional information. By _____ Date _____

REMARKS

95-08704

O MYER, LYLE
O MYER, JUTTA
N. 2000 MEYER RD.
POST FALLS, ID 83854

Source: GROUNDWATER

Diversion Pt: SENENW Sec 32 T 51N R 04W

Use: IRRIGATION (.160 CFS)
DOMESTIC (.160 CFS)
Total Diversion: (.160 CFS)

Date Filed: 7/ 8/ 1991

In: T51N R04W S32 NENW NWNW SENW

8.0 ACRES TOTAL

RECORDED

OCT 07 1991