





T 49 N R 4 W
SEC. 7.

E
K



95-08698
MR. SANTZ'S
TRAILER
P.U. →

MR. SANTZ'S WATER
SYSTEM HOUSE.
→

MR. SANTZ'S
P. D. FROM
→ LAKE

RECORDED
INDEXED
DEC 21 1994



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Julie Jacobs

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Times* issue of said newspaper for *2* consecutive *weeks*, commencing on the *18th* day of *July*, 19*91*, and ending on the *25th* day of *July*, 19*91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this

25th

day of

July

19*91*

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY

My commission expires *2-3-93*

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-8698 in the name of Clifford D. Jantz was advertised incorrectly on 6/20 & 27/1991. The Place of Use was incorrectly advertised as T489N R03W S07 Lot 4 (SENE); whereas, correctly it should be T49N R03W S07 Lot 4 (SENE). (For additional information concerning the property location, call the Northern Regional Office at 765-4639).

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814 on or before August 5, 1991.

R. KEITH HIGGINSON, Dir.

Legal 57

July 18, 25, 1991

OK
for
7/26/91

RECORDED

SEP 05 1991

RECEIVED

JUL 26 1991

NORTHERN REGION
ID. WR

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive weeks commencing on the 20th day of June, 1991, and ending on the 27th day of June, 1991, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Julie Jacobs

Subscribed and sworn to before me this

27th day of June

1991

MICROFILMED

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

SEP 05 1991

ROBERTA MANLEY

My commission expires 2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08698

JANTZ, CLIFFORD D.
3027 N. 19TH ST.
COEUR D'ALENE, ID 83814
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 4 (SENE) Sec 7 T 49N R 03W

Use: DOMESTIC (.040 CFS); Total
Diversion: (.040 CFS)
Date Filed: 5/31/1991
In: T489N R03W S07 Lot 4 (SENE)
95-08699

GRAHAM, ROBERT L.
N. 710 MC CABE RD.
SPOKANE, WA 99216
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 4 (NESW) Sec 3 T 47N R 04W

Use: DOMESTIC (0.40 CFS); Total
Diversion: (.040 CFS)
Date Filed: 5/31/1991
In: T47N R04W S03 Lot 4 (NESW)
95-08700

WILLIAMS, LARRY
WILLIAMS, MARDELL
2031 N. HWY. 41
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: SWNENE Sec 36 Ts 51N R 05W
Use: IRRIGATION (.700 CFS); Total
Diversion: (.700 CFS)
Date Filed: 5/31/1991
In: T51N R05W S36 NENE SWNE SENE
60.0 ACRES TOTAL
95-08701

HOYT RANCH INC.
BRAD HOYT, PRES.
P.O. BOX 1083
POST FALLS, ID 83854
Source: SPRING
Tributary: SINKS
Diversion Pt: NWNWNW Sec 16 T 51N R 05W

Use: RECREATION STORAGE (8.00 AF);
Total Diversion: (8.00 AF)
Date Filed: 6/7/1991
In: T51N R05W S16 NWNW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before JULY 8, 1991.

R. KEITH HIGGINSON, Director

Legal 938

June 20, 27, 1991

NORTHERN REGION
IDWR

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08698

Priority: May 31, 1991

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that CLIFFORD D JANTZ
3027 N 19TH ST

COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 31, 1991; and has submitted Proof of Beneficial Use on July 26, 1993. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4 (SENE), Sec. 7, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

49N 03W 7 Lot 4 (SENE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28TH day of NOVEMBER, 1994.

Acting for. Keith Higginson, Director

RECEIVED

JUL 26 1993

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 7-27-93

Receipt No. 0028232

Receipt by CS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08698 Telephone No. (208) 667-2697
2. Name(s) of Permit Holder(s): Clifford D Jantz
3. Mailing Address: 3027 N 19th Street, Coeur d'Alene, Id 83814
4. Source of Water: Coeur d'Alene Lake

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: 1/2 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes NO Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes NO Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Clifford Jantz 667-2697
Name Telephone No.

3027 N 19th St, CdA, Id 83814
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-27-93
Date

Clifford Jantz
Signature (and title, if on behalf of a company or organization)

AUG 31 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08698

Proposed Priority: May 31, 1991 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **CLIFFORD D. JANIZ**
3027 N. 19TH ST.
COEUR D ALENE, ID 83814

has applied for a permit to appropriate water from:

COEUR D ALENE LAKE

tributary of **SPOKANE RIVER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 4(SENE), Sec. 7, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC


49N 03W 7 LOT 4(SENE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to diversion of water under this permit, the permit holder must obtain approval of the Idaho Department of Lands.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of August, 1991.

for 
R. Keith Higginson, Director

SEP 05 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Clifford D. Jantz Phone 208-667-2697
Post office address 3027 N. 19th St., Coeur d'Alene, ID. 83814
2. Source of water supply Coeur d'Alene Lake which is a tributary of SPOKANE RIVER
3. Location of point of diversion is _____ 1/4 of SE 1/4 of NE 1/4, Govt. Lot 4
Sec. 7 Township 49 N. Range 3 W B.M. Kootenai County; additional
Tax # 10375
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Pump in Lake Bed,
1" poly (160) from pump to storage tank.
 - b. Height of storage dam N.A. feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is NA inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? N.A.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

SEP 05 1991

12. Remarks:

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? same

11. a. Who owns the property at the point of diversion? 61408 Vanitz

10. Describe any other water rights used for the same purposes as described above. None

_____ Total number of acres to be irrigated

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

ponding place of use below. See instructions for standard symbols.

300
494
6

SCALE 2 IN. = 1 MILE


FOR SALE BY
METSKER MAPS

111 SOUTH 10TH ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 49N., RANGE 3W

KOOTENAI COUNTY, IDAHO

B



↑ THIS IS NOT A SURVEY. THIS PLAT IS SUPPLIED
BY PIONEER TITLE COMPANY FOR INFORMATION
PURPOSES ONLY AND THE COMPANY ASSUMES
NO LIABILITY AS TO ITS ACCURACY




EXHIBIT "A"

Order No. 33612

A tract of land in Government Lots 3 and 4, Section 7, Township 49 North, Range 3 West, Boise Meridian, Kootenai County, Idaho, described as follows:

Commencing at a point on the shore of Lake Coeur d'Alene and on the East line of Lot 37, Panorama View Homes, said point being North a distance of 200.0 feet from an angle point on the Easterly line of Lot 37; thence

Along the shore of Lake Coeur d'Alene and Echo Bay as follows:

North 74°31' East, a distance of 270.22 feet; thence
South 85°10' East, a distance of 48.10 feet; thence
South 74°28' East, a distance of 629.75 feet; thence
North 79°41' East, a distance of 58.10 feet; thence
South 77°48' East, a distance of 285.70 feet; thence
North 81°10' East, a distance of 86.98 feet; thence
South 57°40' East, a distance of 137.09 feet; thence
South 33°59' East, a distance of 141.28 feet; thence
South 18°51-1/2' East, a distance of 267.83 feet; thence
South 44°40' East, a distance of 188.80 feet; thence
South 36°39' East, a distance of 119.76 feet; thence
South 50°27-1/2' East, a distance of 266.39 feet; thence
South 50°27-1/2' East, a distance of 18.73 feet; thence
South 46°40' East, a distance of 81.27 feet to the point of beginning; thence
South 46°40' East, a distance of 28.69 feet; thence
South 26°14' East, a distance of 66.42 feet; thence
South 11°21' East, a distance of 4.89 feet; thence
South 65°01'21" West, a distance of 275.54 feet; thence
North 27°01' West, a distance of 53.99 feet; thence
North 55°38'42" East, a distance of 270.25 feet to the point of beginning.

RECORDED
SEP 05 1907

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

P.D.

P.U.

RECEIVED
SEP 05 1991

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clifford D. Jantz
(Applicant)

SEP 08 1991

1000

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	<i>Ken</i>	Date	5/31/91	Time	4:58p	Preliminary check by	<i>TK</i>
Fee \$	30.00	Received by	<i>Ken</i>	#	N 4548	Date	5/31/91
Publication prepared by	<i>Ken</i>	Date	6/12/91	Published in	6/20/91		
Publication approved by	<i>Ken</i>	Date	8/16/91				



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 29, 1994

CLIFFORD D JANTZ
3027 N 19TH ST
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08698

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

DEC 21 1994

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08698 DATE 10-27-94



NAME	Yes ☐	No ☒	Or Address Change?
PRIORITY DATE	☐	☒	Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒	Amendment needed? _____
	☐	☒	Overlaps? _____
PLACE OF USE	☐	☒	Amendment needed? _____
	☐	☒	Overlaps? _____
DIV RATE	☐	☒	Permit/fee limits: <u>.04 CFS</u> Meas Q = _____ Theo Q = _____ Recommend: <u>.04</u> <u>1" pipe @ 5 PSI MAX .04 CFS</u> <u>(pipe diameter from the application)</u> Combined rates exceed capacity _____
ANNUAL VOLUME	☐	☒	Season of use: <u>1-1 to 12-31</u> Calculations: <u>Standard @ 1.2</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☐	☒	Multiple p/d(s) in ¼ ¼? _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring/Locking Devices
	☐	☒	Watermaster control - District _____
	☐	☒	Irrigation Overlap
	☐	☒	Water Quality
	☐	☒	Other _____ Heat/Cool/ Fish verified _____

COMMENTS: Based on information on permit application
the volume will be recommended as examiner has.
The picture doesn't show if any irrigation exists.

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NA</u>
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>	Adjustment Memo Needed	<u>NO</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMENDMENT LETTER	_____
_____	_____	_____	FINAL AMENDMENT LETTER	_____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 30 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08698

1. Owner: CLIFFORD D. JANTZ Phone No. (208) 667-2697

Current Address: 3027 N. 19TH ST. COEUR D'ALENE, ID. 83814

2. Accompanied by: M.R. JANTZ EXAM DATE: 8-19-83

Address: SAME Phone No. SAME

Relationship to Permit Holder: OWNER

3. Source: COEUR D'ALENE LAKE tributary to SPOKANE RIVER.

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	04		SE	NE	7	49N	3W	KOOTENAI	U.S.G.S. TOPO, METSKER

2. Place(s) of Use:

Indicate Method of Determination U.S.G.S. MET.

Marsale Wetland SP Determination																			49N 3W 7	
TWP	RGE	SEC	NE				NW				SW				SE				Totals	
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE		
49N	3W	7				04-D														

BC

DEC 21 1994

2. Measurements:

NONE

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2		SUBMERSIBLE PUMP	4" PIPE

4.

Scale: 1" = _____
X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached of (required for irrigation of 10+ acres)
X Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS


SYSTEM IS COMPLETE & WATER IS
IN USE.

Have conditions of permit approval been met? ☒ yes ☐ no

DEC 21 1994

267
FEB

517 250 000 FEET 518 R3W 116°45' 47°37'




L
A
K
E

T 49 N 12 3 W
SEC. 7

ock Point

18874

E
H



95-08698

MR. SANTZ'S
TRAILER

← P.U.

MR. SANTZ'S WATER
SYSTEM HOUSE.

← 1

MR. SANTZ'S
P. D. FROM

← LAKE

RECEIVED
FBI
JUL 1 1994

August 6, 1993

CLIFFORD D. JANTZ
3027 N. 19TH ST.
COEUR D ALENE ID 83814

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08698

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

AUG 31 1993

June 30, 1993

CLIFFORD D. JANTZ
3027 N. 19TH ST.
COEUR D ALENE ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-08698

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



AUG 31 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 26, 1991

CLIFFORD D. JANTZ
3027 N. 19TH ST.
COEUR D ALENE, ID 83814

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08698

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

SEP 05 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacob being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular Times
issue of said newspaper for 2 consecutive weeks
commencing on the 15th day of July, 1991, and
ending on the 25th day of July, 1991, and such
publication was made as often during said period as said Daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 25th day of July,
1991.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY

Commission expires 2-3-93

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN THAT
APPLICATION FOR PERMIT NO. 95-
8698 in the name of Clifford D. Jantz was
advertised incorrectly on 6/20 & 27/1991.
The Place of Use was incorrectly
advertised as T489N R03W S07 Lot 4
(SENE); whereas, correctly it should be
T49N R03W S07 Lot 4 (SENE).
(For additional information concerning
the property location, call the Northern
Regional Office at 765-4639).
Protests to the above-referenced
correction must be filed with the Director,
Dept. of Water Resources, 1910
Northwest Blvd., Suite 210, Coeur
d'Alene, Id. 83814 on or before August 5,
1991.

R. KEITH HIGGINSON, Dir.

Legal 57
July, 18; 25, 1991

SEP 05 1991

RECEIVED

JUL 26 1991

REGION
FIR

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-8698 in the name of Clifford D. Jantz was advertised incorrectly on 6/20 & 27/1991.

The Place of Use was incorrectly advertised as T489N R03W S07 Lot 4 (SENE); whereas, correctly it should be T49N R03W S07 Lot 4 (SENE).

(Insert correction.)

(For additional information concerning the property location, call the Northern Regional Office at 765-4639.)

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814 on or before August 5, 1991.

R. KEITH HIGGINSON, Dir.

Published in the Coeur D'Alene Press on 7/18 & 25/1991.

*(Please do not bill us for this correction
since the error was not our fault.)
Thank you.*

RECEIVED
SEP 05 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss.

Julie Jacobs

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive weeks commencing on the 20th day of June, 1991, and ending on the 27th day of June, 1991, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice

Julie Jacobs

Subscribed and sworn to before me this 27th day of June

1991

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

AUBERTA MANLEY
My commission expires 2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08698

JANIZ, CLIFFORD D.
3027 N. 19TH ST.
COEUR D'ALENE, ID 83814
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt LOT 4 (SENE) Sec 7 T 49N R 03W

Use: DOMESTIC (.040 CFS); Total
Diversion: (.040 CFS)
Date Filed: 5/31/1991
In: T489N R03W S07 Lot 4 (SENE)
95-08699

GRAHAM, ROBERT L.
N. 710 MC CABE RD.
SPOKANE, WA 99216
Source: COEUR D'ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt LOT 4 (NESW) Sec 3 T 47N R 04W

Use: DOMESTIC (0.40 CFS); Total
Diversion (.040 CFS)
Date Filed: 5/31/1991
In: T47N R04W S03 Lot 4 (NESW)
95-08700

WILLIAMS, LARRY
WILLIAMS, MARDELL
2031 N. HWY. 41
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: SWNENE Sec 36 Ts 51N R 05W

Use: IRRIGATION (.700 CFS); Total
Diversion: (.700 CFS)
Date Filed: 5/31/1991
In: T51N R05W S36 NENE SWNE SENE
60.0 ACRES TOTAL
95-08701

HOYT RANCH INC.
BRAD HOYT, PRES.
P.O. BOX 1083
POST FALLS, ID 83854
Source: SPRING
Tributary: SINKS
Diversion Pt: NWNWNW Sec 16 T 51N R 05W

Use: RECREATION STORAGE (8.00 AF);
Total Diversion: (8.00 AF)
Date Filed: 6/7/1991
In: T51N R05W S16 NWNW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before JULY 8, 1991.

R. KEITH HIGGINSON, Director

Legal 938

June 20, 27, 1991

IDAHO DEPARTMENT OF WATER RESOURCES

10WR

95-08698

JANTZ, CLIFFORD D.
3027 N. 19TH ST.
COEUR D ALENE, ID 83814

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 4 (SENE) Sec 7 T 49N R 03W

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 5/31/ 1991

In: T49N R03W S07 Lot 4 (SENE)

AP 05 1991

STANLEY F. HAMILTON
DIRECTOR

June 24, 1991

BOARD OF LAND
COMMISSIONERS

CECIL D. ANDRUS
Governor


PETE T. CENARRUSA
Secretary of State

LARRY ECHOHAWK
Attorney General

J.D. WILLIAMS
State Auditor

JERRY L. EVANS
Sup't of Public
Instruction

Robert G. Haynes
Regional Manager
Department of Water Resources
1910 Northwest Blvd., Suite 210
Coeur d'Alene, ID 83814



Re: Applications 95-8698 and 95-8699

These applications involve a navigable lake. The applicant will need a lake encroachment permit from the Department of Lands. The applications have been forwarded to our Coeur d'Alene office for action.

Sincerely,

Bryce Taylor

Bryce Taylor
Lands Leasing Specialist

c: Will Pitman



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 12, 1991

Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 95-8698

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure