



REFERENCED WORLEY QUADRANGLE
FROM NW CORNER IDAHO-KOOTENAI CO.
7.5-MINUTE SERIES (TOPOGRAPHIC)

NW/4 PLUMMER 15' QUADRANGLE

2579 III SE
(MCA BAY)



MICROFILMED
DEC 06 1993





PERMIT #
95-08693

← WELL
P. D.



MR. CUMMINGS
HOUSE
P. U.



MR. GRUBB'S
HOUSE
← P. U.

APPROVED
DEC 06 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08693

Priority: April 2, 1991

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that RICHARD J CUMMINGS
GAIL M CUMMINGS
RONALD E GRUBB
MARIANNE R GRUBB

W 7020 BENPOINT RD
WORLEY ID 83876

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 2, 1991; and has submitted Proof of Beneficial Use on April 17, 1992. An examination indicates that the works have a diversion capacity of .050 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWNE), Sec. 20, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC


TWN RGE SEC

48N 04W 20 Lot 4(SWNE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 17TH day of NOVEMBER, 1993.

Acting for  R. Keith Higginson, Director

MICROFILMED

11/91

RECEIVED

APR 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

OFFICE USE ONLY

Amt. of Fee \$ _____

Date _____

Receipt No. _____

Receipt by _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08693 Telephone No. 208 7650113
2. Name(s) of Permit Holder(s): RONALD OR MARIANNE GRUBB OR RICHARD OR GAIL CUMMINGS
3. Mailing Address: W 7000 Benpoint Rd WORLEY ID 83876
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: United Drilling INC Date Drilled: 5-26-89

OPTIONAL:

Pump horsepower: 2 hp Pressure (psi): 40 Dynamic pumping level (ft.): well depth 15; 295 feet

5. Extent of Use (as authorized by the permit):

Domestic ☒ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .04 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No _____

OR

Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? _____ Yes _____ No _____

8. Fee Enclosed: \$ N/A (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Marianne Grubb 208 7650113
Name Telephone No.

W 7000 Benpoint Rd WORLEY ID 83876
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-14-92
Date

Marianne Grubb
Signature (and title, if on behalf of a company or organization)

FILED
MAY 22 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08693

Proposed Priority: April 2, 1991 Maximum Diversion Rate: 0.04 CFS

This is to certify, that RICHARD J. CUMMINGS
RONALD E. GRUBB
MARIANNE R. GRUBB
GAIL M. CUMMINGS
W. 7020 BENPOINT RD.
WORLEY, ID 83876

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 4(SWNE), Sec. 20, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

48N 04W 20 LOT 4(SWNE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14th day of June, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-8693

RECEIVED

APR 02 1991

NORTHERN REGION
IDWR

To appropriate the public waters of the State of Idaho

TM

1. Name of applicant RONALD E OR MARIANNE R OR GRUBB OR
RICHARD J OR GAIL A CUMMINGS Phone 208 765 4017
Post office address W 7000 BENPOINT RD WORLEY ID 83876
W 7020

2. Source of water supply GROUND WATER which is a tributary of N/A

3. Location of point of diversion is _____ 1/4 of SW 1/4 of NE 1/4, Govt. Lot 4
Sec. 20 Township 48 N Range 4 W B.M. KOOTENAI County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 104 cfs for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 104 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL AND 2 HP Pump

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6 inches; proposed depth of well is 295 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 year years (minimum 1 year).

JUL 16 1991

Well Permit # 95-89-N-18 Completion Date 5-26-89

A 20x20 grid with a solid outer border and dashed inner lines. In the top-left corner, there is a circled '0' followed by the text 'SEC 20', '48 N', and '4 W' stacked vertically. In the bottom-right corner, there is a faint, tilted stamp that reads 'JUL 15 1957'.

Therionne R. Gendek
(Applicant)

Received by TDK/AB Date 4/2/91 Time 13:35 Preliminary check by TDK
Fee \$ 30.00 Received by AB # N-4400 Date 4/2/91
Publication prepared by [Signature] Date 4/0/91 Published in 4/18+25/91
Publication approved [Signature] Date 4/30/91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECORDED
JUL 16 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 22, 1993

RICHARD J CUMMINGS
GAIL M CUMMINGS
RONALD E GRUBB
MARIANNE R GRUBB
W 7020 BENPOINT RD
WORLEY ID 83876

RE: WATER RIGHT NO. 95-08693

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the word 'Sincerely'.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

DEC 06 1993

WR5809NP
No. L95-08693

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 11/17/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RICHARD J CUMMINGS	04/02/1991	DOMESTIC	01-01 12-31	0.04 CFS	1.2 AFA
C	GAIL M CUMMINGS W 7020 BENPOINT RD WORLEY ID 83876 (208) 765-4017			TOTAL DIVERSION:	0.04 CFS	1.2 AFA
C	RONALD E GRUBB					
C	MARIANNE R GRUBB W 7000 BENPOINT RD WORLEY ID 83876 (208) 765-0113					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.05 CFS

Point(s) of Diversion: T48N R04W S20 Lot 04(SW NE)

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE			
				NENE NWNE SWNE SENE				NENW NWNW SWNW SENW				NESW NWSW SWSW SESW				NESE NWSE SWSE SESE			
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
48N	04W	20	:					04-D	:										

Pou County: KOOTENAI

Other Water Rights Listing Overlapping Place(s) of use:
95-08718

Remarks: Domestic use is for 2 homes.

Dates:	App. Received:	04/02/1991	Priority Date:	04/02/1991
	Proof Due Date:	06/01/1992	Proof Made Date:	04/17/1992
	Exam Made Date:	06/26/1993	Exam Sent to S.O.:	10/27/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Comments: Date: 04/17/1992 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 11/15/93 CHAPMAN 11/16/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 95-8693 Date 11-15-93 Brenda Chapman

Yes No

NAME Or Address Change?

PRIORITY DATE Advance? Memo to Advance

 Order to Reinstate Needed?

 Incorrect Fee for rate recommended?

SOURCE Changes? Clarification of Originally Intended source

 Notice of Intent to Void - Source change.

P/D Amendment Needed?

 Overlap(s)

P/U Amendment Needed?

 Overlap(s)

TOTAL CFS NA Disagree/Measurement none done

 Theoretical $(8.8 \times .70 \times 2 \text{ HP}) / (75 + 2.31 \times 40) = .05$

 Capacity .05

 Allowable Amount: .04 (Permit limit)

TOTAL VOLUME NA Disagree with Examiner's Calculations? 2 Internal domestics @ 1.2

 Flow limit: x x 1.9835 =

 Season

USES Change(s) in Nature of Use?

 Amendment Needed?

REMARKS Multiple P/Ds in 1/4 1/4?

 Special Overlap

 Other

CONDITIONS Measuring/Locking Devices

 W/Master Control

 Irrigation Overlap 4-2-91 Water Dist

 Water Quality 6-26-93 App Rec'd

 Exam Made

COMMENTS:

RECOMMENDED	CFS	DIV VOL	
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>	LICENSE ☒
_____	_____	_____	AMEND ☐
			2ND AMEND ☐

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
NOV 01 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08693

1. Owner: RONALD E. GRUBB Phone No. (208) 765-0113

Current Address: W. 7000 BENPOINT RD. WORLEY, ID. 83876

2. Accompanied by: MARIEANNE R. GRUBB EXAM DATE: 6-26-93

Address: SAME Phone No. SAME

Relationship to Permit Holder: WIFE

3. Source: GROUNDWATER tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 95-08718

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4		SW	NE	20	48N	R04W	KOOTENAI	U.S.G.S. TOPO, METSKER

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	04W	20			D														

RECEIVED

DEC 06 1993

DEC 06 1993

NOVE

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NOVE						

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NOVE					

4.

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
X Photo of Diversion and System Attached

Scale: 1" =



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins or other markings visible.

DEC 06 1993

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\text{NONE}}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

NONE

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

DOMESTIC

Period of Use

From 01-01 To 12-31

Rate of Diversion

Q (cfs) 0.04

Annual Volume

V (ata) 1.2

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

X None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name

Don M. Kunz

Date

7-1-93

Reviewer


Date

SEAL

01 0 0 9 1993

01 0 0 9 1993

2679 III SE
(MICA BAY)



36

WENHAT
VOGL

KARL I. WALLIN
WILSEY

JOHN FINNEBOTT

ELSIE F.
RAMSEY

LEON S.
WILKINS

Rockford Point

Windy Bay

Annwaco

BERTHA B. JOHNSON

KARL A. BERGSTROM

KARL A. BERGSTROM

ELMER
LARSON

W. R. MATTHEWS

WM. H. BAILEY

HARRY J.
LAMBERT

EDWARD
H. LAMBERT

A. B. JOHNSON

RUDOLPH
PEARSON

DR. R. B. BERRY JR.

RUBEN C.
PREWING

East Point

Bell Bay

FARMINGTON
LANDING

Aberdeen
Lodge

Gasser Pt.

34

Harlow Pt.

Little Cottonwood
Bay

Section 20

LALENA

Powderhorn Bay

ARTHUR & VERNON
JENSEN

NELS P.
JENSEN

ARTHUR & VERNON
JENSEN

ARTHUR & VERNON
JENSEN

COIN
GASSER

MINNIE
ROBERTS

OLAV ROBINSON

HENRIKSEN
ERIC LUND

35

28

27

22

15

16

17

18

21

20

19

29

30

32

31

33

34

35

36

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Mr. and Mrs. Ron Grub</u> <u>715 N. 4th</u> Address <u>Coeur d' Alene, Idaho 83814</u> Owner's Permit No. <u>95-89-0-18</u>		7. WATER LEVEL Static water level <u>165</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>9F</u> Quality <u>good</u> <i>Describe artesian or temperature zones below:</i>																																																					
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>10 to 15gpm</u></td><td><u>300</u></td><td><u>1hr</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>10 to 15gpm</u>	<u>300</u>	<u>1hr</u>																																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																																					
<u>10 to 15gpm</u>	<u>300</u>	<u>1hr</u>																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>8</td><td>brown clay</td><td></td><td>X</td></tr><tr><td>8</td><td>8</td><td>80</td><td>broken basalt</td><td></td><td>X</td></tr><tr><td>8</td><td>80</td><td>200</td><td>brown clay and sand</td><td>X</td><td></td></tr><tr><td>6</td><td>200</td><td>295</td><td>clay brown and gray</td><td>X</td><td></td></tr><tr><td>6</td><td>295</td><td>304</td><td>sand stone & basalt mix</td><td>X</td><td></td></tr><tr><td>6</td><td>304</td><td>310</td><td>hard clay</td><td></td><td>X</td></tr><tr><td colspan="6">pulling 10 to 15 gpm at 295-304 in sand stone layer. clear and cold.</td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	8	0	8	brown clay		X	8	8	80	broken basalt		X	8	80	200	brown clay and sand	X		6	200	295	clay brown and gray	X		6	295	304	sand stone & basalt mix	X		6	304	310	hard clay		X	pulling 10 to 15 gpm at 295-304 in sand stone layer. clear and cold.					
Bore Diam.	Depth		Material		Water																																																		
	From	To		Yes	No																																																		
8	0	8	brown clay		X																																																		
8	8	80	broken basalt		X																																																		
8	80	200	brown clay and sand	X																																																			
6	200	295	clay brown and gray	X																																																			
6	295	304	sand stone & basalt mix	X																																																			
6	304	310	hard clay		X																																																		
pulling 10 to 15 gpm at 295-304 in sand stone layer. clear and cold.																																																							
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		10. Work started <u>5/24/89</u> finished <u>5/26/89</u>																																																					
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>6</u> inches</td><td><u>2</u> feet</td><td><u>295</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>30</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ clay Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>295</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>United Drilling Inc</u> Firm No. <u>414</u> P.O. Box <u>2499</u> Address <u>Coeur d' Alene, Id.</u> Date <u>5/30/89</u> Signed by (Firm Official) <u>EDR [Signature]</u> and (Operator) <u>Lino [Signature]</u>																					
Thickness	Diameter	From	To																																																				
<u>.250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>295</u> feet																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																				
Number	From	To																																																					
_____ perforations	_____ feet	_____ feet																																																					
_____ perforations	_____ feet	_____ feet																																																					
_____ perforations	_____ feet	_____ feet																																																					
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td><td></td></tr></table> County <u>Shoshone</u> Subdivision Name _____ Lot No. _____ Block No. _____ T. <u>4S</u> N/S. R. <u>4E</u> W.		N				W			E					S				10. Work started <u>5/24/89</u> finished <u>5/26/89</u>																																					
N																																																							
W			E																																																				
S																																																							


USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

DEC 06 1993


PERMIT #
95-08693

← WELL
P. D.

MR. CUMMINGS
HOUSE
P. U.



MR. GRUBB'S
HOUSE
P. U.



RECEIVED
DEC 06 1993

April 24, 1992

RICHARD J. CUMMINGS
GAIL M. CUMMINGS
RONALD E. GRUBB
MARIANNE R. GRUBB
W. 7020 BENPOINT RD.
WORLEY ID 83876

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08693

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
MAY 22 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08693

Reviewed by Klg

Date 4/17/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? _____
If not, complete calculation below.

SOURCE OF WATER

____ Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 95-89-N-018
10 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

NA Required?
/ Amount Submitted
/ Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

driller 414

proof acceptable

DATA ENTRY


New Address _____

Proof Made 4/17/92
4/24/92 Klg

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Mr. and Mrs. Ron Grubb</u> <u>715 N. 4th</u> Address <u>Coeur d' Alene, Idaho 83814</u> Owner's Permit No. <u>25-89-n-18</u>	7. WATER LEVEL Static water level <u>165</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality <u>good</u> <i>Describe artesian or temperature zones below:</i>																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>10 to 15 gpm</u></td> <td><u>300</u></td> <td><u>1hr</u></td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>10 to 15 gpm</u>	<u>300</u>	<u>1hr</u>																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																													
<u>10 to 15 gpm</u>	<u>300</u>	<u>1hr</u>																																													
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>8</td> <td>0</td> <td>8</td> <td>brown clay</td> <td></td> <td>X</td> </tr> <tr> <td>8</td> <td>8</td> <td>80</td> <td>broken basalt</td> <td></td> <td>X</td> </tr> <tr> <td>8</td> <td>80</td> <td>200</td> <td>brown clay and sand</td> <td>X</td> <td></td> </tr> <tr> <td>6</td> <td>200</td> <td>295</td> <td>clay brown and gray</td> <td>X</td> <td></td> </tr> <tr> <td>6</td> <td>295</td> <td>304</td> <td>sand stone & basalt mix</td> <td>X</td> <td></td> </tr> <tr> <td>6</td> <td>304</td> <td>310</td> <td>hard clay</td> <td></td> <td>X</td> </tr> </tbody> </table> pulling 10 to 15 gpm at 295-304 in sand stone layer. clear and cold.	Bore Diam.	Depth		Material	Water		From	To	Yes	No	8	0	8	brown clay		X	8	8	80	broken basalt		X	8	80	200	brown clay and sand	X		6	200	295	clay brown and gray	X		6	295	304	sand stone & basalt mix	X		6	304	310	hard clay		X
Bore Diam.	Depth		Material	Water																																											
	From	To		Yes	No																																										
8	0	8	brown clay		X																																										
8	8	80	broken basalt		X																																										
8	80	200	brown clay and sand	X																																											
6	200	295	clay brown and gray	X																																											
6	295	304	sand stone & basalt mix	X																																											
6	304	310	hard clay		X																																										
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>5/24/89</u> finished <u>5/26/89</u>																																														
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>6</u> inches</td> <td><u>2</u> feet</td> <td><u>295</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>30</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ clay Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>295</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Driller's Name <u>United Drilling Inc</u> Firm No. <u>414</u> Box <u>2499</u> Address <u>Coeur d' Alene, Id.</u> Date <u>5/30/89</u> Signature (Firm Official) <u>EDR [Signature]</u> and Signature (Operator) <u>Loni [Signature]</u>																										
Thickness	Diameter	From	To																																												
<u>.250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>295</u> feet																																												
_____ inches	_____ inches	_____ feet	_____ feet																																												
_____ inches	_____ inches	_____ feet	_____ feet																																												
_____ inches	_____ inches	_____ feet	_____ feet																																												
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Boone</u> NE 1/4 Sec. <u>30</u> T. <u>45</u> N. S. <u>2</u> E. W.	12. DEPARTMENT OF WATER RESOURCES RECEIVED JUN 1 1989 JUN 20 1989 Department of Water Resources																																														

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

Post-It™ brand fax transmittal memo 7671

of pages 2

To <u>Kramer Construction</u>	From <u>Northern</u>
Co.	Co.
Dept.	Phone #
Fax #	Fax #

Drilling Permit No. 95-89-N-18
 Water Permit No. _____
 Injection Permit No. _____

State of Idaho
 Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

- Applicant United Construction, Mr. Ron Stump
- Address 701 N-4th, Coeur d'Alene, Id.
 Telephone 265-9471
- Proposed well location Sec. 114 NW 1/4, or Gov't lot No. 465,
 Sec. 20, Twp. 48N, Rge. 4W, County Latah,
 Lot, block and subdivision _____
- Proposed use of well: (Check all that apply)
☒ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
- Well construction information:
☒ New well ☐ Deepen ☐ Replace
 Proposed surface diameter 6" Maximum depth 500'
 Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
- Anticipated construction start date May 4
- Well Driller (if known) United Drilling, Inc.
 Address 2001 2499 Coeur d'Alene, Id. 83814
- Applicant's signature John Stump
 Title FIELD REPRESENTATIVE
 Date 4/28/89

MICROFILMED

MAY 22 1992

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 28 day of April, 1989.

Signed [Signature]

Title _____

Received by Kew Fee 10.00 Date 4/28/89Receipt No. N-2805 Construction start extension to _____

Extension approved by _____

MICROFILMED
MAY 22 1992

March 31, 1992

RICHARD J. CUMMINGS
GAIL M. CUMMINGS
RONALD E. GRUBB
MARIANNE R. GRUBB
W. 7020 BENPOINT RD.
WORLEY ID 83876

CERTIFIED MAIL

NO. 138805

RE: PERMIT NO. 95-08693 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

MAY 22 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 20, 1991

RICHARD J. CUMMINGS
GAIL M. CUMMINGS
RONALD E. GRUBB
MARIANNE R. GRUBB
W. 7020 BENPOINT RD.
WORLEY, ID 83876

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08693

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

RECEIVED
JUN 23 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacob

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.


3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thus* issue of said newspaper for *2* consecutive *weeks* commencing on the *18th* day of *April*, 19*91*, and ending on the *25th* day of *April*, 19*91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julie Jacob

Subscribed and sworn to before me this *25th* day of *April*, 19*91*



Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY *3-3-93*
My commission expires

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08690

GURSTEIN, RUSS
P.O. BOX 1256
HAYDEN LAKE, ID 83835
Source: UNNAMED STREAM Tributary:
HAYDEN LAKE
Source: GROUNDWATER Tributary:
Diversion Pt: SWNW Sec 8 T 51N R 03W
Use: IRRIGATION (.040 CFS);
IRRIGATION STORAGE (1.00 AF);
IRRIGATION FROM STORAGE (1.00 AF); DOMESTIC (.010 CFS);
RECREATION (1.00 AF); Total Diversion: (.040 CFS) (1.00 AF)
Date Filed: 4/ 5/ 1991
In: T51N R03W S08 SWNW
5.0 ACRES TOTAL
95-08692

HOWARD, KEN
1766 FERNAN HILL RD.
COEUR D'ALENE, ID, 83814
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 9 T 50N R 03W
Use: STOCKWATER (.020 CFS);
DOMESTIC (.040 CFS); Total Diversion: (.040 CFS)
Date Filed: 3/28/ 1991
In: T50N R03W S09 NESE SESE
95-08693

CUMMINGS, RICHARD J.
CUMMINGS, GAIL M.
GRUBB, RONALD E.
GRUBB, MARIANNE R.
W. 7020 BENPOINT RD.
WORLEY, ID 83876
Source: GROUNDWATER
Diversion Pt: LOT 4 (SWNE) Sec 20 T 48N R 04W
Use: DOMESTIC (.040 CFS); Total Diversion: (.040 CFS)
Date Filed: 4/ 2/ 1991
In: T48N R04W S20 Lot 4 (SWNE)
95-08694

BAILEY, PHILIP
BAILEY, FRANCES
HCR 2 BOX 1623
HARRISON, ID 83833
Source: GROUNDWATER
Diversion Pt: SWNWSE Sec 32 T 49N R 03W
Use: IRRIGATION (.200 CFS);
DOMESTIC (.040 CFS); Total Diversion: (.200 CFS)
Date Filed: 4/ 8/ 1991
In: T49N R03W S32 NWSE
40.0 ACRES TOTAL

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before MAY 6, 1991.

R. KEITH HIGGINSON, Director
Legal 326
April 18, 25, 1991

APR 18 1991

95-08693

CUMMINGS, RICHARD J.
CUMMINGS, GAIL M.
GRUBB, RONALD E.
GRUBB, MARIANNE R.
W. 7020 BENPOINT RD.
WORLEY, ID 83876

Source: GROUNDWATER

Diversion Pt: LOT 4 (SWNE) Sec 20 T 48N R 04W

Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)

Date Filed: 4/ 2/ 1991

In: T48N R04W S20 Lot 4 (SWNE)

11-11-91

JUL 16 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

APPROPRIATION APPLICATION ACKNOWLEDGEMENT

Re: Water Appropriation Application # 95-8693

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho, as well as the required appropriation filing fee, for which your Receipt is enclosed. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.


If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. You will be notified by mail of the Directors decision.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

Enc: Receipt

RECEIVED

JUL 16 1991

