

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marky M. Lathrop
(Applicant)
RESOURCE MANAGER

MICROFILMED
JUL 16 1991

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

Cynthia Ann Hammes, being first duly sworn on oath, deposes and says that she is vice president of The Corporation, owner of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 17th day of April, 1991, and the last on the 24th day of April, 1991.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

Dated this 26th day of April, 1991.

Cynthia Ann Hammes

STATE OF IDAHO
COUNTY OF BENEWAH

On this 26th day of April in the year of 1991, before me, a Notary Public, personally appeared Cynthia Ann Hammes known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statement therein are true, and acknowledged to me that she executed the same.

Sharon D. Blackburn
Notary Public for Idaho

Residing at St. Maries, Id.

My commission expires: Nov. 4, 1992

Pacific Crown files application for water

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the public waters of the State of Idaho:

95-08691

PACIFIC CROWN TIMBER PRODUCTS, INC.

P. O. BOX 189

PLUMMER, IDAHO 83851

Source: GROUNDWATER

Diversion Pt: NWSW, Sec. 18, T. 46 N., R. 04 W.

Use: INDUSTRIAL (3.000 CFS)

Total Diversion: (3.000 CFS)

Date Filed: 3/29/1991

In: T46 N R04W S18 NWSW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before May 6, 1991.

-s-R. Keith Higginson, Director
1385 --- Apr. 17-24


RECEIVED

APR 29 1991

NORTHERN REGION
IDWR

MICROFILMED

JUL 16 1991



Point of Diversion

Pulse

95-08691

PACIFIC COAST TIMBER

T. 49N., R. 4W

MICROFILMED
NOV 08 1996



MICROFILMED
NOV 08 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08691

Priority: April 17, 1991

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume: 144.8 AF

This is to certify, that PACIFIC CROWN TIMBER PRODUCTS INC

PO BOX 189

PLUMMER ID 83851

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 29, 1991; and has submitted Proof of Beneficial Use on June 20, 1994. An examination indicates that the works have a diversion capacity of 0.200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	01/01 to 12/31	0.20 CFS	144.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 18, Township 46N, Range 04W
BENEWAH County

PLACE OF USE: INDUSTRIAL

TWN RGE SEC

46N 04W 18

NWSW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
6. Industrial use is for cooling water for dehumidification kilns.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15th day of November, 1996.

MICROFILMED

NOV 08 1996


Acting for KARL J. DREHER, Director

RECEIVED

JUN 20 1994

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Amt. of Fee \$ 50.00
Date 6/21/94
Receipt No. 6630597
Received by dw

PROOF OF BENEFICIAL USE

JUN 20 1994

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08691 Telephone No. 208-686-1316

2. Name(s) of Permit Holder(s): PACIFIC CROWN TIMBER PRODUCTS INC

3. Post Office Address: P.O. Box 189 PLUMMER ID 83851

4. Source of Water: GROUND WATER

a. If ground water, well driller's name: J&J DRILLING Date drilled: 5-21-91

b. Pump horsepower: _____ Pressure (psi): 40 Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other INDUSTRIAL

6. Total rate and/or volume for which proof is submitted .2 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

RICK BOWEN 208-686-1316
Name Telephone No.

P.O. Box 189 PLUMMER ID 83851
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6-13-94
Date

Rick Bowen PLANT SUPERINTENDENT
Signature (and title if on behalf of a company or organization)

NOV 08 1996

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08691

Proposed Priority: March 29, 1991 Maximum Diversion Rate: 3.00 CFS
This is to certify, that PACIFIC CROWN TIMBER PRODUCTS INC.

P.O. BOX 189
PLUMMER, ID 83851

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

INDUSTRIAL	01/01 to 12/31	3.00 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWSW Sec. 18, Township 46N, Range 04W
BENEAH County

PLACE OF USE: INDUSTRIAL
TWN RGE SEC

46N 04W 18 NWSW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. Industrial use is for cooling water for dehumidification kilns and a waste to energy facility.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14th day of June, 1991.

JUL 16 1991

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT


To appropriate the public waters of the State of Idaho

1. Name of applicant Pacific Crown Timber Products Inc Phone 208-686-1316
Post office address P.O. Box 189 PLUMMER ID 83851
2. Source of water supply GROUND WATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$ $\frac{1}{4}$, Govt. Lot _____
Sec. 18 Township 46N Range 4W B.M. BENEWAH County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 3.0 for INDUSTRIAL purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 3 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP
 - b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8" inches; proposed depth of well is 500' or less feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

JUL 16 1991

1661 9 1 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marty M. M. M.
(Applicant)
RESOURCE MANAGER

RECEIVED

JUL 16 1981

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by _____ Date 3/29/91 Time 1:30pm Preliminary check by TDC
Fee \$ 85.00 Received by _____ # N4397 Date 3/29/91
Publication prepared by _____ Date 4/10/91 Published in _____ Date 4/17/91
Publication approved _____ Date 4/29/91

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

Cynthia Ann Hammes, being first duly sworn on oath, deposes and says that she is vice president of The Corporation, owner of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 17th day of April, 1991, and the last on the 24th day of April, 1991.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

Dated this 26th day of April, 1991.

Cynthia Ann Hammes

STATE OF IDAHO
COUNTY OF BENEWAH

On this 26th day of April, in the year of 1991, before me, a Notary Public, personally appeared Cynthia Ann Hammes known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statement therein are true, and acknowledged to me that she executed the same.

Sharon D. Blackburn
Notary Public for Idaho

Residing at St. Maries, Id.

My commission expires: Nov. 4, 1992

Pacific Crown files application for water

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been filed to appropriate the public waters of the State of Idaho:

95-08691

PACIFIC CROWN TIMBER PRODUCTS, INC.

P. O. BOX 189

PLUMMER, IDAHO 83851

Source: GROUNDWATER

Diversion Pt: NWSW, Sec. 18, T. 46 N., R. 04 W.

Use: INDUSTRIAL (3,000 CFS)

Total Diversion: (3,000 CFS)

Date Filed: 3/29/1991

In: T46 N R04W S18 NWSW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before May 6, 1991.

-s-R. Keith Higginson, Director
1385 --- Apr. 17-24





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 5, 1996

PACIFIC CROWN TIMBER PRODUCTS INC
PO BOX 189
PLUMMER ID 83851

RE: WATER RIGHT NO. 95-08691

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
NOV 10 1996

MEMORANDUM

TO: File 95-08691

FROM: Sharla

DATE: October 30, 1996

RE: Telecon with Wayne Baldwin (examiner)

On this date, I spoke with Wayne Baldwin concerning licensing of this permit. Specifically, Pacific Crown has two water rights on file with the dept., one of which was licensed last year. Between the two files, there are three well logs for wells in the same section - NWNE, NWSW, and NESW. The previous right was licensed for a well in the NWSW and the permit to now be licensed is also for a well in the NWSW.

My original thought was that this second right was a duplication. However, there are photos in both files and they clearly indicate two separate wells. In my discussion with Wayne, he told me that the well he had looked at was one that was continuously used through a cooling tower (bottom photo in report) for dehumidification kilns. The previous license was for restroom use and general cooling purposes inside the sawmill.

Wayne further told me that he recalls the supervisor who was with him at the time of his exam (Mr. Bowen) indicating that some other wells and mill processes had been abandoned. That was his only explanation as to why we have well logs but no water rights associated with them. He had no idea where those wells may have been located because his focus was only on the one he was examining for this right.

The license can be issued as recommended by the examiner. The above has been typed up for information purposes only.

MICROFILMED
MAY 11 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 95-08691

DATE 10/8/96

REVIEWER: S H A R L A

NAME	Change	<u>OK</u>	Address Change <u>No</u>
SOURCE		<u>✓</u>	Is change clarification of originally intended source? <u> </u> If not, prepare Notice of Intent to Void <u> </u>
POINT OF DIV		<u>✓</u>	Amendment required <u> </u>
PLACE OF USE		<u>✓</u>	Amendment required <u> </u>

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate	<u>3.0</u>	cfs
Fee limit	<u>.20</u>	cfs <u>\$5000</u>
Measured	<u> </u>	cfs
Theoretical	<u>.20</u>	cfs

Recommended Total Div Rate .20 cfs

ANNUAL VOLUME/ NATURE OF USES

<u> </u> <u>✓</u>	Use <u>Ind.</u>	Volume Calculation
		<u>144.8</u> af
		<u> </u> af
		<u> </u> af
		<u> </u> af
		<u> </u> af
	SUBTOTAL	<u>144.8</u> af

Flow rate cfs X days X 1.9835 = af
 Total volume recommended af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS

 Watermaster Control WD#
 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions ROB

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A
 Adjustment Memo ✓

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 6 4 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08691

1. Owner: Pacific Crown Timber Products Phone No. (208) 686-1316

Current Address: P.O. Box 189 Plummer ID 83857

2. Accompanied by: Rick Bowen EXAM DATE: 5-31-95

Address: SAME AS ABOVE Phone No. _____

Relationship to Permit Holder: Supervisor

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	18	46N	04W	Bearwah	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
46N	04W	18									I								

MICROFILMED

NOV 0 8 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	15	2366136010	Submersible	3"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

MICROFILMED

NOV 0 8 1996

E. NARRATIVE/REMARKS/COMMENTS

Industrial use is cooling purposes only. Not used for waste to energy facility.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 08 1996

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

$$.20 \times 365 \times 1.9835 = 144.8 \text{ AF/A}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Indefinite

Period of Use

From 01-01 To 12-31

Rate of Diversion

Q (cfs) .20

Annual Volume

V (afa) 144.8

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

Date

Reviewer

Date 11-16-95

SEAL

MICROFILMED

NOV 0 8 1996

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 95-08691

DATE: 16-NOV-95

COMPLETE BY: WAYNE BALDWIN

HORSEPOWER = 15


PUMP EFFICIENCY = 60%

DYNAMIC LIFT = 300 FEET

SYSTEM PRESSURE = 40 PSI

QUANTITY = 0.20 CFS


MICROFILMED
NOV 08 1996



Point of Diversion
Public

95-08691
PACIFIC CROWN TIMBER
T. 49N., R. 4W.

MODIFIED
NOV 06 05



MICROFILMED
NOV 28 1964

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-8691

Reviewed by JH Date 7-5-94

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

Indust.
Correct Uses? yes

SOURCE OF WATER

Surface water source
✓ Ground water source

yes Drilling permit required?
no Copy in the file? Drilling Permit No. 95-93-N-0039
200.00 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received 6-20-94
Date proof due 6-1-94 -
No. of days late 19 =
Priority Date 3-29-91 +
New Priority Date 4-17-91

DEFICIENCIES OR ACTION ITEMS

Reinstatement & advance priority to April 17, 1991
Proof acceptable - advice of flow port requirement

DATA ENTRY

New Address X

Proof Made 6-20-94

July 5, 1994

PACIFIC CROWN TIMBER PRODUCTS
INC
P O BOX 189
PLUMMER ID 83851

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 95-08691

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order reinstating your permit since the Proof of Beneficial Use form was submitted after the proof due date. Please note that the priority date has been advanced to April 17, 1991.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

MICROFILMED
NOV 08 1996

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name PACIFIC CROWN LUMBERAddress Plummer, IdahoOwner's Permit No. 95-91-N-56

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE

- ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☒ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>1 1/4</u> inches	<u>8</u> inches	<u>1</u> feet	<u>19</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☒ Size of gravel _____

Placed from _____ feet to _____ feet


Surface seal depth 18 Material used in seal: ☐ Cement groutBnetonite☒ Pudding clay☐ Well cuttingsSealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strataDescribe access port 1 1/4" Opening

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

South Hwy. 95

Lot No. _____ Block No. _____

County BenewahNW 1/4 SW 1/4 Sec. 18 T. 46N N/S, R. 4W E/W.

7. WATER LEVEL

Static water level 290 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
150+		

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	2	Cobble		X
	2	5	Gravel & blk. clay		X
	5	9	Gravel & brn. clay		X
	9	295	Basalt-hard-fracts.		X
	295	300	Basalt-med.-fracts.	X	
	300	305	Basalt-med.-fracts. w/clay		X
	305	310	Brn.-clay-firm		X
	310	400	Basalt-hard-fracts.	X	
	400	405	Drk. gray clay-hard		X
	405	425	Brn. clay-hard		X
6	425	430	Basalt-hard-fracts.	X	
	430	520	Basalt-hard-fracts.	X	
	520	530	Basalt-very hard		X
	530	595	Basalt-very hard	XX	

10.

Work started 5/21/91 finished 5/30/1991

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name J & J DRILLING INC Firm No. 319Address S 5613 Linke Rd. Date 6/5/1991
Greenacres, WA 99018Signed by (Firm Official) [Signature]

and

NOV 08 1996 (Operator) [Signature] 92

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

June 7, 1994

PACIFIC CROWN TIMBER PRODUCTS INC.
P.O. BOX 189
PLUMMER ID 83851

LAPSE NOTICE

RE: PERMIT NO. 95-08691

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated March 31, 1994. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.


L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

MICROFILMED
NOV 08 1996

CERTIFICATION OF MAILING

I hereby certify that on 6-7-94
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



March 31, 1994

PACIFIC CROWN TIMBER PRODUCTS INC.
P.O. BOX 189
PLUMMER ID 83851

PROOF DUE NOTICE

RE: PERMIT NO. 95-08691

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
NOV 08 1996



MAY 05 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

✓ USE TYPEWRITER OR
BALLPOINT PEN



Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 20, 1991

PACIFIC CROWN TIMBER PRODUCTS INC.
P.O. BOX 189
PLUMMER, ID 83851

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08691

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

JUL 16 1991

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
JUN 10 1964

1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TRK DATE: 4/1/91 APPLICATION NUMBER: 95-8691

APPLICANT: PAC-Crown

REQUIRED INFORMATION

- (1). () Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
(2). (✓) Source: (See USGS Quad for names of water sources)
(3). (✓) Point of Diversion including county: (10 acre tract, Subd. lot & block)
(4). (✓) Quantity: (flow and/or volume)
(✓) Nature of proposed use: (Include description of use)
(✓) Period of use:
(5). (✓) Total Quantity: (flow and/or volume)
(6). (✓) Description of diverting works:
(7). (✓) Time required for beneficial use of water:
(8). (✓) Proposed uses:
(9). (✓) Place of use or acres irrigated:
(10). (✓) Other Water Rights:
(11). (✓) Ownership:
(13). (✓) Map:
(✓) Signature: (signator title required for corp., partnership, etc)
(✓) Fee: (Amount, receipt number and date recorded on application)
(✓) Acknowledgement Letter:
(✓) Overlap Review: Attachment? (Y)____ (N)____ Remarks? (Y)____ (N)____

ADDITIONAL INFORMATION

YES NO

- ___ ✓ Field check required: Field check by: _____
___ ✓ Field report attached:
___ ✓ Critical groundwater area:
___ ✓ Groundwater management area:
___ ✓ Send dam safety information:
___ ✓ Send letter for additional fish information:
___ ✓ Send letter for additional power information:
___ ✓ Within trust water boundary: (Attach Trust Water Supp. Analysis Sheet):
___ ✓ Diversion greater than 5 cfs or 500 af, supp. analysis sheet attached:
___ ✓ Well drilling permit required:

PROCESSING

YES NO

- ___ ✓ In form for advertising:
___ ✓ Statewide advertising: (10.00 cfs or more, 1,000 AFA or more).

Send Copies To

YES NO

- ___ ✓ I.D. H & W
___ ✓ I.D. F & G
___ ✓ I.D. Lands
___ ✓ Adj. Bur.

YES NO

- ___ ✓ U.S. BLM
___ ✓ U.S.F.S.
___ ✓ W District # _____
___ ✓ G.W. Prot. Div.

YES NO

RECEIVED
MAY 28 1991

Department of Water Resources

Application Number

FINAL REGIONAL PROCESSING REVIEW

YES NO
☒ Additional information received:
☒ Notice of pending void order issued: Final date of order response. _____
☒ Comments added
☒ Maps Copied
☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 5/6/91
☒ Recommendations attached:
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: (see additional info. below)
 Recommended Date of Priority 3/29/91
 Recommended by: TDK RJA Date 5/23/91

STATE OFFICE REVIEW

See remarks for additional information. By _____ Date _____

REMARKS

• • •

PACIFIC CROWN TIMBER PRODUCTS INC.
P.O. BOX 189
PLUMMER, ID 83851

Source: GROUNDWATER

Diversion Pt: NWSW Sec 18 T 46N R 04W

```

Use: INDUSTRIAL          ( 3.000 CFS)
      Total Diversion: ( 3.000 CFS)

```

Date Filed: 3/29/ 1991

In: T46N R04W S18 NWSW

APPROVED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

April 1, 1991

Pacific Crown Timber Prod. Inc.
Box 189
Plummer, Id. 83851

Re: Appropriation Application

Gentlemen:

The Idaho Department of Water Resources hereby acknowledges receipt of your Application For Permit To appropriate the Public Waters Of The State Of Idaho, as well as the required appropriation filing fee.


Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested it would normally be forwarded to Boise to be considered for approval by the Director. However before the application will be considered for approval you must provide this department with a list of names and the addresses of the president, secretary and registered agent, of the corporation, or other governing officials of the organization.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

511 13 1891