





FINUCANE GOV'T WAY WELL

6070

500 ft

Peerless Diaphragm

Total Head in Feet for _____ Stages



RECEIVED

JUL 16 1991

VERTICAL TURBINE PUMPS

Horsepower for _____ Stages

Section 149
10-74

HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer
	1	T84363	7 1/8" FILED RADIAL TO 1/64"	40502	
	2	T84363	7 1/8" STANDARD FILING	39905	
	3	T84363	6 3/4" STANDARD FILING	26863	
	4				

Item _____


Peerless Ref. No: _____

Laboratory Performance		BOWL	T84232-E
SIZE	10 MA	RPM	1760
		CURVE	2840824

PUMP DESCRIPTION: Driver _____; Head _____; Column _____

GUARANTEED BOWL ☐ PERFORMANCE: Capacity 600 gpm; Head 420 ft; Eff 81.9 %; BHP 78

FIELD ☐



MICROFILMED
JUL 16 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs

upon oath deposes and says:

being first duly sworn

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thurs* issue of said newspaper for *2* consecutive *weeks* commencing on the *2nd* day of *May*, 19 *91*, and ending on the *9th* day of *May*, 19 *91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julie Jacobs

Subscribed and sworn to before me this *9th* day of *May*, 19 *91*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.


ROBERTA MANLEY
My commission expires *2-3-93*

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-8687 in the name of Avondale Irrigation District was advertised incorrectly on April 4 & 11, 1991. Part of the place of use was incorrectly described as T51N R03W S18 NENE NWNE SWNE SWNW SENW NESW NWSW SESW; whereas, correctly it should be T51N R03W S18 NENE NWNE SWNE SWNW SENW NESW NWSW SESW.
(For additional information concerning the property location, call the Northern Regional Office at 765-4639.)
Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814 on or before May 20, 1991.

R. KEITH HIGGINSON, Dir.

Legal 377
May 2, 9, 1991

R
5/10/91



MICROFILMED

JUL 16 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal Notice*

of which the annexed is a printed copy, was published in the regular *Thurs* issue of said newspaper for *2* consecutive *weeks* commencing on the *4th* day of *April*, 19*91*, and ending on the *11th* day of *April*, 19*91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *11th* day of *April*, 19*91*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires *2-3-93*

MICROFILMED

JUL 16 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08685

GIBSON, JOHN Z.
GIBSON, ANDREA C.
2700 RACQUETTE RD.
FAIRVIEW COURT #11
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversions Pt: LOT 4 (NESESW) Sec 24 T 50N R 06W
Use: IRRIGATION (.160 CFS); DOMESTIC (.040 CFS)
Total Diversion: (.200 CFS)
Date Filed: 3/18/1991
In: T50N R06W S24 SESW
10.0 ACRES TOTAL

95-08686

CHILDERS, BILL E.
P.O. BOX 261 HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversions Pt: NWNWSE Sec 27 T 52N R 04W
Use: IRRIGATION (.020 CFS); DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/22/1991
In: T52N R04W S27 NESW NWSE
1.0 ACRES TOTAL

95-08687

AVONDALE IRRIGATION DISTRICT
P.O. BOX 81 HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversions Pt: NWSWSW Sec 24 T 51N R 04W
Use: IRRIGATION (1.310 CFS); STOCKWATER (1.310 CFS); INDUSTRIAL (1.310 CFS); COMMERCIAL (1.310 CFS); MUNICIPAL (1.310 CFS); DOMESTIC (1.310 CFS)
Total Diversion: (1.310 CFS) Date Filed: 3/21/1991

In: T51N R03W S18 NENE NWNE SWNE SWNW SENW NESW NWSW SESW S19 NENW NWNW R04W S12 SWSW SESW SWSE All S13 S14 NESE NWSE SWSE SESE S24 NENE NWNE SWNE NENW NWNW SWNW SENW NESW NWSW SWSW SESW NWSE
1396.0 ACRES TOTAL

95-08688

TURKOVSKY, JAY N.
E. 13775 BUNCO RD.
ATHOL, ID 83801
Source: LEWELLEN CREEK
Tributary: SINKS
Diversions Pt: SWSWSE Sec 20 T 53N R 02W
Use: IRRIGATION (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 3/25/1991
In: T53N R03W S20 NWSE SWSE
1.0 ACRES TOTAL

95-08689

MC KELVY, RALPH
P.O. BOX 598
POST FALLS, ID 83854
Source: GROUNDWATER
Diversions Pt: NESW Sec 35 T 51N R 05W
Use: FISH PROPAGATION (.950 CFS)
Total Diversion: (.950 CFS)
Date Filed: 2/11/1991
In: T51N R05W S35 NESW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before APRIL 22, 1991.

R. KEITH HIGGINSON, Director

Legal 250
April 4, 11, 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08687

Proposed Priority: March 21, 1991 Maximum Diversion Rate: 1.31 CFS

This is to certify, that **AVONDALE IRRIGATION DISTRICT**

P.O. BOX 81

HAYDEN LAKE, ID 83835

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	1.31 CFS
STOCKWATER	01/01 to 12/31	1.31 CFS
INDUSTRIAL	01/01 to 12/31	1.31 CFS
COMMERCIAL	01/01 to 12/31	1.31 CFS
MUNICIPAL	01/01 to 12/31	1.31 CFS
DOMESTIC	01/01 to 12/31	1.31 CFS
Totals		1.31 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSWSW Sec. 24, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
51N	03W	18	NENE 2	NWNE 9	SWNE 10	
			SWNW 9	SENE 14	NESW 32	
			NWSW 18	SESW 20		114
	19		NENW 25	NWNW 14		39
04W	12		SWSW 40	SESW 40	SWSE 5	85
	13		NENE 40	NWNE 40	SWNE 40	
			SENE 40	NENW 40	NWNW 40	
			SWNW 40	SENE 40	NESW 40	
			NWSW 40	SWSW 40	SESW 40	
			NESE 40	NWSE 40	SWSE 40	
			SESE 40			640
	14		NESE 40	NWSE 40	SWSE 40	
			SESE 40			160
	24		NENE 12	NWNE 26	SWNE 29	
			NENW 40	NWNW 40	SWNW 40	
			SENE 40	NESW 26	NWSW 39	
			SWSW 40	SESW 12	NWSE 14	358

Total number of acres irrigated: 1396

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
51N	03W	18	SWNW	SENE	
	04W	12	SWSW	SESW	SWSE JUL 16 1991
		13	NENE	NWNE	SWNE

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08687

PLACE OF USE: STOCKWATERTWN RGE SEC

	SENE	NENW	NWNW
	SWNW	SENW	NESW
	NWSW	SWSW	SESW
	NESE	NWSE	SWSE
	SESE		
14	NESE	NWSE	SWSE
	SESE		
24	NENE	NWNE	SWNE
	NENW	NWNW	SWNW
	SENW	NESW	NWSW
	SWSW	SESW	NWSE

PLACE OF USE: INDUSTRIAL, same as STOCKWATER usePLACE OF USE: COMMERCIAL, same as STOCKWATER usePLACE OF USE: DOMESTICTWN RGE SEC

51N 03W 18	NENE	NWNE	SWNE
	SWNW	SENW	NESW
	NWSW	SESW	
19	NENW	NWNW	
04W 12	SWSW	SESW	SWSE
13	NENE	NWNE	SWNE
	SENE	NENW	NWNW
	SWNW	SENW	NESW
	NWSW	SWSW	SESW
	NESE	NWSE	SWSE
	SESE		
14	NESE	NWSE	SWSE
	SESE		
24	NENE	NWNE	SWNE
	NENW	NWNW	SWNW
	SENW	NESW	NWSW
	SWSW	SESW	NWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1994.
2. Subject to all prior water rights.

RECEIVED
JUL 16 1991

JUL 16 1991

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 95-08687

CONDITIONS/REMARKS:

3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
8. Stockwater use is for 50 horses and 300 range cattle.
9. Municipal use is within the city limits of the cities of Hayden and Hayden Lake.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

20th day of June, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Avondale Irrigation Dist. Phone 772-5657
Post office address P.O. Box 81 Hayden Lake, ID 83835
2. Source of water supply ground water which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 24 Township 51N Range 4W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.31 for INDUSTRIAL purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum) domestic
Amount 1.31 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 1.31 for Municipal purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 1.31 for STOCK purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum) commercial
5. Total quantity to be appropriated is (a) 1.31 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 1 existing well with new 12" pipeline connecting to existing pipe work.
 - b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. ~~Proposed~~ ^{Existing} well diameter is 12" inches; ~~proposed~~ ^{existing} depth of well is 298' 6" feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 3 years (minimum 1 year).

JUL 16 1991

JUL 16 1991

[illegible]

JUL 16 1991

Donald Anderson
(Applicant)

JUL 16 1991

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


Received by ST Date 3/21/91 Time 9:20 am Preliminary check by TDK

Fee \$ 65.00 Received by ST Date 3/21/91 # AD04383 Date 3/21/91

Publication prepared by [Signature] Date 3/27/91 Published in Cons. Dir. News Date 4/4-11/91 5/18/91


Publication approved [Signature] Date 5/18/91

Avondale Irr. Dist



ELEVATION 2218 JULY 1958

Municipal




AVONDALE IRRIGATION DISTRICT
P. O. BOX 81
HAYDEN LAKE, IDAHO 83835

HOURS
TUES. & WED. 9 A. M. - 4 P. M.
FRI. 12 P. M. - 6 P. M.

MARCH 28, 1991

TOM KING
DEPT OF WATER RESOURCES
1910 NORTHWEST BLVD SUITE 210
COEUR D'ALENE, IDAHO 83814



DEAR TOM;

PER YOUR LETTER MARCH 22, 1991, THE LIST OF GOVERNING OFFICIALS FOR
THE AVONDALE IRRIGATION DISTRICT IS AS FOLLOWS:


DON ANDERSEN
CHAIRMAN
N. 10380 WALKER RD.
HAYDEN, IDAHO 83835

GARY LADWIG
VICECHAIRMAN
N. 10116 BATEMAN
HAYDEN, IDAHO 83835

RON MCINTIRE
DIRECTOR
P.O. BOX 10
HAYDEN, IDAHO 83835

IF YOU HAVE ANY QUESTIONS PLEASE CONTACT THE OFFICE.

SINCERELY,


CONNIE OMEY
SECRETARY

MAIL ROOM

JUL 16 1991

INSTALLATION REPORT

DICKERSON PUMP & IRRIGATION CO., INC.
SPOKANE, WASHINGTON

DATE 6/29/70 1970

WELL DATA

*FINUCANE GOV'T
WAY WELL*

CUSTOMER'S NAME Lockhaven Farms
WELL LOCATION _____
WELL NO. _____
Depth 298' 6" Where } Casing Top? XX
From } Ground Level? _____
Date Drilled _____ Standing Water Level 246'
Size 12" I D Amount of Casing All
Driller Dishman
Size Reductions and Where Well Screen
at 273'

ADDRESS _____
Pump House XX Pit _____ Open _____ Other _____
WATER: Clear _____ Sandy _____ Rusty _____
Other _____
OTHER FACTS: _____
Bowl Lat 5"
Regal Foil
CREW Garrison - Chambers
OUR HOIST No. 5 CRANE BY _____

NEW PUMP DATA

Make Peerless Model _____
Type Turbine Serial No. 222704
MOTOR: Make U.S. H.P. 75 Phase 3 Speed 1800
R-2842-01-270D
Model _____ Serial No. R2025156
Frame 365 TP Amps 183.6/91.8 Volts 440/220 Ratchet? Yes
Base Type 6x8x16.5 Set On 9" Ch Grouted? Yes
Tank Size _____ Switch Set _____ Where? _____
Size of Shaft, Tube or Cable 1 1/2" Ft. 265
Size of Drop Pipe or Column 6" Ft. 265'
Unit Type 10 MA No. Stages 12
Length of Unit: 9' Tailpipe: Ft. _____ Size _____
Strainer Size 6" Type Cone Length 1' TOTAL SETTING 275'
Type Lube: Auto _____ Man. X Oil _____ Water X
Probe Control Setting: Upper _____ Color _____
(Ft. from top of casing) Lower _____ Color _____
Air Line Length 265' Size 3/8"
STARTER: Make _____ Size _____
Heater Size _____ Amps _____ Fuse Type _____ Size _____

OLD PUMP & REPAIR PUMP DATA

Make _____ Model _____
Type _____ Serial No. _____
MOTOR: Make _____ H.P. _____ Phase _____ Speed _____
Model _____ Serial No. _____
Frame _____ Amps _____ Volts _____ Ratchet? _____
Base Type _____ Set On _____ Grouted? _____
Tank Size _____ Switch Set _____ Where? _____
Size of Shaft, Tube or Cable _____ Ft. _____
Size of Drop Pipe or Column _____ Ft. _____
Unit Type _____ No. Stages _____
Length of Unit _____ Tailpipe: Ft. _____ Size _____
Strainer Size _____ Type _____ Length _____ TOTAL SETTING _____
Type Lube: Auto _____ Man. _____ Oil _____ Water _____
Probe Control Setting: Upper _____ Color _____
(Ft. from top of casing) Lower _____ Color _____
Air Line Length _____ Size _____
STARTER: Make _____ Size _____
Heater Size _____ Amps _____ Fuse Type _____ Size _____
Date Original Installation _____ By _____

See "Remarks" other side


JUL 16 1971

Total Head in Feet for _____ Stages

FINUCANE GO'Y WAY WELL

300

64
A00



Channel	Frequency	Mode	Power	Notes
1	10.100	FM	100W	10.100
2	10.100	FM	100W	10.100
3	10.100	FM	100W	10.100
4	10.100	FM	100W	10.100

NOTE: ANY MATERIAL IN BRACKETS
APPEARS WITHIN THE HEAD OR
FOOTER POWER CONFORMANCE CITY

100-443887-100

JUL 16 1991

Horsepower for _____ Stages


VERTICAL TURBINE PUMPS

Section 140
10-74

HYDRAULIC PERFORMANCE WARRANTY				CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM
Guaranteed at designated point only, and conditioned as:				1	TB4363	7 1/8"	40502
Proper flow to pump suction				2	TB4363	7 1/8"	39905
Proper submergence				3	TB4363	6 5/8"	26863
Fluid free of gas, air & lubrication				4		STANDARD FILING	
Proper lateral setting of impeller							

Customer _____			
Item _____			
Pentair Ref. No. _____			
Laboratory Performance		SOWL TB4232-E	
SIZE 10 MA	RPM 1760	CURVE 2840824	

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL ☐ PERFORMANCE: Capacity 600 gpm; Head 420 ft; Eff 81.9 %; BHP 78
 GUARANTEED FIELD ☐



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thurs* issue of said newspaper for *2* consecutive *weeks*, commencing on the *2nd* day of *May*, 19 *91*, and ending on the *9th* day of *May*, 19 *91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julie Jacobs

Subscribed and sworn to before me this *9th* day of *May*, 19 *91*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY 2-3-93
Notary Public for the State of Idaho

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-8687 in the name of Avondale Irrigation District was advertised incorrectly on April 4 & 11, 1991. Part of the place of use was incorrectly described as T51N R03W S18 NENE NWNE SWNE SWNW SENW NESW NWSW SESW; whereas, correctly it should be T51N R03W S18 NENE NWNE SWNE SWNW SENW NESW NWSW SESW.
(For additional information concerning the property location, call the Northern Regional Office at 765-4639.)
Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814 on or before May 20, 1991.

R. KEITH HIGGINSON, Dir.

Legal 377
May 2, 9, 1991

RK
5/10/91

RECEIVED
MAY 10 1991
NORTHERN REGION
IDWR

INDEXED

JUL 16 1991

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 95-8687 in the name of Avondale Irrigation District was advertised incorrectly on April 4 & 11, 1991.

Part of the place of use was incorrectly described as T51N R03W S18 NENE NWNE SWNE SWNW SENW NESW NWSW SESW; whereas, correctly it should be T51N R03W S18 NENE NWNE SWNE SWNW SENW NESW NWSW SESW.

(For additional information concerning the property location, call the Northern Regional Office at 765-4639.)

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814 on or before May 20, 1991.

R. KEITH HIGGINSON, Dir.

Published in the Coeur d'Alene Press on May 2 and 9, 1991.

RECEIVED

JUL 16 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

ss. *Julie Jacob* being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *Thurs* weeks commencing on the *4th* day of *April* 19*91*, and ending on the *11th* day of *April* 19*91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *11th* day of *April* 19*91*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

JUL 16 1991

2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08685

GIBSON, JOHN Z.
GIBSON, ANDREA C.
2700 RACQUETTE RD.
FAIRVIEW COURT #11
RATHDRUM, ID 83858
Source: GROUNDWATER
Diversion Pt: LOT 4 (NESESW) Sec 24 T 50N R 06W
Use: IRRIGATION (.160 CFS); DOMESTIC (.040 CFS)
Total Diversion: (.200 CFS)
Date Filed: 3/18/1991
In: T50N R06W S24 SESW
10.0 ACRES TOTAL

95-08686

CHILDERS, BILL E.
P.O. BOX 261 HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversion Pt: NWNWSE Sec 27 T 52N R 04W
Use: IRRIGATION (.020 CFS); DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 3/22/1991
In: T52N R04W S27 NESW NWSE
1.0 ACRES TOTAL

95-08687

AVONDALE IRRIGATION DISTRICT
P.O. BOX 81 HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversion Pt: NWSWSW Sec 24 T 51N R 04W
Use: IRRIGATION (1.310 CFS); STOCKWATER (1.310 CFS); INDUSTRIAL (1.310 CFS); COMMERCIAL (1.310 CFS); MUNICIPAL (1.310 CFS)
Total Diversion: (1.310 CFS) Date Filed: 3/21/1991

45IN
In: T51N R04W S24 NENE NWNE SWNE SWNW SENW NESW NWSW SESW
S19 NENW NWNW R04W
S12 SWSW SESW SWSE
All S13
S14 NESE NWSE SWSE SESE
S24 NENE NWNE SWNE NENW NWNW SWNW SENW NESW NWSW SWSW SESW NWSE
1396.0 ACRES TOTAL

95-08688

TURKOVSKY, JAY N.
E. 13775 BUNCO RD.
ATHOL, ID 83801
Source: LEWELLEN CREEK
Tributary: SINKS
Diversion Pt: SWSWSE Sec 20 T 53N R 02W
Use: IRRIGATION (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 3/25/1991
In: T53N R03W S20 NWSE SWSE
1.0 ACRES TOTAL

95-08689

MC KELVY, RALPH
P.O. BOX 598
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: NESW Sec 35 T 51N R 05W
Use: FISH PROPAGATION (.950 CFS)
Total Diversion: (.950 CFS)
Date Filed: 2/11/1991
In: T51N R05W S35 NESW

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before APRIL 22, 1991.

R. KEITH HIGGINSON, Director
Legal 250
April 4, 11, 1991

AVONDALE IRRIGATION DISTRICT
P.O. BOX 81
HAYDEN LAKE ID 83835

February 12, 1993

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08687

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAY 24 1993

RECEIVED

FEB 8 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08687 Telephone No. 208-772-5657
2. Name(s) of Permit Holder(s): Avondale IRR Dist
3. Mailing Address: P.O. Box 81 Hayden Idaho 83835
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: Dishman Date Drilled: 6/29/70

OPTIONAL:

Pump horsepower: 75 Pressure (psi): 100 Dynamic pumping level (ft.): 250

5. Extent of Use (as authorized by the permit):
Domestic 1240 (No. of households) Stockwater 50 horses 300 cattle (No. and type of stock)
Irrigation 1396 (No. of acres) Other municipal

6. Total rate and/or volume for which proof is submitted 1.14 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Rockable
Measuring device: Required? Yes ☒ Yes ☐ No Installed? Yes ☒ Yes ☐ No

OR
Flow Measurement Port: Required? Yes ☒ Yes ☐ No Installed? Yes ☒ Yes ☐ No

8. Fee Enclosed: \$ 125.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Todd Zimmermann 772-5657
Name Telephone No.
P.O. Box 81 Hayden Idaho
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2-4-93
Date

Todd J. Zimmermann
Signature (and title, if on behalf of a company or organization)

Manager

MAY 24 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08687

Reviewed by klg

Date 2/8/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate - 1396 municipal
stock - 350
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source

6/29/70 NA Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
125 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

Proof Made 2/8/93
2/12/93 klg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 26, 1991

AVONDALE IRRIGATION DISTRICT
P.O. BOX 81
HAYDEN LAKE, ID 83835

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08687

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water.

MICROFILMED

JUL 16 1991

Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

JUL 16 1991

APPLICATION FOR PERMIT REVIEW

Application #: 95-8687
Date: 6-12-91

Reviewer: Pam Skaggs ²⁸

Existing:

✓ No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

✓ GT. 0.2 cfs - 01G-P03, 01C-P03 (existing well)

LT. 0.2 cfs - N/A

Drilling Permit:

Approved w/permit - P99

✓ Not included - 046-P23 (All GW, even existing wells)

Location:

Water Districts - WD No. _____

Surface water - 005, 005-01H-P01 (LT.2 w/pump)
005-01J-P08 (GT.2)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓ Swan Falls Flag - _____ (1, Blank or Other)

Trust - 051-052-053-P74 (Cons.), 041 (DCMI, w/Irr

Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042 (req.), 002-P06 (MD), 07A (Spec.),
044 (Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054 (req.)

Storage - 18A-for multiple measuring devices (In WD),
18B-P09 (Size)

Rec. & Aesthetic - 027 (Non-Consumptive)

Domestic - 021 (restricted areas)

Ownership:

✓ Non land owner - 004

Protested:

Agreement - 020

✓ Beneficial Use Due Date: - 07-01-1994
Other Conditions Recommended _____

RECEIVED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TDK DATE: 3/22/91 APPLICATION NUMBER: 95-8687

APPLICANT: AVONDALE

REQUIRED INFORMATION

- TDK 1). (✓) Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
(2). (✓) Source: (See USGS Quad for names of water sources)
(3). (✓) Point of Diversion including county: (10 acre tract, Subd. lot & block)
(4). (✓) Quantity: (flow and/or volume)
(✓) Nature of proposed use: (Include description of use)
(✓) Period of use:
(5). (✓) Total Quantity: (flow and/or volume)
(6). (✓) Description of diverting works:
(7). (✓) Time required for beneficial use of water:
(8). (✓) Proposed uses:
(9). (✓) Place of use or acres irrigated:
(10). (✓) Other Water Rights:
(11). (✓) Ownership:
(13). (✓) Map:
(✓) Signature: (signator title required for corp., partnership, etc)
(✓) Fee: (Amount, receipt number and date recorded on application)
(✓) Acknowledgement Letter:
(✓) Overlap Review: Attachment? (Y)____ (N)____ Remarks? (Y)____ (N)____

ADDITIONAL INFORMATION

YES NO

- ___ ✓ Field check required: Field check by: _____
___ ✓ Field report attached:
___ ✓ Critical groundwater area:
___ ✓ Groundwater management area:
___ ✓ Send dam safety information:
___ ✓ Send letter for additional fish information:
___ ✓ Send letter for additional power information:
___ ✓ Within trust water boundary: (Attach Trust Water Supp. Analysis Sheet):
___ ✓ Diversion greater than 5 cfs or 500 af, supp. analysis sheet attached:
___ ✓ Well drilling permit required:

PROCESSING

YES NO

- ✓ ___ In form for advertising:
___ ✓ Statewide advertising: (10.00 cfs or more, 1,000 AFA or more).

Send Copies To

YES NO

- ___ ✓ I.D. H & W
___ ✓ I.D. F & G
___ ✓ I.D. Lands
___ ✓ Adj. Bur.

YES NO

- ___ ✓ U.S. BLM
___ ✓ U.S.F.S.
___ ✓ W District # _____
___ ✓ G.W. Prot. Div.

YES NO

___ ✓ Other

RECEIVED
MAY 28 1991

Application Number 95-8687

FINAL REGIONAL PROCESSING REVIEW

YES ~~YES~~ **NO**

☒ Additional information received:
☒ Notice of pending void order issued: Final date of order response. _____
☒ Comments added
☒ Maps Copied

✓ ___ Affidavit of publication received:

✓ ✓ Application published correctly: If not, record action taken.

Shirley was married - Re-adv.

1 Publication dates and paper recorded on application:

 ✓ Protests received, Final date for protest 4/22/91 5/20/91

✓ Recommendations attached:

 ☒ Measuring device required:

✓ Measuring port required:

 ✓ Water delivered by water master? District #

 ☒ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 3/21/91

Recommended by: TDC PYA Date 5/23/91

STATE OFFICE REVIEW

See remarks for additional information. By _____ Date _____

REMARKS

[illegible]

95-08687

AVONDALE IRRIGATION DISTRICT
P.O. BOX 81
HAYDEN LAKE, ID 83835

Source: GROUNDWATER

Diversion Pt: NWSWSW Sec 24 T 51N R 04W

Use: IRRIGATION	(1.310 CFS)
STOCKWATER	(1.310 CFS)
INDUSTRIAL	(1.310 CFS)
COMMERCIAL	(1.310 CFS)
MUNICIPAL	(1.310 CFS)
DOMESTIC	(1.310 CFS)
Total Diversion:	(1.310 CFS)

Date Filed: 3/21/ 1991

In: T51N R03W S18	NENE SENW	NWNE NESW	SWNE NWSW	SWNW SESW
S19	NENW	NWNW		
R04W S12	SWSW	SESW	SWSE	
All S13				
S14	NESE	NWSE	SWSE	SESE
S24	NENE NWNW NWSW	NWNE SWNW SWSW	SWNE SENW SESW	NENW NESW NWSE

1396.0 ACRES TOTAL

RECORDED

JUL 16 1991

95-08687

AVONDALE IRRIGATION DISTRICT
P.O. BOX 81
HAYDEN LAKE, ID 83835

Source: GROUNDWATER

Diversion Pt: NWSWSW Sec 24 T 51N R 04W

Use: IRRIGATION	(1.310 CFS)
STOCKWATER	(1.310 CFS)
INDUSTRIAL	(1.310 CFS)
COMMERCIAL	(1.310 CFS)
MUNICIPAL	(1.310 CFS)
DOMESTIC	(1.310 CFS)
Total Diversion:	(1.310 CFS)

Date Filed: 3/21/ 1991

In: T51N R03W S18	NENE SENW	NWNE NESW	SWNE NWSW	SWNW SESW
S19	NENW	NWNW		
R04W S12	SWSW	SESW	SWSE	
S13	NENE	NWNE	SWNE	SENE
	NENW	NWNW	SWNW	SENW
	NESW	NWSW	SWSW	SESW
	NESE	NWSE	SWSE	SESE
S14	NESE	NWSE	SWSE	SESE
S24	NENE	NWNE	SWNE	NENW
	NWNW	SWNW	SENW	NESW
	NWSW	SWSW	SESW	NWSE

1396.0 ACRES TOTAL

JUL 16 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

April 8, 1991

Idaho Divn. of Environment
2110 Ironwood Parkway, #101
Coeur d'Alene, Id. 83814

Re: 95-8687

Gentlemen:

Enclosed is a recent filing with this Department that may be of interest to your agency.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enclosure

MICROFILMED

JUL 16 1991



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

March 22, 1991

Mr. Todd Zimmerman
Avondale Irrigation District
Box 81
Hayden Lake, Id. 83835


Re: Appropriation Application

Dear Todd:

I have checked the application over and only need the title of Donald Andersen and a list of names and address of the governing officials of the district.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

RECORDED

JUL 16 1991