

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
Pres (Applicant)

L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED
JUN 13 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08684 Telephone No. 773-2940
2. Name(s) of Permit Holder(s): S. R. W. a. Inc.
3. Mailing Address: P.O. Box 213, Post Falls Id. 83854
4. Source of Water: WELL

If GROUNDWATER, Well Driller's Name: H2O Well Service Date Drilled: 1991?

OPTIONAL:

Pump horsepower: 25 HP. Pressure (psi): 135 PSI. Dynamic pumping level (ft.): 80 ft.

5. Extent of Use (as authorized by the permit):

Domestic 62 (No. of households) Stockwater NO (No. and type of stock)
Irrigation NO (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .22 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

ELTON WEEKS 208 773-5784
Name Telephone No.

WEST RIVERVIEW Drive Post Falls Id. 83854
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6-6-94
Date

John S. Williams
Signature (and title, if on behalf of a company or organization)

RECEIVED

JUN 07 1993

Department of Water Resources

For Office Use Only

\$15 Fee Received by CA
Date 6-7-93
Receipt No. 1027753

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 95-08684

Name(s) of Permit Holder: SOUTH RIVER WATER ASSOC.

Mailing Address: P.O. BOX 213 POST FALLS, ID. 83854

Date Proof is Due ? 5/3/93 Telephone No. 773-3639

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

WE INSTALLED A NEW PUMP IN THE WELL AND ARE NOW
IN THE PROCESS OF TESTING & GETTING IT UP & RUNNING.

Costing \$ 8000-

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

PROBLEMS WITH OUR PHASE CONVERTER & LACK OF FUNDS
TO FIX IT. WE NOW HAVE THE FUNDS HOWEVER.

Permit holder(s) request an extension to 5-31-, 19 93.

FEE: \$15.00

[Signature] Pres
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

per file
6/8/93
Klg

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1994.

IT IS FURTHER ORDERED that this permit be REINSTATED and the priority date advanced to April 4, 1991.

Signed this 9th day June, 19 93

[Signature]
Chief, Water Allocation Bureau

MICROFILMED

JUL 07 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08684

Proposed Priority: February 28, 1991 Maximum Diversion Rate: 0.22 CFS

This is to certify, that **SOUTH RIVER WATER ASSN.**

E. 102 4TH ST.

POST FALLS, ID 83854

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.20 CFS
DOMESTIC	01/01 to 12/31	0.22 CFS
Totals		0.22 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSNW Sec. 10, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	05W	10	NENW 4	SESW 4	NESW 4	12

Total number of acres irrigated: 12

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 3, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. Domestic use is for 62 homes.

RECORDED

JUL 16 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08684

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

1st day of May, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant South River Water Assoc. Phone 773-2300
Post office address E102 4TH ST POST FALL, ID. 83854
2. Source of water supply Well Groundwater which is a tributary of _____
(FROM MAP TR)
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 10 Township 50N Range 5W B.M. Kootenai County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.22 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 2.48 for IRRIGATION purposes from 3/15 to 7/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.22 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well and pump to
the associations distribution system
 - b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total
reservoir capacity NA acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8" inches; proposed depth of well is 420 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

RECEIVED
JUL 16 1991

CHITLOOSIN

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? *MEMBERS*

11. a. Who owns the property at the point of diversion? 4 pp. 1, 2, 7

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated 122

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other, describe fully.

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower, show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
 Pres (Applicant)

RECEIVED
JUL 16 1991

Received by Mr. [Signature] Date 2/28/91 Time 8:45 a.m.
Received by Mr. [Signature] Date 2/28/91
Fee \$ 45.00 Received by Mr. [Signature] # N444355 Date 2/28/91
Publication prepared by Mr. [Signature] Date 3/13/91 Published in 3/21-28/91
Publication approved Mr. [Signature] Date 4/8/91

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Times* issue of said newspaper for *2* consecutive *weeks* commencing on the *26th* day of *March*, 19*91*, and ending on the *28th* day of *March*, 19*91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julie Jacobs

Subscribed and sworn to before me this *28th* day of *March*, 19*91*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY

My commission expires *2-3-93*

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

94-07332
BEAUCHAMP, JIM
BEAUCHAMP, BARBARA
E. 15551 KILLARNEY LAKE RD.
CATALDO, ID 83810
Source: ARMSTRONG CREEK
Tributary: FORTIER CREEK
Diversion Pt: NWNESW Sec 34T 49N
R02W; SWNWSW Sec 34T 49N R 02W
Use: IRRIGATION (.100 CFS); POWER
(3.000 CFS); Total Diversion: (3.000 CFS)
Date Filed: 3/13/1991
In: T49N R02W S34 SESW SWSE
5.0 ACRES TOTAL
95-08684

SOUTH RIVER WATER ASSN.
E. 102 4TH ST.
POST FALLS, ID 83854
Source: GROUNDWATER
Diversion Pt: SWSENW Sec 10 T 50N R
05W
Use: IRRIGATION (.200 CFS);
DOMESTIC (.220 CFS); Total Diversion:
(.220 CFS)
Date Filed: 2/28/1991
In: T50N R05W S10 NENW SENW NESW
12.0 ACRES TOTAL

For additional information concerning
the property location, call the Northern
Regional Office at 765-4639.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho 83814 on
or before APRIL 8, 1991.

R. KEITH HIGGINSON, Director

Legal 168

March 21, 28, 1991

RECEIVED

MAR 29 1991

NORTHERN REGION
IDWR

APR 13 1991

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08684

Reviewed by [Signature]

Date 6-22-94

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dom 62 homes
Correct Uses? yes

SOURCE OF WATER

Surface Surface water source
Ground Ground water source

yes Drilling permit required?
no Copy in the file? Drilling Permit No. 95-91-N-0022-000
200.00 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100.00 Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
L Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received 6-13-94
Date proof due 6-1-94 -
No. of days late 12 =
Priority Date 2-28-94 4-4-91
New Priority Date 3-12-91
4-16-91

DEFICIENCIES OR ACTION ITEMS

Reinstate & advance priority to March 12, 1991

Proof acceptable

DATA ENTRY

New Address [Signature]

Proof Made 6-13-93

SOUTH RIVER WATER ASSOC
P O BOX 213
POST FALLS ID 83854

July 5, 1994

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 95-08684

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order reinstating your permit since the Proof of Beneficial Use form was submitted after the proof due date. Please note that the priority date has been advanced to March 12, 1991.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur d'Alene, at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

M E M O R A N D U M

Date: June 28, 1994
From: Julie
To: Glen
Subject: Permit No. 95-08684

Glen, this water right apparently had May 1, 1994, instead of June 1, 1994, in the data base as the proof due date. Therefor, the proof due notice was sent early and the permit was lapsed on May 6, 1994, instead of in June. Anyhow, the proof still came in late (June 13, 1994) and needs to be reinstated and priority advanced 12 days. Can I use this reinstatement order or do I need to do something which references the permit being lapsed early? Please advise ☺

Julie

Use June 1, 1994 as B/c date. This memo will serve as an explanation to the file

Jim
for Glen
6-28-94

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>San River Water Assn</u> Address <u>Highway 47th Road Falls</u> Drilling Permit No. <u>95-91-N-22</u> Water Right Permit No. <u>95-8484</u>		7. WATER LEVEL Static water level <u>-40</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow <u>air lift 80+</u> Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>air lift 80+</u></td><td></td><td><u>3</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>air lift 80+</u>		<u>3</u>																																																	
Discharge G.P.M.	Pumping Level	Hours Pumped																																																								
<u>air lift 80+</u>		<u>3</u>																																																								
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☒ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From</th><th>To</th><th>Material</th><th>Water Yes No</th></tr></thead><tbody><tr><td>10"</td><td>0</td><td>7</td><td>Brown dirt</td><td>X</td></tr><tr><td>10"</td><td>7</td><td>19</td><td>Black-white quartzite 1-2 cm</td><td>X</td></tr><tr><td>8"</td><td>19</td><td>90</td><td>Black quartzite Hard</td><td>X</td></tr><tr><td>8"</td><td>90</td><td>160</td><td>Green quartzite soft med</td><td></td></tr><tr><td>8"</td><td>160</td><td>325</td><td>Black-white quartzite med</td><td></td></tr><tr><td>8"</td><td>325</td><td>390</td><td>Green med</td><td></td></tr><tr><td>8"</td><td>390</td><td>395</td><td>Green-white soft quartzite</td><td>X</td></tr><tr><td>8"</td><td>395</td><td>400</td><td>Black-white quartzite med</td><td></td></tr><tr><td>8"</td><td>400</td><td>410</td><td>Green-white quartzite soft</td><td>X</td></tr><tr><td>8"</td><td>410</td><td>420</td><td>Green quartzite med</td><td></td></tr></tbody></table>		Bore Diam.	Depth From	To	Material	Water Yes No	10"	0	7	Brown dirt	X	10"	7	19	Black-white quartzite 1-2 cm	X	8"	19	90	Black quartzite Hard	X	8"	90	160	Green quartzite soft med		8"	160	325	Black-white quartzite med		8"	325	390	Green med		8"	390	395	Green-white soft quartzite	X	8"	395	400	Black-white quartzite med		8"	400	410	Green-white quartzite soft	X	8"	410	420	Green quartzite med	
Bore Diam.	Depth From	To	Material	Water Yes No																																																						
10"	0	7	Brown dirt	X																																																						
10"	7	19	Black-white quartzite 1-2 cm	X																																																						
8"	19	90	Black quartzite Hard	X																																																						
8"	90	160	Green quartzite soft med																																																							
8"	160	325	Black-white quartzite med																																																							
8"	325	390	Green med																																																							
8"	390	395	Green-white soft quartzite	X																																																						
8"	395	400	Black-white quartzite med																																																							
8"	400	410	Green-white quartzite soft	X																																																						
8"	410	420	Green quartzite med																																																							
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		10. RECEIVED APR 12 1991 Department of Water Resources																																																								
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <u>PVC</u> Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		11. RECEIVED APR 05 1991 SOUTHERN REGION DWR																																																								
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td>X</td><td></td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table> County <u>Butte</u> <u>SE 1/4 NW 1/4 Sec. 10, T. 20 S. R. 5 E. W. 1/4</u>		N					W	X			E						10. Work started <u>3-4-91</u> finished <u>3-8-91</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>H2O Well Service Inc</u> Firm No. <u>448</u> Address <u>Hayden Idaho</u> Date <u>3-11-91</u> Signed by (Firm Official) <u>John Wilson</u> and (Operator) <u>John Wilson</u>																																									
N																																																										
W	X			E																																																						

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

May 6, 1994

SOUTH RIVER WATER ASSN.
PO BOX 213
POST FALLS ID 83854

LAPSE NOTICE

RE: PERMIT NO. 95-08684

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated February 28, 1994. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.


Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 5/6/94
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



February 28, 1994

SOUTH RIVER WATER ASSN.
PO BOX 213
POST FALLS ID 83854

PROOF DUE NOTICE

RE: PERMIT NO. 95-08684

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 9, 1993

South River Water Assoc
PO Box 213
Post Falls, ID 83854

Re: Permit No. 95-08684

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to June 1, 1994. However, since the extension was received after the proof of beneficial use date, it was necessary for the department to reinstate your permit and advance your priority date to April 4, 1991.

Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department will not be able to grant additional requests based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Regional Office

MICROFILMED

JUL 07 1993

ANALYSIS SHEET
FOR
EXTENSION OF TIME

Permit No. 95-08684 Reviewed by VOg Date 6/8/93

BASIC INFORMATION

6/7/93 Date stamp received
NO Extension received timely
Yes Fee received and receipted
Yes Name and signature same as permit
Yes Address Change

BASIS FOR EXTENSION REQUEST

Yes Has adequate work been completed to demonstrate due diligence?
Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? Requested?
Is delay by a government agency?
Is supporting documentation needed to complete the file? Requested?
Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Recommend for approval Based on due diligence. Extend to 6/1/94.
Keenstate

PRIORITY CALCULATION

Date extension received	<u>6/7/93</u>	=	<u>158</u>
Proof due date	<u>5/3/93</u>	=	<u>123</u>
Number of days late		=	<u>35</u>
Priority date	<u>2/28/91</u>	=	<u>59</u>
New Priority Date	<u>4/4/91</u>	=	<u>94</u>

DATA ENTRY

New Address PO Box 213
Change Proof Due Date 6/9/93 VOg
Change Priority Date _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

North Orchard Street
Boise, Idaho 83706-2237

RECEIVED
MAY 21 1993

Department of Water Resources

Unclaimed

Attempted Not Known


For Better Address

Moved Left No Address

Forwarding Expired

No Mail Receipts

wrong Address



U.S. POSTAGE

0 248

*PO Box 213.
per lecepdonist
@telephone #
listed on the
permit*

UNDELIVERED

JUL 07 1993

SOUTH RIVER WATER ASSN.
E. 102 4TH ST.
POST FALLS ID 83854

May 6, 1993

LAPSE NOTICE

RE: PERMIT NO. 95-08684

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated February 28, 1993. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 5/6/93
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

MICROFILMED

JUL 07 1993

SOUTH RIVER WATER ASSN.
E. 102 4TH ST.
POST FALLS ID 83854

February 28, 1993

RE: PERMIT NO. 95-08684 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

JUL 07 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 3, 1991

SOUTH RIVER WATER ASSN.
E. 102 4TH ST.
POST FALLS, ID 83854

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08684

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

Enclosures

MICROFILMED

JUL 16 1991

Application #: 95-8684
Date: 4-30-91

Reviewer:

Pam Skaggs

☒ No

✓No - (26A-P17)

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

✓ Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03 (existing well)

LT. 0.7 cfs - N/A

✓Drilling Permit:

Approved w/permit - P99

Not included - (046-P23) (All GW, even existing wells)

✓Location:

Water Districts - WD

Surface water - 005, 005-01H-P01 (LT.7 w/pump)

005-01J-P08 (GT.7)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63)	-	058
------------------	---	-----

Swan Falls Flag - — (1, Blank or Other)

Trust - 051-052-053-P74 (Cons.), 041 (DCMI, w/Irr

Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027 (Non-Consumptive)

Domestic - 021(restricted areas)

✓ **Ownership:**

✓ Non land owner - (004)

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

✓ Beneficial Use Due Date: - 05-03-1993
Other Conditions Recommended

Other Conditions Recommended

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TOK DATE: 3/11/91 APPLICATION NUMBER: 95-884

APPLICANT: *SOUTH RIVER WATER ASSN*

REQUIRED INFORMATION

- (1). (✓) Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- (2). (✓) Source: (See USGS Quad for names of water sources)
- (3). (✓) Point of Diversion including county: (10 acre tract, Subd. lot & block)
- (4). (✓) Quantity: (flow and/or volume)
(✓) Nature of proposed use: (Include description of use)
(✓) Period of use:
- (5). (✓) Total Quantity: (flow and/or volume)
- (6). (✓) Description of diverting works:
- (7). (✓) Time required for beneficial use of water:
- (8). (✓) Proposed uses:
- (9). (✓) Place of use or acres irrigated:
- (10). (✓) Other Water Rights:
- (11). (✓) Ownership:
- (13). (✓) Map:
(✓) Signature: (signator title required for corp., partnership, etc)
(✓) Fee: (Amount, receipt number and date recorded on application)
(✓) Acknowledgement Letter:
(✓) Overlap Review: Attachment? (Y) (N) ✓ Remarks? (Y) (N) ✓

ADDITIONAL INFORMATION

YES		NO	
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
72			
73			
74			
75			
76			
77			
78			
79			
80			
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			
99			
100			

- Field check required: Field check by: _____
Field report attached: _____
Critical groundwater area: _____
Groundwater management area: _____
Send dam safety information: _____
Send letter for additional fish information: _____
Send letter for additional power information: _____
Within trust water boundary: (Attach Trust Water Supp. Analysis Sheet): _____
Diversion greater than 5 cfs or 500 af, supp. analysis sheet attached: _____
Well drilling permit required: _____

PROCESSING

YES NO

- Statewide advertising: (10.00 cfs or more, 1,000 AFA or more).

Send Copies To

YES NO

- 1/✓ I.D. H & W
— ✓ I.D. F & G
— ✓ I.D. Lands
— ✓ Adj. Bur.

YES NO

- U.S. BLM
U.S.F.S.
W District #
G.W. Prot. Div.

YES NO

Other

RECEIVED
APR 16 1931

APR 16 1991

Application Number 95-8084

FINAL REGIONAL PROCESSING REVIEW

YES NO
☒ ☐ Additional information received:
☒ ☐ Notice of pending void order issued: Final date of order response. _____
☒ ☐ Comments added
☒ ☐ Maps Copied
☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:
☒ ☐ Protests received, Final date for protest 4/8/91
☒ ☐ Recommendations attached:
☒ ☐ Measuring device required:
☒ ☐ Measuring port required:
☒ ☐ Water delivered by water master? District # _____
☒ ☐ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 2/28/91

Recommended by: TDC DHA Date 4/12/91

STATE OFFICE REVIEW

See remarks for additional information. By _____ Date _____

REMARKS

95-08684

SOUTH RIVER WATER ASSN.
E. 102 4TH ST.
POST FALLS, ID 83854

Source: GROUNDWATER

Diversion Pt: SWSENW Sec 10 T 50N R 05W

Use: IRRIGATION (.200 CFS)
DOMESTIC (.220 CFS)
Total Diversion: (.220 CFS)

Date Filed: 2/28/ 1991

In: T50N R05W S10 NENW SENW NESW

12.0 ACRES TOTAL

MICROFILMED

JUL 16 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 13, 1991

Idaho Divn. of Environment
2110 Ironwood Parkway, #101
Coeur d'Alene, Id. 83814

Re: 95-8684

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

MICROFILMED

JUL 16 1991

Celebrate
IDAHO
1890 • CENTENNIAL • 1990