



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julia Jacob

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *weeks*, commencing on the *7th* day of *March*, 19*91*, and ending on the *14th* day of *March*, 19*91*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julia Jacob

Subscribed and sworn to before me this *14th* day of *March*, 19*91*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires *2-3-93*

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public
waters of the State of Idaho:

95-08683

THOMSON, WILLIAM C.

P.O. BOX 908

RATHDRUM, ID 83858

Source: GROUNDWATER

Diversion Pt: NENENW Sec 13 T 52N R
04W

Use: DOMESTIC (.010 CFS)

Total Diversion: (.010 CFS)

Date Filed: 2/13/ 1991

In: T52N R04W S13 NENW

For additional information concerning
the property location, call the Northern
Regional Office at 765-4639.

The permit(s) will be subject to all prior
water rights. Protests filed with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho 83814 on
or before MARCH 25, 1991.

R. KEITH HIGGINSON, Director

Legal 122

March 7, 14, 1991

OK
3/20/91

RECEIVED

MAR 15 1991

NORTHERN REGION

MICROFILMED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 27 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08683

1. Owner: WILLIAM C. THOMSON

Phone No. 769-3600

Current Address: PO Box 908 Rathdrum, Id.

2. Accompanied by: _____

EXAM. DATE: 3/6/92

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

FILMED
SEP 17 1992



MICROFILMED
SEP 17 1992

95-08683
T52NR4W
Sec 13

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number,



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Bonnie C. Thomson
(Applicant)

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08683

Priority: February 13, 1991

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that WILLIAM C THOMSON
PO BOX 908

RATHDRUM ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 13, 1991; and has submitted Proof of Beneficial Use on February 13, 1991. An examination indicates that the works have a diversion capacity of .010 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.01 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 13, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 13

NENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21ST day of AUGUST, 1992.

Acting for R. Keith Higginson, Director

RECORDED

SEP 17 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-08683

Proposed Priority: February 13, 1991 Maximum Diversion Rate: 0.01 CFS

This is to certify, that **WILLIAM C. THOMSON**
P.O. BOX 908
RATHDRUM, ID 83858

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.01 CFS

LOCATION OF POINT(S) OF DIVERSION: NENENW Sec. 13, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

52N 04W 13 NENW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

1st day of May, 1991.

R. Keith Higginson
for R. Keith Higginson, Director

RECEIVED

JUL 16 1991

Ident. No. 95-08683

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: WILLIAM C. THOMSON
Address: P.O. BOX 908
RATHDRUM, ID 83858

208-769-3600

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: NENW Sec. 13, Township 52N, Range 04W
KOOTENAI County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.010		

5. Total quantity to be appropriated is:
0.010 CFS (and/or) AF

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc.
WELL AND PUMP
- b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- c. Proposed well diameter is 6 inches; proposed depth of well is 302
feet.
- d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

9. Place of Use: DOMESTIC

TWN RGE SEC
52N 04W 13 NENW

10. Describe any other water rights used for the same purposes.
None

RECEIVED
JUL 18 1995

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:
Domestic use is for one home.


13. Map of proposed point of diversion and place of use attached? [✓]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William C. Thomson
Applicant

Received by RMA Date 2/13/91 Time 3:45 Preliminary check by TOK
Fee \$ 3000 Receipted by N 4327 # RLH. Date 2/13/91
Publication prepared by pm Date 2/25/91 Published in COA Green
Publication approved pm Date 3/20/91

RECEIVED
JUL 18 1991



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julia Jacobs

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Legal Notices*

of which the annexed is a printed copy, was published in the regular *Times* issue of said newspaper for *2* consecutive *weeks*, commencing on the *7th* day of *March*, 19*91*, and ending on the *14th* day of *March*, 19*91*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julia Jacobs

Subscribed and sworn to before me this *14th* day of *March*, 19*91*

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

2-3-93

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public
waters of the State of Idaho:

95-08683

THOMSON, WILLIAM C.
P.O. BOX 908

RATHDRUM, ID 83858

Source: GROUNDWATER

Diversion Pt: NENENW Sec 13 T 52N R
04W

Use: DOMESTIC (.010 CFS)

Total Diversion: (.010 CFS)

Date Filed: 2/13/ 1991

In: T52N R04W S13 NENW

For additional information concerning
the property location, call the Northern
Regional Office at 765-4639.

The permit(s) will be subject to all prior
water rights. Protests filed with the
Director, Dept. of Water Resources,
Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d' Alene, Idaho 83814 on
or before MARCH 25, 1991.

R. KEITH HIGGINSON, Director

Legal 122

March 7, 14, 1991

OK
3/20/91

RECEIVED

MAR 15 1991

NORTHERN REGION

WILLIAM C THOMSON
PO BOX 908
RATHDRUM ID 83858

August 24, 1992

RE: WATER RIGHT NO. 95-08683

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MINUTEMAN

SEP 17 1992

LICENSE REVIEW CHECKLIST

Permit # 95-8683

Date 8-11-92 CS

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
			<u>.01 cfs (DOM) per permit + proof</u>
	<u>NA</u>	<u> </u>	Disagree with Theoretical? <u>No pump info</u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.01 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u> </u>	<u>✓</u>	Disagree with Examiner's Calculations?
			<u>1.2 ac/a (DOM)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u>.01 x 365 x 1.9835 = 7.271.2</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM / Home</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
	<u> </u>	<u>✓</u>	Water Dist.
	<u> </u>	<u>✓</u>	App Rec'd
	<u> </u>	<u>✓</u>	Exam Made

COMMENTS/MEMOS NEEDED:

License ✓ 10-Day 15-Day Special Correspondence

WR0749NP
No. L95-08683

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/11/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WILLIAM C THOMSON PO BOX 908 RATHDRUM ID 83858 (208) 769-3600	02/13/1991	DOMESTIC	01-01 12-31	0.01 CFS	1.2 AFA
TOTAL DIVERSION:					0.01 CFS	1.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.01 CFS

Point(s) of Diversion: T52N R04W S13 NE NW

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE							
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:			
				NENE				NENE				NENE				NENE							
				NWNE				NWNE				NWNE				NWNE							
				SWNE				SWNE				SWNE				SWNE							
				SENE				SENE				SENE				SENE							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac				Ac				Ac				Ac							
				: Lt				: Lt				: Lt				: Lt							
				Ac</																			

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 27 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08683

1. Owner: WILLIAM C. THOMSON

Phone No. 769-3600

Current Address: PO Box 908 Rathdrum, ID.

2. Accompanied by: _____

EXAM. DATE: 3/6/92

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

FILED
SEP 17 1992

SEP 17 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 516 INCH X 302 W/SWL @ 75'. A SUBMERGIBLE PUMP & BURIED PIPING TO HOME

Revised Timeline To Home

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible					

5. Point(s) of Diversion:

***Code to correspond with No. on map and aerial photo**

[illegible]

6. Place(s) of Use:

Indicate Method of Determination *MAD*

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

0.01 cfs for one HmE

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1.2 AF / 1 HmE

RECEIVED

SEP 17 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic	1-1 12-31	0.04	1.2

2. Recommended Amendments

☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.U. as reflected above


J. AUTHENTICATION

Field Examiner's Name Tom D. King
 Signature [Signature]
 Certification Date 4/10/92
 Field Report Preparation Date 3/5/92



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED
 SEP 17 1992



SEP 17 1992

95-08683
T52NR4W
Sec 13

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Bill & Bonnie Thomson</u> Address <u>Coeur d'Alene, ID</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>75</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF. Quality _____ Describe artesian or temperature zones below																																																					
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>Est. 1 GPM</u></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>Est. 1 GPM</u>																																																
Discharge G.P.M.	Pumping Level	Hours Pumped																																																					
<u>Est. 1 GPM</u>																																																							
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>9"</td><td>0</td><td>3</td><td>over Burden</td><td></td></tr><tr><td>"</td><td>3</td><td>25</td><td>Soft decomposed Granite</td><td></td></tr><tr><td>"</td><td>25</td><td>40</td><td>Med soft Granite</td><td></td></tr><tr><td>6"</td><td>40</td><td>130</td><td>Med Granite</td><td>X</td></tr><tr><td>"</td><td>130</td><td>190</td><td>Fractured Granite Med</td><td></td></tr><tr><td>"</td><td>190</td><td>240</td><td>Med hard Granite</td><td></td></tr><tr><td>"</td><td>240</td><td>248</td><td>Med soft Granite</td><td></td></tr><tr><td>"</td><td>248</td><td>302</td><td>Med Hard Granite</td><td></td></tr><tr><td></td><td></td><td></td><td>Water Incounitised AT ABOUT THE 100 foot Area</td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	9"	0	3	over Burden		"	3	25	Soft decomposed Granite		"	25	40	Med soft Granite		6"	40	130	Med Granite	X	"	130	190	Fractured Granite Med		"	190	240	Med hard Granite		"	240	248	Med soft Granite		"	248	302	Med Hard Granite					Water Incounitised AT ABOUT THE 100 foot Area	
Bore Diam.	Depth		Material		Water Yes No																																																		
	From	To																																																					
9"	0	3	over Burden																																																				
"	3	25	Soft decomposed Granite																																																				
"	25	40	Med soft Granite																																																				
6"	40	130	Med Granite	X																																																			
"	130	190	Fractured Granite Med																																																				
"	190	240	Med hard Granite																																																				
"	240	248	Med soft Granite																																																				
"	248	302	Med Hard Granite																																																				
			Water Incounitised AT ABOUT THE 100 foot Area																																																				
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		RECEIVED MAY 6 1987 DEPARTMENT OF WATER RESOURCES NORTHERN DISTRICT OFFICE RECEIVED MAY 21 1987 DEPARTMENT OF WATER RESOURCES																																																					
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>6</u> inches</td><td><u>1</u> feet</td><td><u>40</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>40</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Over bore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>40</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	10. Work started <u>3-26-87</u> finished <u>3-29-87</u>																					
Thickness	Diameter	From	To																																																				
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>40</u> feet																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																				
Number	From	To																																																					
_____ perforations	_____ feet	_____ feet																																																					
_____ perforations	_____ feet	_____ feet																																																					
_____ perforations	_____ feet	_____ feet																																																					
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td></tr><tr><td>W</td><td></td><td>E</td></tr><tr><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td></tr></table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> NW 1/4 NE 1/4 Sec. 13 T. 52 N. R. 4 E/W		N			W		E				S			11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Aqua Drilling & Exploration Inc</u> Firm No. <u>163</u> Address <u>P.O. Box 225 CRA, ID</u> Date <u>3-29-87</u> Signed by (Firm Official) <u>Scott M. Braun</u> and (Operator) <u>Scott M. Braun</u>																																									
N																																																							
W		E																																																					
S																																																							

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 95-08683

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☐ N ☒
Pressure Gauge: Y ☐ N ☒
Flowing: Y ☐ N ☒

Static Water Level: 72'
Casing Diameter: 6"
Temperature: ✓

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☐

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

MICROFILMED
SEP 17 1992

March 6, 1992

WILLIAM C. THOMSON
P.O. BOX 908
RATHDRUM ID 83858

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08683

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAR 06 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 95-08683 Reviewed by Klg Date 3/4/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? domestic - 1
yes Address same as permit? _____
yes Proof timely received? Correct Uses? _____
If not, complete calculation below.

SOURCE OF WATER

_____ Surface water source
✓ Ground water source
NA Drilling permit required?
3/87 / Copy in the file? Drilling Permit No. _____
/ Amount paid for permit _____ Correct?
/ Well log in the file?

LICENSE EXAMINATION FEE

NA Required?
/ Amount Submitted
/ Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

Proof Made 2/13/92

3/6/92

February 28, 1992

WILLIAM C. THOMSON
P.O. BOX 908
RATHDRUM ID 83858

PROOF DUE NOTICE

RE: PERMIT NO. 95-08683

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MAR 06 1992

STATE OF IDAHO


DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08683 Telephone No. 769-3600
Password Password
2. Name(s) of Permit Holder(s): Thomson, William C
3. Post Office Address: P.O. Box 908 Rathbun ID 83853
4. Source of Water: Groundwater
- a. If ground water, well driller's name: Aqua Date drilled: Mar 1987
- b. Pump horsepower: 59pm Pressure (psi): _____ Dynamic pumping level (ft.): _____
5. Extent of Use:
- | | |
|--|---------------------------------|
| Domestic <u>1</u> (No. of households) | Irrigation _____ (No. of acres) |
| Stockwater _____ (No. and type of stock) | Other _____ |

6. Total rate and/or volume for which proof is submitted .01 cfs
7. Refer to the approval conditions on your permit and respond accordingly:
- | | | |
|------------------------|--------------------------------|---------------------------------|
| Measuring device: | Required? <u>Yes</u> <u>No</u> | Installed? <u>Yes</u> <u>No</u> |
| OR | | |
| Flow Measurement Port: | Required? <u>Yes</u> <u>No</u> | Installed? <u>Yes</u> <u>No</u> |
8. Fee Enclosed: \$ N/A (See License Examination Fee Schedule)



9. Person to contact to accompany the Department representative during the field examination:

AS Above
Name

208-769-3600-6261 (TRK)
Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

3/13/91
Date

William C. Thomson
Signature (and title if on behalf of a company or organization)

JUL 16 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 3, 1991

WILLIAM C. THOMSON
P.O. BOX 908
RATHDRUM, ID 83858

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08683

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED

JUL 16 1991

APPLICATION FOR PERMIT REVIEW

Application #: 95-8683
Date: 4-30-91

Reviewer: Pam Skaggs *PS*

Existing:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99
Not included - 046-P23 (All GW, even existing wells)

Location:

Water Districts - WD No. _____
Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
Swan Falls Flag - _____ (1, Blank or Other)
Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....
Boise (63) - 05A & 11E
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)
Power - Use Power Review
Mining - 06A or 010, 09E-P10 & 054(req.)
Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
Rec. & Aesthetic - 027(Non-Consumptive)
Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

JUL 16 1991

Beneficial Use Due Date: - 05-01-1992
Other Conditions Recommended _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TDK DATE: 2.14.91 APPLICATION NUMBER: 95-08683

APPLICANT: _____

REQUIRED INFORMATION

- (1). (✓) Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- (2). (✓) Source: (See USGS Quad for names of water sources)
- (3). (✓) Point of Diversion including county: (10 acre tract, Subd. lot & block)
- (4). (✓) Quantity: (flow and/or volume)
(✓) Nature of proposed use: (Include description of use)
(✓) Period of use:
- (5). (✓) Total Quantity: (flow and/or volume)
- (6). (✓) Description of diverting works:
- (7). (✓) Time required for beneficial use of water:
- (8). (✓) Proposed uses:
- (9). (✓) Place of use or acres irrigated:
- (10). (✓) Other Water Rights:
- (11). (✓) Ownership:
- (13). (✓) Map:
(✓) Signature: (signator title required for corp., partnership, etc)
(✓) Fee: (Amount, receipt number and date recorded on application)
(✓) Acknowledgement Letter:
(✓) Overlap Review: Attachment? (Y) ✓ (N) _____ Remarks? (Y) ✓ (N) _____

ADDITIONAL INFORMATION

YES NO

- ____ (✓) Field check required: Field check by: _____
- ____ (✓) Field report attached:
- ____ (✓) Critical groundwater area:
- ____ (✓) Groundwater management area:
- ____ (✓) Send dam safety information:
- ____ (✓) Send letter for additional fish information:
- ____ (✓) Send letter for additional power information:
- ____ (✓) Within trust water boundary: (Attach Trust Water Supp. Analysis Sheet):
- ____ (✓) Diversion greater than 5 cfs or 500 af, supp. analysis sheet attached:
- ____ (✓) Well drilling permit required:

PROCESSING

YES NO

- ____ (✓) In form for advertising:
- ____ (✓) Statewide advertising: (10.00 cfs or more, 1,000 AFA or more).

Send Copies To

YES NO

- ____ (✓) I.D. H & W
- ____ (✓) I.D. F & G
- ____ (✓) I.D. Lands
- ____ (✓) Adj. Bur.

YES NO

- ____ (✓) U.S. BLM
- ____ (✓) U.S.F.S.
- ____ (✓) W District # _____
- ____ (✓) G.W. Prot. Div.

YES NO

____ Other _____

RECEIVED
APR 16 1991

Application Number 95-08683

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Additional information received:
☒ Notice of pending void order issued: Final date of order response. _____
☒ Comments added
☒ Maps Copied
☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 3/25/91
☒ Recommendations attached:
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 2-13-91

Recommended by: TDK RMB Date 4/11/91

STATE OFFICE REVIEW

See remarks for additional information. By _____ Date _____

REMARKS

95-08496 - LAPSED APPLICANT DOES NOT WISH TO REINSTATE - TDK

95-08683

THOMSON, WILLIAM C.
P.O. BOX 908
RATHDRUM, ID 83858

Source: GROUNDWATER

Diversion Pt: NENENW Sec 13 T 52N R 04W

Use: DOMESTIC (.010 CFS)
Total Diversion: (.010 CFS)

Date Filed: 2/13/ 1991

In: T52N R04W S13 NENW

REPRODUCTION
JUL 16 1991

RECEIVED
JAN 31 1998
Department of Water Resources
Northern District Office

Ident. No. 95-8496

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant BONNIE C. THOMPSON Phone 772-9225
Post office address POB 5301 COEUR D'ALENE, ID 83814
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 13 Township 52N Range 4W B.M. KOOTENAI County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.10 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.16 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 2" WELL, PUMPED PIPE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 300± feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

JUL 16 1991

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 12 RANGE
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1
- e. Other; describe fully. _____

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.


[illegible]

Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. WATER SURFACE
11. a. Who owns the property at the point of diversion? App
- b. Who owns the land to be irrigated or place of use? App.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. SALES AGREEMENT 12-11-85 ~ LAKE COUNTRY REALTY
12. Remarks: _____

JUL 16 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number,



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bonnie C. Thomson
(Applicant)

Proposed Priority 12/16/85
Received by E Date 12-16-85 Time 8:00 AM Preliminary check by WV RGH
Fee \$ 30.00 Receipted by MS # 31913 Date 12/16/85
Publication prepared by MS Date 12/19/85 Published in Cosmo & Ocean News
Publication approved MS Date 1/6/86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8496, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 24th day of January, 1986.

J. Glen Saxton
Chief, Operations Bureau

MICROFILMED
JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Bill & Bonnie Thomson
Address Coeur d'Alene, ID.
Owner's Permit No. _____

7. WATER LEVEL

Static water level 75 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

Est. 1 GPM

3. PROPOSED USE

- ☒
- Domestic
- ☐
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☒
- Rotary
- ☒
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
250 inches	6 inches	1 feet	40 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 40 Material used in seal: ☐ Cement grout☒ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld _____

☐ Cemented between strata

Describe access port _____

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8"	0	3	over Burden		
"	3	25	soft decomposed Granite		
"	25	40	Med soft Granite		
6"	40	130	Med Granite		
"	130	190	Fractured Granite Med	X	
"	190	240	Med Hard Granite		
"	240	248	Med soft Granite		
"	248	302	Med Hard Granite		

Water encountered
AT ABOUT THE 100 feet
Area

RECEIVED

MAY 6 1987

DEPARTMENT OF WATER RESOURCES
NORTHWEST REGION

MICROFILMED


JUL 16 1991

10.

Work started 3-26-87 finished 3-27-87

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County KootenaiNW ¼ NE ¼ Sec. 13, T. 52 N, R. 4 E (W)

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name AQUA Drilling & Exploration Inc Firm No. 163Address P.O. Box 225 COA, ID Date 3-27-87Signed by (Firm Official) Scott M. Braun

and

(Operator) Scott M. Braun