


RECORD OF SURVEY

574 & 3383 IN GOV'T. LOT 1 AND TAX NUMBER 5567 IN GOV'T. LOT 2 IN THE NW 1/4 OF SEC. 17, T.48N., R.4W., B.1N.
KOOTENAI COUNTY, IDAHO



CERTIFICATE OF SURVEY



INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA 1982


ROAD CLASSIFICATION

- Primary highway, hard surface
- Secondary highway, hard surface
- Interstate Route

Light duty road, hard surface

Mapped, edited, and published by the Geological Survey

dated 1981



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julie Jacobs

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks*, commencing on the *16th* day of *August*, 19*90*, and ending on the *23rd* day of *August*, 19*90*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julie Jacobs

Subscribed and sworn to before me this *23rd* day of *August*, 19*90*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

ROBERTA MANLEY
My commission expires *2-3-93*

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-08668

BACKLUND, FRED
S 2022 ABRAMS COURT
SPOKANE, WA 99203
Source: COEUR D ALENE LAKE
Tributary: SPOKANE RIVER
Diversion Pt: LOT 1 (SENW) Sec 17 T 48N R 04W

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 8/6/1990

In: T48N R04W S17 Lot 1 (SENW)


For additional information concerning the property location, call the Northern Regional Office at 765-4639. The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before SEPTEMBER 3, 1990.


R. KEITH HIGGINSON, Director



Legal 293

Aug. 16, 23, 1990

OK
8/30/90








95-08668 SEP 17 1992

MICROFILMED

PERMIT # 95-8668

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



RECORDED
SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08668

Priority: August 6, 1990

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 0.6 AF

This is to certify, that FRED BACKLUND
S 2022 ABRAMS COURT
SPOKANE WA 99203

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 6, 1990; and
has submitted Proof of Beneficial Use on August 7, 1991. An examination indicates
that the works have a diversion capacity of .040 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	03/15 to 11/15	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(SENW), Sec. 17, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

48N 04W 17 Lot 1(SENW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for lawn and garden watering.

MICROFILMED

SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08668

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25TH
day of AUGUST, 1992.

Acting for *Norm Cygan*
K. Keith Higginson, Director

RECEIVED

SEP 17 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 95-08668

Proposed Priority: August 6, 1990 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **FRED BACKLUND**
S. 2022 ABRAMS COURT
SPOKANE, WA 99203

has applied for a permit to appropriate water from:

COEUR D'ALENE LAKE tributary of SPOKANE RIVER

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	03/15 to 11/15	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 1(SENW), Sec. 17, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

48N 04W 17 LOT 1(SENW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1991.
2. Subject to all prior water rights.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
4. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of September, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

NOV 02 1990

Ident. No. 95-08668

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: FRED BACKLUND
Address: S 2022 ABRAMS COURT
SPOKANE, WA 99203
208-664-6570

2. Source: COEUR D ALENE LAKE Trib. to: SPOKANE RIVER

3. Location of Point of Diversion: LOT 1 (SE NW), Sec. 17, Township 48N, Range 04W
TDA KOOTENAI County
ADDED TO COMPUTER

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	03/15	11/15	0.040		

5. Total quantity appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
PUMP AND PIPELINE

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is inches; proposed depth of well is
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
LAWN SPRINKLING FOR ONE HOME

9. Place of Use: DOMESTIC

TWN RGE SEC
48N 04W 17 LOT 1 (SE NW)
TDA

NOV 02 1995

10. Describe any other water rights used for the same purposes.
UNRECORDED USE RIGHT FROM A WELL.

11. a. Who owns the property at the point of diversion?
STATE OF IDAHO
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:
LAWN SPRINKLING FOR ONE HOME.

13. Map of proposed point of diversion and place of use attached? [✓]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant


Received by RYA Date 8/6/90 Time 10:00 Preliminary check by TDK
Fee \$ 30.00 Receipted by RYA # N3986 Date 8/6/90
Publication prepared by pm Date 8/8/90 Published in 8/16-23/90
Publication approved pm Date 8/30/90

MICROFILMED

NOV 02 1990

574 & 3383 IN GOV'T. LOT 1 AND TAX NUMBER 5567 IN GOV'T. LOT 2 IN THE NW 1/4 OF SEC. 17, T.48N., R.4W., B.1N. KOOTENAI COUNTY, IDAHO

RECORD OF SURVEY



MICROFILMED

NOV 02 1990

BLOCK

CERTIFICATE OF SURVEY



ROAD CLASSIFICATION

Primary highway,
hard surface

Secondary highway,
hard surface

() Interstate Route

Light duty road, hard surface

Mapped, edited, and published by the Geological Survey

Revised 1981

0°08' 2 MILS
1982° 347 MILS

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Julia Jacobs

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Legal Notice

of which the annexed is a printed copy, was published in the regular *Thurs.* issue of said newspaper for *2* consecutive *weeks*, commencing on the *16th* day of *August*, 19*90*, and ending on the *23rd* day of *August*, 19*90*, and such publication was made as often during said period as said *Daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Julia Jacobs

Subscribed and sworn to before me this *23rd* day of *August*, 19*90*.

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

95-08668

BACKLUND, FRED

S 2022 ABRAMS COURT

SPOKANE, WA 99203

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 1 (SENW) Sec 17 T
48N R 04W

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 8/6/1990


In: T48N R04W S17 Lot 1 (SENW)

For additional information concern-
ing the property location, call the
Northern Regional Office at 765-4639.
The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d' Alene, Idaho 83814 on
or before SEPTEMBER 3, 1990.

R. KEITH HIGGINSON, Director

Legal 293

Aug. 16, 23, 1990



2-3-93

August 26, 1992

FRED BACKLUND
S 2022 ABRAMS COURT
SPOKANE WA 99203

RE: WATER RIGHT NO. 95-08668

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

SEP 17 1992

LICENSE REVIEW CHECKLIST

Permit # 95-08668

Date 8-11-92
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒	NA	Disagree with Actual Measurement? _____
			<u>.04 cfs (DOM)</u>
	☒	NA	Disagree with Theoretical? <u>1.5 x 8.8 x .7 = .069</u>
	☐	☒	Limited by Capacity? <u>.04 cfs 40' x (2.31 x 40)</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> - AFA Irr. Season <u>D</u>
			<u>3.15 to 11.15</u> - Standard Irr. Season
			<u>Same Per Permit</u> - Season Recommended
	☐	☒	Disagree with Examiner's Calculations? _____
			<u>.6 cfs (DOM)</u>
	☐	☒	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
		☒	<u>Intended</u> source _____
		☒	Notice of Intent to Void. _____
P/D			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>DOM/Irr lawn + garden</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device _____ DATES/MISC
	☐	☒	W/Master Control _____ ☒ Water Dist.
	☐	☒	Overlap _____ ☒ App Rec'd
	☐	☒	Water Quality _____ ☒ Exam Made

COMMENTS/MEMOS NEEDED:

Allowing liberal estimates, Theoretical
supports .04 cfs - Estimated lift + pressure

License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence _____

WR0749NP
No. L95-08668

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 08/12/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	FRED BACKLUND S 2022 ABRAMS COURT SPOKANE WA 99203 (208) 664-6570	08/06/1990	DOMESTIC	03-15 11-15	0.04 CFS	0.6 AFA
TOTAL DIVERSION:					0.04 CFS	0.6 AFA

Water Source: COEUR D ALENE LAKE

Tributary to: SPOKANE RIVER

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T48N R04W S17 Lot 01(SE NW)

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE																			
				NENE	NWNE	SWNE	SENE					NENW	NWNW	SWNW	SENW					NESW	NWSW	SWSW	SESW					NESE	NWSE	SWSE	SESE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
---	---	---	:	---	---	---	---	---	---	---	---	---	---	---	---	:	---	---	---	---	---	---	:	---	---	---	---	---	---	:	---	---	---	---	:
48N	04W	17	:													:							:							:				:	

Pou County: KOOTENAI

Conditions of Approval:

- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.

Remarks: Domestic use is for lawn and garden watering.

Dates: App. Received: 08/06/1990 Priority Date: 08/06/1990
Proof Due Date: 10/01/1991 Proof Made Date: 08/07/1991
Exam Made Date: 08/22/1991 Exam Sent to S.O.: 07/24/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 08/12/92 SKAGGS

SENIOR AGENT REVIEW

RECEIVED
JUL 27 1992

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 95-08668

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
☒ Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
☒ Government Lot ?
☒ Method of determination
☒ 6. Compare USGS/Land Survey? Aerial Photos/Permit.
☒ Method of determination,
☒ Irrigation (Rule 5,1,8),

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- ☒ Three significant figures/not less than 0.10 (Rule 6,1,2)
☒ Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

☒ Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

☒ Check with permit and well log for discrepancies

Signature Tom D. King
Tom D. King Sr. Water Resource Agent

Date 11/27/91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 95-08668
1. Owner: Fred Backlund Phone No. 664 6570
Current Address: 5. 2022 Abrams Court Spokane Wa 99203
2. Accompanied by: SAME EXAM. DATE: 8/22/91
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Coeur d'Alene Lake tributary to Spokane River

B. OVERLAP REVIEW

1. Other water rights with same place of use: well for house hold use ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECORDED
SEP 17 1992

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Submersible pump in lake pumps water to small pressure tank and then to a sprinkler zone with 850 Turf bird sprinklers which irrigate approximately 1/2 acre. Pressure gage at tank reads 60psi.

☐ See Remarks on page 4 for continuation[illegible]

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

0.04 as per permit

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

0.6 afa Lawn & Garden only

SEP 17 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

~~Domestic AS per 42-111B SURFACE WATER TDK~~

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic	3-15 12-15	0.04 cfs	0.6 afa

2. Recommended Amendments


- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name
Signature
Certification Date
Field Report Preparation Date



Theresa J Bright
4/10/91
8/22/91

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



SEP 17 1992

MICROFILMED



95-08668-17 1992

MIPD 17 1992

574 & 3383 IN GOV'T. LOT 1 AND TAX NUMBER 5567 IN GOV'T. LOT 2 IN THE NW 1/4 OF SEC. 17, T.48N., R.4W., B.1N. KOOTENAI COUNTY, IDAHO



PERMIT # 95-8668

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



Sprinkler
Control Box

MICROFILMED
SEP 17 1992

August 14, 1991

FRED BACKLUND
S. 2022 ABRAMS COURT
SPOKANE, WA 99203

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08668

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

FILED
AUG 23 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 95-8668

Date 8-12-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☒ Surface water source
☐ Ground water source
☒ Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Amt paid for drilling permit? _____ Correct?
☐ Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
☐ Amount submitted?
☐ Correct amount?

MEASURING DEVICE

- ☒ Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

LB

RECEIVED
AUG 07 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08668 Telephone No. 208-664-6570
509-534-4041
2. Name(s) of Permit Holder(s): FRED BACKLUND
3. Post Office Address: 5-2022 ABRAMS CT. SPOKANE WN. 99203
4. Source of Water: CDM LAKE

a. If ground water, well driller's name: _____ Date drilled: _____

b. Pump horsepower: 1HP Pressure (psi): 16510 Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic X 1 (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

8. Fee Enclosed: \$ 0.0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

FRED W. BACKLUND

Name

208-664-6570
509-534-4041

Telephone No.

5-2022 ABRAMS CT. SPOKANE, WN. 99203

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

AUG 23 1991

8-3-91
Date

Fred W. Backlund
Signature (and title if on behalf of a company or organization)

FRED BACKLUND
S. 2022 ABRAMS COURT
SPOKANE, WA 99203

138962
~~#2856~~
July 31, 1991

PROOF DUE NOTICE

RE: PERMIT NO. 95-08668

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

AUG 23 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
September 28, 1990

FRED BACKLUND
S. 2022 ABRAMS COURT
SPOKANE, WA 99203

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 95-08668

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ: SC
Enclosures

MICROFILMED

NOV 02 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TPK DATE: 8-6-90 APPLICATION NUMBER: 95-0866P

APPLICANT: _____

REQUIRED INFORMATION

- (1). (✓) Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- (2). (✓) Source: (See USGS Quad for names of water sources)
- (3). (✓) Point of Diversion including county: (spring/10 ac., Subd. lot & block)
- (4). (✓) Quantity: (flow and/or volume)
(✓) Nature of proposed use: (Include description of use)
(✓) Period of use:
- (5). (✓) Total Quantity: (flow and/or volume)
- (6). (✓) Description of diverting works:
- (7). (✓) Time required for beneficial use of water:
- (8). (✓) Proposed uses:
- (9). (✓) Place of use or acres irrigated:
- (10). (✓) Other Water Rights:
- (11). (✓) Ownership:
- (13). (✓) Map:
(✓) Signature: (signator title required for corp., partnership, etc)
(✓) Fee: (Amount, receipt number and date recorded on application)
(✓) Acknowledgement Letter:
(✓) Overlap Review: Attachment? (Y)____ (N)____ Remarks? (Y)____ (N)____

ADDITIONAL INFORMATION

- YES NO
- ___ / Field check required: Field check by: _____
- ___ / Field report attached:
- ___ / Critical groundwater area:
- ___ / Groundwater management area:
- ___ / Send dam safety information:
- ___ / Send fish farm requirement letter:
- ___ / Send power requirement letter:
- ___ / Send Power residency affidavit:
- ___ / Send Power efficiency form:
- ___ / Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet):
- ___ / Diversion greater than 5 cfs or 500 af, supp. analysis sheet attached:
- ___ / Well drilling permit required:

PROCESSING

- YES NO
- ___ / In form for advertising:
- ___ / Statewide advertising: (10.00 or more cfs.)

Send Copies To

- | | | |
|------------------|--------------------------|-------------------|
| YES NO | YES NO | YES NO |
| ___ / I.D. H & W | ___ / U.S. BLM | ___ / Other _____ |
| ___ / I.D. F & G | ___ / U.S.F.S. | |
| ___ / I.D. Lands | ___ / W District # _____ | |
| ___ / Adj. Bur. | ___ / G.W. Prot. Div. | |

RECEIVED
SEP 13 1990
Department of Water Resources

Application Number 95-0866E

FINAL REGIONAL PROCESSING REVIEW

YES NO

✓ Additional information received:

✓ Notice of pending void order issued: Final date of order response.

Affidavit of publication received:

Application published correctly: If not, record action taken.

✓ Publication dates and paper recorded on application:

Protests received, Final date for protest

Recommendations attached:

✓ Measuring device required:

✓ ~~Measuring~~ port required:

☒ Water delivered by water master? District #

Special conditions of approval or cover letter: (see additional info. below)

Recomended Date of Priority 8-6-70

Recomended by:

Date _____

STATE OFFICE REVIEW

See remarks for additional information. By

Date _____

REMARKS

STANLEY F. HAMILTON
DIRECTOR

BOARD OF LAND
COMMISSIONERS

CECIL D. ANDRUS
Governor

PETE T. CENARRUSA
Secretary of State

JIM JONES
Attorney General

J.D. WILLIAMS
State Auditor

JERRY L. EVANS
Supt. of Public
Instruction

August 13, 1990

TO: Department of Water Resources
✓ Northern Region

FROM: Bryce D. Taylor
Leasing Specialist

RE: 95-8668
Backlund, Fred

The applicant will need to apply for an encroachment permit as Coeur d'Alene Lake is navigable. The permit may be obtained from our Lake Protection Act administrative office in Coeur d'Alene.

Bryce

BDT:lr

MICROFILMED

NOV 02 1990

RECEIVED

AUG 22 1990

NORTHERN REGION
I D W R



State Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

August 9, 1990

Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 95-8668

Gentlemen:

Enclosed is a copy of a recent filing with this Department that may be of interest to your agency.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

Enclosure

MICROFILMED

NOV 02 1990

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

95-08668

BACKLUND, FRED
S 2022 ABRAMS COURT
SPOKANE, WA 99203

Source: COEUR D ALENE LAKE

Tributary: SPOKANE RIVER

Diversion Pt: LOT 1 (SENW) Sec 17 T 48N R 04W

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 8/ 6/ 1990

In: T48N R04W S17 Lot 1 (SENW)

MICROFILMED

NOV 02 1990